Sang-Wook Han

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2822518/publications.pdf Version: 2024-02-01



SANG-MOOK HAN

#	Article	IF	CITATIONS
1	Prokaryotic DNA methylation and its functional roles. Journal of Microbiology, 2021, 59, 242-248.	2.8	30
2	Proteomic and Phenotypic Analyses of a Putative Glycerol-3-Phosphate Dehydrogenase Required for Virulence in Acidovorax citrulli. Plant Pathology Journal, 2021, 37, 36-46.	1.7	7
3	Two DNA Methyltransferases for Site-Specific 6mA and 5mC DNA Modification in Xanthomonas euvesicatoria. Frontiers in Plant Science, 2021, 12, 621466.	3.6	7
4	Comparative Proteomic Analysis for a Putative Pyridoxal Phosphate-Dependent Aminotransferase Required for Virulence in Acidovorax citrulli. Plant Pathology Journal, 2021, 37, 673-680.	1.7	5
5	Profiling Differentially Abundant Proteins by Overexpression of Three Putative Methyltransferases in Xanthomonas axonopodis pv. glycines. Proteomics, 2020, 20, 1900125.	2.2	7
6	Putative Bifunctional Chorismate Mutase/Prephenate Dehydratase Contributes to the Virulence of Acidovorax citrulli. Frontiers in Plant Science, 2020, 11, 569552.	3.6	12
7	Transcription Factor PdeR Is Involved in Fungal Development, Metabolic Change, and Pathogenesis of Gray Mold <i>Botrytis cinerea</i> . Journal of Agricultural and Food Chemistry, 2020, 68, 9171-9179.	5.2	6
8	Triacanthine exerts antitumor effects on bladder cancer in vitro and in vivo. Phytomedicine, 2019, 64, 153069.	5.3	22
9	Complete Genome Sequences of Xanthomonas axonopodis pv. glycines Isolates from the United States and Thailand Reveal Conserved Transcription Activator-Like Effectors. Genome Biology and Evolution, 2019, 11, 1380-1384.	2.5	11
10	Functional characterization of a putative DNA methyltransferase, EadM, in Xanthomonas axonopodis pv. glycines by proteomic and phenotypic analyses. Scientific Reports, 2019, 9, 2446.	3.3	39
11	A LysR-Type Transcriptional Regulator LcrX Is Involved in Virulence, Biofilm Formation, Swimming Motility, Siderophore Secretion, and Growth in Sugar Sources in Xanthomonas axonopodis Pv. glycines. Frontiers in Plant Science, 2019, 10, 1657.	3.6	22
12	Genome-wide Screening to Identify Responsive Regulators Involved in the Virulence of Xanthomonas oryzae pv. oryzae. Plant Pathology Journal, 2019, 35, 84-89.	1.7	5
13	Enhanced Tolerance of Chinese Cabbage Seedlings Mediated by Bacillus aryabhattai H26-2 and B. siamensis H30-3 against High Temperature Stress and Fungal Infections. Plant Pathology Journal, 2018, 34, 555-566.	1.7	11
14	Elucidating Functions of FleQ in Xanthomonas oryzae pv. oryzae by Comparative Proteomic and Phenotypic Analyses. International Journal of Molecular Sciences, 2018, 19, 3038.	4.1	28
15	Deciphering the functions of the outer membrane porin OprBXo involved in virulence, motility, exopolysaccharide production, biofilm formation and stress tolerance in <i>Xanthomonas oryzae </i> . Molecular Plant Pathology, 2018, 19, 2527-2542.	4.2	33
16	Isolation and identification of <i>Burkholderia gladioli</i> on <i>Cymbidium</i> orchids in Korea. Biotechnology and Biotechnological Equipment, 2017, 31, 280-288.	1.3	11
17	Molecular functions of Xanthomonas type III effector AvrBsT and its plant interactors in cell death and defense signaling. Planta, 2017, 245, 237-253.	3.2	20
18	Comparative Proteomic Analysis of Three <i>Xanthomonas</i> spp. Cultured in Minimal and Rich Media. Proteomics, 2017, 17, 1700142.	2.2	21

SANG-WOOK HAN

#	Article	IF	CITATIONS
19	The Pepper RING Finger E3 Ligase, CaDIR1, Regulates the Drought Stress Response via ABA-Mediated Signaling. Frontiers in Plant Science, 2017, 8, 690.	3.6	16
20	Functional Analysis of the Pepper Ethylene-Responsive Transcription Factor, CaAIEF1, in Enhanced ABA Sensitivity and Drought Tolerance. Frontiers in Plant Science, 2017, 8, 1407.	3.6	26
21	Pseudomonas syringae pv. actinidiae Type III Effectors Localized at Multiple Cellular Compartments Activate or Suppress Innate Immune Responses in Nicotiana benthamiana. Frontiers in Plant Science, 2017, 8, 2157.	3.6	42
22	De novo-based transcriptome profiling of male-sterile and fertile watermelon lines. PLoS ONE, 2017, 12, e0187147.	2.5	7
23	Functional and Proteomic Analyses Reveal That ScpBXv Is Involved in Bacterial Growth, Virulence, and Biofilm Formation in Xanthomonas campestris pv. vesicatoria. Plant Pathology Journal, 2017, 33, 602-607.	1.7	3
24	Methylome Analysis of Two Xanthomonas spp. Using Single-Molecule Real-Time Sequencing. Plant Pathology Journal, 2016, 32, 500-507.	1.7	32
25	Sulforaphene identified from radish (Raphanus sativus L.) seeds possesses antimicrobial properties against multidrug-resistant bacteria and methicillin-resistant Staphylococcus aureus. Journal of Functional Foods, 2016, 24, 131-141.	3.4	21
26	Deciphering the Role of Tyrosine Sulfation in Xanthomonas oryzae pv. oryzae Using Shotgun Proteomic Analysis. Plant Pathology Journal, 2016, 32, 266-272.	1.7	4
27	Expression and Functional Roles of the Pepper Pathogen–Induced bZIP Transcription Factor CabZIP2 in Enhanced Disease Resistance to Bacterial Pathogen Infection. Molecular Plant-Microbe Interactions, 2015, 28, 825-833.	2.6	62
28	Infection processes of xylem-colonizing pathogenic bacteria: possible explanations for the scarcity of qualitative disease resistance genes against them in crops. Theoretical and Applied Genetics, 2015, 128, 1219-1229.	3.6	37
29	The Pepper Lipoxygenase CaLOX1 Plays a Role in Osmotic, Drought and High Salinity Stress Response. Plant and Cell Physiology, 2015, 56, 930-942.	3.1	118
30	Genetic Diversity of Pectobacterium carotovorum subsp. brasiliensis Isolated in Korea. Plant Pathology Journal, 2014, 30, 117-124.	1.7	57
31	Proteomic and functional analyses of a novel porin-like protein in Xanthomonas oryzae pv. oryzae. Journal of Microbiology, 2014, 52, 1030-1035.	2.8	13
32	Draft genome sequence of Xanthomonas axonopodis pv. glycines 8ra possessing transcription activator-like effectors used for genetic engineering. Journal of Biotechnology, 2014, 179, 15-16.	3.8	5
33	Complete genome sequence of the Pectobacterium carotovorum subsp. carotovorum virulent bacteriophage PM1. Archives of Virology, 2014, 159, 2185-2187.	2.1	29
34	Functional and proteomic analyses reveal that wxcB is involved in virulence, motility, detergent tolerance, and biofilm formation in Xanthomonas campestris pv. vesicatoria. Biochemical and Biophysical Research Communications, 2014, 452, 389-394.	2.1	32
35	A new antimicrobial substance produced by Staphylococcus pasteuri isolated from vegetables. Food Science and Biotechnology, 2014, 23, 983-990.	2.6	15
36	Molecular sensors for plant immunity; pattern recognition receptors and race-specific resistance proteins. Journal of Plant Biology, 2013, 56, 357-366.	2.1	9

3

SANG-WOOK HAN

#	Article	IF	CITATIONS
37	Arabidopsis PYL8 Plays an Important Role for ABA Signaling and Drought Stress Responses. Plant Pathology Journal, 2013, 29, 471-476.	1.7	52
38	Tyrosine sulfation in a Gram-negative bacterium. Nature Communications, 2012, 3, 1153.	12.8	63
39	Two New Complete Genome Sequences Offer Insight into Host and Tissue Specificity of Plant Pathogenic Xanthomonas spp. Journal of Bacteriology, 2011, 193, 5450-5464.	2.2	189
40	Secretion, modification, and regulation of Ax21. Current Opinion in Microbiology, 2011, 14, 62-67.	5.1	28
41	Small Protein-Mediated Quorum Sensing in a Gram-Negative Bacterium. PLoS ONE, 2011, 6, e29192.	2.5	33
42	The Arabidopsis flagellin receptor FLS2 mediates the perception of Xanthomonas Ax21 secreted peptides. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 9286-9291.	7.1	62
43	Elucidation of XA21-mediated innate immunity. Cellular Microbiology, 2010, 12, 1017-1025.	2.1	61
44	A Type I–Secreted, Sulfated Peptide Triggers XA21-Mediated Innate Immunity. Science, 2009, 326, 850-853.	12.6	240
45	An efficient method for visualization and growth of fluorescent Xanthomonas oryzae pv. oryzae in planta. BMC Microbiology, 2008, 8, 164.	3.3	19
46	The <i>Xanthomonas oryzae</i> pv. oryzae PhoPQ Two-Component System Is Required for AvrXA21 Activity, <i>hrpG</i> Expression, and Virulence. Journal of Bacteriology, 2008, 190, 2183-2197.	2.2	96
47	Xanthomonas oryzae pv. oryzae AvrXA21 Activity Is Dependent on a Type One Secretion System, Is Regulated by a Two-Component Regulatory System that Responds to Cell Population Density, and Is Conserved in Other Xanthomonas spp , 2008, , 25-40.		0
48	Avirulence gene diversity of Xanthomonas axonopodis pv. glycines isolated in Korea. Journal of Microbiology and Biotechnology, 2008, 18, 1500-9.	2.1	10
49	Characterization of a Novel Necrotic Response of Glycine max Line 'PI96188' to Xanthomonas axonopodis pv. glycines. Plant Pathology Journal, 2007, 23, 193-202.	1.7	22
50	Unique characteristics of Xanthomonas oryzae pv. oryzae AvrXa21 and implications for plant innate immunity. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 18395-18400.	7.1	110