## Esin Kasapoglu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2822927/publications.pdf

Version: 2024-02-01

|          |                | 471509       | 477307         |
|----------|----------------|--------------|----------------|
| 68       | 1,028          | 17           | 29             |
| papers   | citations      | h-index      | g-index        |
|          |                |              |                |
|          |                |              |                |
|          |                |              |                |
| 70       | 70             | 70           | 249            |
| all docs | docs citations | times ranked | citing authors |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Linear and nonlinear optical properties in a semiconductor quantum well under intense laser radiation: Effects of applied electromagnetic fields, lournal of Luminescence, 2012, 132, 901-913. Effects of applied electric and magnetic fields on the nonlinear optical properties of asymmetric xmml:math altimg="si13.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" | 3.1 | 94        |
| 2  | xmlns:xs="http://www.w3.org/2001/XMLSchema"<br>xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd"<br>xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML"  | 3.6 | 64        |
| 3  | xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevie. Optical Mat Electron-related optical responses in triangular quantum dots. Physica E: Low-Dimensional Systems and Nanostructures, 2014, 60, 127-132.   | 2.7 | 55        |
| 4  | Donor impurity states and related optical responses in triangular quantum dots under applied electric field. Superlattices and Microstructures, 2014, 73, 171-184.   | 3.1 | 55        |
| 5  | The effects of the electric and magnetic fields on the nonlinear optical properties in the step-like asymmetric quantum well. Physica E: Low-Dimensional Systems and Nanostructures, 2014, 61, 107-110.  | 2.7 | 50        |
| 6  | Electronic states in GaAs-(Al,Ga)As eccentric quantum rings under nonresonant intense laser and magnetic fields. Scientific Reports, 2019, 9, 1427.  | 3.3 | 46        |
| 7  | Effects of applied electromagnetic fields on the linear and nonlinear optical properties in an inverse parabolic quantum well. Journal of Luminescence, 2012, 132, 1627-1631.  | 3.1 | 44        |
| 8  | Effects of intense laser field and position dependent effective mass in Razavy quantum wells and quantum dots. Physica E: Low-Dimensional Systems and Nanostructures, 2021, 126, 114461.   | 2.7 | 36        |
| 9  | Combined effects of intense laser field and applied electric field on exciton states in GaAs quantum wells: Transition from the single to double quantum well. Physica Status Solidi (B): Basic Research, 2012, 249, 118-127.  | 1.5 | 33        |
| 10 | Effects of Geometry on the Electronic Properties of Semiconductor Elliptical Quantum Rings. Scientific Reports, 2018, 8, 13299.  | 3.3 | 33        |
| 11 | Intense laser field effects on the linear and nonlinear intersubband optical properties of a semi-parabolic quantum well. European Physical Journal B, 2011, 82, 13-17.  | 1.5 | 29        |
| 12 | Intense laser field effect on impurity states in a semiconductor quantum well: transition from the single to double quantum well potential. European Physical Journal B, 2011, 81, 441-449.  | 1.5 | 26        |
| 13 | Effects of magnetic field, hydrostatic pressure and temperature on the nonlinear optical properties in symmetric double semi-V-shaped quantum well. Optical and Quantum Electronics, 2016, 48, 1.  | 3.3 | 26        |
| 14 | Intense laser field-induced nonlinear optical properties of Morse quantum well. Physica Status Solidi (B): Basic Research, 2017, 254, 1600457.   | 1.5 | 26        |
| 15 | Binding energy of donor impurity states and optical absorption in the Tietz-Hua quantum well under an applied electric field. Journal of Molecular Structure, 2018, 1157, 288-291.   | 3.6 | 26        |
| 16 | Combined effects of the intense laser field, electric and magnetic fields on the optical properties of n-type double $\hat{\Gamma}$ -doped GaAs quantum well. Physica E: Low-Dimensional Systems and Nanostructures, 2017, 90, 214-217.  | 2.7 | 24        |
| 17 | The effects of the intense laser field on bound states in Ga $\times$ In1- $\times$ N $\times$ As1- $\times$ N/GaAs single quantum well. European Physical Journal B, 2011, 80, 89-93.   | 1.5 | 21        |
| 18 | Position-dependent mass effects on the optical responses of the quantum well with Tietz–Hua potential. Optik, 2019, 178, 1280-1284.  | 2.9 | 17        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | MAGNETIC FIELD AND INTENSE LASER RADIATION EFFECTS ON THE INTERBAND TRANSITIONS IN QUANTUM WELL WIRES. Surface Review and Letters, 2004, 11, 403-409.   | 1.1 | 16        |
| 20 | Zeeman splitting, Zeeman transitions and optical absorption of an electron confined in spherical quantum dots under the magnetic field. Philosophical Magazine, 2021, 101, 117-128.                     | 1.6 | 16        |
| 21 | SHALLOW DONORS IN A COUPLED TRIPLE GRADED QUANTUM WELL UNDER THE ELECTRIC AND MAGNETIC FIELDS. Surface Review and Letters, 2006, 13, 397-401.   | 1.1 | 15        |
| 22 | Optical characterization of laser-driven double Morse quantum wells. Heliyon, 2019, 5, e02022.  | 3.2 | 14        |
| 23 | Nonlinear optical properties of a semi-exponential quantum wells: Effect of high-frequency intense laser field. Optik, 2019, 185, 311-316.  | 2.9 | 14        |
| 24 | Impurity-related optical response in a 2D and 3D quantum dot with Gaussian confinement under intense laser field. Philosophical Magazine, 2020, 100, 619-641.   | 1.6 | 14        |
| 25 | Influence of position dependent effective mass on impurity binding energy and absorption in quantum wells with the Konwent potential. Materials Science in Semiconductor Processing, 2021, 135, 106076. | 4.0 | 14        |
| 26 | Electronic and optical properties of a $$D_2^+$ \$ complex in two-dimensional quantum dots with Gaussian confinement potential. European Physical Journal Plus, 2022, 137, 1.                           | 2.6 | 14        |
| 27 | Electron and donor-impurity-related Raman scattering and Raman gain in triangular quantum dots under an applied electric field. European Physical Journal B, 2016, 89, 1.                               | 1.5 | 12        |
| 28 | Intense laser-induced electronic and optical properties in double finite oscillator potential. Philosophical Magazine, 2019, 99, 2444-2456.   | 1.6 | 11        |
| 29 | The effects of the intense laser field on the optical properties of the asymmetric parabolic quantum well. Optical and Quantum Electronics, 2017, 49, 1.  | 3.3 | 10        |
| 30 | Effect of Intense Laser Field in Gaussian Quantum Well With Positionâ€Dependent Effective Mass. Physica Status Solidi (B): Basic Research, 2019, 256, 1800758.  | 1.5 | 10        |
| 31 | Position dependent effective mass effect on the quantum wells with three-parameter modified Manning potential. Optik, 2021, 243, 166840.  | 2.9 | 10        |
| 32 | Study of direct and indirect exciton states in GaAs-Ga1â^'xAlxAs quantum dots under the effects of intense laser field and applied electric field. European Physical Journal B, 2012, 85, 1.            | 1.5 | 9         |
| 33 | Optical properties of the Tietz-Hua quantum well under the applied external fields. Physica B:<br>Condensed Matter, 2017, 526, 127-131.   | 2.7 | 9         |
| 34 | Shallow Donor Impurity States with Excitonic Contribution in GaAs/AlGaAs and CdTe/CdSe Truncated Conical Quantum Dots under Applied Magnetic Field. Nanomaterials, 2021, 11, 2832.                      | 4.1 | 9         |
| 35 | The electric field dependence of a donor impurity in graded GaAs quantum wires. Applied Physics A: Materials Science and Processing, 2004, 78, 1053-1058.   | 2.3 | 8         |
| 36 | The effects of external fields on double GaAs/AlGaAs quantum well with Manning potential. Materials Science in Semiconductor Processing, 2022, 137, 106232.   | 4.0 | 8         |

3

| #  | Article   | IF                                    | CITATIONS           |
|----|---|---------------------------------------|---------------------|
| 37 | Dependence of impurity binding energy on nitrogen and indium concentrations for shallow donors in a GalnNAs/GaAs quantum well under intense laser field. European Physical Journal B, 2011, 82, 313-318.  | 1.5                                   | 7                   |
| 38 | THE INTERSUBBAND TRANSITIONS AND BINDING ENERGY OF SHALLOW DONOR IMPURITIES IN DIFFERENT SHAPED QUANTUM WELLS UNDER THE MAGNETIC FIELD. Modern Physics Letters B, 2011, 25, 2451-2459.  | 1.9                                   | 7                   |
| 39 | Electron-related optical responses in triple δ-doped quantum wells. Philosophical Magazine, 2019, 99, 644-658.  | 1.6                                   | 7                   |
| 40 | THE PHOTOIONIZATION CROSS-SECTION AND BINDING ENERGY OF IMPURITIES IN QUANTUM WIRES: EFFECTS OF THE ELECTRIC AND MAGNETIC FIELD. Surface Review and Letters, 2004, 11, 411-417.   | 1.1                                   | 6                   |
| 41 | The anisotropy effects on the shallow-donor impurity states and optical transitions in quantum dots. European Physical Journal Plus, 2021, 136, 1.  | 2.6                                   | 6                   |
| 42 | First Study on the Electronic and Donor Atom Properties of the Ultra-Thin Nanoflakes Quantum Dots. Nanomaterials, 2022, 12, 966.  | 4.1                                   | 6                   |
| 43 | Intersubband transitions in coupled triple-graded quantum wells under an electric field. Physica Status Solidi (B): Basic Research, 2005, 242, 2468-2473.   | 1.5                                   | 5                   |
| 44 | Nonlinear optical properties of asymmetric n-type double $\hat{l}$ -doped GaAs quantum well under intense laser field. European Physical Journal B, 2017, 90, 1.  | 1.5                                   | 5                   |
| 45 | Anisotropy dependence of the optical response in an impurity doped quantum dot under intense laser field. Physica E: Low-Dimensional Systems and Nanostructures, 2019, 114, 113566.   | 2.7                                   | 5                   |
| 46 | THE ELECTRIC FIELD DEPENDENCE OF THE PHOTOIONIZATION CROSS-SECTION OF SHALLOW DONOR IMPURITIES IN QUANTUM DOTS: INFINITE AND FINITE MODEL. Surface Review and Letters, 2006, 13, 747-752.   | 1.1                                   | 4                   |
| 47 | THE EFFECTS OF TEMPERATURE AND HYDROSTATIC PRESSURE ON THE DIAMAGNETIC SUSCEPTIBILITY OF A DONOR IN A QUANTUM WELL. Surface Review and Letters, 2011, 18, 147-152.  | 1.1                                   | 4                   |
| 48 | Effects of applied electromagnetic fields on the optical transitions in a V-shaped quantum well. Superlattices and Microstructures, 2013, 58, 87-93.  | 3.1                                   | 4                   |
| 49 | Theoretical study of electronic and optical properties in doped quantum structures with Razavy confining potential: effects of external fields. Journal of Computational Electronics, 2022, 21, 378-395.  | 2.5                                   | 4                   |
| 50 | Dynamics of nonlinear optical rectification, second, and third harmonic generation in asymmetric triangular double quantum wells due to static electric and magnetic fields. European Physical Journal Plus, 2022, 137, 1.  | 2.6                                   | 4                   |
| 51 | THE EFFECTS OF HYDROSTATIC PRESSURE AND APPLIED ELECTRIC FIELD ON SHALLOW DONOR IMPURITIES IN GaAs/GaAlAs GRADED QUANTUM WELL. Surface Review and Letters, 2005, 12, 155-159.   | 1.1                                   | 3                   |
| 52 | OPTICAL INTERSUBBAND TRANSITIONS AND BINDING ENERGIES OF DONOR IMPURITIES IN <font>Ga</font> <sub>1-x</sub> <font>In</font> <sub>x</sub> <font>N</font> <sub>y</sub> <font>As</font> <sub>Y</sub> <font>As</font> <sub>Y</sub> <font>As</font> <sub>Y</sub> <font>As</font> <sub>Y</sub> <font>As</font> <sub>Y</sub> <font>As</font> <font>As<td>ub&gt;1-y<td>ug&gt;/<font>(</font></td></td></font> | ub>1-y <td>ug&gt;/<font>(</font></td> | ug>/ <font>(</font> |
| 53 | Infrared transitions between hydrogenic states in GalnNAs/GaAs quantum wells. International Journal of Modern Physics B, 2016, 30, 1650139.   | 2.0                                   | 3                   |
| 54 | Donor Impurity-Related Optical Absorption in GaAs Elliptic-Shaped Quantum Dots. Journal of Nanomaterials, 2017, 2017, 1-18.   | 2.7                                   | 3                   |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 55 | Effect of position-dependent effective mass on donor impurity- and exciton-related electronic and optical properties of 2D Gaussian quantum dots. European Physical Journal Plus, 2022, 137, 1.   | 2.6 | 3         |
| 56 | Effects of Intense Laser Field on Electronic and Optical Properties of Harmonic and Variable Degree Anharmonic Oscillators. Nanomaterials, 2022, 12, 1620.  | 4.1 | 3         |
| 57 | Optical Properties of Excitons in Quantum Well Wires Under the Magnetic Field. Surface Review and Letters, 2003, 10, 737-743.   | 1.1 | 2         |
| 58 | BARRIER THICKNESS DEPENDENCE OF OPTICAL ABSORPTION OF EXCITONS IN GaAs COUPLED QUANTUM WIRE. Surface Review and Letters, 2004, $11$ , 49-55.  | 1.1 | 2         |
| 59 | Effect of crossed electric and magnetic fields on donor impurity binding energy. Applied Physics A: Materials Science and Processing, 2004, 78, 101-105.  | 2.3 | 2         |
| 60 | Effect of the High-Frequency Laser Radiation on the Nonlinear Optical Properties of n-Type Double Î-Doped GaAs Quantum Wells. Journal of Nanoscience and Nanotechnology, 2019, 19, 4167-4171.   | 0.9 | 2         |
| 61 | Shallow-donor impurity effects on the far infrared electron–electron optical absorption coefficient in single and core/shell spherical quantum dots with Konwent-like confinement potential. Optical and Quantum Electronics, 2022, 54, .   | 3.3 | 2         |
| 62 | The polarizability and the photoionization cross-section under the external fields for donor impurities in quantum well-wire. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 332-335.   | 0.8 | 1         |
| 63 | EFFECTS OF MAGNETIC AND ELECTRIC FIELDS ON THE HYDROGENIC IMPURITY IN AN ELLIPSOIDAL PARABOLIC QUANTUM DOT. Surface Review and Letters, 2008, 15, 201-205.  | 1.1 | 1         |
| 64 | FINITE ELEMENT ANALYSIS OF VALENCE BAND STRUCTURE OF SQUARE QUANTUM WELL UNDER THE ELECTRIC FIELD. Surface Review and Letters, 2009, 16, 689-696.   | 1.1 | 1         |
| 65 | ELECTRONIC STRUCTURE AND BAND BENDING OF MODULATION-DOPED <font>GaAs</font> / <font>Al</font> <sub>x</sub> <font>Ga</font> <sub>1-x</sub> <font>As</font> SYMMETRIC AND ASYMMETRIC DOUBLE QUANTUM WELLS UNDER AN APPLIED ELECTRIC FIELD. Surface Review and Letters. 2009. 16. 105-110. | 1.1 | 1         |
| 66 | Intense Laser Field Effects on the Shallow-Donor Impurity States in Rectangular-Shaped Quantum Well Wires. Acta Physica Polonica A, 2014, 125, 198-201.   | 0.5 | 1         |
| 67 | Tailoring the optical properties of quantum ring irradiated by THz laser. Philosophical Magazine, 2019, 99, 3116-3132.  | 1.6 | 1         |
| 68 | Electronic Transport Properties in GaAs/AlGaAs and InSe/InP Finite Superlattices under the Effect of a Non-Resonant Intense Laser Field and Considering Geometric Modifications. International Journal of Molecular Sciences, 2022, 23, 5169.   | 4.1 | 1         |