

# Liquan Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/28271/publications.pdf>

Version: 2024-02-01

287  
papers

37,203  
citations

2962

96  
h-index

3782

185  
g-index

290  
all docs

290  
docs citations

290  
times ranked

26402  
citing authors

#	ARTICLE	IF	CITATIONS
1	Localized domains staging structure and evolution in lithiated graphite. , 2023, 5, .		21
2	Modification of NASICON Electrolyte and Its Application in Real Na-Ion Cells. Engineering, 2022, 8, 170-180.	3.2	12
3	High Current Density and Long Cycle Life Enabled by Sulfide Solid Electrolyte and Dendrite-Free Liquid Lithium Anode. Advanced Functional Materials, 2022, 32, 2105776.	7.8	40
4	Spinel-related Li <sub>2</sub> Ni <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> cathode for 5-V anode-free lithium metal batteries. Energy Storage Materials, 2022, 45, 821-827.	9.5	21
5	New insights into the mechanism of cation migration induced by cation-anion dynamic coupling in superionic conductors. Journal of Materials Chemistry A, 2022, 10, 3093-3101.	5.2	11
6	All-in-One Ionic-Electronic Dual-Carrier Conducting Framework Thickening All-Solid-State Electrode. ACS Energy Letters, 2022, 7, 766-772.	8.8	7
7	Doping strategy and mechanism for oxide and sulfide solid electrolytes with high ionic conductivity. Journal of Materials Chemistry A, 2022, 10, 4517-4532.	5.2	75
8	Large Scale One-Pot Synthesis of Monodispersed Na <sub>3</sub> (VOPO <sub>4</sub> ) <sub>2</sub> F Cathode for Na-Ion Batteries. Energy Material Advances, 2022, 2022, .	4.7	16
9	Topologically protected oxygen redox in a layered manganese oxide cathode for sustainable batteries. Nature Sustainability, 2022, 5, 214-224.	11.5	44
10	Ionic Conductivity of LiSiON and the Effect of Amorphization/Heterovalent Doping on Li <sup>+</sup> Diffusion. Inorganics, 2022, 10, 45.	1.2	2
11	Anomalous Thermal Decomposition Behavior of Polycrystalline LiNi <sub>0.8</sub> Mn <sub>0.1</sub> Co <sub>0.1</sub> O <sub>2</sub> in PEO-Based Solid Polymer Electrolyte. Advanced Functional Materials, 2022, 32, .	7.8	19
12	Configuration-dependent anionic redox in cathode materials. , 2022, 1, .		28
13	Solid-state lithium batteries: Safety and prospects. EScience, 2022, 2, 138-163.	25.0	190
14	Raising the Intrinsic Safety of Layered Oxide Cathodes by Surface Re-Lithiation with LLZTO Garnet-Type Solid Electrolytes. Advanced Materials, 2022, 34, e2200655.	11.1	30
15	A Better Choice to Achieve High Volumetric Energy Density: Anode-Free Lithium-Metal Batteries. Advanced Materials, 2022, 34, e2110323.	11.1	46
16	Improving thermal stability of sulfide solid electrolytes: An intrinsic theoretical paradigm. Informa Materials, 2022, 4, .	8.5	33
17	Water-Stable Sulfide Solid Electrolyte Membranes Directly Applicable in All-Solid-State Batteries Enabled by Superhydrophobic Li <sup>+</sup> -Conducting Protection Layer. Advanced Energy Materials, 2022, 12, .	10.2	62
18	Feasibility to Improve the Stability of Lithium-Rich Layered Oxides by Surface Doping. ACS Applied Materials & Interfaces, 2022, 14, 18353-18359.	4.0	21

#	ARTICLE	IF	CITATIONS
19	Enhancing ionic conductivity in solid electrolyte by relocating diffusion ions to under-coordination sites. <i>Science Advances</i> , 2022, 8, eabj7698.	4.7	37
20	Electrolyte and current collector designs for stable lithium metal anodes. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2022, 29, 953-964.	2.4	12
21	Interfacial engineering to achieve an energy density of over 200 Wh kg <sup>-1</sup> in sodium batteries. <i>Nature Energy</i> , 2022, 7, 511-519.	19.8	130
22	Interfacial and cycle stability of sulfide all-solid-state batteries with Ni-rich layered oxide cathodes. <i>Nano Energy</i> , 2022, 100, 107528.	8.2	38
23	Long-Life Lithium-Metal All-Solid-State Batteries and Stable Li Plating Enabled by In-Situ Formation of Li <sub>3</sub> PS <sub>4</sub> in the SEI Layer. <i>Advanced Materials</i> , 2022, 34, .	11.1	66
24	The Role of Electron Localization in Covalency and Electrochemical Properties of Lithium-Ion Battery Cathode Materials. <i>Advanced Functional Materials</i> , 2021, 31, 2001633.	7.8	21
25	Na <sub>10</sub> SnSb <sub>2</sub> S <sub>12</sub> : A nanosized air-stable solid electrolyte for all-solid-state sodium batteries. <i>Chemical Engineering Journal</i> , 2021, 420, 127692.	6.6	36
26	Epitaxial Induced Plating Current-Collector Lasting Lifespan of Anode-Free Lithium Metal Battery. <i>Advanced Energy Materials</i> , 2021, 11, 2003709.	10.2	119
27	The Formation/Decomposition Equilibrium of LiH and its Contribution on Anode Failure in Practical Lithium Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 7770-7776.	7.2	58
28	The Formation/Decomposition Equilibrium of LiH and its Contribution on Anode Failure in Practical Lithium Metal Batteries. <i>Angewandte Chemie</i> , 2021, 133, 7849-7855.	1.6	18
29	Li-Rich Li <sub>2</sub> [Ni <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> ]O <sub>2</sub> for Anode-Free Lithium Metal Batteries. <i>Angewandte Chemie</i> , 2021, 133, 8370-8377.	1.6	2
30	Li-Rich Li <sub>2</sub> [Ni <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> ]O <sub>2</sub> for Anode-Free Lithium Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 8289-8296.	7.2	71
31	Synergy Effect of Trimethyl Borate on Protecting High-Voltage Cathode Materials in Dual-Additive Electrolytes. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 21459-21466.	4.0	21
32	Additive-Free Self-Presodiation Strategy for High-Performance Na-Ion Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2101475.	7.8	36
33	Competitive Solvation Enhanced Stability of Lithium Metal Anode in Dual-Salt Electrolyte. <i>Nano Letters</i> , 2021, 21, 3310-3317.	4.5	95
34	Uncovering LiH Triggered Thermal Runaway Mechanism of a High-Energy LiNi <sub>0.5</sub> Co <sub>0.2</sub> Mn <sub>0.3</sub> O <sub>2</sub> /Graphite Pouch Cell. <i>Advanced Science</i> , 2021, 8, e2100676.	5.6	48
35	Dense All-Electrochem-Active Electrodes for All-Solid-State Lithium Batteries. <i>Advanced Materials</i> , 2021, 33, e2008723.	11.1	26
36	Hunting Sodium Dendrites in NASICON-Based Solid-State Electrolytes. <i>Energy Material Advances</i> , 2021, 2021, .	4.7	57

#	ARTICLE	IF	CITATIONS
37	Ultralight Electrolyte for High-Energy Lithium-Sulfur Pouch Cells. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 17547-17555.	7.2	72
38	Leakage-Proof Electrolyte Chemistry for a High-Performance Lithium-Sulfur Battery. <i>Angewandte Chemie</i> , 2021, 133, 16623-16627.	1.6	0
39	Ultralight Electrolyte for High-Energy Lithium-Sulfur Pouch Cells. <i>Angewandte Chemie</i> , 2021, 133, 17688-17696.	1.6	13
40	Progress in thermal stability of all-solid-state Li-ion batteries. <i>Information Materials</i> , 2021, 3, 827-853.	8.5	126
41	Amorphous Redox-Rich Polysulfides for Mg Cathodes. <i>Jacs Au</i> , 2021, 1, 1266-1274.	3.6	14
42	Anionic Effect on Enhancing the Stability of a Solid Electrolyte Interphase Film for Lithium Deposition on Graphite. <i>Nano Letters</i> , 2021, 21, 5316-5323.	4.5	46
43	Leakage-Proof Electrolyte Chemistry for a High-Performance Lithium-Sulfur Battery. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 16487-16491.	7.2	29
44	Superior All-Solid-State Batteries Enabled by a Gas-Phase-Synthesized Sulfide Electrolyte with Ultrahigh Moisture Stability and Ionic Conductivity. <i>Advanced Materials</i> , 2021, 33, e2100921.	11.1	110
45	Disordered carbon anodes for Na-ion batteries—quo vadis?. <i>Science China Chemistry</i> , 2021, 64, 1679-1692.	4.2	44
46	Reaction Mechanisms of Ta-Substituted Cubic $\text{Li}_{7-3}\text{La}_3\text{Zr}_2\text{O}_{12}$ with Solvents During Storage. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 38384-38393.	4.0	14
47	Low-Density Fluorinated Silane Solvent Enhancing Deep Cycle Lithium-Sulfur Batteries™ Lifetime. <i>Advanced Materials</i> , 2021, 33, e2102034.	11.1	39
48	Amorphous anion-rich titanium polysulfides for aluminum-ion batteries. <i>Science Advances</i> , 2021, 7, .	4.7	63
49	Electronic Conductive Inorganic Cathodes Promising High-Energy Organic Batteries. <i>Advanced Materials</i> , 2021, 33, e2005781.	11.1	12
50	Aqueous interphase formed by CO <sub>2</sub> brings electrolytes back to salt-in-water regime. <i>Nature Chemistry</i> , 2021, 13, 1061-1069.	6.6	57
51	5V-class sulfurized spinel cathode stable in sulfide all-solid-state batteries. <i>Nano Energy</i> , 2021, 90, 106589.	8.2	53
52	Phase Diagram Determined Lithium Plating/Stripping Behaviors on Lithiophilic Substrates. <i>ACS Energy Letters</i> , 2021, 6, 4118-4126.	8.8	65
53	Interfacial chemistry of $\beta$ -glutamic acid derived block polymer binder directing the interfacial compatibility of high voltage $\text{LiNi}_0.5\text{Mn}_1.5\text{O}_4$ electrode. <i>Science China Chemistry</i> , 2021, 64, 92-100.	4.2	8
54	High-Entropy Layered Oxide Cathodes for Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 264-269.	7.2	335

#	ARTICLE	IF	CITATIONS
55	Flexible Na batteries. <i>Informa</i> Mater. J., 2020, 2, 126-138.	8.5	108
56	High-Entropy Layered Oxide Cathodes for Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2020, 132, 270-275.	1.6	15
57	Iodine Vapor Transport-Triggered Preferential Growth of Chevrel $\text{Mo}_6\text{S}_8$ Nanosheets for Advanced Multivalent Batteries. <i>ACS Nano</i> , 2020, 14, 1102-1110.	7.3	72
58	Approaching Practically Accessible Solid-State Batteries: Stability Issues Related to Solid Electrolytes and Interfaces. <i>Chemical Reviews</i> , 2020, 120, 6820-6877.	23.0	891
59	High-Voltage Aqueous Na-Ion Battery Enabled by Inert-Cation-Assisted Water-in-Salt Electrolyte. <i>Advanced Materials</i> , 2020, 32, e1904427.	11.1	221
60	High Polymerization Conversion and Stable High-Voltage Chemistry Underpinning an In Situ Formed Solid Electrolyte. <i>Chemistry of Materials</i> , 2020, 32, 9167-9175.	3.2	81
61	In-situ visualization of the space-charge-layer effect on interfacial lithium-ion transport in all-solid-state batteries. <i>Nature Communications</i> , 2020, 11, 5889.	5.8	145
62	Stacking Faults Hinder Lithium Insertion in $\text{Li}_2\text{RuO}_3$ . <i>Advanced Energy Materials</i> , 2020, 10, 2002631.	10.2	22
63	Efficient potential-tuning strategy through p-type doping for designing cathodes with ultrahigh energy density. <i>National Science Review</i> , 2020, 7, 1768-1775.	4.6	43
64	Interface Concentrated-Confinement Suppressing Cathode Dissolution in Water-in-Salt Electrolyte. <i>Advanced Energy Materials</i> , 2020, 10, 2000665.	10.2	70
65	Joint Cationic and Anionic Redox Chemistry for Advanced Mg Batteries. <i>Nano Letters</i> , 2020, 20, 6852-6858.	4.5	25
66	Simplifying and accelerating kinetics enabling fast-charge Al batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 23834-23843.	5.2	12
67	Rational design of layered oxide materials for sodium-ion batteries. <i>Science</i> , 2020, 370, 708-711.	6.0	616
68	Realizing High Volumetric Lithium Storage by Compact and Mechanically Stable Anode Designs. <i>ACS Energy Letters</i> , 2020, 5, 1986-1995.	8.8	72
69	Wearable Bipolar Rechargeable Aluminum Battery. , 2020, 2, 808-813.		19
70	Realizing long-term cycling stability and superior rate performance of 4.5V $\text{LiCoO}_2$ by aluminum doped zinc oxide coating achieved by a simple wet-mixing method. <i>Journal of Power Sources</i> , 2020, 470, 228423.	4.0	57
71	Europium-Doped Ceria Nanowires as Anode for Solid Oxide Fuel Cells. <i>Frontiers in Chemistry</i> , 2020, 8, 348.	1.8	11
72	Ultralow-Concentration Electrolyte for Na-Ion Batteries. <i>ACS Energy Letters</i> , 2020, 5, 1156-1158.	8.8	120

#	ARTICLE	IF	CITATIONS
73	Constructing Na <sup>+</sup> Ion Cathodes via Alkali <sup>+</sup> Site Substitution. <i>Advanced Functional Materials</i> , 2020, 30, 1910840.	7.8	28
74	Nonflammable Nitrile Deep Eutectic Electrolyte Enables High-Voltage Lithium Metal Batteries. <i>Chemistry of Materials</i> , 2020, 32, 3405-3413.	3.2	145
75	Revealing High Na-Content P2-Type Layered Oxides as Advanced Sodium-Ion Cathodes. <i>Journal of the American Chemical Society</i> , 2020, 142, 5742-5750.	6.6	206
76	Uncovering the Potential of Mn <sup>2+</sup> Site <sup>+</sup> Activated NASICON Cathodes for Zn <sup>2+</sup> Ion Batteries. <i>Advanced Materials</i> , 2020, 32, e1907526.	11.1	103
77	Increasing Poly(ethylene oxide) Stability to 4.5 V by Surface Coating of the Cathode. <i>ACS Energy Letters</i> , 2020, 5, 826-832.	8.8	192
78	High-throughput computational discovery of K <sub>2</sub> CdO <sub>2</sub> as an ion conductor for solid-state potassium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 5157-5162.	5.2	23
79	Eliminating Transition Metal Migration and Anionic Redox to Understand Voltage Hysteresis of Lithium <sup>+</sup> Rich Layered Oxides. <i>Advanced Energy Materials</i> , 2020, 10, 1903634.	10.2	45
80	Enabling Stable Cycling of 4.2 V High <sup>+</sup> Voltage All <sup>+</sup> Solid <sup>+</sup> State Batteries with PEO <sup>+</sup> Based Solid Electrolyte. <i>Advanced Functional Materials</i> , 2020, 30, 1909392.	7.8	204
81	Mobile Ions in Composite Solids. <i>Chemical Reviews</i> , 2020, 120, 4169-4221.	23.0	193
82	Insights into Lithium and Sodium Storage in Porous Carbon. <i>Nano Letters</i> , 2020, 20, 3836-3843.	4.5	86
83	A stabilized PEO-based solid electrolyte <i>via</i> a facile interfacial engineering method for a high voltage solid-state lithium metal battery. <i>Chemical Communications</i> , 2020, 56, 5633-5636.	2.2	43
84	Practical evaluation of energy densities for sulfide solid-state batteries. <i>ETransportation</i> , 2019, 1, 100010.	6.8	114
85	Li <sup>+</sup> Ti Cation Mixing Enhanced Structural and Performance Stability of Li <sup>+</sup> Rich Layered Oxide. <i>Advanced Energy Materials</i> , 2019, 9, 1901530.	10.2	76
86	Identifying and Addressing Critical Challenges of High-Voltage Layered Ternary Oxide Cathode Materials. <i>Chemistry of Materials</i> , 2019, 31, 6033-6065.	3.2	164
87	Water-in-Salt Electrolyte Promotes High-Capacity FeFe(CN) <sub>6</sub> Cathode for Aqueous Al-Ion Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 41356-41362.	4.0	93
88	Revealing an Interconnected Interfacial Layer in Solid <sup>+</sup> State Polymer Sodium Batteries. <i>Angewandte Chemie</i> , 2019, 131, 17182-17188.	1.6	7
89	Correlated Migration Invokes Higher Na <sup>+</sup> Ion Conductivity in NaSICON <sup>+</sup> Type Solid Electrolytes. <i>Advanced Energy Materials</i> , 2019, 9, 1902373.	10.2	162
90	Revealing an Interconnected Interfacial Layer in Solid <sup>+</sup> State Polymer Sodium Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17026-17032.	7.2	48

#	ARTICLE	IF	CITATIONS
91	Li-free Cathode Materials for High Energy Density Lithium Batteries. <i>Joule</i> , 2019, 3, 2086-2102.	11.7	239
92	Atomic Scale Recognition of Structure in the Intercalation of Sodium by Aberration-Corrected Scanning Transmission Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2019, 25, 2120-2121.	0.2	0
93	Tuning the Closed Pore Structure of Hard Carbons with the Highest Na Storage Capacity. <i>ACS Energy Letters</i> , 2019, 4, 2608-2612.	8.8	205
94	Slope-Dominated Carbon Anode with High Specific Capacity and Superior Rate Capability for High Safety Na-ion Batteries. <i>Angewandte Chemie</i> , 2019, 131, 4405-4409.	1.6	36
95	Slope-Dominated Carbon Anode with High Specific Capacity and Superior Rate Capability for High Safety Na-ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 4361-4365.	7.2	171
96	Trace doping of multiple elements enables stable battery cycling of LiCoO <sub>2</sub> at 4.6%V. <i>Nature Energy</i> , 2019, 4, 594-603.	19.8	572
97	In Situ Formation of a Stable Interface in Solid-State Batteries. <i>ACS Energy Letters</i> , 2019, 4, 1650-1657.	8.8	93
98	Ni-based cathode materials for Na-ion batteries. <i>Nano Research</i> , 2019, 12, 2018-2030.	5.8	67
99	Building aqueous K-ion batteries for energy storage. <i>Nature Energy</i> , 2019, 4, 495-503.	19.8	630
100	Trimethyl Borate as Film-Forming Electrolyte Additive To Improve High-Voltage Performances. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 17435-17443.	4.0	77
101	A novel NASICON-based glass-ceramic composite electrolyte with enhanced Na-ion conductivity. <i>Energy Storage Materials</i> , 2019, 23, 514-521.	9.5	97
102	An In Situ Interface Reinforcement Strategy Achieving Long Cycle Performance of Dual-ion Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1804022.	10.2	92
103	Lithium Plating and Stripping on Carbon Nanotube Sponge. <i>Nano Letters</i> , 2019, 19, 494-499.	4.5	101
104	Native Vacancy Enhanced Oxygen Redox Reversibility and Structural Robustness. <i>Advanced Energy Materials</i> , 2019, 9, 1803087.	10.2	70
105	Iron migration and oxygen oxidation during sodium extraction from NaFeO <sub>2</sub> . <i>Nano Energy</i> , 2018, 47, 519-526.	8.2	111
106	An O <sub>3</sub> -type Oxide with Low Sodium Content as the Phase-Transition-Free Anode for Sodium-ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 7056-7060.	7.2	87
107	An O <sub>3</sub> -type Oxide with Low Sodium Content as the Phase-Transition-Free Anode for Sodium-ion Batteries. <i>Angewandte Chemie</i> , 2018, 130, 7174-7178.	1.6	14
108	Batteries: Prescribing Functional Additives for Treating the Poor Performances of High-Voltage (5) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	10.2	10

#	ARTICLE	IF	CITATIONS
109	Solid-State Sodium Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1703012.	10.2	478
110	Another Strategy, Detouring Potential Decay by Fast Completion of Cation Mixing. <i>Advanced Energy Materials</i> , 2018, 8, 1703092.	10.2	30
111	Drawing a Soft Interface: An Effective Interfacial Modification Strategy for Garnet-Type Solid-State Li Batteries. <i>ACS Energy Letters</i> , 2018, 3, 1212-1218.	8.8	321
112	Reduction Depth Dependent Structural Reversibility of $\text{Sn}_3(\text{PO}_4)_2$ . <i>ACS Applied Energy Materials</i> , 2018, 1, 129-133.	2.5	8
113	Prescribing Functional Additives for Treating the Poor Performances of High-Voltage (5 V) $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4/\text{MCMB}$ Li-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1701398.	10.2	160
114	Interfaces Between Cathode and Electrolyte in Solid State Lithium Batteries: Challenges and Perspectives. <i>Frontiers in Chemistry</i> , 2018, 6, 616.	1.8	175
115	Surface Doping to Enhance Structural Integrity and Performance of Li-Rich Layered Oxide. <i>Advanced Energy Materials</i> , 2018, 8, 1802105.	10.2	228
116	Suppressing the voltage decay of low-cost P2-type iron-based cathode materials for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20795-20803.	5.2	54
117	Homogeneous Interface Conductivity for Lithium Dendrite-Free Anode. <i>ACS Energy Letters</i> , 2018, 3, 2259-2266.	8.8	124
118	Self-Stabilized Solid Electrolyte Interface on a Host-Free Li-Metal Anode toward High Areal Capacity and Rate Utilization. <i>Chemistry of Materials</i> , 2018, 30, 4039-4047.	3.2	87
119	Reviving lithium cobalt oxide-based lithium secondary batteries-toward a higher energy density. <i>Chemical Society Reviews</i> , 2018, 47, 6505-6602.	18.7	407
120	Pre-Oxidation-Tuned Microstructures of Carbon Anodes Derived from Pitch for Enhancing Na Storage Performance. <i>Advanced Energy Materials</i> , 2018, 8, 1800108.	10.2	179
121	Three-dimensional atomic-scale observation of structural evolution of cathode material in a working all-solid-state battery. <i>Nature Communications</i> , 2018, 9, 3341.	5.8	60
122	New horizons for inorganic solid state ion conductors. <i>Energy and Environmental Science</i> , 2018, 11, 1945-1976.	15.6	894
123	Novel Concentrated $\text{Li}[(\text{FSO}_2)_2(\text{n-C}_4\text{F}_9\text{SO}_2)_2\text{N}]$ -Based Ether Electrolyte for Superior Stability of Metallic Lithium Anode. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 4282-4289.	4.0	62
124	High-voltage and free-standing poly(propylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 152 Td (carbonate)/ $\text{Li}_{6.75}\text{La}_3$ composite solid electrolyte for wide temperature range and flexible solid lithium ion battery. <i>Journal of Materials Chemistry A</i> , 2017, 5, 4940-4948.	5.2	373
125	Novel Design Concepts of Efficient Mg-Ion Electrolytes toward High-Performance Magnesium-Selenium and Magnesium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2017, 7, 1602055.	10.2	231
126	An $\text{Li-CrPO}_4$ -type $\text{NaV}_3(\text{PO}_4)_3$ anode for sodium-ion batteries with excellent cycling stability and the exploration of sodium storage behavior. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3839-3847.	5.2	24



#	ARTICLE	IF	CITATIONS
127	In Situ Atomic-Scale Observation of Electrochemical Delithiation Induced Structure Evolution of $\text{LiCoO}_2$ Cathode in a Working All-Solid-State Battery. <i>Journal of the American Chemical Society</i> , 2017, 139, 4274-4277.	6.6	142
128	A class of liquid anode for rechargeable batteries with ultralong cycle life. <i>Nature Communications</i> , 2017, 8, 14629.	5.8	71
129	Vacancy-induced $\text{MnO}_6$ distortion and its impacts on structural transition of $\text{Li}_2\text{MnO}_3$ . <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 7025-7031.	1.3	29
130	Perovskite $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_3$ Nanofibers Decorated with $\text{RuO}_2$ Nanoparticles as an Efficient Bifunctional Cathode for Rechargeable $\text{LiO}_2$ Batteries. <i>ChemNanoMat</i> , 2017, 3, 485-490.	1.5	25
131	Design and Properties Prediction of $\text{AMCO}_3\text{F}$ by First-Principles Calculations. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 13255-13261.	4.0	5
132	A Smart Flexible Zinc Battery with Cooling Recovery Ability. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 7871-7875.	7.2	141
133	Structural stability and stabilization of $\text{Li}_2\text{MoO}_3$ . <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 17538-17543.	1.3	20
134	A Smart Flexible Zinc Battery with Cooling Recovery Ability. <i>Angewandte Chemie</i> , 2017, 129, 7979-7983.	1.6	59
135	A new $\text{Na}[(\text{FSO}_2)_2(\text{n-C}_4\text{F}_9\text{SO}_2)_\text{N}]$ -based polymer electrolyte for solid-state sodium batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7738-7743.	5.2	76
136	Novel Methods for Sodium-Ion Battery Materials. <i>Small Methods</i> , 2017, 1, 1600063.	4.6	84
137	A Well-Defined Silicon Nanocone-Carbon Structure for Demonstrating Exclusive Influences of Carbon Coating on Silicon Anode of Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 2806-2814.	4.0	29
138	Controlled deposition of Li metal. <i>Nano Energy</i> , 2017, 32, 241-246.	8.2	70
139	Design and Comparative Study of O3/P2 Hybrid Structures for Room Temperature Sodium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 40215-40223.	4.0	95
140	Advanced Nanostructured Anode Materials for Sodium-Ion Batteries. <i>Small</i> , 2017, 13, 1701835.	5.2	206
141	Finding a Needle in the Haystack: Identification of Functionally Important Minority Phases in an Operating Battery. <i>Nano Letters</i> , 2017, 17, 7782-7788.	4.5	42
142	Two Players Make a Formidable Combination: In Situ Generated Poly(acrylic anhydride-2-methyl-acrylic) High-Voltage Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 41462-41472.	4.0	63
143	Oxysulfide $\text{LiAlSO}$ : A Lithium Superionic Conductor from First Principles. <i>Physical Review Letters</i> , 2017, 118, 195901.	2.9	58
144	A Self-Forming Composite Electrolyte for Solid-State Sodium Battery with Ultralong Cycle Life. <i>Advanced Energy Materials</i> , 2017, 7, 1601196.	10.2	231

#	ARTICLE	IF	CITATIONS
145	In Situ Formation of Polysulfonamide Supported Poly(ethylene glycol) Divinyl Ether Based Polymer Electrolyte toward Monolithic Sodium Ion Batteries. <i>Small</i> , 2017, 13, 1601530.	5.2	58
146	In Situ Generation of Poly (Vinylene Carbonate) Based Solid Electrolyte with Interfacial Stability for LiCoO <sub>2</sub> Lithium Batteries. <i>Advanced Science</i> , 2017, 4, 1600377.	5.6	377
147	Hard Carbon Microtubes Made from Renewable Cotton as High-Performance Anode Material for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2016, 6, 1600659.	10.2	655
148	Improved Cycling Stability of Lithium-Metal Anode with Concentrated Electrolytes Based on Lithium (Fluorosulfonyl)(trifluoromethanesulfonyl)imide. <i>ChemElectroChem</i> , 2016, 3, 531-536.	1.7	67
149	Li <sub>2</sub> C <sub>2</sub> , a High-Capacity Cathode Material for Lithium Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 644-648.	7.2	29
150	Single Lithium-Ion Conducting Polymer Electrolytes Based on a Super-Delocalized Polyanion. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 2521-2525.	7.2	411
151	Oxygen-driven transition from two-dimensional to three-dimensional transport behaviour in $\beta$ -Li <sub>3</sub> PS <sub>4</sub> electrolyte. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 21269-21277.	1.3	66
152	Progress in nitrile-based polymer electrolytes for high performance lithium batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10070-10083.	5.2	243
153	Surface and Interface Issues in Spinel LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> : Insights into a Potential Cathode Material for High Energy Density Lithium Ion Batteries. <i>Chemistry of Materials</i> , 2016, 28, 3578-3606.	3.2	296
154	Novel 1.5 V anode materials, ATiOPO <sub>4</sub> (A = NH <sub>4</sub> , K, Na), for room-temperature sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 7141-7147.	5.2	35
155	Dynamic Octahedral Breathing in Oxygen-Deficient Ba <sub>0.9</sub> Co <sub>0.7</sub> Fe <sub>0.2</sub> Nb <sub>0.1</sub> O <sub>3-<math>\delta</math></sub> Perovskite Performing as a Cathode in Intermediate-Temperature SOFC. <i>Inorganic Chemistry</i> , 2016, 55, 3091-3097.	1.9	23
156	Novel Li[(CF <sub>3</sub> SO <sub>2</sub> )(n-C <sub>4</sub> F <sub>9</sub> SO <sub>2</sub> )N]-Based Polymer Electrolytes for Solid-State Lithium Batteries with Superior Electrochemical Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 29705-29712.	4.0	87
157	A ceramic/polymer composite solid electrolyte for sodium batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15823-15828.	5.2	152
158	Sodium Bis(fluorosulfonyl)imide/Poly(ethylene oxide) Polymer Electrolytes for Sodium-Ion Batteries. <i>ChemElectroChem</i> , 2016, 3, 1741-1745.	1.7	76
159	Advanced sodium-ion batteries using superior low cost pyrolyzed anthracite anode: towards practical applications. <i>Energy Storage Materials</i> , 2016, 5, 191-197.	9.5	239
160	Toothpaste-like Electrode: A Novel Approach to Optimize the Interface for Solid-State Sodium-Ion Batteries with Ultralong Cycle Life. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 32631-32636.	4.0	71
161	LiCoO <sub>2</sub> -catalyzed electrochemical oxidation of Li <sub>2</sub> CO <sub>3</sub> . <i>Nano Research</i> , 2016, 9, 3903-3913.	5.8	29
162	A waste biomass derived hard carbon as a high-performance anode material for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 13046-13052.	5.2	246

#	ARTICLE	IF	CITATIONS
163	Enhanced coking tolerance of a MgO-modified Ni cermet anode for hydrocarbon fueled solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18031-18036.	5.2	45
164	High-Energy All-Solid-State Lithium Batteries with Ultralong Cycle Life. <i>Nano Letters</i> , 2016, 16, 7148-7154.	4.5	309
165	Sodium-deficient $\text{O}_3\text{Na}_{0.9}\text{[Ni}_{0.4}\text{Mn}_x\text{Ti}_{0.6-x}\text{O}_2]$ Layered Oxide Cathode Materials for Sodium-ion Batteries. <i>Particle and Particle Systems Characterization</i> , 2016, 33, 538-544.	1.2	47
166	Single Lithium-ion Conducting Polymer Electrolytes Based on a Superdelocalized Polyanion. <i>Angewandte Chemie</i> , 2016, 128, 2567-2571.	1.6	26
167	High energy density hybrid $\text{Mg}^{2+}/\text{Li}^{+}$ battery with superior ultra-low temperature performance. <i>Journal of Materials Chemistry A</i> , 2016, 4, 2277-2285.	5.2	62
168	Impact of the functional group in the polyanion of single lithium-ion conducting polymer electrolytes on the stability of lithium metal electrodes. <i>RSC Advances</i> , 2016, 6, 32454-32461.	1.7	90
169	A high-voltage poly(methylethyl $\hat{\pm}$ -cyanoacrylate) composite polymer electrolyte for 5 V lithium batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5191-5197.	5.2	76
170	A superior low-cost amorphous carbon anode made from pitch and lignin for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 96-104.	5.2	322
171	High-throughput design and optimization of fast lithium ion conductors by the combination of bond-valence method and density functional theory. <i>Scientific Reports</i> , 2015, 5, 14227.	1.6	117
172	Safety-reinforced Poly(Propylene Carbonate)-based All-solid-state Polymer Electrolyte for Ambient-temperature Solid Polymer Lithium Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1501082.	10.2	532
173	Alkali-ion Storage Behaviour in Spinel Lithium Titanate Electrodes. <i>ChemElectroChem</i> , 2015, 2, 1678-1681.	1.7	5
174	Prototype Sodium-ion Batteries Using an Air-stable and Co/Ni-free $\text{O}_3$ -layered Metal Oxide Cathode. <i>Advanced Materials</i> , 2015, 27, 6928-6933.	11.1	504
175	A Novel High Capacity Positive Electrode Material with Tunnel-type Structure for Aqueous Sodium-ion Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1501005.	10.2	161
176	Reversible reduction of $\text{Li}_2\text{CO}_3$ . <i>Journal of Materials Chemistry A</i> , 2015, 3, 14173-14177.	5.2	80
177	Rigid-flexible Coupling High Ionic Conductivity Polymer Electrolyte for an Enhanced Performance of $\text{LiMn}_2\text{O}_4/\text{Graphite}$ Battery at Elevated Temperature. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 4720-4727.	4.0	108
178	Strategies for improving the cyclability and thermo-stability of $\text{LiMn}_2\text{O}_4$ -based batteries at elevated temperatures. <i>Journal of Materials Chemistry A</i> , 2015, 3, 4092-4123.	5.2	258
179	Compatible interface design of CoO-based Li-O <sub>2</sub> battery cathodes with long-cycling stability. <i>Scientific Reports</i> , 2015, 5, 8335.	1.6	102
180	Insight into the Structure and Functional Application of the $\text{Sr}_{0.95}\text{Ce}_{0.05}\text{CoO}_3$ Cathode for Solid Oxide Fuel Cells. <i>Inorganic Chemistry</i> , 2015, 54, 3477-3484.	1.9	24

#	ARTICLE	IF	CITATIONS
181	Anti-P2 structured Na <sub>0.5</sub> NbO <sub>2</sub> and its negative strain effect. <i>Energy and Environmental Science</i> , 2015, 8, 2753-2759.	15.6	14
182	A spray drying approach for the synthesis of a Na <sub>2</sub> C <sub>6</sub> H <sub>2</sub> O <sub>4</sub> /CNT nanocomposite anode for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13193-13197.	5.2	75
183	Lithium Storage in Heat-treated SnF <sub>2</sub> /Polyacrylonitrile Anode. <i>Chemistry - A European Journal</i> , 2015, 21, 8491-8496.	1.7	7
184	Ti-substituted tunnel-type Na <sub>0.44</sub> MnO <sub>2</sub> oxide as a negative electrode for aqueous sodium-ion batteries. <i>Nature Communications</i> , 2015, 6, 6401.	5.8	316
185	P2-Na <sub>0.6</sub> [Cr <sub>0.6</sub> Ti <sub>0.4</sub> ]O <sub>2</sub> cation-disordered electrode for high-rate symmetric rechargeable sodium-ion batteries. <i>Nature Communications</i> , 2015, 6, 6954.	5.8	426
186	Gelatin-pyrolized mesoporous carbon as a high-performance sodium-storage material. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7849-7854.	5.2	97
187	A highly active, stable and synergistic Pt nanoparticles/Mo <sub>2</sub> C nanotube catalyst for methanol electro-oxidation. <i>NPG Asia Materials</i> , 2015, 7, e153-e153.	3.8	88
188	Selecting Substituent Elements for Li-Rich Mn-Based Cathode Materials by Density Functional Theory (DFT) Calculations. <i>Chemistry of Materials</i> , 2015, 27, 3456-3461.	3.2	149
189	Unraveling the storage mechanism in organic carbonyl electrodes for sodium-ion batteries. <i>Science Advances</i> , 2015, 1, e1500330.	4.7	170
190	Workfunction, a new viewpoint to understand the electrolyte/electrode interface reaction. <i>Journal of Materials Chemistry A</i> , 2015, 3, 23420-23425.	5.2	21
191	Review "Nano-Silicon/Carbon Composite Anode Materials Towards Practical Application for Next Generation Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A2509-A2528.	1.3	289
192	Amorphous monodispersed hard carbon micro-spherules derived from biomass as a high performance negative electrode material for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 71-77.	5.2	432
193	Direct Observation of Ordered Oxygen Defects on the Atomic Scale in Li <sub>2</sub> O <sub>2</sub> for Li-O <sub>2</sub> Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1400664.	10.2	32
194	Cereus-shaped Mesoporous Rutile TiO <sub>2</sub> Formed in Ionic Liquid: Synthesis and Li-storage Properties. <i>ChemElectroChem</i> , 2014, 1, 549-553.	1.7	13
195	Atomic Structure and Kinetics of NASICON Na <sub>x</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> Cathode for Sodium-ion Batteries. <i>Advanced Functional Materials</i> , 2014, 24, 4265-4272.	7.8	323
196	Graphene-Co <sub>3</sub> O <sub>4</sub> nanocomposite as an efficient bifunctional catalyst for lithium-air batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 7188-7196.	5.2	192
197	Feasibility of Using Li <sub>2</sub> MoO <sub>3</sub> in Constructing Li-Rich High Energy Density Cathode Materials. <i>Chemistry of Materials</i> , 2014, 26, 3256-3262.	3.2	106
198	Tuning charge-discharge induced unit cell breathing in layer-structured cathode materials for lithium-ion batteries. <i>Nature Communications</i> , 2014, 5, 5381.	5.8	180

#	ARTICLE	IF	CITATIONS
199	Carbon-coated hierarchically porous silicon as anode material for lithium ion batteries. RSC Advances, 2014, 4, 15314.	1.7	35
200	Single ion solid-state composite electrolytes with high electrochemical stability based on a poly(perfluoroalkylsulfonyl)-imide ionene polymer. Journal of Materials Chemistry A, 2014, 2, 15952-15957.	5.2	49
201	Improved electron/Li-ion transport and oxygen stability of Mo-doped Li <sub>2</sub> MnO <sub>3</sub> . Journal of Materials Chemistry A, 2014, 2, 4811.	5.2	101
202	Novel approach for a high-energy-density Li-air battery: tri-dimensional growth of Li <sub>2</sub> O <sub>2</sub> crystals tailored by electrolyte Li <sup>+</sup> ion concentrations. Journal of Materials Chemistry A, 2014, 2, 9020.	5.2	41
203	Remarkably Improved Electrode Performance of Bulk MnS by Forming a Solid Solution with FeS – Understanding the Li Storage Mechanism. Advanced Functional Materials, 2014, 24, 5557-5566.	7.8	49
204	Screening possible solid electrolytes by calculating the conduction pathways using Bond Valence method. Science China: Physics, Mechanics and Astronomy, 2014, 57, 1526-1536.	2.0	36
205	Insight into Enhanced Cycling Performance of Li-O <sub>2</sub> Batteries Based on Binary CoSe <sub>2</sub> /CoO Nanocomposite Electrodes. Journal of Physical Chemistry Letters, 2014, 5, 615-621.	2.1	52
206	Rechargeable Li/CO <sub>2</sub> -O <sub>2</sub> (20%±1) battery and Li/CO <sub>2</sub> battery. Energy and Environmental Science, 2014, 7, 5677.	7.5	281
207	Sustainable, heat-resistant and flame-retardant cellulose-based composite separator for high-performance lithium ion battery. Scientific Reports, 2014, 4, 3935.	1.6	203
208	Experimental visualization of the diffusion pathway of sodium ions in the Na <sub>3</sub> [Ti <sub>2</sub> P <sub>2</sub> O <sub>10</sub> F] anode for sodium-ion battery. Scientific Reports, 2014, 4, 7231.	1.6	48
209	Taichi-inspired rigid-flexible coupling cellulose-supported solid polymer electrolyte for high-performance lithium batteries. Scientific Reports, 2014, 4, 6272.	1.6	127
210	Room-temperature stationary sodium-ion batteries for large-scale electric energy storage. Energy and Environmental Science, 2013, 6, 2338.	15.6	2,799
211	Polypyrrole-NiO composite as high-performance lithium storage material. Electrochimica Acta, 2013, 105, 162-169.	2.6	40
212	Highly Ordered Mesoporous Crystalline MoSe <sub>2</sub> Material with Efficient Visible-Light-Driven Photocatalytic Activity and Enhanced Lithium Storage Performance. Advanced Functional Materials, 2013, 23, 1832-1838.	7.8	285
213	Superior Electrochemical Performance and Storage Mechanism of Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> Cathode for Room-Temperature Sodium-Ion Batteries. Advanced Energy Materials, 2013, 3, 156-160.	10.2	817
214	Sodium Storage and Transport Properties in Layered Na <sub>2</sub> Ti <sub>3</sub> O <sub>7</sub> for Room-Temperature Sodium-Ion Batteries. Advanced Energy Materials, 2013, 3, 1186-1194.	10.2	456
215	Atomic Structure of Li <sub>2</sub> MnO <sub>3</sub> after Partial Delithiation and Relithiation. Advanced Energy Materials, 2013, 3, 1358-1367.	10.2	211
216	Physics towards next generation Li secondary batteries materials: A short review from computational materials design perspective. Science China: Physics, Mechanics and Astronomy, 2013, 56, 2278-2292.	2.0	25

#	ARTICLE	IF	CITATIONS
217	Sodium-Ion Batteries: Superior Electrochemical Performance and Storage Mechanism of Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> Cathode for Room-Temperature Sodium-Ion Batteries (Adv. Energy Mater. 2/2013). Advanced Energy Materials, 2013, 3, 138-138.	10.2	4
218	The low-temperature (400 Å°C) coating of few-layer graphene on porous Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> via C <sub>28</sub> H <sub>16</sub> Br <sub>2</sub> pyrolysis for lithium-ion batteries. RSC Advances, 2012, 2, 1751.	1.7	40
219	Nanostructured ceria-based materials: synthesis, properties, and applications. Energy and Environmental Science, 2012, 5, 8475.	15.6	984
220	Lithium storage in nitrogen-rich mesoporous carbon materials. Energy and Environmental Science, 2012, 5, 7950.	15.6	593
221	A novel assembly of LiFePO <sub>4</sub> microspheres from nanoplates. CrystEngComm, 2012, 14, 4344.	1.3	24
222	New Insight into the Atomic Structure of Electrochemically Delithiated O <sub>3</sub> -Li <sub>1-x</sub> CoO <sub>2</sub> (0 ≤ x ≤ 0.5) Nanoparticles. Nano Letters, 2012, 12, 6192-6197.	12.5	128
223	Perovskite Sr <sub>0.95</sub> Ce <sub>0.05</sub> CoO <sub>3</sub> loaded with copper nanoparticles as a bifunctional catalyst for lithium-air batteries. Journal of Materials Chemistry, 2012, 22, 18902.	6.7	131
224	Disodium Terephthalate (Na <sub>2</sub> C <sub>8</sub> H <sub>4</sub> O <sub>4</sub> ) as High Performance Anode Material for Low-Cost Room-Temperature Sodium-Ion Battery. Advanced Energy Materials, 2012, 2, 962-965.	10.2	498
225	Capacitive Energy Storage on Fe/Li <sub>3</sub> PO <sub>4</sub> Grain Boundaries. Journal of Physical Chemistry C, 2011, 115, 3803-3808.	1.5	44
226	Atomic-scale investigation on lithium storage mechanism in TiNb <sub>2</sub> O <sub>7</sub> . Energy and Environmental Science, 2011, 4, 2638.	15.6	256
227	A hybrid material of vanadium nitride and nitrogen-doped graphene for lithium storage. Journal of Materials Chemistry, 2011, 21, 11916.	6.7	96
228	Anomalous lithium storage in a novel nanonet composed by SnO <sub>2</sub> nanoparticles and poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	8.7	4
229	Lithium deintercalation behavior in Li-rich vanadium phosphate as a potential cathode for Li-ion batteries. Journal of Materials Chemistry, 2011, 21, 14760.	6.7	20
230	Polypyrrole-iron-oxygen coordination complex as high performance lithium storage material. Energy and Environmental Science, 2011, 4, 3442.	15.6	62
231	Antisite defects and Mg doping in LiFePO <sub>4</sub> : a first-principles investigation. Applied Physics A: Materials Science and Processing, 2011, 104, 529-537.	1.1	47
232	Non-Corrosive, Non-Absorbing Organic Redox Couple for Dye-Sensitized Solar Cells. Advanced Functional Materials, 2010, 20, 3358-3365.	7.8	109
233	First-principles investigation on redox properties of $M_{1-x}M_2$ -doped $M_2O_3$ nanoparticles. Applied Physics Letters, 2010, 96, 162101.	1.1	112
234	Research on Advanced Materials for Li-Ion Batteries. Advanced Materials, 2009, 21, 4593-4607.	11.1	1,633



#	ARTICLE	IF	CITATIONS
235	Controllable Synthesis of Shuttle-Shaped Ceria and Its Catalytic Properties for CO Oxidation. European Journal of Inorganic Chemistry, 2009, 2009, 3883-3887.	1.0	41
236	TG-MS analysis on thermal decomposable components in the SEI film on Cr <sub>2</sub> O <sub>3</sub> powder anode in Li-ion batteries. Ionics, 2009, 15, 91-96.	1.2	27
237	Improving the Performances of LiCoO <sub>2</sub> Cathode Materials by Soaking Nano-Alumina in Commercial Electrolyte. Journal of the Electrochemical Society, 2007, 154, A55.	1.3	42
238	A new route to single crystalline vanadium dioxide nanoflakes via thermal reduction. Journal of Materials Research, 2007, 22, 1921-1926.	1.2	15
239	Performance improvement of LiCoO <sub>2</sub> by molten salt surface modification. Journal of Power Sources, 2007, 167, 504-509.	4.0	21
240	New concept of surface modification to LiCoO <sub>2</sub> . Journal of Power Sources, 2007, 174, 328-334.	4.0	42
241	Mesoscale Organization of Flower-Like La <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> and La <sub>2</sub> O <sub>3</sub> Microspheres. Journal of the American Ceramic Society, 2007, 90, 2576-2581.	1.9	31
242	Iodine ion transport in solid electrolyte LiI(C <sub>3</sub> H <sub>5</sub> NO) <sub>2</sub> : a first-principles identification. Ionics, 2007, 12, 343-347.	1.2	13
243	Origin of Solid Electrolyte Interphase on Nanosized LiCoO <sub>2</sub> . Electrochemical and Solid-State Letters, 2006, 9, A328.	2.2	63
244	Coating Material-Induced Acidic Electrolyte Improves LiCoO <sub>2</sub> Performances. Electrochemical and Solid-State Letters, 2006, 9, A552.	2.2	27
245	Theoretical study of cation doping effect on the electronic conductivity of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> . Physica Status Solidi (B): Basic Research, 2006, 243, 1835-1841.	0.7	83
246	Obtaining ultra-long copper nanowires via a hydrothermal process. Science and Technology of Advanced Materials, 2005, 6, 761-765.	2.8	85
247	Ab initio studies on the stability and electronic structure of LiCoO <sub>2</sub> (003) surfaces. Physical Review B, 2005, 71, .	1.1	29
248	First-principles investigation of the structural, magnetic, and electronic properties of olivine LiFePO <sub>4</sub> . Physical Review B, 2005, 71, .	1.1	57
249	Understanding mechanism of improved electrochemical performance of surface modified LiCoO <sub>2</sub> . Solid State Ionics, 2004, 175, 239-242.	1.3	20
250	First-principles study of Li ion diffusion in LiFePO <sub>4</sub> . Physical Review B, 2004, 69, .	1.1	250
251	Electrochemical Characterization of Positive Electrode Material LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> and Compatibility with Electrolyte for Lithium-Ion Batteries. Journal of the Electrochemical Society, 2004, 151, A914.	1.3	143
252	Electrochemical and In Situ Synchrotron XRD Studies on Al <sub>2</sub> O <sub>3</sub> -Coated LiCoO <sub>2</sub> Cathode Material. Journal of the Electrochemical Society, 2004, 151, A1344.	1.3	108

#	ARTICLE	IF	CITATIONS
253	SPECTROSCOPIC STUDIES OF SOLID-ELECTROLYTE INTERPHASE ON POSITIVE AND NEGATIVE ELECTRODES FOR LITHIUM ION BATTERIES. , 2004, , 140-197.		2
254	Performance Improvement of Surface-Modified LiCoO <sub>2</sub> Cathode Materials: An Infrared Absorption and X-Ray Photoelectron Spectroscopic Investigation. Journal of the Electrochemical Society, 2003, 150, A199.	1.3	82
255	First-principles studies of cation-doped spinelLiMn <sub>2</sub> O <sub>4</sub> for lithium ion batteries. Physical Review B, 2003, 67, .	1.1	51
256	Nanosized SnSb Alloy Pinning on Hard Non-Graphitic Carbon Spherules as Anode Materials for a Li Ion Battery. Chemistry of Materials, 2002, 14, 103-108.	3.2	153
257	Electrochemical Evaluation and Structural Characterization of Commercial LiCoO <sub>2</sub> Surfaces Modified with MgO for Lithium-Ion Batteries. Journal of the Electrochemical Society, 2002, 149, A466.	1.3	175
258	Structural and electrochemical characterizations of surface-modified LiCoO <sub>2</sub> cathode materials for Li-ion batteries. Solid State Ionics, 2002, 148, 335-342.	1.3	204
259	Al <sub>2</sub> O <sub>3</sub> -coated LiCoO <sub>2</sub> as cathode material for lithium ion batteries. Solid State Ionics, 2002, 152-153, 341-346.	1.3	125
260	New Binary Room-Temperature Molten Salt Electrolyte Based on Urea and LiTFSI. Journal of Physical Chemistry B, 2001, 105, 9966-9969.	1.2	85
261	Nano-SnSb alloy deposited on MCMB as an anode material for lithium ion batteries. Journal of Materials Chemistry, 2001, 11, 1502-1505.	6.7	98
262	Spectroscopic studies on interactions and microstructures in propylene carbonate?LiTFSI electrolytes. Journal of Raman Spectroscopy, 2001, 32, 900-905.	1.2	70
263	Polymer-in-salt electrolytes based on PAN-LiTFSI. , 2000, , .		0
264	Preparation of superionic conductor AgI nano-wires in alumina template by Electrochemical dual liquor deposition (EDLD). , 2000, , .		0
265	Anomalous Conductivity of Glassy Li <sub>2</sub> O <sub>4</sub> MnO <sub>2-x</sub> B <sub>2</sub> O <sub>3</sub> During Heat Treatment. , 2000, , .		
266	Crystallization mechanism in amorphous material of 0.5LiMnO <sub>2</sub> -0.5B <sub>2</sub> O <sub>3</sub> . Journal of Materials Science, 2000, 35, 1695-1698.	1.7	5
267	Raman Spectral Studies on Solid State Interphase in Li Batteries. , 2000, , .		0
268	Synthesis and electrochemical performance of dendrite-like nanosized SnSb alloy prepared by co-precipitation in alcohol solution at low temperature. Journal of Materials Chemistry, 2000, 10, 693-696.	6.7	64
269	Surface-Enhanced Raman Scattering Study on Passivating Films of Ag Electrodes in Lithium Batteries. Journal of Physical Chemistry B, 2000, 104, 8477-8480.	1.2	25
270	Activation of LiMnBO glass as cathode material for lithium-ion batteries. Journal of Materials Chemistry, 2000, 10, 1465-1467.	6.7	7



#	ARTICLE	IF	CITATIONS
271	Electronic conductivity of $\text{La}_{0.9}\text{Sr}_{0.1}\text{InO}_{3-\delta}$ , 2000, , .		0
272	Nanosized alloy-based anode materials for Li ion batteries. , 2000, , .		1
273	Electrochemical performance of Ni-deposited graphite anodes for lithium secondary batteries. , 2000, , .		0
274	Sol-Gel Synthesis and Properties of Sr-Doped $\text{LaInO}_3$ Perovskite Oxide. , 2000, , .		0
275	Studies of Stannic Oxide as an Anode Material for Lithium-ion Batteries. Journal of the Electrochemical Society, 1998, 145, 59-62.	1.3	156
276	Ion Association and Salvation Studies of $\text{LiClO}_4$ /Ethylene Carbonate Electrolyte by Raman and Infrared Spectroscopy. Journal of the Electrochemical Society, 1998, 145, 3346-3350.	1.3	57
277	Dispersion effects of Raman lines in carbons. Journal of Applied Physics, 1998, 84, 227-231.	1.1	44
278	Characterizations of crystalline structure and electrical properties of pyrolyzed polyfurfuryl alcohol. Journal of Applied Physics, 1997, 82, 5705-5710.	1.1	36
279	Experimental Evidence of the Interaction Between Polyacrylonitrile and Ethylene Carbonate Plasticizer by Raman Spectroscopy. Journal of Raman Spectroscopy, 1996, 27, 609-613.	1.2	5
280	Raman Spectroscopic Investigation of the Dissociation of Dimethylsulphoxide Induced by Polyacrylonitrile. Journal of Raman Spectroscopy, 1996, 27, 901-906.	1.2	5
281	Tribological properties of fullerenes $\text{C}_{60}$ and $\text{C}_{70}$ microparticles. Journal of Materials Research, 1996, 11, 2749-2756.	1.2	24
282	Recent Advances in Fast Ion Conducting Materials and Devices. , 1990, , .		2
283	SUPERCONDUCTORS WITH HIGH ZERO-RESISTANCE TEMPERATURE IN Ln-Ba-Cu-O SYSTEM (Ln=Gd, Dy, Ho.) $T_c = 110.784314$ K	1.0	1
284	MAGNETIZATION OF HIGH $T_c$ SUPERCONDUCTING Ba-Y-Cu-O. International Journal of Modern Physics B, 1987, 01, 509-512.	1.0	1
285	ELECTRON TUNNELING MEASUREMENTS OF ENERGY GAP IN SUPERCONDUCTORS $\text{YBaCuO}$ , $\text{LaSrCuO}$ AND $\text{BPBO}$ . International Journal of Modern Physics B, 1987, 01, 555-559.	1.0	1
286	THE MICRO-REGION COMPOSITIONAL VARIATION OF $\text{Y}_{1-x}\text{Ba}_2\text{Cu}_3\text{O}_{9-x}$ SINGLE PHASE SUPERCONDUCTOR. International Journal of Modern Physics B, 1987, 01, 231-236.	1.0	1
287	SOME FACTORS EFFECT ON ZERO-RESISTANCE TEMPERATURE OF SUPERCONDUCTR $\text{Y}_{1-x}\text{Ba}_2\text{Cu}_3\text{O}_{9-x}$ . International Journal of Modern Physics B, 1987, 01, 267-272.	1.0	2