

# Eugene Healy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/283022/publications.pdf>

Version: 2024-02-01

115  
papers

7,060  
citations

53794

45  
h-index

58581

82  
g-index

117  
all docs

117  
docs citations

117  
times ranked

6816  
citing authors

#	ARTICLE	IF	CITATIONS
1	Training and Retaining Physician-Scientists in Dermatology: A United Kingdom Perspective. <i>JID Innovations</i> , 2022, 2, 100091.	2.4	1
2	Identification of proteins associated with development of metastasis from cutaneous squamous cell carcinomas (cSCCs) via proteomic analysis of primary cSCCs*. <i>British Journal of Dermatology</i> , 2021, 184, 709-721.	1.5	20
3	Cutaneous leucocytoclastic vasculitis secondary to cabozantinib therapy for renal cell carcinoma. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 739-740.	1.3	4
4	Inherited duplications of PPP2R3B predispose to nevi and melanoma via a C21orf91-driven proliferative phenotype. <i>Genetics in Medicine</i> , 2021, 23, 1636-1647.	2.4	5
5	ENTPD1 (CD39) Expression Inhibits UVR-Induced DNA Damage Repair through Purinergic Signaling and Is Associated with Metastasis in Human Cutaneous Squamous Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2509-2520.	0.7	10
6	CD8+CD103+ tissue-resident memory T cells convey reduced protective immunity in cutaneous squamous cell carcinoma. , 2021, 9, e001807.		18
7	New NICE guidance on acne vulgaris: implications for first-line management in primary care. <i>British Journal of General Practice</i> , 2021, 71, 568-570.	1.4	1
8	Proteomic Profiling of Archived Tissue of Primary Melanoma Identifies Proteins Associated with Metastasis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8160.	4.1	3
9	A World of Scientific Endeavors and Friendships. <i>Journal of Investigative Dermatology</i> , 2020, 140, S164-S166.	0.7	0
10	Nicotinamide as a chemopreventive therapy of skin cancers. Too much of good thing?. <i>Pigment Cell and Melanoma Research</i> , 2019, 32, 601-602.	3.3	6
11	The PROCLIFI international registry of early-stage mycosis fungoides identifies substantial diagnostic delay in most patients. <i>British Journal of Dermatology</i> , 2019, 181, 350-357.	1.5	127
12	Expression of PI3K Signaling Associated with T Cells in Psoriasis Is Inhibited by Seletalisib, a PI3K Inhibitor, and Is Required for Functional Activity. <i>Journal of Investigative Dermatology</i> , 2018, 138, 1435-1439.	0.7	7
13	Subclonal Evolution of Cancer-Related Gene Mutations in p53 Immunopositive Patches in Human Skin. <i>Journal of Investigative Dermatology</i> , 2018, 138, 189-198.	0.7	28
14	Antibodies to Costimulatory Receptor 4-1BB Enhance Anti-tumor Immunity via T Regulatory Cell Depletion and Promotion of CD8 <sup>+</sup> T Cell Effector Function. <i>Immunity</i> , 2018, 49, 958-970.e7.	14.3	114
15	Faltering of prenatal growth precedes the development of atopic eczema in infancy: cohort study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1851-1864.	3.0	2
16	A time for everything and everything in its time &ndash; exploring the mechanisms underlying seasonality of COPD exacerbations. <i>International Journal of COPD</i> , 2018, Volume 13, 2739-2749.	2.3	15
17	Human Endothelial Cells Modulate CD4 <sup>+</sup> T Cell Populations and Enhance Regulatory T Cell Suppressive Capacity. <i>Frontiers in Immunology</i> , 2018, 9, 565.	4.8	39
18	Epithelial damage and tissue-resident T cells promote a unique tumor-protective IgE response. <i>Nature Immunology</i> , 2018, 19, 859-870.	14.5	92

#	ARTICLE	IF	CITATIONS
19	Maternal stress and psychological distress preconception: association with offspring atopic eczema at age 12 months. <i>Clinical and Experimental Allergy</i> , 2017, 47, 760-769.	2.9	31
20	Persistent kallikrein 5 activation induces atopic dermatitis-like skin architecture independent of PAR2 activity. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1310-1322.e5.	2.9	52
21	First-in-human studies of seletalisib, an orally bioavailable small-molecule PI3K $\gamma$ inhibitor for the treatment of immune and inflammatory diseases. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 581-591.	1.9	22
22	STAT4 expression and activation is increased during mitosis <i>in vitro</i> and <i>in vivo</i> in skin- and mucosa-derived cell types: implications in neoplastic and inflammatory skin diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1663-1673.	2.4	4
23	<i>In vitro</i> human T cell responses to diphencyprone. <i>Contact Dermatitis</i> , 2017, 76, 251-253.	1.4	4
24	OX40+ Regulatory T Cells in Cutaneous Squamous Cell Carcinoma Suppress Effector T-Cell Responses and Associate with Metastatic Potential. <i>Clinical Cancer Research</i> , 2016, 22, 4236-4248.	7.0	66
25	The Warthinâ€“Starry stain for detection of cutaneous melanin: more than a historical curiosity. <i>Experimental Dermatology</i> , 2016, 25, 763-764.	2.9	5
26	Growth and hormone profiling in children with congenital melanocytic naevi. <i>British Journal of Dermatology</i> , 2015, 173, 1471-1478.	1.5	25
27	Identification of translational dermatology research priorities in the U.K.: results of an electronic Delphi exercise. <i>British Journal of Dermatology</i> , 2015, 173, 1191-1198.	1.5	12
28	Variants of the melanocortinâ€“1 receptor: do they matter clinically?. <i>Experimental Dermatology</i> , 2015, 24, 5-9.	2.9	18
29	Lymphomatoid Plaques â€“ A CD30+ Lymphoproliferative Rash Exhibiting a Predilection for Recurrence on the Same Skin Sites. <i>Acta Dermato-Venereologica</i> , 2015, 95, 104-105.	1.3	0
30	Characteristics of immunosuppressive regulatory T cells in cutaneous squamous cell carcinomas and role in metastasis. <i>Lancet, The</i> , 2015, 385, S59.	13.7	31
31	Limited exposure to ambient ultraviolet radiation and 25-hydroxyvitamin D levels: a systematic review. <i>British Journal of Dermatology</i> , 2015, 172, 652-661.	1.5	17
32	Melanoma <i>in situ</i> affecting the penis of a naturist. <i>Clinical and Experimental Dermatology</i> , 2014, 39, 62-63.	1.3	4
33	Distinct Molecular Signature of Human Skin Langerhans Cells Denotes Critical Differences in Cutaneous Dendritic Cell Immune Regulation. <i>Journal of Investigative Dermatology</i> , 2014, 134, 695-703.	0.7	46
34	High incidence of skin cancer in the Channel Islands. <i>Clinical and Experimental Dermatology</i> , 2013, 38, 239-243.	1.3	1
35	Epithelial mechanobiology, skin wound healing, and the stem cell niche. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2013, 28, 397-409.	3.1	209
36	<i>In vitro</i> diagnostic assays are effective during the acute phase of delayed-type drug hypersensitivity reactions. <i>British Journal of Dermatology</i> , 2013, 168, 539-549.	1.5	63

#	ARTICLE	IF	CITATIONS
37	Sensitization via Healthy Skin Programs Th2 Responses in Individuals with Atopic Dermatitis. Journal of Investigative Dermatology, 2013, 133, 2372-2380.	0.7	105
38	Multiple Congenital Melanocytic Nevi and Neurocutaneous Melanosis Are Caused by Postzygotic Mutations in Codon 61 of NRAS. Journal of Investigative Dermatology, 2013, 133, 2229-2236.	0.7	273
39	Immunohistochemical and ultrastructural features of congenital melanocytic naevus cells support a stem cell phenotype. British Journal of Dermatology, 2013, 169, 374-383.	1.5	21
40	Germline Melanocortin-1-Receptor Genotype Is Associated with Severity of Cutaneous Phenotype in Congenital Melanocytic Nevi: A Role for MC1R in Human Fetal Development. Journal of Investigative Dermatology, 2012, 132, 2026-2032.	0.7	56
41	CD70-CD27 Interaction Augments CD8+ T-Cell Activation by Human Epidermal Langerhans Cells. Journal of Investigative Dermatology, 2012, 132, 1636-1644.	0.7	59
42	A pilot randomized controlled trial to examine the feasibility and efficacy of an educational nursing intervention to improve self-management practices in patients with mild-to-moderate psoriasis. Journal of the European Academy of Dermatology and Venereology, 2012, 26, 738-745.	2.4	34
43	Cost-effectiveness of tacrolimus ointment in adults and children with moderate and severe atopic dermatitis: twice-weekly maintenance treatment vs. standard twice-daily reactive treatment of		

#	ARTICLE	IF	CITATIONS
55	Antibiotic hypersensitivity mimicking recurrent endocarditis--identifying the culprit with the in vitro lymphocyte transformation test. QJM - Monthly Journal of the Association of Physicians, 2007, 101, 67-68.	0.5	2
56	Cysteinyl leukotrienes synergize with growth factors to induce proliferation of human bronchial fibroblasts. Journal of Allergy and Clinical Immunology, 2007, 119, 132-140.	2.9	46
57	Investigation of Mechanisms Underlying the T-Cell Response to the Hapten 2,4-Dinitrochlorobenzene. Journal of Investigative Dermatology, 2007, 127, 630-637.	0.7	52
58	â€Lambing earsâ€™: a blistering disorder affecting farmers at lambing time. British Journal of Dermatology, 2007, 158, 071106220718012-???	1.5	16
59	Under the spotlight: skin therapy for asthma. Clinical and Experimental Allergy, 2007, 37, 1261-1263.	2.9	3
60	A 2005 survey of clinical academic staff in U.K. dermatology. British Journal of Dermatology, 2006, 155, 214-215.	1.5	0
61	Prognostic value of Ki67 antigen expression in basal cell carcinomas. British Journal of Dermatology, 2006, 133, 737-741.	1.5	59
62	Î±-Melanocyte-Stimulating Hormone Suppresses Antigen-Induced Lymphocyte Proliferation in Humans Independently of Melanocortin 1 Receptor Gene Status. Journal of Immunology, 2005, 175, 4806-4813.	0.8	60
63	Peroxisome Proliferatorâ€activated Receptors and their Relevance to Dermatology. Acta Dermato-Venereologica, 2005, 85, 194-202.	1.3	35
64	Î±-Melanocyte-stimulating Hormone Protects from Ultraviolet Radiation-induced Apoptosis and DNA Damage. Journal of Biological Chemistry, 2005, 280, 5795-5802.	3.4	198
65	Expression and glycosylation of MUC1 in epidermolysis bullosa-associated and sporadic cutaneous squamous cell carcinomas. British Journal of Dermatology, 2004, 151, 540-545.	1.5	13
66	Melanocortin 1 receptor variants, pigmentation, and skin cancer susceptibility. Photodermatology Photoimmunology and Photomedicine, 2004, 20, 283-288.	1.5	20
67	Case 2. Clinical and Experimental Dermatology, 2003, 28, 105-106.	1.3	15
68	Treatment of resistant pemphigus vulgaris with an anti-CD20 monoclonal antibody (Rituximab). Clinical and Experimental Dermatology, 2003, 28, 366-368.	1.3	71
69	Physical traits. International Congress Series, 2003, 1239, 559.	0.2	0
70	Human melanocortin 1 receptor (MC1R) gene variants alter melanoma cell growth and adhesion to extracellular matrix. Oncogene, 2002, 21, 8037-8046.	5.9	58
71	Localization of a Gene (MCUL1) for Multiple Cutaneous Leiomyomata and Uterine Fibroids to Chromosome 1q42.3-q43. American Journal of Human Genetics, 2001, 68, 1264-1269.	6.2	143
72	Functional variation of MC1R alleles from red-haired individuals. Human Molecular Genetics, 2001, 10, 2397-2402.	2.9	128

#	ARTICLE	IF	CITATIONS
73	Novel keratin 16 mutations and protein expression studies in pachyonychia congenita type 1 and focal palmoplantar keratoderma. <i>Experimental Dermatology</i> , 2000, 9, 170-177.	2.9	51
74	Pleiotropic effects of the melanocortin 1 receptor (MC1R) gene on human pigmentation. <i>Human Molecular Genetics</i> , 2000, 9, 2531-2537.	2.9	235
75	Hailey-Hailey disease is caused by mutations in ATP2C1 encoding a novel Ca <sup>2+</sup> pump. <i>Human Molecular Genetics</i> , 2000, 9, 1131-1140.	2.9	264
76	Evidence for Variable Selective Pressures at MC1R. <i>American Journal of Human Genetics</i> , 2000, 66, 1351-1361.	6.2	360
77	Melanocortin-1-receptor gene and sun sensitivity in individuals without red hair. <i>Lancet, The</i> , 2000, 355, 1072-1073.	13.7	137
78	The Human Melanocortin-1 Receptor. , 2000, , 341-359.		0
79	ATP2A2 Mutations in Darier's Disease: Variant Cutaneous Phenotypes Are Associated with Missense Mutations, But Neuropsychiatry Features Are Independent of Mutation Class. <i>Human Molecular Genetics</i> , 1999, 8, 1621-1630.	2.9	147
80	Somatic Mutations in the Peutz-Jeghers (LKB1/STKII) Gene in Sporadic Malignant Melanomas. <i>Journal of Investigative Dermatology</i> , 1999, 112, 509-511.	0.7	93
81	Skin Type, Melanoma, and Melanocortin 1 Receptor Variants. <i>Journal of Investigative Dermatology</i> , 1999, 112, 512-513.	0.7	24
82	Identification of Novel Mutations in Basic Hair Keratins hHb1 and hHb6 in Monilethrix: Implications for Protein Structure and Clinical Phenotype. <i>Journal of Investigative Dermatology</i> , 1999, 113, 607-612.	0.7	57
83	Genetic Studies of the Human Melanocortin Receptor. <i>Annals of the New York Academy of Sciences</i> , 1999, 885, 134-142.	3.8	28
84	Point mutation in the helix termination peptide (HTP) of human type II hair keratin hHb6 causes monilethrix in five families. <i>Experimental Dermatology</i> , 1999, 8, 310-2.	2.9	3
85	Prognostic significance of allelic losses in primary melanoma. <i>Oncogene</i> , 1998, 16, 2213-2218.	5.9	74
86	Melanocortin 1 Receptor Variants in an Irish Population. <i>Journal of Investigative Dermatology</i> , 1998, 111, 119-122.	0.7	221
87	A Mutational Hotspot in the 2B Domain of Human Hair Basic Keratin 6 (hHb6) in Monilethrix Patients. <i>Journal of Investigative Dermatology</i> , 1998, 111, 896-899.	0.7	32
88	Who Will Get and Who will Die from Cutaneous Melanoma?. <i>Clinical Science</i> , 1998, 95, 11P-11P.	0.0	0
89	Melanocortin Receptors, Red Hair, and Skin Cancer. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 1997, 2, 94-98.	0.8	35
90	Mapping of monilethrix to the type II keratin gene cluster at chromosome 12q13 in three new families, including one with variable expressivity. <i>British Journal of Dermatology</i> , 1997, 137, 339-343.	1.5	8

#	ARTICLE	IF	CITATIONS
91	Mapping of monilethrix to the type II keratin gene cluster at chromosome 12q13 in three new families, including one with variable expressivity. <i>British Journal of Dermatology</i> , 1997, 137, 339-343.	1.5	17
92	Molecular genetic approaches to non-melanoma and melanoma skin cancer. <i>Clinical and Experimental Dermatology</i> , 1996, 21, 253-262.	1.3	15
93	Infrequent Mutation of p16INK4 in Sporadic Melanoma. <i>Journal of Investigative Dermatology</i> , 1996, 107, 318-321.	0.7	48
94	The Asp84Glu variant of the melanocortin 1 receptor (MC1R) is associated with melanoma. <i>Human Molecular Genetics</i> , 1996, 5, 1663-1666.	2.9	274
95	Allelotypes of primary cutaneous melanoma and benign melanocytic nevi. <i>Cancer Research</i> , 1996, 56, 589-93.	0.9	95
96	Loss of heterozygosity in sporadic primary cutaneous melanoma. <i>Genes Chromosomes and Cancer</i> , 1995, 12, 152-156.	2.8	93
97	A comparison of twice-weekly MPD-PUVA and three times-weekly skin typing-PUVA regimens for the treatment of psoriasis. <i>British Journal of Dermatology</i> , 1995, 133, 417-422.	1.5	39
98	Use of in situ detection of histone mRNA in the assessment of epidermal proliferation: comparison with the Ki67 antigen and BrdU incorporation. <i>British Journal of Dermatology</i> , 1995, 132, 359-366.	1.5	36
99	Variants of the melanocyte-stimulating hormone receptor gene are associated with red hair and fair skin in humans. <i>Nature Genetics</i> , 1995, 11, 328-330.	21.4	919
100	Cutaneous lupus erythematosus - A study of clinical and laboratory prognostic factors in 65 patients. <i>Irish Journal of Medical Science</i> , 1995, 164, 113-115.	1.5	27
101	Up-Regulation of p21WAF1/CIP1 in Psoriasis and After the Application of Irritants and Tape Stripping. <i>Journal of Investigative Dermatology</i> , 1995, 105, 274-279.	0.7	33
102	A gene for monilethrix is closely linked to the type II keratin gene cluster at 12q13. <i>Human Molecular Genetics</i> , 1995, 4, 2399-2402.	2.9	56
103	Microsatellite Instability in Human Non-Melanoma and Melanoma Skin Cancer. <i>Journal of Investigative Dermatology</i> , 1995, 104, 309-312.	0.7	98
104	Melanin, melanocytes, and melanoma. <i>Lancet, The</i> , 1995, 346, 1713.	13.7	25
105	Dissociation of Erythema and p53 Protein Expression in Human Skin Following UVB Irradiation, and Induction of p53 Protein and mRNA Following Application of Skin Irritants. <i>Journal of Investigative Dermatology</i> , 1994, 103, 493-499.	0.7	59
106	Chromosome 9 Allele Loss Occurs in both Basal and Squamous Cell Carcinomas of the Skin. <i>Journal of Investigative Dermatology</i> , 1994, 102, 300-303.	0.7	54
107	Linkage Analyses in British Pedigrees Suggest a Single Locus for Darier Disease and Narrow the Location to the Interval between D12S105 and D12S129. <i>Genomics</i> , 1994, 24, 378-382.	2.9	15
108	High frequency of loss of heterozygosity in actinic keratoses, a usually benign disease. <i>Lancet, The</i> , 1994, 344, 788-789.	13.7	75

#	ARTICLE	IF	CITATIONS
109	Fortnightly Review Acne vulgaris. BMJ: British Medical Journal, 1994, 308, 831-833.	2.3	46
110	Basal cell carcinoma and cystic fibrosis: a report of two cases. British Journal of Dermatology, 1993, 128, 701-702.	1.5	2
111	PUVA treatment for alopecia areata“ does it work? A retrospective review of 102 cases. British Journal of Dermatology, 1993, 129, 42-44.	1.5	96
112	AIDS, IV drug use and mycobacterial disease: the Dublin experience. Respiratory Medicine, 1992, 86, 491-494.	2.9	6
113	(18) Necrolytic migratory erythema due to zinc deficiency. British Journal of Dermatology, 1992, 127, 57-58.	1.5	6
114	(33) Morphoea and lichen sclerosis et atrophicus following radiotherapy for breast carcinoma. British Journal of Dermatology, 1992, 127, 70-70.	1.5	0
115	YERSINIA INFECTION AND ACUTE ABDOMINAL PAIN. Lancet, The, 1987, 329, 529-533.	13.7	69