

# Hwan Tae Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2832152/publications.pdf>

Version: 2024-02-01

86  
papers

2,789  
citations

159585

30  
h-index

197818

49  
g-index

86  
all docs

86  
docs citations

86  
times ranked

4417  
citing authors

#	ARTICLE	IF	CITATIONS
1	AMPA, KA and NMDA receptors are expressed in the rat DRG neurones. <i>NeuroReport</i> , 1993, 4, 1263-1265.	1.2	205
2	Slit proteins: molecular guidance cues for cells ranging from neurons to leukocytes. <i>Current Opinion in Genetics and Development</i> , 2002, 12, 583-591.	3.3	194
3	Region-specific expression of subunits of ionotropic glutamate receptors (AMPA-type, KA-type and) Tj ETQq1 1 0.784314 rgBT /Overl <i>Research</i> , 1993, 18, 141-151.	2.3	180
4	Inverse agonist of estrogen-related receptor $\hat{I}^3$ controls <i>Salmonella typhimurium</i> infection by modulating host iron homeostasis. <i>Nature Medicine</i> , 2014, 20, 419-424.	30.7	127
5	Autophagic myelin destruction by schwann cells during wallerian degeneration and segmental demyelination. <i>Glia</i> , 2016, 64, 730-742.	4.9	120
6	Actin Polymerization Is Essential for Myelin Sheath Fragmentation during Wallerian Degeneration. <i>Journal of Neuroscience</i> , 2011, 31, 2009-2015.	3.6	96
7	Assessment of mitophagy in mtâ€Keima <i>Drosophila</i> revealed an essential role of the PINK1â€Parkin pathway in mitophagy induction <i>in vivo</i>. <i>FASEB Journal</i> , 2019, 33, 9742-9751.	0.5	67
8	Activation of the Nrf2/HO-1 signaling pathway contributes to the protective effects of baicalein against oxidative stress-induced DNA damage and apoptosis in HEI193 Schwann cells. <i>International Journal of Medical Sciences</i> , 2019, 16, 145-155.	2.5	62
9	Molecular control of neuronal migration. <i>BioEssays</i> , 2002, 24, 821-827.	2.5	61
10	Proteasome inhibition suppresses Schwann cell dedifferentiation <i>in vitro</i> and <i>in vivo</i>. <i>Glia</i> , 2009, 57, 1825-1834.	4.9	54
11	Wallerian demyelination: chronicle of a cellular cataclysm. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 4049-4057.	5.4	54
12	Isorhamnetin alleviates lipopolysaccharide-induced inflammatory responses in BV2 microglia by inactivating NF- $\hat{I}^B$ , blocking the TLR4 pathway and reducing ROS generation. <i>International Journal of Molecular Medicine</i> , 2019, 43, 682-692.	4.0	54
13	Interleukinâ€6 is required for the early induction of glial fibrillary acidic protein in Schwann cells during Wallerian degeneration. <i>Journal of Neurochemistry</i> , 2009, 108, 776-786.	3.9	50
14	Fucoidan inhibits lipopolysaccharide-induced inflammatory responses in RAW 264.7 macrophages and zebrafish larvae. <i>Molecular and Cellular Toxicology</i> , 2017, 13, 405-417.	1.7	48
15	Pathological adaptive responses of Schwann cells to endoplasmic reticulum stress in bortezomibâ€induced peripheral neuropathy. <i>Glia</i> , 2010, 58, 1961-1976.	4.9	47
16	Nidogen is a prosurvival and promigratory factor for adult Schwann cells. <i>Journal of Neurochemistry</i> , 2007, 102, 686-698.	3.9	45
17	Mitochondrial swelling and microtubule depolymerization are associated with energy depletion in axon degeneration. <i>Neuroscience</i> , 2013, 238, 258-269.	2.3	45
18	The Neuregulinâ€Racâ€MKK7 pathway regulates antagonistic câ€Jun/Krox20 expression in Schwann cell dedifferentiation. <i>Glia</i> , 2013, 61, 892-904.	4.9	44

#	ARTICLE	IF	CITATIONS
19	Laminin 211 inhibits protein kinase A in Schwann cells to modulate neuregulin 1 type III-driven myelination. <i>PLoS Biology</i> , 2017, 15, e2001408.	5.6	44
20	A Mutation in PMP2 Causes Dominant Demyelinating Charcot-Marie-Tooth Neuropathy. <i>PLoS Genetics</i> , 2016, 12, e1005829.	3.5	44
21	Netrin induces down-regulation of its receptor, Deleted in Colorectal Cancer, through the ubiquitin-proteasome pathway in the embryonic cortical neuron. <i>Journal of Neurochemistry</i> , 2005, 95, 1-8.	3.9	41
22	Autophagy Is Involved in the Reduction of Myelinating Schwann Cell Cytoplasm during Myelin Maturation of the Peripheral Nerve. <i>PLoS ONE</i> , 2015, 10, e0116624.	2.5	40
23	Schwann cell dedifferentiation-associated demyelination leads to exocytotic myelin clearance in inflammatory segmental demyelination. <i>Glia</i> , 2017, 65, 1848-1862.	4.9	39
24	Acute bulbar palsy as a variant of Guillain-Barré syndrome. <i>Neurology</i> , 2016, 86, 742-747.	1.1	37
25	Isocitrate protects DJ-1 null dopaminergic cells from oxidative stress through NADP <sup>+</sup> -dependent isocitrate dehydrogenase (IDH). <i>PLoS Genetics</i> , 2017, 13, e1006975.	3.5	37
26	Calmodulin-dependent activation of p38 and p42/44 mitogen-activated protein kinases contributes to c-fos expression by calcium in PC12 cells: modulation by nitric oxide. <i>Molecular Brain Research</i> , 2000, 75, 16-24.	2.3	36
27	Mitogen Activated Protein Kinase Family Proteins and c-jun Signaling in Injury-induced Schwann Cell Plasticity. <i>Experimental Neurobiology</i> , 2014, 23, 130-137.	1.6	36
28	Pmp22 mutant allele-specific siRNA alleviates demyelinating neuropathic phenotype in vivo. <i>Neurobiology of Disease</i> , 2017, 100, 99-107.	4.4	33
29	Light regulates Homer mRNA expression in the rat suprachiasmatic nucleus. <i>Molecular Brain Research</i> , 1997, 52, 318-322.	2.3	32
30	Netrin-1 induces proliferation of Schwann cells through Unc5b receptor. <i>Biochemical and Biophysical Research Communications</i> , 2007, 362, 1057-1062.	2.1	32
31	Profile of Fos-like immunoreactivity induction by light stimuli in the intergeniculate leaflet is different from that of the suprachiasmatic nucleus. <i>Brain Research</i> , 1993, 610, 334-339.	2.2	31
32	Identification of the basement membrane protein nidogen as a candidate ligand for tumor endothelial marker 7 in vitro and in vivo. <i>FEBS Letters</i> , 2006, 580, 2253-2257.	2.8	31
33	Local production of serum amyloid a is implicated in the induction of macrophage chemoattractants in Schwann cells during wallerian degeneration of peripheral nerves. <i>Glia</i> , 2012, 60, 1619-1628.	4.9	31
34	A novel mechanism of methylglyoxal cytotoxicity in neuroglial cells. <i>Journal of Neurochemistry</i> , 2009, 108, 273-284.	3.9	30
35	Transient lysosomal activation is essential for p75 nerve growth factor receptor expression in myelinated Schwann cells during Wallerian degeneration. <i>Anatomy and Cell Biology</i> , 2011, 44, 41.	1.0	29
36	Grb2-Associated Binder-1 Is Required for Neuregulin-1-Induced Peripheral Nerve Myelination. <i>Journal of Neuroscience</i> , 2014, 34, 7657-7662.	3.6	28

#	ARTICLE	IF	CITATIONS
37	Distributional characteristics of the mRNA for retinoid Z receptor $\hat{1}^2$ (RZR $\hat{1}^2$ ), a putative nuclear melatonin receptor, in the rat brain and spinal cord. <i>Brain Research</i> , 1997, 747, 332-337.	2.2	27
38	MicroRNA Mediated Regulation of Schwann Cell Migration and Proliferation in Peripheral Nerve Injury. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	27
39	Cloning, characterization and neuronal expression profiles of tumor endothelial marker 7 in the rat brain. <i>Molecular Brain Research</i> , 2005, 136, 189-198.	2.3	25
40	The conceptual introduction of the "demyelinating Schwann cell" in peripheral demyelinating neuropathies. <i>Glia</i> , 2019, 67, 571-581.	4.9	25
41	Rac1 GTPase controls myelination and demyelination. <i>Bioarchitecture</i> , 2011, 1, 110-113.	1.5	24
42	Drp1 Phosphorylation Is Indispensable for Steroidogenesis in Leydig Cells. <i>Endocrinology</i> , 2019, 160, 729-743.	2.8	24
43	Cooperative interaction of hepatocyte growth factor and neuregulin regulates Schwann cell migration and proliferation through Grb2-associated binder-2 in peripheral nerve repair. <i>Glia</i> , 2017, 65, 1794-1808.	4.9	22
44	Protective Effect of Baicalein on Oxidative Stress-induced DNA Damage and Apoptosis in RT4-D6P2T Schwann Cells. <i>International Journal of Medical Sciences</i> , 2019, 16, 8-16.	2.5	22
45	The modulation of radiation-induced cell death by genistein in K562 cells: Activation of thymidine kinase 1. <i>Cell Research</i> , 2004, 14, 295-302.	12.0	21
46	Capsaicin inhibits the IL-6/STAT3 pathway by depleting intracellular gp130 pools through endoplasmic reticulum stress. <i>Biochemical and Biophysical Research Communications</i> , 2009, 382, 445-450.	2.1	19
47	Natural agents mediated autophagic signal networks in cancer. <i>Cancer Cell International</i> , 2017, 17, 110.	4.1	19
48	p75 and neural cell adhesion molecule 1 can identify pathologic Schwann cells in peripheral neuropathies. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 1292-1301.	3.7	18
49	Exosomes derived from differentiated Schwann cells inhibit Schwann cell migration via microRNAs. <i>NeuroReport</i> , 2020, 31, 515-522.	1.2	17
50	Calcium-dependent proteasome activation is required for axonal neurofilament degradation. <i>Neural Regeneration Research</i> , 2013, 8, 3401-9.	3.0	17
51	Cell type-specific STAT3 activation by gp130-related cytokines in the peripheral nerves. <i>NeuroReport</i> , 2009, 20, 663-668.	1.2	16
52	Expression of $\hat{1}\pm$ B-crystallin overrides the anti-apoptotic activity of XIAP. <i>Neuro-Oncology</i> , 2012, 14, 1332-1345.	1.2	16
53	Downregulation MIWI-piRNA regulates the migration of Schwann cells in peripheral nerve injury. <i>Biochemical and Biophysical Research Communications</i> , 2019, 519, 605-612.	2.1	16
54	Calcitonin gene-related peptide-like immunoreactive (CGRP) elements in the circadian system of the mouse: an immunohistochemistry combined with retrograde transport study. <i>Brain Research</i> , 1993, 629, 335-341.	2.2	15

#	ARTICLE	IF	CITATIONS
55	Netrin Inhibits Regenerative Axon Growth of Adult Dorsal Root Ganglion Neurons in Vitro. <i>Journal of Korean Medical Science</i> , 2007, 22, 641.	2.5	15
56	Diffusion tensor imaging and T2 mapping in early denervated skeletal muscle in rats. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 617-623.	3.4	15
57	Two faces of Schwann cell dedifferentiation in peripheral neurodegenerative diseases: pro-demyelinating and axon-preservative functions. <i>Neural Regeneration Research</i> , 2014, 9, 1952.	3.0	15
58	Injury-induced CRMP4 expression in adult sensory neurons; a possible target gene for ciliary neurotrophic factor. <i>Neuroscience Letters</i> , 2010, 485, 37-42.	2.1	14
59	Palmitate induces lipoapoptosis in Schwann cells through ROS generation-mediated STAMP2 downregulation. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 1260-1266.	2.1	14
60	Upregulation of microRNA 344a-3p is involved in curcumin induced apoptosis in RT4 schwannoma cells. <i>Cancer Cell International</i> , 2018, 18, 199.	4.1	12
61	Behind the pathology of macrophage-associated demyelination in inflammatory neuropathies: demyelinating Schwann cells. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 2497-2506.	5.4	12
62	Nidogen Plays a Role in the Regenerative Axon Growth of Adult Sensory Neurons Through Schwann Cells. <i>Journal of Korean Medical Science</i> , 2009, 24, 654.	2.5	11
63	Interleukin-6 induces proinflammatory signaling in Schwann cells: A high-throughput analysis. <i>Biochemical and Biophysical Research Communications</i> , 2009, 382, 410-414.	2.1	11
64	Protein kinase A activity is required for depolarization-induced proline-rich tyrosine kinase 2 and mitogen-activated protein kinase activation in PC12 cells. <i>Neuroscience Letters</i> , 2000, 290, 25-28.	2.1	10
65	zVAD-fmk, unlike BocD-fmk, does not inhibit caspase-6 acting on 14-3-3/Bad pathway in apoptosis of p815 mastocytoma cells. <i>Experimental and Molecular Medicine</i> , 2006, 38, 634-642.	7.7	10
66	Down-regulation of UNC5 homologue expression after the spinal cord injury in the adult rat. <i>Neuroscience Letters</i> , 2007, 419, 43-48.	2.1	10
67	A <i>De Novo</i> <i>RAPGEF2</i> Variant Identified in a Sporadic Amyotrophic Lateral Sclerosis Patient Impairs Microtubule Stability and Axonal Mitochondria Distribution. <i>Experimental Neurobiology</i> , 2018, 27, 550-563.	1.6	10
68	A purified extract from <i>Clematis mandshurica</i> prevents staurosporin-induced downregulation of 14-3-3 and subsequent apoptosis on rat chondrocytes. <i>Journal of Ethnopharmacology</i> , 2007, 111, 213-218.	4.1	8
69	Acute changes of nidogen immunoreactivity in the basal lamina of the spinal cord vessels following dorsal hemisection without correlative changes of nidogen gene expression. <i>Acta Histochemica</i> , 2007, 109, 446-453.	1.8	7
70	Expression of tumor endothelial marker 7 mRNA and protein in the dorsal root ganglion neurons of the rat. <i>Neuroscience Letters</i> , 2006, 402, 71-75.	2.1	6
71	The Scaffolding Protein, Grb2-associated Binder-1, in Skeletal Muscles and Terminal Schwann Cells Regulates Postnatal Neuromuscular Synapse Maturation. <i>Experimental Neurobiology</i> , 2017, 26, 141-150.	1.6	6
72	Loss of function of EBP50 is a new cause of hereditary peripheral neuropathy: EBP50 functions in peripheral nerve system. <i>Glia</i> , 2020, 68, 1794-1809.	4.9	6

#	ARTICLE	IF	CITATIONS
73	Potential neuron-autonomous Purkinje cell degeneration by cyclic nucleotide phosphodiesterase promoter/Cre-mediated autophagy impairments. <i>FASEB Journal</i> , 2021, 35, e21225.	0.5	6
74	Postnatal development of detergent-insoluble properties of NMDA and AMPA receptor subunits in the rat brain synaptic membrane. <i>Developmental Brain Research</i> , 1999, 115, 83-87.	1.7	5
75	Serum CXCL13 reflects local B-cell mediated inflammatory demyelinating peripheral neuropathy. <i>Scientific Reports</i> , 2019, 9, 16535.	3.3	5
76	Tyrphostin ErbB2 Inhibitors AG825 and AG879 Have Non-specific Suppressive Effects on gp130/ STAT3 Signaling. <i>Korean Journal of Physiology and Pharmacology</i> , 2008, 12, 281.	1.2	4
77	Aminosalicylic acid reduces ER stress and Schwann cell death induced by MPZ mutations. <i>International Journal of Molecular Medicine</i> , 2019, 44, 125-134.	4.0	4
78	Differential expression of circular RNAs in the proximal and distal segments of the sciatic nerve after injury. <i>NeuroReport</i> , 2020, 31, 76-84.	1.2	4
79	Finger drop sign as a new variant of acute motor axonal neuropathy. <i>Muscle and Nerve</i> , 2021, 63, 336-343.	2.2	4
80	Expression Profile of Fas-Fas Ligand in Spiral Ganglion Cells During Apoptosis. <i>Clinical and Experimental Otorhinolaryngology</i> , 2014, 7, 1.	2.1	4
81	Ophthalmoplegic Guillain-Barré syndrome: An independent entity or a transitional spectrum?. <i>Journal of Clinical Neuroscience</i> , 2016, 32, 19-23.	1.5	3
82	Netrin-1 Specifically Enhances Cell Spreading on Fibronectin in Human Glioblastoma Cells. <i>Korean Journal of Physiology and Pharmacology</i> , 2008, 12, 225.	1.2	1
83	Diffusion tensor imaging and T2 mapping in early denervated skeletal muscle in rats. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, spcone-spcone.	3.4	1
84	MicroRNAs 93-5p, 106b-5p, 17-5p, and 140-5p target the expression of early growth response protein 2 in Schwann cells. <i>NeuroReport</i> , 2019, 30, 241-246.	1.2	1
85	Scaffolding protein Gab2 is involved in postnatal development and lipopolysaccharide-induced activation of microglia in the mouse brain. <i>Biochemical and Biophysical Research Communications</i> , 2021, 567, 112-117.	2.1	1
86	Proteasome inhibition suppresses injury-induced myelin ovoid formation and Schwann cell dedifferentiation in the peripheral nerves. <i>FASEB Journal</i> , 2010, 24, .	0.5	0