
Marie Bobowski-Gérard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2833103/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Endoplasmic reticulum stress actively suppresses hepatic molecular identity in damaged liver. Molecular Systems Biology, 2020, 16, e9156.	7.2	22
2	Retinoids Issued from Hepatic Stellate Cell Lipid Droplet Loss as Potential Signaling Molecules Orchestrating a Multicellular Liver Injury Response. Cells, 2018, 7, 137.	4.1	30
3	Role of Cytokine-Induced Glycosylation Changes in Regulating Cell Interactions and Cell Signaling in Inflammatory Diseases and Cancer. Cells, 2016, 5, 43.	4.1	60
4	TNF induces the expression of the sialyltransferase ST3Gal IV in human bronchial mucosa via MSK1/2 protein kinases and increases FliD/sialyl-Lewisx-mediated adhesion of <i>Pseudomonas aeruginosa</i> . Biochemical Journal, 2014, 457, 79-87.	3.7	22
5	How Do Gangliosides Regulate RTKs Signaling?. Cells, 2013, 2, 751-767.	4.1	88
6	Estradiol Represses the GD3 Synthase Gene ST8SIA1 Expression in Human Breast Cancer Cells by Preventing NFI®B Binding to ST8SIA1 Promoter. PLoS ONE, 2013, 8, e62559.	2.5	31
7	The ganglioside GD2 induces the constitutive activation of c-Met in MDA-MB-231 breast cancer cells expressing the GD3 synthase. Glycobiology, 2012, 22, 806-816.	2.5	83
8	Accumulation of Unusual Gangliosides GQ3 and GP3 in Breast Cancer Cells Expressing the GD3 Synthase. Molecules, 2012, 17, 9559-9572.	3.8	22
9	Role of Complex Gangliosides in Cancer Progression. Carbohydrate Chemistry, 2011, , 1-20.	0.3	5
10	GD3 Synthase Expression Enhances Proliferation and Tumor Growth of MDA-MB-231 Breast Cancer Cells through c-Met Activation. Molecular Cancer Research, 2010, 8, 1526-1535.	3.4	64