

Qixing Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2836509/publications.pdf>

Version: 2024-02-01

60
papers

2,522
citations

147801

31
h-index

197818

49
g-index

61
all docs

61
docs citations

61
times ranked

2681
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Mutual Conversion of CO ₂ on a Perovskite Fuel Electrode with Endogenous Alloy Nanoparticles for Reversible Solid Oxide Cells. ACS Applied Materials & Interfaces, 2022, 14, 9138-9150. | 8.0 | 52 |
| 2 | Enhancement of oxygen evolution activity of perovskite (La _{0.8} Sr _{0.2}) _{0.95} MnO _{3-δ} electrode by Co phase surface modification. Catalysis Today, 2021, 364, 148-156. | 4.4 | 13 |
| 3 | Understanding CO ₂ electrochemical reduction kinetics of mixed-conducting cathodes by the electrical conductivity relaxation method. International Journal of Hydrogen Energy, 2021, 46, 9646-9652. | 7.1 | 12 |
| 4 | Single-component slurry based lithium-ion flow battery with 3D current collectors. Journal of Power Sources, 2021, 485, 229319. | 7.8 | 24 |
| 5 | Recyclable, weldable, mechanically durable, and programmable liquid metal-elastomer composites. Journal of Materials Chemistry A, 2021, 9, 10953-10965. | 10.3 | 42 |
| 6 | A unique hierarchical structure: NiCo ₂ O ₄ nanowire decorated NiO nanosheets as a carbon-free cathode for Li ₂ O ₂ battery. Catalysis Science and Technology, 2021, 11, 7632-7639. | 4.1 | 10 |
| 7 | Enhancing oxygen reduction performance of oxide-CNT through in-situ generated nanoalloy bridging. Applied Catalysis B: Environmental, 2020, 263, 118297. | 20.2 | 34 |
| 8 | Elucidating effects of component materials and flow fields on Sn-Fe hybrid flow battery performance. Journal of Power Sources, 2020, 450, 227613. | 7.8 | 13 |
| 9 | Insight into high electrochemical activity of reduced La _{0.3} Sr _{0.7} Ti _{0.3} O ₃ electrode for high temperature CO ₂ electrolysis. Electrochimica Acta, 2020, 332, 135464. | 5.2 | 19 |
| 10 | Characterizations of carbonized electrospun mats as diffusion layers for direct methanol fuel cells. Journal of Power Sources, 2020, 448, 227410. | 7.8 | 17 |
| 11 | Densely Populated Bismuth Nanosphere Semi-Embedded Carbon Felt for Ultrahigh-Rate and Stable Vanadium Redox Flow Batteries. Small, 2020, 16, e1907333. | 10.0 | 55 |
| 12 | BaZr _{0.1} Co _{0.4} Fe _{0.4} Y _{0.1} O _{3-δ} -SDC composite as quasi-symmetrical electrode for proton conducting solid oxide fuel cells. Ceramics International, 2020, 46, 11811-11818. | 4.8 | 30 |
| 13 | Ultrathin interfacial modification of Li-rich layered oxide electrode/sulfide solid electrolyte via atomic layer deposition for high electrochemical performance batteries. Nanotechnology, 2020, 31, 454001. | 2.6 | 14 |
| 14 | Anisotropic liquid metal-elastomer composites. Journal of Materials Chemistry C, 2019, 7, 10166-10172. | 5.5 | 53 |
| 15 | Nano-catalytic layer engraved carbon felt via copper oxide etching for vanadium redox flow batteries. Carbon, 2019, 153, 674-681. | 10.3 | 64 |
| 16 | Hierarchical Mesoporous/Macroporous Co-Doped NiO Nanosheet Arrays as Free-Standing Electrode Materials for Rechargeable Li ₂ O ₂ Batteries. ACS Applied Materials & Interfaces, 2019, 11, 44556-44565. | 8.0 | 37 |
| 17 | A high-absorption and self-driven salt-resistant black gold nanoparticle-deposited sponge for highly efficient, salt-free, and long-term durable solar desalination. Journal of Materials Chemistry A, 2019, 7, 2581-2588. | 10.3 | 103 |
| 18 | Binder-free carbon nano-network wrapped carbon felt with optimized heteroatom doping for vanadium redox flow batteries. Journal of Materials Chemistry A, 2019, 7, 25132-25141. | 10.3 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Hierarchical porous FeCo ₂ O ₄ @Ni as a carbon- and binder-free cathode for lithium-oxygen batteries. <i>Journal of Alloys and Compounds</i> , 2019, 780, 107-115. | 5.5 | 28 |
| 20 | An improved thin-film electrode for vanadium redox flow batteries enabled by a dual layered structure. <i>Journal of Power Sources</i> , 2019, 410-411, 152-161. | 7.8 | 91 |
| 21 | Recent advances in alkali-doped polybenzimidazole membranes for fuel cell applications. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 89, 168-183. | 16.4 | 71 |
| 22 | Reduced Co ₃ O ₄ nanowires with abundant oxygen vacancies as an efficient free-standing cathode for Li-O ₂ batteries. <i>Catalysis Science and Technology</i> , 2018, 8, 6478-6485. | 4.1 | 18 |
| 23 | Porous silicon-aluminium oxide particles functionalized with acid moieties: An innovative filler for enhanced Nafion-based membranes of direct methanol fuel cell. <i>Journal of Power Sources</i> , 2018, 403, 118-126. | 7.8 | 26 |
| 24 | Bio-inspired multiscale-pore-network structured carbon felt with enhanced mass transfer and activity for vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20347-20355. | 10.3 | 80 |
| 25 | A Sn-Fe flow battery with excellent rate and cycle performance. <i>Journal of Power Sources</i> , 2018, 404, 89-95. | 7.8 | 36 |
| 26 | Study on the Mixed Electrolyte of N,N-Dimethylacetamide/Sulfolane and Its Application in Aprotic Lithium-Air Batteries. <i>ACS Omega</i> , 2017, 2, 236-242. | 3.5 | 9 |
| 27 | Layered Spongy-like O-Doped g-C ₃ N ₄ : An Efficient Non-Metal Oxygen Reduction Catalyst for Alkaline Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2017, 164, F354-F363. | 2.9 | 26 |
| 28 | A comparative study on three types of solar utilization technologies for buildings: Photovoltaic, solar thermal and hybrid photovoltaic/thermal systems. <i>Energy Conversion and Management</i> , 2017, 140, 1-13. | 9.2 | 113 |
| 29 | Monte Carlo study of temperature-dependent non-diffusive thermal transport in Si nanowires. <i>Applied Thermal Engineering</i> , 2017, 124, 17-21. | 6.0 | 6 |
| 30 | High-absorption recyclable photothermal membranes used in a bionic system for high-efficiency solar desalination via enhanced localized heating. <i>Journal of Materials Chemistry A</i> , 2017, 5, 20044-20052. | 10.3 | 108 |
| 31 | Multi-Scaled Porous Fe-N/C Nanofibrous Catalysts for the Cathode Electrodes of Direct Methanol Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2017, 164, F1556-F1565. | 2.9 | 19 |
| 32 | Experimental Study of Single Phase Flow in a Closed-Loop Cooling System with Integrated Mini-Channel Heat Sink. <i>Entropy</i> , 2016, 18, 128. | 2.2 | 11 |
| 33 | A hierarchical micro/mesoporous carbon fiber/sulfur composite for high-performance lithium-sulfur batteries. <i>RSC Advances</i> , 2016, 6, 37443-37451. | 3.6 | 46 |
| 34 | Improving the performance of a non-aqueous lithium-air battery by defective titanium dioxides with oxygen vacancies. <i>Electrochimica Acta</i> , 2016, 202, 1-7. | 5.2 | 31 |
| 35 | Catalytic performance of a pyrolyzed graphene supported Fe-N-C composite and its application for acid direct methanol fuel cells. <i>RSC Advances</i> , 2016, 6, 90797-90805. | 3.6 | 6 |
| 36 | Preparation and properties of branched sulfonated poly(arylene ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (ketone)/polytetrafluoroethylene. <i>Journal of Materials Chemistry A</i> , 2016, 6, 61410-61417. | 3.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Comparative study on performances of a heat-pipe PV/T system and a heat-pipe solar water heating system. <i>International Journal of Green Energy</i> , 2016, 13, 229-240. | 3.8 | 13 |
| 38 | PEDOT-PSS coated sulfur/carbon composite on porous carbon papers for high sulfur loading lithium-sulfur batteries. <i>RSC Advances</i> , 2015, 5, 96862-96869. | 3.6 | 16 |
| 39 | Performance evaluation of an air-breathing high-temperature proton exchange membrane fuel cell. <i>Applied Energy</i> , 2015, 160, 146-152. | 10.1 | 27 |
| 40 | High-temperature passive direct methanol fuel cells operating with concentrated fuels. <i>Journal of Power Sources</i> , 2015, 273, 517-521. | 7.8 | 32 |
| 41 | Effects of design parameters on the performance of passive direct methanol fuel cells fed with concentrated fuel. <i>Electrochimica Acta</i> , 2014, 133, 8-15. | 5.2 | 32 |
| 42 | A dual pore carbon aerogel based air cathode for a highly rechargeable lithium-air battery. <i>Journal of Power Sources</i> , 2014, 272, 1061-1071. | 7.8 | 34 |
| 43 | Effect of phase purity on dielectric properties of CaCu ₃ Ti ₄ O ₁₂ ceramics. <i>Solid State Sciences</i> , 2013, 24, 58-61. | 3.2 | 8 |
| 44 | A sandwich structured membrane for direct methanol fuel cells operating with neat methanol. <i>Applied Energy</i> , 2013, 106, 301-306. | 10.1 | 52 |
| 45 | Comparison of different types of membrane in alkaline direct ethanol fuel cells. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 14536-14542. | 7.1 | 73 |
| 46 | Charge carriers in alkaline direct oxidation fuel cells. <i>Energy and Environmental Science</i> , 2012, 5, 7536. | 30.8 | 63 |
| 47 | Product analysis of the ethanol oxidation reaction on palladium-based catalysts in an anion-exchange membrane fuel cell environment. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 575-582. | 7.1 | 79 |
| 48 | Effect of water concentration in the anode catalyst layer on the performance of direct methanol fuel cells operating with neat methanol. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 5958-5968. | 7.1 | 22 |
| 49 | Alkaline direct oxidation fuel cell with non-platinum catalysts capable of converting glucose to electricity at high power output. <i>Journal of Power Sources</i> , 2011, 196, 186-190. | 7.8 | 128 |
| 50 | Effect of the cathode gas diffusion layer on the water transport behavior and the performance of passive direct methanol fuel cells operating with neat methanol. <i>International Journal of Heat and Mass Transfer</i> , 2011, 54, 1132-1143. | 4.8 | 35 |
| 51 | Characteristics of water transport through the membrane in direct methanol fuel cells operating with neat methanol. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 5644-5654. | 7.1 | 31 |
| 52 | Modeling of a passive DMFC operating with neat methanol. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 6899-6913. | 7.1 | 30 |
| 53 | A novel direct ethanol fuel cell with high power density. <i>Journal of Power Sources</i> , 2011, 196, 6219-6222. | 7.8 | 99 |
| 54 | RECENT ADVANCES IN UNDERSTANDING OF MASS TRANSFER PHENOMENA IN DIRECT METHANOL FUEL CELLS OPERATING WITH CONCENTRATED FUEL. <i>Frontiers in Heat and Mass Transfer</i> , 2011, 2, . | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Towards operating direct methanol fuel cells with highly concentrated fuel. Journal of Power Sources, 2010, 195, 3451-3462. | 7.8 | 94 |
| 56 | Performance of a direct ethylene glycol fuel cell with an Anion-exchange membrane. International Journal of Hydrogen Energy, 2010, 35, 4329-4335. | 7.1 | 137 |
| 57 | Enhancement of water retention in the membrane electrode assembly for direct methanol fuel cells operating with neat methanol. International Journal of Hydrogen Energy, 2010, 35, 10547-10555. | 7.1 | 53 |
| 58 | Comparison analysis of vendor managed inventory with consideration of transportation and inventory costs. , 2010, , . | | 0 |
| 59 | A microfluidic-structured flow field for passive direct methanol fuel cells operating with highly concentrated fuels. Journal of Micromechanics and Microengineering, 2010, 20, 045014. | 2.6 | 32 |
| 60 | Effects of anode microporous layers made of carbon powder and nanotubes on water transport in direct methanol fuel cells. Journal of Power Sources, 2009, 191, 304-311. | 7.8 | 57 |