## Mary Furlan Feitosa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2841886/publications.pdf Version: 2024-02-01

		8755	2629
204	46,155	75	194
papers	citations	h-index	g-index
222	222	222	44000
223	223	223	44933
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Genetic studies of body mass index yield new insights for obesity biology. Nature, 2015, 518, 197-206.	27.8	3,823
2	Biological, clinical and population relevance of 95 loci for blood lipids. Nature, 2010, 466, 707-713.	27.8	3,249
3	Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283.	21.4	2,641
4	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. Nature Genetics, 2010, 42, 937-948.	21.4	2,634
5	A comprehensive 1000 Genomes–based genome-wide association meta-analysis of coronary artery disease. Nature Genetics, 2015, 47, 1121-1130.	21.4	2,054
6	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. Nature, 2011, 478, 103-109.	27.8	1,855
7	Gene discovery and polygenic prediction from a genome-wide association study of educational attainment in 1.1 million individuals. Nature Genetics, 2018, 50, 1112-1121.	21.4	1,835
8	Defining the role of common variation in the genomic and biological architecture of adult human height. Nature Genetics, 2014, 46, 1173-1186.	21.4	1,818
9	Hundreds of variants clustered in genomic loci and biological pathways affect human height. Nature, 2010, 467, 832-838.	27.8	1,789
10	New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196.	27.8	1,328
11	Genome-wide association study identifies 74 loci associated with educational attainment. Nature, 2016, 533, 539-542.	27.8	1,204
12	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. Nature Genetics, 2010, 42, 949-960.	21.4	836
13	Genome-Wide Association Analysis Identifies Variants Associated with Nonalcoholic Fatty Liver Disease That Have Distinct Effects on Metabolic Traits. PLoS Genetics, 2011, 7, e1001324.	3.5	796
14	Common variants associated with plasma triglycerides and risk for coronary artery disease. Nature Genetics, 2013, 45, 1345-1352.	21.4	754
15	Causal Relationship between Obesity and Vitamin D Status: Bi-Directional Mendelian Randomization Analysis of Multiple Cohorts. PLoS Medicine, 2013, 10, e1001383.	8.4	753
16	New loci associated with kidney function and chronic kidney disease. Nature Genetics, 2010, 42, 376-384.	21.4	710
17	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. Nature Genetics, 2013, 45, 145-154.	21.4	675
18	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. Nature Genetics, 2013, 45, 501-512.	21.4	578

Mary Furlan Feitosa

#	Article	IF	CITATIONS
19	A catalog of genetic loci associated with kidney function from analyses of a million individuals. Nature Genetics, 2019, 51, 957-972.	21.4	549
20	Rare and low-frequency coding variants alter human adult height. Nature, 2017, 542, 186-190.	27.8	544
21	Genome-wide association analyses of risk tolerance and risky behaviors in over 1 million individuals identify hundreds of loci and shared genetic influences. Nature Genetics, 2019, 51, 245-257.	21.4	536
22	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. Nature Genetics, 2011, 43, 1131-1138.	21.4	501
23	Exome-wide association study of plasma lipids in >300,000 individuals. Nature Genetics, 2017, 49, 1758-1766.	21.4	470
24	Physical Activity Attenuates the Influence of FTO Variants on Obesity Risk: A Meta-Analysis of 218,166 Adults and 19,268 Children. PLoS Medicine, 2011, 8, e1001116.	8.4	446
25	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. Science, 2016, 351, 1166-1171.	12.6	438
26	Novel Loci for Adiponectin Levels and Their Influence on Type 2 Diabetes and Metabolic Traits: A Multi-Ethnic Meta-Analysis of 45,891 Individuals. PLoS Genetics, 2012, 8, e1002607.	3.5	419
27	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. Nature Communications, 2016, 7, 10023.	12.8	412
28	Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. Nature Genetics, 2011, 43, 1005-1011.	21.4	403
29	FTO genotype is associated with phenotypic variability of body mass index. Nature, 2012, 490, 267-272.	27.8	383
30	Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. PLoS Genetics, 2013, 9, e1003500.	3.5	371
31	The power of genetic diversity in genome-wide association studies of lipids. Nature, 2021, 600, 675-679.	27.8	353
32	Genome-Wide Association Identifies Nine Common Variants Associated With Fasting Proinsulin Levels and Provides New Insights Into the Pathophysiology of Type 2 Diabetes. Diabetes, 2011, 60, 2624-2634.	0.6	335
33	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378.	3.5	331
34	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. American Journal of Human Genetics, 2018, 103, 691-706.	6.2	326
35	Genetic variation near IRS1 associates with reduced adiposity and an impaired metabolic profile. Nature Genetics, 2011, 43, 753-760.	21.4	289
36	Association of Low-Frequency and Rare Coding-Sequence Variants with Blood Lipids and Coronary Heart Disease in 56,000 Whites and Blacks. American Journal of Human Genetics, 2014, 94, 223-232.	6.2	287

#	Article	IF	CITATIONS
37	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. Nature Genetics, 2018, 50, 26-41.	21.4	286
38	Identification of heart rate–associated loci and their effects on cardiac conduction and rhythm disorders. Nature Genetics, 2013, 45, 621-631.	21.4	282
39	Genome-Wide Association Study for Coronary Artery Calcification With Follow-Up in Myocardial Infarction. Circulation, 2011, 124, 2855-2864.	1.6	269
40	Meta-analysis identifies multiple loci associated with kidney function–related traits in east Asian populations. Nature Genetics, 2012, 44, 904-909.	21.4	254
41	Genome-Wide Association for Abdominal Subcutaneous and Visceral Adipose Reveals a Novel Locus for Visceral Fat in Women. PLoS Genetics, 2012, 8, e1002695.	3.5	245
42	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. Nature Communications, 2016, 7, 10495.	12.8	245
43	A meta-analysis identifies new loci associated with body mass index in individuals of African ancestry. Nature Genetics, 2013, 45, 690-696.	21.4	232
44	NRXN3 Is a Novel Locus for Waist Circumference: A Genome-Wide Association Study from the CHARGE Consortium. PLoS Genetics, 2009, 5, e1000539.	3.5	230
45	A Bivariate Genome-Wide Approach to Metabolic Syndrome. Diabetes, 2011, 60, 1329-1339.	0.6	226
46	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. Nature Genetics, 2022, 54, 437-449.	21.4	215
47	Genome-wide meta-analysis of observational studies shows common genetic variants associated with macronutrient intake. American Journal of Clinical Nutrition, 2013, 97, 1395-1402.	4.7	210
48	CUBN Is a Gene Locus for Albuminuria. Journal of the American Society of Nephrology: JASN, 2011, 22, 555-570.	6.1	208
49	Whole-Exome Sequencing Identifies Rare and Low-Frequency Coding Variants Associated with LDL Cholesterol. American Journal of Human Genetics, 2014, 94, 233-245.	6.2	193
50	Directional dominance on stature and cognition inÂdiverse human populations. Nature, 2015, 523, 459-462.	27.8	173
51	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. Nature Communications, 2017, 8, 14977.	12.8	169
52	Genome-Wide Association and Functional Follow-Up Reveals New Loci for Kidney Function. PLoS Genetics, 2012, 8, e1002584.	3.5	166
53	Genome-wide physical activity interactions in adiposity ― A meta-analysis of 200,452 adults. PLoS Genetics, 2017, 13, e1006528	3.5	158
54	Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. Nature Communications, 2016, 7, 10494.	12.8	153

#	Article	IF	CITATIONS
55	Large meta-analysis of genome-wide association studies identifies five loci for lean body mass. Nature Communications, 2017, 8, 80.	12.8	147
56	Association of the PHACTR1/EDN1 Genetic Locus With Spontaneous Coronary Artery Dissection. Journal of the American College of Cardiology, 2019, 73, 58-66.	2.8	147
57	Quantitative-Trait Loci Influencing Body-Mass Index Reside on Chromosomes 7 and 13: The National Heart, Lung, and Blood Institute Family Heart Study. American Journal of Human Genetics, 2002, 70, 72-82.	6.2	138
58	Metaâ€Analysis of Genomeâ€wide Linkage Studies in BMI and Obesity. Obesity, 2007, 15, 2263-2275.	3.0	138
59	Genome-wide association meta-analyses and fine-mapping elucidate pathways influencing albuminuria. Nature Communications, 2019, 10, 4130.	12.8	133
60	Mannan-Binding Lectin Enhances Susceptibility to Visceral Leishmaniasis. Infection and Immunity, 2001, 69, 5212-5215.	2.2	132
61	Interactions of Dietary Whole-Grain Intake With Fasting Glucose- and Insulin-Related Genetic Loci in Individuals of European Descent: A meta-analysis of 14 cohort studies. Diabetes Care, 2010, 33, 2684-2691.	8.6	127
62	Characterization of european ancestry nonalcoholic fatty liver disease-associated variants in individuals of african and hispanic descent. Hepatology, 2013, 58, 966-975.	7.3	126
63	A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. American Journal of Human Genetics, 2018, 102, 375-400.	6.2	123
64	Multiethnic genome-wide meta-analysis of ectopic fat depots identifies loci associated with adipocyte development and differentiation. Nature Genetics, 2017, 49, 125-130.	21.4	116
65	Multi-ancestry genome-wide gene–smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. Nature Genetics, 2019, 51, 636-648.	21.4	112
66	Genetic variants linked to education predict longevity. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 13366-13371.	7.1	110
67	Pleiotropic genes for metabolic syndrome and inflammation. Molecular Genetics and Metabolism, 2014, 112, 317-338.	1.1	107
68	Associations of Mitochondrial and Nuclear Mitochondrial Variants and Genes with Seven Metabolic Traits. American Journal of Human Genetics, 2019, 104, 112-138.	6.2	106
69	Association Between Chromosome 9p21 Variants and the Ankle-Brachial Index Identified by a Meta-Analysis of 21 Genome-Wide Association Studies. Circulation: Cardiovascular Genetics, 2012, 5, 100-112.	5.1	98
70	1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. Scientific Reports, 2017, 7, 45040.	3.3	98
71	Discovery and fine-mapping of adiposity loci using high density imputation of genome-wide association studies in individuals of African ancestry: African Ancestry Anthropometry Genetics Consortium. PLoS Genetics, 2017, 13, e1006719.	3.5	98
72	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. PLoS ONE, 2018, 13, e0198166.	2.5	94

Mary Furlan Feitosa

#	Article	IF	CITATIONS
73	HDAC9 is implicated in atherosclerotic aortic calcification and affects vascular smooth muscle cell phenotype. Nature Genetics, 2019, 51, 1580-1587.	21.4	92
74	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. Nature Genetics, 2019, 51, 452-469.	21.4	89
75	Multiethnic meta-analysis identifies ancestry-specific and cross-ancestry loci for pulmonary function. Nature Communications, 2018, 9, 2976.	12.8	85
76	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. American Journal of Epidemiology, 2019, 188, 1033-1054.	3.4	85
77	Mining the Human Phenome Using Allelic Scores That Index Biological Intermediates. PLoS Genetics, 2013, 9, e1003919.	3.5	84
78	Associations of autozygosity with a broad range of human phenotypes. Nature Communications, 2019, 10, 4957.	12.8	84
79	Dairy consumption, systolic blood pressure, and risk of hypertension: Mendelian randomization study. BMJ: British Medical Journal, 2017, 356, j1000.	2.3	82
80	Novel Approach Identifies SNPs in SLC2A10 and KCNK9 with Evidence for Parent-of-Origin Effect on Body Mass Index. PLoS Genetics, 2014, 10, e1004508.	3.5	80
81	Genetic Variation at NCAN Locus Is Associated with Inflammation and Fibrosis in Non-Alcoholic Fatty Liver Disease in Morbid Obesity. Human Heredity, 2013, 75, 34-43.	0.8	78
82	rs641738C>T near MBOAT7 is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis. Journal of Hepatology, 2021, 74, 20-30.	3.7	77
83	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. Nature Communications, 2016, 7, 13357.	12.8	74
84	Discovery and Fine Mapping of Serum Protein Loci through Transethnic Meta-analysis. American Journal of Human Genetics, 2012, 91, 744-753.	6.2	69
85	Consumption of meat is associated with higher fasting glucose and insulin concentrations regardless of glucose and insulin genetic risk scores: a meta-analysis of 50,345 Caucasians. American Journal of Clinical Nutrition, 2015, 102, 1266-1278.	4.7	69
86	Integration of genome-wide association studies with biological knowledge identifies six novel genes related to kidney function. Human Molecular Genetics, 2012, 21, 5329-5343.	2.9	64
87	CNV-association meta-analysis in 191,161 European adults reveals new loci associated with anthropometric traits. Nature Communications, 2017, 8, 744.	12.8	64
88	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. Nature Communications, 2019, 10, 376.	12.8	64
89	Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. Molecular Psychiatry, 2017, 22, 192-201.	7.9	63
90	Multi-ancestry sleep-by-SNP interaction analysis in 126,926 individuals reveals lipid loci stratified by sleep duration. Nature Communications, 2019, 10, 5121.	12.8	62

#	Article	IF	CITATIONS
91	Leptin Is Associated With Blood Pressure and Hypertension in Women From the National Heart, Lung, and Blood Institute Family Heart Study. Hypertension, 2009, 53, 473-479.	2.7	61
92	Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. American Journal of Human Genetics, 2013, 93, 236-248.	6.2	60
93	Genome wide association and linkage analyses identified three loci—4q25, 17q23.2, and 10q11.21—associated with variation in leukocyte telomere length: the Long Life Family Study. Frontiers in Genetics, 2013, 4, 310.	2.3	60
94	Mother's Genome or Maternally-Inherited Genes Acting in the Fetus Influence Gestational Age in Familial Preterm Birth. Human Heredity, 2009, 68, 209-219.	0.8	57
95	Multiethnic Exome-Wide Association Study of Subclinical Atherosclerosis. Circulation: Cardiovascular Genetics, 2016, 9, 511-520.	5.1	54
96	Loss of Cardioprotective Effects at the <i>ADAMTS7</i> Locus as a Result of Gene-Smoking Interactions. Circulation, 2017, 135, 2336-2353.	1.6	51
97	The ERLIN1-CHUK-CWF19L1 gene cluster influences liver fat deposition and hepatic inflammation in the NHLBI Family Heart Study. Atherosclerosis, 2013, 228, 175-180.	0.8	50
98	PNPLA3 gene-by-visceral adipose tissue volume interaction and the pathogenesis of fatty liver disease: The NHLBI Family Heart Study. International Journal of Obesity, 2013, 37, 432-438.	3.4	49
99	Genome of the Netherlands population-specific imputations identify an ABCA6 variant associated with cholesterol levels. Nature Communications, 2015, 6, 6065.	12.8	45
100	Genome-wide meta-analysis of macronutrient intake of 91,114 European ancestry participants from the cohorts for heart and aging research in genomic epidemiology consortium. Molecular Psychiatry, 2019, 24, 1920-1932.	7.9	44
101	Meta-analysis uncovers genome-wide significant variants for rapid kidney function decline. Kidney International, 2021, 99, 926-939.	5.2	42
102	Multi-ethnic fine-mapping of 14 central adiposity loci. Human Molecular Genetics, 2014, 23, 4738-4744.	2.9	41
103	Meta-analysis of rare and common exome chip variants identifies S1PR4 and other loci influencing blood cell traits. Nature Genetics, 2016, 48, 867-876.	21.4	41
104	Insulin Resistance Exacerbates Genetic Predisposition to Nonalcoholic Fatty Liver Disease in Individuals Without Diabetes. Hepatology Communications, 2019, 3, 894-907.	4.3	41
105	SOS2 and ACP1 Loci Identified through Large-Scale Exome Chip Analysis Regulate Kidney Development and Function. Journal of the American Society of Nephrology: JASN, 2017, 28, 981-994.	6.1	39
106	Age and Sex Distributions of Ageâ€Related Biomarker Values in Healthy Older Adults from the Long Life Family Study. Journal of the American Geriatrics Society, 2016, 64, e189-e194.	2.6	38
107	Disentangling the genetics of lean mass. American Journal of Clinical Nutrition, 2019, 109, 276-287.	4.7	38
108	Independent associations of <i>TOMM40</i> and <i>APOE</i> variants with body mass index. Aging Cell, 2019, 18, e12869.	6.7	35

7

#	Article	IF	CITATIONS
109	Meta-analysis of 49â€549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in <i>ANGPTL4</i> determining fasting TG levels. Journal of Medical Genetics, 2016, 53, 441-449.	3.2	34
110	Dairy Consumption and Body Mass Index Among Adults: Mendelian Randomization Analysis of 184802 Individuals from 25 Studies. Clinical Chemistry, 2018, 64, 183-191.	3.2	34
111	Common Variants in Mendelian Kidney Disease Genes and Their Association with Renal Function. Journal of the American Society of Nephrology: JASN, 2013, 24, 2105-2117.	6.1	33
112	Genome-wide association study of triglyceride response to a high-fat meal among participants of the NHLBI Genetics of Lipid Lowering Drugs and Diet Network (GOLDN). Metabolism: Clinical and Experimental, 2015, 64, 1359-1371.	3.4	33
113	Rare, low frequency and common coding variants in CHRNA5 and their contribution to nicotine dependence in European and African Americans. Molecular Psychiatry, 2016, 21, 601-607.	7.9	32
114	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. Human Molecular Genetics, 2021, 30, 393-409.	2.9	32
115	A multi-ancestry genome-wide study incorporating gene–smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. Human Molecular Genetics, 2019, 28, 2615-2633.	2.9	31
116	Pleiotropic QTL on chromosome 19q13 for triglycerides and adiposity: The HERITAGE family study. Atherosclerosis, 2006, 185, 426-432.	0.8	29
117	Apolipoprotein A2 Polymorphism Interacts with Intakes of Dairy Foods to Influence Body Weight in 2 U.S. Populations. Journal of Nutrition, 2013, 143, 1865-1871.	2.9	27
118	Genetic Studies of Leptin Concentrations Implicate Leptin in the Regulation of Early Adiposity. Diabetes, 2020, 69, 2806-2818.	0.6	26
119	Sex-influenced association of nonalcoholic fatty liver disease with coronary heart disease. Atherosclerosis, 2013, 227, 420-424.	0.8	25
120	The Effect of CYP7A1 Polymorphisms on Lipid Responses to Fenofibrate. Journal of Cardiovascular Pharmacology, 2012, 59, 254-259.	1.9	23
121	A high throughput, functional screen of human Body Mass Index GWAS loci using tissue-specific RNAi Drosophila melanogaster crosses. PLoS Genetics, 2018, 14, e1007222.	3.5	22
122	Sex and race differences in the prevalence of fatty liver disease as measured by computed tomography liver attenuation in European American and African American participants of the NHLBI family heart study. European Journal of Gastroenterology and Hepatology, 2012, 24, 9-16.	1.6	21
123	Exome-Derived Adiponectin-Associated Variants Implicate Obesity and Lipid Biology. American Journal of Human Genetics, 2019, 105, 15-28.	6.2	21
124	Dairy Intake and Body Composition and Cardiometabolic Traits among Adults: Mendelian Randomization Analysis of 182041 Individuals from 18 Studies. Clinical Chemistry, 2019, 65, 751-760.	3.2	20
125	Allele-specific variation at <i>APOE</i> increases nonalcoholic fatty liver disease and obesity but decreases risk of Alzheimer's disease and myocardial infarction. Human Molecular Genetics, 2021, 30, 1443-1456.	2.9	20
126	Association of gene variants with lipid levels in response to fenofibrate is influenced by metabolic syndrome status. Atherosclerosis, 2011, 215, 435-439.	0.8	19

#	Article	IF	CITATIONS
127	Evidence of QTLs on chromosomes 13q and 14q for triglycerides before and after 20 weeks of exercise training: The HERITAGE Family Study. Atherosclerosis, 2005, 182, 349-360.	0.8	18
128	An Empirical Comparison of Joint and Stratified Frameworks for Studying G × E Interactions: Systolic Blood Pressure and Smoking in the CHARGE Geneâ€Lifestyle Interactions Working Group. Genetic Epidemiology, 2016, 40, 404-415.	1.3	18
129	Genome-wide association meta-analysis of fish and EPA+DHA consumption in 17 US and European cohorts. PLoS ONE, 2017, 12, e0186456.	2.5	18
130	Discovery and fine-mapping of height loci via high-density imputation of GWASs in individuals of African ancestry. American Journal of Human Genetics, 2021, 108, 564-582.	6.2	18
131	Genetic loci and prioritization of genes for kidney function decline derived from a meta-analysis of 62 longitudinal genome-wide association studies. Kidney International, 2022, 102, 624-639.	5.2	18
132	A genetic study of cortisol measured before and after endurance training: The HERITAGE Family Study. Metabolism: Clinical and Experimental, 2002, 51, 360-365.	3.4	17
133	Pleiotropic QTL on Chromosome 12q23-q24 Influences Triglyceride and High-Density Lipoprotein Cholesterol Levels: The HERITAGE Family Study. Human Biology, 2006, 78, 317-327.	0.2	17
134	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. Molecular Psychiatry, 2020, 26, 2111-2125.	7.9	17
135	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. Communications Biology, 2022, 5, .	4.4	17
136	Major gene effects on exercise ventilatory threshold: the HERITAGE Family Study. Journal of Applied Physiology, 2002, 93, 1000-1006.	2.5	16
137	Evidence of QTLs on chromosomes 1q42 and 8q24 for LDL-cholesterol and apoB levels in the HERITAGE Family Study. Journal of Lipid Research, 2005, 46, 281-286.	4.2	16
138	Relationship Between Serum IGF-1 and BMI Differs by Age. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1303-1308.	3.6	16
139	Genetic causes involved in Leishmania Chagasi infection innortheastern: Brazil. Genetics and Molecular Biology, 1999, 22, 1-5.	1.3	16
140	Genetic Epidemiology of the Mitsuda Reaction in Leprosy. Human Heredity, 1996, 46, 32-35.	0.8	15
141	Inheritance of the Waistâ€toâ€Hip Ratio in the National Heart, Lung, and Blood Institute Family Heart Study. Obesity, 2000, 8, 294-301.	4.0	15
142	LIPC variants in the promoter and intron 1 modify HDL-C levels in a sex-specific fashion. Atherosclerosis, 2009, 204, 171-177.	0.8	15
143	Genetic analysis of long-lived families reveals novel variants influencing high density-lipoprotein cholesterol. Frontiers in Genetics, 2014, 5, 159.	2.3	15
144	Detection of a major gene effect for LDL peak particle diameter and association with apolipoprotein H gene haplotype. Atherosclerosis, 2005, 182, 231-239.	0.8	14

#	Article	IF	CITATIONS
145	Estimating and Testing Pleiotropy of Single Genetic Variant for Two Quantitative Traits. Genetic Epidemiology, 2014, 38, 523-530.	1.3	14
146	Perceived Physical Fatigability Predicts All-Cause Mortality in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 837-841.	3.6	14
147	Age-Related Biomarkers in LLFS Families With Exceptional Cognitive Abilities. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 1683-1688.	3.6	13
148	Meta-analysis of genome-wide linkage studies for quantitative lipid traits in African Americans. Human Molecular Genetics, 2005, 14, 3955-3962.	2.9	12
149	Common Genetic and Environmental Effects on Lipid Phenotypes: The HERITAGE Family Study. Human Heredity, 2005, 59, 34-40.	0.8	12
150	A Noncoding Variant Near PPP1R3B Promotes Liver Glycogen Storage and MetS, but Protects Against Myocardial Infarction. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 372-387.	3.6	12
151	Heterogeneity of healthy aging: comparing long-lived families across five healthy aging phenotypes of blood pressure, memory, pulmonary function, grip strength, and metabolism. GeroScience, 2019, 41, 383-393.	4.6	11
152	Role of Rare and Low-Frequency Variants in Gene-Alcohol Interactions on Plasma Lipid Levels. Circulation Genomic and Precision Medicine, 2020, 13, e002772.	3.6	11
153	Gene-lifestyle interactions in the genomics of human complex traits. European Journal of Human Genetics, 2022, 30, 730-739.	2.8	11
154	Glutathione S-Transferase M1 (GSTM1) and T1 (GSTT1) Polymorphisms in a Brazilian Mixed Population. Human Biology, 2004, 76, 937-942.	0.2	10
155	A QTL on 12q Influencing an Inflammation Marker and Obesity in White Women: The NHLBI Family Heart Study. Obesity, 2009, 17, 525-531.	3.0	10
156	Genome-wide association studies identified novel loci for non-high-density lipoprotein cholesterol and its postprandial lipemic response. Human Genetics, 2014, 133, 919-930.	3.8	10
157	An exome-wide sequencing study of lipid response to high-fat meal and fenofibrate in Caucasians from the GOLDN cohort. Journal of Lipid Research, 2018, 59, 722-729.	4.2	10
158	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. PLoS ONE, 2020, 15, e0230815.	2.5	10
159	Obesity Partially Mediates the Diabetogenic Effect of Lowering LDL Cholesterol. Diabetes Care, 2022, 45, 232-240.	8.6	10
160	Genomeâ€Wide Interactions with Dairy Intake for Body Mass Index in Adults of European Descent. Molecular Nutrition and Food Research, 2018, 62, 1700347.	3.3	9
161	Gene discovery for high-density lipoprotein cholesterol level change over time in prospective family studies. Atherosclerosis, 2020, 297, 102-110.	0.8	9
162	Evidence of QTL on 15q21 for high-density lipoprotein cholesterol: The National Heart, Lung, and Blood Institute Family Heart Study (NHLBI FHS). Atherosclerosis, 2007, 190, 232-237.	0.8	8

#	Article	IF	CITATIONS
163	Fine mapping the CETP region reveals a common intronic insertion associated to HDL-C. Npj Aging and Mechanisms of Disease, 2015, 1, 15011.	4.5	8
164	A novel healthy metabolic phenotype developed among a cohort of families enriched for longevity. Metabolism: Clinical and Experimental, 2019, 94, 28-38.	3.4	7
165	Composite Measure of Physiological Dysregulation as a Predictor of Mortality: The Long Life Family Study. Frontiers in Public Health, 2020, 8, 56.	2.7	7
166	Association Between APOE Alleles and Change of Neuropsychological Tests in the Long Life Family Study. Journal of Alzheimer's Disease, 2021, 79, 117-125.	2.6	7
167	An appraisal of the epidemiology of Trypanosoma cruzi serology in Brazil. Memorias Do Instituto Oswaldo Cruz, 1991, 86, 159-167.	1.6	6
168	A novel healthy blood pressure phenotype in the Long Life Family Study. Journal of Hypertension, 2018, 36, 43-53.	0.5	6
169	Physical robustness and resilience among long-lived female siblings: a comparison with sporadic long-livers. Aging, 2020, 12, 15157-15168.	3.1	6
170	Lack of evidence of a major gene acting on postaxial polydactyly in South America. , 1998, 80, 466-472.		5
171	Genome-wide linkage analysis of carotid artery traits in exceptionally long-lived families. Atherosclerosis, 2019, 291, 19-26.	0.8	5
172	Prevalence, Incidence, and Risk Factors for Overall, Physical, and Cognitive Independence Among Those From Exceptionally Long-Lived Families: The Long Life Family Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 899-905.	3.6	5
173	Genetic loci associated with prevalent and incident myocardial infarction and coronary heart disease in the Cohorts for Heart and Aging Research in Genomic Epidemiology (CHARGE) Consortium. PLoS ONE, 2020, 15, e0230035.	2.5	5
174	Lack of pleiotropic genetic effects between adiposity and sex hormone–binding globulin concentrations before and after 20 weeks of exercise training: The HERITAGE family study. Metabolism: Clinical and Experimental, 2003, 52, 35-41.	3.4	4
175	Evidence for Three Novel QTLs for Adiposity on Chromosome 2 With Epistatic Interactions: The NHLBI Family Heart Study. Obesity, 2009, 17, 2190-2195.	3.0	4
176	Multiethnic Genome-Wide Association Study of Subclinical Atherosclerosis in Individuals With Type 2 Diabetes. Circulation Genomic and Precision Medicine, 2021, 14, e003258.	3.6	4
177	Segregation analysis of regional fat distribution in families from Andhra Pradesh, India. International Journal of Obesity, 1999, 23, 874-880.	3.4	3
178	Heterogeneity of the Predictive Polygenic Risk Scores for Coronary Heart Disease Age-at-Onset in Three Different Coronary Heart Disease Family-Based Ascertainments. Circulation Genomic and Precision Medicine, 2021, 14, e003201.	3.6	3
179	Genetic Pleiotropy Between Pulmonary Function and Age-Related Traits: The Long Life Family Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2024, 79, .	3.6	3
180	Evidence for biological inheritance of the eosinophil response to internal parasites in southeastern Brazil. Genetics and Molecular Biology, 1999, 22, 481-485.	1.3	2

#	Article	IF	CITATIONS
181	O futuro da epidemiologia genética de caracterÃsticas complexas. Ciencia E Saude Coletiva, 2002, 7, 73-83.	0.5	2
182	Detecting disease rare alleles using single SNPs in families and haplotyping in unrelated subjects from the Genetic Analysis Workshop 17 data. BMC Proceedings, 2011, 5, S96.	1.6	2
183	Sex-Specific Associations between Screen Time and Lipoprotein Subfractions. International Journal of Sport Nutrition and Exercise Metabolism, 2014, 24, 59-69.	2.1	2
184	An Exome-Wide Sequencing Study of the GOLDN Cohort Reveals Novel Associations of Coding Variants and Fasting Plasma Lipids. Frontiers in Genetics, 2019, 10, 158.	2.3	2
185	Deriving stratified effects from joint models investigating gene-environment interactions. BMC Bioinformatics, 2020, 21, 251.	2.6	2
186	Pleiotropic Relationships between Cortisol Levels and Adiposity: The HERITAGE Family Study. Obesity, 2002, 10, 1222-1231.	4.0	1
187	Pleiotropic effects between cardiovascular disease risk factors and measures of cognitive and physical function in long-lived adults. Scientific Reports, 2021, 11, 17980.	3.3	1
188	A model for intra-familial distribution of an infectious disease (Chagas' disease). Memorias Do Instituto Oswaldo Cruz, 1993, 88, 231-233.	1.6	0
189	The inheritance of factors associated with joint mobility. , 1996, 13, 403-410.		0
190	COMORBIDITY IN LLFS FAMILIES WITH EXCEPTIONAL COGNITIVE ABILITIES. Gerontologist, The, 2015, 55, 7-7.	3.9	0
191	A LONG NON-CODING RNA SNP NEAR MYLIP GENE INFLUENCES THE HEALTHY AGING INDEX IN MEN FROM THE LONG LIFE FAMILY STUDY (LLFS). Gerontologist, The, 2015, 55, 8-8.	3.9	0
192	ASSESSING THE RELATIONSHIP BETWEEN SERUM IGF-1 AND ADIPOSITY BY AGE IN THE LONG LIFE FAMILY STUDY. Innovation in Aging, 2019, 3, S257-S257.	0.1	0
193	PERCEIVED PHYSICAL FATIGABILITY PREDICTS ALL-CAUSE MORTALITY: THE LONG LIFE FAMILY STUDY. Innovation in Aging, 2019, 3, S895-S895.	0.1	0
194	Identification of a Novel Locus for Gait Speed Decline With Aging: The Long Life Family Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, e307-e313.	3.6	0
195	Physical resilience after a diagnosis of cardiovascular disease among offspring of long-lived siblings. European Journal of Ageing, 0, , 1.	2.8	0
196	Interactions Between Genes From Aging Pathways Significantly Influence Risk of Alzheimer's Disease. Innovation in Aging, 2020, 4, 142-143.	0.1	0
197	Role of Genetic Interactions in Alzheimer's Disease: Lessons from Long Life Family Study (LLFS). Innovation in Aging, 2020, 4, 491-491.	0.1	0
198	Association of Brain Natriuretic Peptide With Mortality in Exceptionally Long-Lived Families. Innovation in Aging, 2020, 4, 211-211.	0.1	0

#	Article	IF	CITATIONS
199	Physical Robustness and Resilience Among Long-Lived Female Siblings: A Comparison With Sporadic Long-Livers. Innovation in Aging, 2020, 4, 526-526.	0.1	0
200	Long Life Family Study Shows Reduced Coronary Artery Disease Despite High Polygenic Hazard Scores. Innovation in Aging, 2020, 4, 212-212.	0.1	0
201	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. , 2020, 15, e0230815.		0
202	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. , 2020, 15, e0230815.		0
203	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. , 2020, 15, e0230815.		0
204	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. , 2020, 15, e0230815.		0