

# Kiyoshi Kanamura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2844986/publications.pdf>

Version: 2024-02-01

123  
papers

3,966  
citations

136950

32  
h-index

123424

61  
g-index

124  
all docs

124  
docs citations

124  
times ranked

4300  
citing authors

#	ARTICLE	IF	CITATIONS
1	Compatibility of $\text{Li}_{7}\text{La}_{3}\text{Zr}_{2}\text{O}_{12}$ Solid Electrolyte to All-Solid-State Battery Using Li Metal Anode. Journal of the Electrochemical Society, 2010, 157, A1076.	2.9	319
2	Fabrication of all-solid-state lithium battery with lithium metal anode using $\text{Al}_2\text{O}_3$ -added $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ solid electrolyte. Journal of Power Sources, 2011, 196, 7750-7754.	7.8	305
3	XPS Analysis of Lithium Surfaces Following Immersion in Various Solvents Containing $\text{LiBF}_4$ . Journal of the Electrochemical Society, 1995, 142, 340-347.	2.9	233
4	Particle morphology, crystal orientation, and electrochemical reactivity of $\text{LiFePO}_4$ synthesized by the hydrothermal method at 443 K. Journal of Materials Chemistry, 2007, 17, 4803.	6.7	230
5	Electrochemical Deposition of Very Smooth Lithium Using Nonaqueous Electrolytes Containing HF. Journal of the Electrochemical Society, 1996, 143, 2187-2197.	2.9	212
6	Surface Condition Changes in Lithium Metal Deposited in Nonaqueous Electrolyte Containing HF by Dissolution-Deposition Cycles. Journal of the Electrochemical Society, 1999, 146, 1633-1639.	2.9	161
7	Preparation of three dimensionally ordered macroporous carbon with mesoporous walls for electric double-layer capacitors. Journal of Materials Chemistry, 2008, 18, 1674.	6.7	154
8	X-Ray Photoelectron Spectroscopic Analysis and Scanning Electron Microscopic Observation of the Lithium Surface Immersed in Nonaqueous Solvents. Journal of the Electrochemical Society, 1994, 141, 2379-2385.	2.9	121
9	Chemical Reaction of Lithium Surface during Immersion in $\text{LiClO}_4$ or $\text{LiPF}_6/\text{DEC}$ Electrolyte. Journal of the Electrochemical Society, 1997, 144, 1900-1906.	2.9	110
10	Electrochemical Deposition of Uniform Lithium on an Ni Substrate in a Nonaqueous Electrolyte. Journal of the Electrochemical Society, 1994, 141, L108-L110.	2.9	95
11	Fabrication of Three-Dimensional Battery Using Ceramic Electrolyte with Honeycomb Structure by Sol-Gel Process. Journal of the Electrochemical Society, 2010, 157, A493.	2.9	91
12	Study of the Surface Composition of Highly Smooth Lithium Deposited in Various Carbonate Electrolytes Containing HF. Langmuir, 1997, 13, 3542-3549.	3.5	90
13	Synthesis of $\text{MoS}_2$ Thin Film by Chemical Vapor Deposition Method and Discharge Characteristics as a Cathode of the Lithium Secondary Battery. Journal of the Electrochemical Society, 1992, 139, 2082-2087.	2.9	80
14	High-Rate Lithium Deintercalation from Lithiated Graphite Single-Particle Electrode. Journal of Physical Chemistry C, 2010, 114, 8646-8650.	3.1	80
15	Long-Term Stable Lithium Metal Anode in Highly Concentrated Sulfolane-Based Electrolytes with Ultrafine Porous Polyimide Separator. ACS Applied Materials & Interfaces, 2019, 11, 25833-25843.	8.0	72
16	Studies on Electrochemical Oxidation of Nonaqueous Electrolytes Using In Situ FTIR Spectroscopy: I. The Effect of Type of Electrode on Onset Potential for Electrochemical Oxidation of Propylene Carbonate Containing $1.0 \text{ mol dm}^{-3}$ . Journal of the Electrochemical Society, 1995, 142, 1383-1389.	2.9	71
17	Effect of Gold Layer on Interface Resistance between Lithium Metal Anode and $\text{Li}_{6.25}\text{Al}_{0.25}\text{La}_3\text{Zr}_2\text{O}_{12}$ Solid Electrolyte. Journal of the Electrochemical Society, 2017, 164, A1022-A1025.	2.9	68
18	Recent progress for all solid state battery using sulfide and oxide solid electrolytes. Journal Physics D: Applied Physics, 2019, 52, 103001.	2.8	67

#	ARTICLE	IF	CITATIONS
19	Zinc-based spinel cathode materials for magnesium rechargeable batteries: toward the reversible spinel $\leftrightarrow$ rocksalt transition. <i>Journal of Materials Chemistry A</i> , 2019, 7, 12225-12235.	10.3	59
20	Hydrothermal synthesis of LiFePO <sub>4</sub> as a cathode material for lithium batteries. <i>Journal of Materials Science</i> , 2008, 43, 2138-2142.	3.7	57
21	Structure Design of Long-Life Spinel $\leftrightarrow$ Oxide Cathode Materials for Magnesium Rechargeable Batteries. <i>Advanced Materials</i> , 2021, 33, e2007539.	21.0	52
22	Three-dimensionally ordered macroporous polyimide composite membrane with controlled pore size for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2008, 178, 596-602.	7.8	50
23	Modifications in coordination structure of Mg[TFSA] <sub>2</sub> -based supporting salts for high-voltage magnesium rechargeable batteries. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 12100-12111.	2.8	50
24	Ceramic-Based Flexible Sheet Electrolyte for Li Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 10382-10388.	8.0	47
25	Good Low-Temperature Properties of Nitrogen-Enriched Porous Carbon as Sulfur Hosts for High-Performance Li $\leftrightarrow$ S Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 17253-17259.	8.0	46
26	A key concept of utilization of both non-Grignard magnesium chloride and imide salts for rechargeable Mg battery electrolytes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3152-3156.	10.3	46
27	Electrochemical Oxidation Processes on Ni Electrodes in Propylene Carbonate Containing Various Electrolyte Salts. <i>Journal of the Electrochemical Society</i> , 1996, 143, 2548-2558.	2.9	39
28	Revealing the Origin of Highly Efficient Polysulfide Anchoring and Transformation on Anion $\leftrightarrow$ Substituted Vanadium Nitride Host. <i>Advanced Functional Materials</i> , 2021, 31, 2008034.	14.9	39
29	Discharge and Charge Characteristics of Polyaniline Prepared by Electropolymerization of Aniline in Nonaqueous Solvent. <i>Journal of the Electrochemical Society</i> , 1993, 140, 629-633.	2.9	38
30	Continuous production of LiCoO <sub>2</sub> fine crystals for lithium batteries by hydrothermal synthesis under supercritical condition. <i>High Pressure Research</i> , 2001, 20, 373-384.	1.2	38
31	Effect of carbon source on electrochemical performance of carbon coated LiMnPO <sub>4</sub> cathode. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 1225-1228.	1.1	37
32	Three-dimensionally ordered composite electrode between LiMn <sub>2</sub> O <sub>4</sub> and Li <sub>1.5</sub> Al <sub>0.5</sub> Ti <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3</sub> . <i>Ionics</i> , 2008, 14, 173-177.	2.4	36
33	Thermal Stability of Various Cathode Materials against Li <sub>0.25</sub> Al <sub>0.25</sub> La <sub>3</sub> Zr <sub>2</sub> O <sub>12</sub> Electrolyte. <i>Electrochemistry</i> , 2017, 85, 77-81.		
34	Enhanced Electrochemical Performance of LiMn <sub>0.75</sub> Fe <sub>0.25</sub> PO <sub>4</sub> Nanoplates from Multiple Interface Modification by Using Fluorine-Doped Carbon Coating. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 4637-4644.	6.7	34
35	Determining Factor on the Polarization Behavior of Magnesium Deposition for Magnesium Battery Anode. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 25775-25785.	8.0	31
36	Effect of Pore Size in Three Dimensionally Ordered Macroporous Polyimide Separator on Lithium Deposition/Dissolution Behavior. <i>Journal of the Electrochemical Society</i> , 2019, 166, A754-A761.	2.9	28

#	ARTICLE	IF	CITATIONS
37	Enhanced electrochemical performance from cross-linked polymeric network as binder for Li <sup>+</sup> S battery cathodes. <i>Journal of Applied Electrochemistry</i> , 2016, 46, 725-733.	2.9	27
38	Electrochemical Evaluation of Active Materials for Lithium Ion Batteries by One (Single) Particle Measurement. <i>Electrochemistry</i> , 2016, 84, 759-765.	1.4	25
39	Dependence of Entropy Change of Single Electrodes on Partial Pressure in Solid Oxide Fuel Cells. <i>Journal of the Electrochemical Society</i> , 1991, 138, 2165-2167.	2.9	24
40	Computational investigation of the Mg-ion conductivity and phase stability of MgZr <sub>4</sub> (PO <sub>4</sub> ) <sub>6</sub> . <i>RSC Advances</i> , 2019, 9, 12590-12595.	3.6	24
41	High-Performance Lithium Metal Rechargeable Battery Using an Ultrafine Porous Polyimide Separator with Three-Dimensionally Ordered Macroporous Structure. <i>ACS Applied Energy Materials</i> , 2019, 2, 3896-3903.	5.1	23
42	Effects of the Solvent for the Electropolymerization of Aniline on Discharge and Charge Characteristics of Polyaniline. <i>Journal of the Electrochemical Society</i> , 1995, 142, 3309-3313.	2.9	22
43	Deep-ultraviolet transparent monolithic sol-gel derived silica-REPO <sub>4</sub> (RE = Y, La, Lu) Tj ETQq1 1 0.784314 rgBT /Ov and application to narrow-band UVB phosphors. <i>Journal of Materials Chemistry C</i> , 2015, 3, 9894-9901.	5.5	19
44	Effect of Interaction among Magnesium Ions, Anion, and Solvent on Kinetics of the Magnesium Deposition Process. <i>Journal of Physical Chemistry C</i> , 2020, 124, 28510-28519.	3.1	19
45	Effects of porosity and ionic liquid impregnation on ionic conductivity of garnet-based flexible sheet electrolytes. <i>Journal of Power Sources</i> , 2022, 517, 230705.	7.8	19
46	Scanning electrochemical cell microscopy for visualization and local electrochemical activities of lithium-ion (de) intercalation process in lithium-ion batteries electrodes. <i>Surface and Interface Analysis</i> , 2019, 51, 27-30.	1.8	18
47	Microscopic Reaction Site Model for Cathodic Reduction of Lead Sulfate to Lead. <i>Journal of the Electrochemical Society</i> , 1992, 139, 345-351.	2.9	17
48	Solubility and Diffusion Coefficient of Oxygen in Protic Ionic Liquids with Different Fluoroalkyl Chain Lengths. <i>Electrochimica Acta</i> , 2014, 132, 208-213.	5.2	17
49	Surface State Change of Lithium Metal Anode in Full Cell during Long Term Cycles. <i>Electrochemistry</i> , 2019, 87, 84-88.	1.4	15
50	Controlled Crystallization of Calcite Under Surface Electric Field Due to Polarized Hydroxyapatite Ceramics. <i>Journal of the American Ceramic Society</i> , 2009, 92, 1586-1591.	3.8	14
51	Hybrid Effect of Micropatterned Lithium Metal and Three Dimensionally Ordered Macroporous Polyimide Separator on the Cycle Performance of Lithium Metal Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 3721-3727.	5.1	14
52	Electrochemical Evaluation of Lithium-Metal Anode in Highly Concentrated Ethylene Carbonate Based Electrolytes. <i>Electrochemistry</i> , 2020, 88, 540-547.	1.4	14
53	The Effect of the Cyclic Ether Additives to the Ethereal Electrolyte Solutions for Mg Secondary Battery. <i>Electrochemistry</i> , 2016, 84, 76-78.	1.4	13
54	Deterioration Analysis of Lithium Metal Anode in Full Cell during Long-Term Cycles. <i>Journal of the Electrochemical Society</i> , 2019, 166, A2618-A2628.	2.9	13

#	ARTICLE	IF	CITATIONS
55	ELECTROCHEMICAL PROPERTIES OF HYDROTHERMALLY SYNTHESIZED $\text{LiCoPO}_4$ AS A HIGH VOLTAGE CATHODE MATERIAL FOR LITHIUM SECONDARY BATTERY. Phosphorus Research Bulletin, 2010, 24, 12-15.	0.6	12
56	Sol-gel synthesis of fluorine-doped silica glasses with low SiOH concentrations. Journal of the Ceramic Society of Japan, 2011, 119, 393-396.	1.1	11
57	Synthesis and characterization of lithium-ion-conductive glass-ceramics of lithium chloroborate $\text{Li}_4\text{Al}_2\text{Ge}_2(\text{PO}_3)_7\text{O}_{12}$ ( $x = 0$ and $1$ ). Journal of the Ceramic Society of Japan, 2017, 125, 348-352.		
58	Magnesium Storage Performance and Mechanism of 2D Ultrathin Nanosheet-Assembled Spinel $\text{MgIn}_2\text{S}_4$ Cathode for High-Temperature Mg Batteries. Small, 2019, 15, e1902236.	10.0	11
59	Ionic liquid-containing cathodes empowering ceramic solid electrolytes. IScience, 2022, 25, 103896.	4.1	11
60	PREPARATION OF $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ge}_{1.5}(\text{PO}_3)_3$ SOLID ELECTROLYTE BY SOL-GEL METHOD. Phosphorus Research Bulletin, 2011, 25, 61-63.		
61	Cosolvent-free sol-gel synthesis of rare-earth and aluminum codoped monolithic silica glasses. Journal of the Ceramic Society of Japan, 2013, 121, 299-302.	1.1	10
62	Highly transparent, bright green, sol-gel-derived monolithic silica-(Tb,Ce)PO <sub>4</sub> glass-ceramic phosphors. RSC Advances, 2014, 4, 26692-26696.	3.6	10
63	$\text{Li}_4\text{B}_4\text{M}_3\text{O}_{12}\text{Cl}$ ( $M = \text{Al, Ga}$ ): An Electrochemically Stable, Lithium-Ion-Conducting Cubic Boracite with Substituted Boron Sites. Bulletin of the Chemical Society of Japan, 2017, 90, 1279-1286.	3.2	10
64	Improved Performance of Hydrothermally Synthesized $\text{LiMnPO}_4$ by Mg Doping. Electrochemistry, 2011, 79, 467-469.	1.4	9
65	Hydrothermal Synthesis of Manganese Dioxide Nanoparticles as Cathode Material for Rechargeable Batteries. Electrochemistry, 2013, 81, 2-6.	1.4	9
66	The Effect of Cyclic Ethers on Mg Plating/Stripping Reaction in Ionic Liquid Electrolytes. Journal of the Electrochemical Society, 2019, 166, A5054-A5058.	2.9	9
67	Intrinsic Electrochemical Characteristics in the Individual Needle-like $\text{LiCoO}_2$ Crystals Synthesized by Flux Growth. Electrochemistry, 2017, 85, 72-76.	1.4	8
68	3D Structural Transition of the Electrodeposited and Electrochemically Dissolved Li Metal onto an Ultramicroelectrode. Journal of Physical Chemistry C, 2020, 124, 22019-22024.	3.1	8
69	Effect of Li ions doping into p-type semiconductor NiO as a hole injection/transfer medium in the CO <sub>2</sub> reduction sensitized/catalyzed by Zn-porphyrin/Re-complex upon visible light irradiation. Research on Chemical Intermediates, 2021, 47, 269-285.	2.7	8
70	Synthesis of monolithic deep-ultraviolet-transparent polysilsesquioxane glasses from organotrimethoxysilane-water binary system. RSC Advances, 2012, 2, 8946.	3.6	7
71	Thiol-Containing Polysilsesquioxane Liquid and Photocurable Sulfur-Containing Transparent Organic-Inorganic Hybrid Monoliths Obtained via Cosolvent-Free Hydrolytic Polycondensation. Bulletin of the Chemical Society of Japan, 2013, 86, 880-883.	3.2	7
72	Hydrothermal Synthesis and Electrochemical Properties of $\text{Li}_2\text{Fe}_x\text{Mn}_x\text{Co}_{1-2x}\text{SiO}_4/\text{C}$ Cathode Materials for Lithium-ion Batteries. Electrochemistry, 2015, 83, 413-420.		

#	ARTICLE	IF	CITATIONS
73	Electrodeposition of Zn from 1-allyl-3-methylimidazolium bromide containing ZnBr <sub>2</sub> . Journal of Electroanalytical Chemistry, 2019, 832, 467-474.	3.8	7
74	The crystal structure and electrical/thermal transport properties of Li <sub>1-x</sub> Sn <sub>2+x</sub> P <sub>2</sub> and its performance as a Li-ion battery anode material. Journal of Materials Chemistry A, 2021, 9, 7034-7041.	10.3	7
75	Highly Durable Non-Platinum Catalyst for Protic Ionic Liquid Based Intermediate Temperature PEFCs. Electrochemistry, 2019, 87, 35-46.	1.4	6
76	Room Temperature Operation of Magnesium Rechargeable Batteries with a Hydrothermally Treated ZnMnO <sub>3</sub> ; Defect Spinel Cathode. Electrochemistry, 2022, 90, 027005-027005.	1.4	6
77	The Effect of the Solvation Ability Towards Mg <sup>2+</sup> -ion on the Kinetic Behavior of Mg <sub>3</sub> Bi <sub>2</sub> Electrode. Journal of the Electrochemical Society, 2022, 169, 030517.	2.9	6
78	Application of FeOCl Derivatives for a Secondary Lithium Battery: III . Electrochemical Reaction and Physical State of Reaction Product of with Aniline in Water. Journal of the Electrochemical Society, 1995, 142, 2126-2131.	2.9	5
79	Preparation of Organic-Inorganic Composite Electrolyte Membrane for Direct Methanol Fuel Cell. Electrochemistry, 2002, 70, 934-936.	1.4	5
80	Cosolvent-Free Sol-Gel Synthesis and Optical Characterization of Silica Glasses Containing LaF <sub>3</sub> and (La,Er)F <sub>3</sub> Nanocrystals. Bulletin of the Chemical Society of Japan, 2014, 87, 765-772.	3.2	5
81	Poly(n-alkylsilsesquioxane) liquids prepared by cosolvent-free hydrolytic polycondensation of n-alkyltrialkoxysilanes: effects of liquid-liquid phase separation during aging and alkyl chain length on structure and viscosity. Dalton Transactions, 2016, 45, 15532-15540.	3.3	5
82	Investigation of Carbon-coating Effect on the Electrochemical Performance of LiCoPO <sub>4</sub> Single Particle. Electrochemistry, 2018, 86, 145-151.	1.4	5
83	Phosphoric Acid Diethylmethylammonium Trifluoromethanesulfonate-Based Electrolytes for Nonhumidified Intermediate Temperature Fuel Cells. ACS Applied Materials & Interfaces, 2019, 11, 13761-13767.	8.0	5
84	Preparation of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> ; Thin Film Electrode with PVP Sol-Gel for a Rechargeable Lithium Microbattery. Hyomen Kagaku, 2003, 24, 423-428.	0.0	5
85	Fabrication of Lithium-ion Microarray Battery by Electrophoresis. Electrochemistry, 2010, 78, 273-275.	1.4	4
86	Mechanical Milling Synthesis and Electrochemical Evaluation of Silicon-transition Metal Alloy Anode Materials for Lithium-ion Batteries. Electrochemistry, 2015, 83, 445-451.	1.4	4
87	Hydrothermal synthesis and catalytic activity of Pt/Rh/CeO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> ; three-way catalysts for automotive exhaust gas. Journal of the Ceramic Society of Japan, 2018, 126, 394-401.	1.1	4
88	Three Dimensionally Ordered Macroporous Polybenzimidazole Separator for Li Metal Battery. Chemistry Letters, 2019, 48, 429-432.	1.3	4
89	Structure, Microscopic Ordering, and Viscous Properties of Amorphous Poly(n-alkylsilsesquioxane) Liquids and Solids Synthesized by Cosolvent-Free Hydrolytic Polycondensation of n-alkyltrimethoxysilanes. Physica Status Solidi (A) Applications and Materials Science, 2019, 216, 1800475.	1.8	4
90	Quartz Crystal Microbalance Study for Lithium Deposition and Dissolution in Nonaqueous Electrolyte with HF. Electrochemistry, 1999, 67, 1264-1267.	1.4	4

#	ARTICLE	IF	CITATIONS
91	Fabrication of Membrane Electrode Assembly for Micro Fuel Cell by Using Electrophoretic Deposition Process. <i>Electrochemistry</i> , 2002, 70, 937-939.	1.4	4
92	Electrochemical Property of Honeycomb Type All-Solid-State Li Battery at High Temperature. <i>Electrochemistry</i> , 2011, 79, 464-466.	1.4	3
93	Studies of Tin Alloy Electrode Materials Prepared by Mechanical Alloying. <i>Electrochemistry</i> , 2014, 82, 467-473.	1.4	3
94	Seed-free hydrothermal synthesis of all-silica deca-dodecasil 3R with essential reagents. <i>Journal of the Ceramic Society of Japan</i> , 2018, 126, 221-229.	1.1	3
95	Enhanced Energy Density of $\text{Li}_2\text{MnSiO}_4/\text{C}$ Cathode Materials for Lithium-ion Batteries through Mn/Co Substitution. <i>Electrochemistry</i> , 2018, 86, 324-332.	1.4	3
96	Lithium-Sulfur Batteries Employing Hybrid-electrolyte Structure with $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ at Middle Operating Temperature: Effect of Li Salts Concentration on Electrochemical Performance. <i>Electrochemistry</i> , 2021, 89, 197-203.	1.4	3
97	Cosolvent-free sol-gel dip-coating of silica films from tetraalkoxysilane-water binary systems: precursor solutions of long pot life and their characterization by nuclear magnetic resonance spectroscopy. <i>Journal of the Ceramic Society of Japan</i> , 2020, 128, 772-782.	1.1	3
98	Effect of EtOMgCl Salt to Suppress Reductive Decomposition of TFSI <sup>-</sup> Anion in Electrolyte for Magnesium Rechargeable Battery. <i>Electrochemistry</i> , 2022, 90, 037010-037010.	1.4	3
99	Preparation and Electrochemical Characterization of $\text{LiCoO}_2$ Single Crystal Particles prepared by Super Critical Water Synthesis (SCWS). <i>Materials Research Society Symposia Proceedings</i> , 1999, 575, 59.	0.1	2
100	FABRICATION AND IN VITRO CHARACTERIZATION OF POROUS BIOACTIVE CERAMICS WITH HIGHLY CONTROLLED MICROSTRUCTURE. <i>Phosphorus Research Bulletin</i> , 2002, 13, 147-152.	0.6	2
101	NANOCOMPOSITE ELECTRODES CONSISTING OF 3DOM CARBON WITH BIMODAL POROUS STRUCTURE AND CONDUCTING POLYMERS FOR ELECTROCHEMICAL CAPACITORS. <i>Functional Materials Letters</i> , 2009, 02, 19-22.	1.2	2
102	Fabrication of $\text{Li}_0.35\text{La}_0.55\text{TiO}_3$ solid electrolyte with two-layered structure for all-solid-state Li battery by a colloidal crystal templating method. <i>Journal of the Ceramic Society of Japan</i> , 2011, 119, 189-193.	1.1	2
103	PHOSPHATE MATERIALS FOR RECHARGEABLE BATTERY APPLICATIONS. <i>Phosphorus Research Bulletin</i> , 2013, 28, 30-36.	0.6	2
104	Characterization and Optimization of Silicon Nanoparticle Anodes. <i>Electrochemistry</i> , 2016, 84, 243-253.	1.4	2
105	Preparation of Biodegradable Polymer Nanospheres Containing Manganese Porphyrin (Mn-Porphyrin). <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2019, 29, 1010-1018.	3.7	2
106	Cosolvent-free synthesis and characterisation of poly(phenyl-co-alkylsilsesquioxane) and poly(phenyl-co-vinylsilsesquioxane) glasses with low melting temperatures. <i>Dalton Transactions</i> , 2020, 49, 2487-2495.	3.3	2
107	The Effect of the Coordination Ability on the Mg Plating/Stripping Behavior in $\text{Mg}(\text{N}(\text{CF}_3)_2\text{SO}_2)_2/\text{Glyme}$ Based Electrolytes. <i>Journal of the Electrochemical Society</i> , 2021, 168, 120528.	2.9	2
108	Recovery of Phosphate from Steel Manufacture Slag by Sulfuric Acid Treatment. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2002, 177, 1507-1511.	1.6	1

#	ARTICLE	IF	CITATIONS
109	Creation and Optical Property of Microphotonic Crystals by Electrophoretic Deposition Method Using Micro-counter Electrode. Materials Research Society Symposia Proceedings, 2003, 797, 111.	0.1	1
110	Electrochemical Characteristics of Porous Electrode Consisting of Spherical LiMn <sub>2</sub> O <sub>4</sub> Particles. Electrochemistry, 2009, 77, 309-314.	1.4	1
111	Electrochemical Properties of Three Dimensionally Ordered Composite Electrode Between TiO <sub>2</sub> and Li <sub>1.5</sub> Al <sub>0.5</sub> Ti <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3</sub> . Electrochemistry, 2011, 79, 865-868.	1.4	1
112	Evaluation on hybrid <sup>+</sup> electrolyte structure using the liquid electrolyte interlayer containing LiBH <sub>4</sub> at Li <sub>7</sub> La <sub>3</sub> Zr <sub>2</sub> O <sub>12</sub>   Li interface at high operating temperature. Journal of Power Sources, 2020, 478, 228751.	7.8	1
113	Rechargeable Lithium Metal Battery. , 2021, , 17-35.		1
114	PREPARATION AND IN VITRO TEST OF APATITE FILMS ONTO TITANIUM BY SPUTTERING FROM CALCIUM PHOSPHATE POWDER TARGETS. Phosphorus Research Bulletin, 1999, 10, 370-374.	0.6	0
115	COATING OF CaO-SiO <sub>2</sub> AMORPHOUS POWDER WITH CALCIUM PHOSPHATE. Phosphorus Research Bulletin, 1999, 10, 313-316.	0.6	0
116	Fabrication of Electrode With 3 Dimensionally Ordered Structure for All-Solid-State Battery. Materials Research Society Symposia Proceedings, 2010, 1266, 10601.	0.1	0
117	Magnesium Batteries: Magnesium Storage Performance and Mechanism of 2D <sup>+</sup> Ultrathin Nanosheet <sup>+</sup> Assembled Spinel MgIn <sub>2</sub> S <sub>4</sub> Cathode for High <sup>+</sup> Temperature Mg Batteries (Small 36/2019). Small, 2019, 15, 1970191.	10.0	0
118	Carbon Coating for Improvements of Electrochemical Properties of Li <sub>1.1</sub> V <sub>0.9</sub> O <sub>2</sub> Anode Active Materials for Li Secondary Batteries. Electrochemistry, 2020, 88, 22-27.	1.4	0
119	Twinning by Merohedry and Thermal Expansion of Zeolitic Clathrasil Deca-dodecasil 3R. Inorganic Chemistry, 2020, 59, 5600-5609.	4.0	0
120	Low-Refractive-Index Deep-Ultraviolet Transparent Poly(fluoroalkyl-co-methylsilsesquioxane) Resins Synthesized by Cosolvent-Free Hydrolytic Polycondensation of Organotrimethoxysilanes. Journal of Physical Chemistry B, 2021, 125, 8238-8242.	2.6	0
121	The 199 Joint International Meeting (196th Meeting of the Electrochemical Society, 1999 Fall Meeting of) Tj ETQq <sub>0,0</sub> 1,1 0.7843 <sub>0</sub> 14 rgBT		
122	Artificial Control of Interfaces in Rechargeable Lithium Batteries.. Hyomen Kagaku, 1997, 18, 309-318.	0.0	0
123	Current Status, Problems, Future Technology for Rechargeable Batteries. Nippon Gomu Kyokaishi, 2019, 92, 405-409.	0.0	0