Gustavo R C Dos Santos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2846864/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Chemical variability of <i>Copaifera langsdorffii</i> Desf. from environmentally contrasting populations. Natural Product Research, 2022, , 1-5.	1.8	0
2	Adhesion of freshwater sponge cells mediated by carbohydrate–carbohydrate interactions requires low environmental calcium. Glycobiology, 2020, 30, 710-721.	2.5	4
3	<i>î²</i> –1,6-linked Galactofuranose- rich peptidogalactomannan of <i>Fusarium oxysporum</i> is important in the activation of macrophage mechanisms and as a potential diagnostic antigen. Medical Mycology, 2019, 57, 234-245.	0.7	7
4	Heparins Sourced From Bovine and Porcine Mucosa Gain Exclusive Monographs in the Brazilian Pharmacopeia. Frontiers in Medicine, 2019, 6, 16.	2.6	13
5	Converting the Distinct Heparins Sourced from Bovine or Porcine Mucosa into a Single Anticoagulant Drug. Thrombosis and Haemostasis, 2019, 119, 618-632.	3.4	11
6	Exploring the structure of fucosylated chondroitin sulfate through bottom-up nuclear magnetic resonance and electrospray ionization-high-resolution mass spectrometry approaches. Glycobiology, 2017, 27, 625-634.	2.5	26
7	Improved anticoagulant effect of fucosylated chondroitin sulfate orally administered as gastroresistant tablets. Thrombosis and Haemostasis, 2017, 117, 662-670.	3.4	29
8	Systematic Analysis of Pharmaceutical Preparations of Chondroitin Sulfate Combined with Glucosamine. Pharmaceuticals, 2017, 10, 38.	3.8	30
9	Carbohydrate-Carbohydrate Interactions Mediated by Sulfate Esters and Calcium Provide the Cell Adhesion Required for the Emergence of Early Metazoans. Journal of Biological Chemistry, 2016, 291, 9425-9437.	3.4	27
10	NMRâ€based conformation and dynamics of a tetrasaccharideâ€repeating sulfated fucan substituted by different counterions. Biopolymers, 2016, 105, 840-851.	2.4	1
11	Structural and haemostatic features of pharmaceutical heparins from different animal sources: challenges to define thresholds separating distinct drugs. Scientific Reports, 2016, 6, 35619.	3.3	34
12	Structural and functional analyses of biosimilar enoxaparins available in Brazil. Thrombosis and Haemostasis, 2015, 113, 53-65.	3.4	12
13	Distinct structures of the $\hat{l}\pm$ -fucose branches in fucosylated chondroitin sulfates do not affect their anticoagulant activity. Glycobiology, 2015, 25, 1043-1052.	2.5	50
14	Purified polysaccharides of Geoffroea spinosa barks have anticoagulant and antithrombotic activities devoid of hemorrhagic risks. Carbohydrate Polymers, 2015, 124, 208-215.	10.2	36
15	Development and characterization of a new hydrogel based on galactomannan and κ-carrageenan. Carbohydrate Polymers, 2015, 134, 673-679.	10.2	64
16	Impact of sulfation pattern on the conformation and dynamics of sulfated fucan oligosaccharides as revealed by NMR and MD. Glycobiology, 2015, 25, 535-547.	2.5	19
17	Structure and rheological properties of a xyloglucan extracted from Hymenaea courbaril var. courbaril seeds. International Journal of Biological Macromolecules, 2015, 73, 31-38.	7.5	41
18	Characterization and rheological study of the galactomannan extracted from seeds of Cassia grandis. Carbohydrate Polymers, 2014, 104, 127-134.	10.2	98

#	Article	IF	CITATIONS
19	Structural and functional analyses of bovine and porcine intestinal heparins confirm they are different drugs. Drug Discovery Today, 2014, 19, 1801-1807.	6.4	33
20	Heparin from bovine intestinal mucosa: Glycans with multiple sulfation patterns and anticoagulant effects. Thrombosis and Haemostasis, 2012, 107, 903-915.	3.4	27
21	Heparin from bovine intestinal mucosa: Glycans with multiple sulfation patterns and anticoagulant effects. Thrombosis and Haemostasis, 2012, 107, 903-915.	3.4	25
22	Heparins from porcine and bovine intestinal mucosa: Are they similar drugs?. Thrombosis and Haemostasis, 2010, 103, 1005-1015.	3.4	45
23	Effects of polysaccharides enriched in 2,4-disulfated fucose units on coagulation, thrombosis and bleeding. Thrombosis and Haemostasis, 2009, 102, 829-836.	3.4	90