

# Claudia Bausewein

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2853886/publications.pdf>

Version: 2024-02-01

169  
papers

6,613  
citations

76326

40  
h-index

82547

72  
g-index

194  
all docs

194  
docs citations

194  
times ranked

5146  
citing authors

#	ARTICLE	IF	CITATIONS
1	An integrated palliative and respiratory care service for patients with advanced disease and refractory breathlessness: a randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2014, 2, 979-987.	10.7	464
2	Preferences for place of death if faced with advanced cancer: a population survey in England, Flanders, Germany, Italy, the Netherlands, Portugal and Spain. <i>Annals of Oncology</i> , 2012, 23, 2006-2015.	1.2	430
3	How many people need palliative care? A study developing and comparing methods for population-based estimates. <i>Palliative Medicine</i> , 2014, 28, 49-58.	3.1	339
4	Understanding Breathlessness: Cross-Sectional Comparison of Symptom Burden and Palliative Care Needs in Chronic Obstructive Pulmonary Disease and Cancer. <i>Journal of Palliative Medicine</i> , 2010, 13, 1109-1118.	1.1	202
5	A brief, patient- and proxy-reported outcome measure in advanced illness: Validity, reliability and responsiveness of the Integrated Palliative care Outcome Scale (IPOS). <i>Palliative Medicine</i> , 2019, 33, 1045-1057.	3.1	197
6	Non-pharmacological interventions for breathlessness in advanced stages of malignant and non-malignant diseases. , 2008, , CD005623.		180
7	Capture, Transfer, and Feedback of Patient-Centered Outcomes Data in Palliative Care Populations: Does It Make a Difference? A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 611-624.	1.2	158
8	EAPC White Paper on outcome measurement in palliative care: Improving practice, attaining outcomes and delivering quality services – Recommendations from the European Association for Palliative Care (EAPC) Task Force on Outcome Measurement. <i>Palliative Medicine</i> , 2016, 30, 6-22.	3.1	149
9	Benzodiazepines for the relief of breathlessness in advanced malignant and non-malignant diseases in adults. <i>The Cochrane Library</i> , 2016, 2016, CD007354.	2.8	133
10	Standard set of health outcome measures for older persons. <i>BMC Geriatrics</i> , 2018, 18, 36.	2.7	130
11	Validation and Clinical Application of the German Version of the Palliative Care Outcome Scale. <i>Journal of Pain and Symptom Management</i> , 2005, 30, 51-62.	1.2	120
12	Discovering the hidden benefits of cognitive interviewing in two languages: The first phase of a validation study of the Integrated Palliative care Outcome Scale. <i>Palliative Medicine</i> , 2016, 30, 599-610.	3.1	109
13	Benzodiazepines for the relief of breathlessness in advanced malignant and non-malignant diseases in adults. , 2010, , CD007354.		105
14	Implementing patient reported outcome measures (PROMs) in palliative care - users' cry for help. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 27.	2.4	104
15	Place of Death. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2015, 112, 496-504.	0.9	100
16	What are the problems in palliative care? Results from a representative survey. <i>Supportive Care in Cancer</i> , 2003, 11, 442-451.	2.2	96
17	Managing the supportive care needs of those affected by COVID-19. <i>European Respiratory Journal</i> , 2020, 55, 2000815.	6.7	95
18	Breathlessness, Functional Status, Distress, and Palliative Care Needs Over Time in Patients With Advanced Chronic Obstructive Pulmonary Disease or Lung Cancer: A Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 569-581.e1.	1.2	90

#	ARTICLE	IF	CITATIONS
19	Drugs in palliative care: results from a representative survey in Germany. <i>Palliative Medicine</i> , 2004, 18, 100-107.	3.1	89
20	The use of two common palliative outcome measures in clinical care and research: A systematic review of POS and STAS. <i>Palliative Medicine</i> , 2011, 25, 304-313.	3.1	89
21	Priorities for treatment, care and information if faced with serious illness: A comparative population-based survey in seven European countries. <i>Palliative Medicine</i> , 2014, 28, 101-110.	3.1	86
22	Researching breathlessness in palliative care: consensus statement of the National Cancer Research Institute Palliative Care Breathlessness Subgroup. <i>Palliative Medicine</i> , 2009, 23, 213-227.	3.1	84
23	The impact of a breathlessness intervention service (BIS) on the lives of patients with intractable dyspnea: A qualitative phase 1 study. <i>Palliative and Supportive Care</i> , 2006, 4, 287-293.	1.0	83
24	Experiences of breathlessness: A systematic review of the qualitative literature. <i>Palliative and Supportive Care</i> , 2007, 5, 281-302.	1.0	80
25	Non-pharmacological interventions for breathlessness in advanced stages of malignant and non-malignant diseases. <i>The Cochrane Library</i> , 2013, , CD005623.	2.8	80
26	A Systematic Review of the Use of the Palliative Care Outcome Scale and the Support Team Assessment Schedule in Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 842-853.e19.	1.2	75
27	Effectiveness of a hand-held fan for breathlessness: a randomised phase II trial. <i>BMC Palliative Care</i> , 2010, 9, 22.	1.8	71
28	Individual breathlessness trajectories do not match summary trajectories in advanced cancer and chronic obstructive pulmonary disease: results from a longitudinal study. <i>Palliative Medicine</i> , 2010, 24, 777-786.	3.1	70
29	Definition, Categorization, and Terminology of Episodic Breathlessness: Consensus by an International Delphi Survey. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 828-838.	1.2	67
30	A critical review of advance directives in Germany: Attitudes, use and healthcare professionals' compliance. <i>Patient Education and Counseling</i> , 2012, 87, 277-288.	2.2	64
31	The Selection and Use of Outcome Measures in Palliative and End-of-Life Care Research: The MORECare International Consensus Workshop. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 925-937.	1.2	61
32	Funding models in palliative care: Lessons from international experience. <i>Palliative Medicine</i> , 2017, 31, 296-305.	3.1	58
33	Episodic and Continuous Breathlessness: A New Categorization of Breathlessness. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 1019-1029.	1.2	56
34	Meaning in life in the Federal Republic of Germany: results of a representative survey with the Schedule for Meaning in Life Evaluation (SMiLE). <i>Health and Quality of Life Outcomes</i> , 2007, 5, 59.	2.4	55
35	Nonpharmacological interventions for breathlessness. <i>Current Opinion in Supportive and Palliative Care</i> , 2011, 5, 77-86.	1.3	55
36	Episodic Breathlessness in Patients With Advanced Disease: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 561-578.	1.2	55

#	ARTICLE	IF	CITATIONS
37	Episodes of breathlessness: Types and patterns – a qualitative study exploring experiences of patients with advanced diseases. <i>Palliative Medicine</i> , 2013, 27, 524-532.	3.1	54
38	Understanding complexity – the palliative care situation as a complex adaptive system. <i>BMC Health Services Research</i> , 2019, 19, 157.	2.2	48
39	Metamizole/dipyrone for the relief of cancer pain: A systematic review and evidence-based recommendations for clinical practice. <i>Palliative Medicine</i> , 2017, 31, 26-34.	3.1	46
40	Pharmacological treatment of refractory breathlessness. <i>Expert Review of Respiratory Medicine</i> , 2009, 3, 21-36.	2.5	44
41	Population, mortality and place of death in Germany (1950–2050) – Implications for end-of-life care in the future. <i>Public Health</i> , 2012, 126, 937-946.	2.9	44
42	The PRISMA Symposium 1: Outcome Tool Use. Disharmony in European Outcomes Research for Palliative and Advanced Disease Care: Too Many Tools in Practice. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 493-500.	1.2	43
43	Measurement of dyspnoea in the clinical rather than the research setting. <i>Current Opinion in Supportive and Palliative Care</i> , 2008, 2, 95-99.	1.3	42
44	Breathlessness in cancer patients – Implications, management and challenges. <i>European Journal of Oncology Nursing</i> , 2011, 15, 459-469.	2.1	41
45	To be involved or not to be involved: A survey of public preferences for self-involvement in decision-making involving mental capacity (competency) within Europe. <i>Palliative Medicine</i> , 2013, 27, 418-427.	3.1	41
46	The European Association for Palliative Care basic dataset to describe a palliative care cancer population: Results from an international Delphi process. <i>Palliative Medicine</i> , 2014, 28, 463-473.	3.1	40
47	Care of cancer patients at the end of life in a German university hospital: A retrospective observational study from 2014. <i>PLoS ONE</i> , 2017, 12, e0175124.	2.5	39
48	Outcomes 'out of africa': the selection and implementation of outcome measures for palliative care in Africa. <i>BMC Palliative Care</i> , 2012, 11, 1.	1.8	38
49	Variations in the cost of formal and informal health care for patients with advanced chronic disease and refractory breathlessness: A cross-sectional secondary analysis. <i>Palliative Medicine</i> , 2017, 31, 369-377.	3.1	38
50	Core attitudes of professionals in palliative care: A qualitative study. <i>International Journal of Palliative Nursing</i> , 2009, 15, 405-411.	0.5	36
51	Physical compared to mental diseases as reasons for committing suicide: a retrospective study. <i>BMC Palliative Care</i> , 2016, 15, 14.	1.8	36
52	Breathlessness services as a new model of support for patients with respiratory disease. <i>Chronic Respiratory Disease</i> , 2018, 15, 48-59.	2.4	36
53	–Burden to others™ as a public concern in advanced cancer: a comparative survey in seven European countries. <i>BMC Cancer</i> , 2013, 13, 105.	2.6	35
54	–Can Breathe Again!–Patients' Self-Management Strategies for Episodic Breathlessness in Advanced Disease, Derived From Qualitative Interviews. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 228-234.	1.2	35

#	ARTICLE	IF	CITATIONS
55	Development, effectiveness and cost-effectiveness of a new out-patient Breathlessness Support Service: study protocol of a phase III fast-track randomised controlled trial. BMC Pulmonary Medicine, 2012, 12, 58.	2.0	34
56	Shortness of Breath and Cough in Patients in Palliative Care. Deutsches A&#x0308;rztblatt International, 2013, 110, 563-71; quiz 572.	0.9	34
57	How should we manage information needs, family anxiety, depression, and breathlessness for those affected by advanced disease: development of a Clinical Decision Support Tool using a Delphi design. BMC Medicine, 2015, 13, 263.	5.5	34
58	Intranasal Fentanyl for Episodic Breathlessness. Journal of Pain and Symptom Management, 2008, 36, e3-e6.	1.2	33
59	Characteristics of episodic breathlessness as reported by patients with advanced chronic obstructive pulmonary disease and lung cancer: Results of a descriptive cohort study. Palliative Medicine, 2015, 29, 420-428.	3.1	33
60	The need to research refractory breathlessness. European Respiratory Journal, 2016, 47, 342-343.	6.7	32
61	Do we understand the intervention? What complex intervention research can teach us for the evaluation of clinical ethics support services (CESS). BMC Medical Ethics, 2019, 20, 48.	2.4	31
62	Airflow relieves chronic breathlessness in people with advanced disease: An exploratory systematic review and meta-analyses. Palliative Medicine, 2019, 33, 618-633.	3.1	31
63	Standards, Guidelines, and Quality Measures for Successful Specialty Palliative Care Integration Into Oncology: Current Approaches and Future Directions. Journal of Clinical Oncology, 2020, 38, 987-994.	1.6	30
64	Enhancing patient-reported outcome measurement in research and practice of palliative and end-of-life care. Supportive Care in Cancer, 2012, 20, 1573-1578.	2.2	29
65	Characterizing Episodic Breathlessness in Patients with Advanced Disease. Journal of Palliative Medicine, 2013, 16, 1275-1279.	1.1	28
66	Are we heading in the same direction? European and African doctorsâ€™ and nursesâ€™ views and experiences regarding outcome measurement in palliative care. Palliative Medicine, 2012, 26, 242-249.	3.1	27
67	Culture Is a Priority for Research in End-of-Life Care in Europe: A Research Agenda. Journal of Pain and Symptom Management, 2012, 44, 285-294.	1.2	27
68	Choosing care homes as the least preferred place to die: a cross-national survey of public preferences in seven European countries. BMC Palliative Care, 2014, 13, 48.	1.8	26
69	Patientsâ€™ experiences of a new integrated breathlessness support service for patients with refractory breathlessness: Results of a postal survey. Palliative Medicine, 2016, 30, 313-322.	3.1	26
70	Effect of early palliative care for patients with glioblastoma (EPCOG): a randomised phase III clinical trial protocol. BMJ Open, 2020, 10, e034378.	1.9	26
71	Ethical case interventions for adult patients. The Cochrane Library, 2019, 2019, CD012636.	2.8	24
72	Palliative Care of Adult Patients With Cancer. Deutsches A&#x0308;rztblatt International, 2015, 112, 863-70.	0.9	23

#	ARTICLE	IF	CITATIONS
73	The clinical effectiveness and cost-effectiveness of treatments for idiopathic pulmonary fibrosis: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2015, 19, 1-336.	2.8	23
74	Management of refractory breathlessness in patients with advanced cancer. <i>Wiener Medizinische Wochenschrift</i> , 2009, 159, 591-598.	1.1	22
75	A pan-European survey of research in end-of-life cancer care. <i>Supportive Care in Cancer</i> , 2012, 20, 39-48.	2.2	21
76	Inhaled nebulized and intranasal opioids for the relief of breathlessness. <i>Current Opinion in Supportive and Palliative Care</i> , 2014, 8, 208-212.	1.3	21
77	Acceptability and Preferences of Six Different Routes of Drug Application for Acute Breathlessness: A Comparison Study between the United Kingdom and Germany. <i>Journal of Palliative Medicine</i> , 2012, 15, 1374-1381.	1.1	20
78	Starting from scratch: implementing outcome measurement in clinical practice. <i>Annals of Palliative Medicine</i> , 2018, 7, S253-S261.	1.2	20
79	Is breathlessness what the professional says it is? Analysis of patient and professionals' assessments from a German nationwide register. <i>Supportive Care in Cancer</i> , 2014, 22, 1825-1832.	2.2	19
80	"Palliative sedation": A retrospective cohort study on the use and labelling of continuously administered sedatives on a palliative care unit. <i>Palliative Medicine</i> , 2018, 32, 1189-1197.	3.1	19
81	Drug use beyond the licence in palliative care: A systematic review and narrative synthesis. <i>Palliative Medicine</i> , 2019, 33, 650-662.	3.1	19
82	Constructing Understandings of End-of-Life Care in Europe: A Qualitative Study Involving Cognitive Interviewing with Implications for Cross-National Surveys. <i>Journal of Palliative Medicine</i> , 2011, 14, 343-349.	1.1	18
83	Learning from the public: citizens describe the need to improve end-of-life care access, provision and recognition across Europe. <i>European Journal of Public Health</i> , 2014, 24, 521-527.	0.3	18
84	Breathlessness and crises in the context of advanced illness: A comparison between COPD and lung cancer patients. <i>Palliative and Supportive Care</i> , 2015, 13, 229-237.	1.0	18
85	Dignity Through Integrated Symptom Management: Lessons From the Breathlessness Support Service. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 515-524.	1.2	18
86	Adrenal Insufficiency Caused by Bilateral Adrenal Metastases – a Rare Treatable Cause for Recurrent Nausea and Vomiting in Metastatic Breast Cancer. <i>Oncology Research and Treatment</i> , 2006, 29, 203-205.	1.2	17
87	New models of care for advanced lung disease. <i>Progress in Palliative Care</i> , 2011, 19, 254-263.	1.2	17
88	Challenges in defining "palliative care" for the purposes of clinical trials. <i>Current Opinion in Supportive and Palliative Care</i> , 2012, 6, 471-482.	1.3	17
89	Which questions of two commonly used multidimensional palliative care patient reported outcome measures are most useful? Results from the European and African PRISMA survey. <i>BMJ Supportive and Palliative Care</i> , 2012, 2, 36-42.	1.6	17
90	How does a new breathlessness support service affect patients?. <i>European Respiratory Journal</i> , 2015, 46, 1515-1518.	6.7	17

#	ARTICLE	IF	CITATIONS
91	Republished: Which questions of two commonly used multidimensional palliative care patient reported outcome measures are most useful? Results from the European and African PRISMA survey. Postgraduate Medical Journal, 2012, 88, 451-457.	1.8	15
92	Redefining diagnosis-related groups (DRGs) for palliative care – a cross-sectional study in two German centres. BMC Palliative Care, 2018, 17, 58.	1.8	15
93	Place of death in patients with dementia and the association with comorbidities: a retrospective population-based observational study in Germany. BMC Palliative Care, 2018, 17, 80.	1.8	15
94	Outcomes of clinical ethics support near the end of life: A systematic review. Nursing Ethics, 2020, 27, 838-854.	3.4	15
95	Validation of two short versions of the Zarit Burden Interview in the palliative care setting: a questionnaire to assess the burden of informal caregivers. Supportive Care in Cancer, 2020, 28, 5185-5193.	2.2	15
96	Screening for Depression in Advanced Disease: Psychometric Properties, Sensitivity, and Specificity of Two Items of the Palliative Care Outcome Scale (POS). Journal of Pain and Symptom Management, 2015, 49, 277-288.	1.2	14
97	Ethical case interventions for adult patients. The Cochrane Library, 2017, , .	2.8	14
98	The Palliative Care of Patients With Incurable Cancer. Deutsches A&#x0308;rztblatt International, 2020, 116, 108-115.	0.9	14
99	National strategy for palliative care of severely ill and dying people and their relatives in pandemics (PallPan) in Germany - study protocol of a mixed-methods project. BMC Palliative Care, 2022, 21, 10.	1.8	14
100	Appropriate Methods to Assess the Effectiveness and Efficacy of Treatments or Interventions to Control Cancer Pain. Journal of Palliative Medicine, 2004, 7, 423-430.	1.1	13
101	Levodropropizine in the Management of Cough Associated with Cancer or Nonmalignant Chronic Disease – A Systematic Review. Journal of Pain and Palliative Care Pharmacotherapy, 2011, 25, 209-218.	0.8	13
102	Pharmacological Management of Bronchorrhea in Malignant Disease: A Systematic Literature Review. Journal of Pain and Symptom Management, 2016, 51, 916-925.	1.2	13
103	Experiences, challenges and perspectives for ensuring end-of-life patient care: A national online survey with general practitioners in Germany. PLoS ONE, 2021, 16, e0254056.	2.5	13
104	Effectiveness of a specialised breathlessness service for patients with advanced disease in Germany: a pragmatic fast-track randomised controlled trial (BreathEase). European Respiratory Journal, 2021, 58, 2002139.	6.7	12
105	Breathlessness during daily activity: The psychometric properties of the London Chest Activity of Daily Living Scale in patients with advanced disease and refractory breathlessness. Palliative Medicine, 2017, 31, 868-875.	3.1	11
106	“Desire to Die” in palliative care patients – legal framework and recommendations of the national evidence-based guideline on palliative care in Germany. Annals of Palliative Medicine, 2021, 10, 3594-3610.	1.2	11
107	“It felt like a black hole, great uncertainty, but we have to take care for our patients” – Qualitative findings on the effects of the COVID-19 pandemic on specialist palliative home care. PLoS ONE, 2021, 16, e0260767.	2.5	11
108	Capturing activity, costs, and outcomes: The challenges to be overcome for successful economic evaluation in palliative care. Progress in Palliative Care, 2013, 21, 232-235.	1.2	10

#	ARTICLE	IF	CITATIONS
109	Sedatives and Sedation at the End of Life in Nursing Homes: A Retrospective Multicenter Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 109-116.e1.	2.5	10
110	Culture in the spotlight – cultural adaptation and content validity of the integrated palliative care outcome scale for dementia: A cognitive interview study. <i>Palliative Medicine</i> , 2021, 35, 962-971.	3.1	10
111	Measuring the Net Benefits of Hospice and Palliative Care: A Composite Measure for Multiple Audiences – Palliative Net Benefit. <i>Journal of Palliative Medicine</i> , 2011, 14, 264-265.	1.1	9
112	Critical attitudes and beliefs towards guidelines amongst palliative care professionals – results from a national survey. <i>BMC Palliative Care</i> , 2017, 16, 20.	1.8	9
113	A pilot study on patient-related costs and factors associated with the cost of specialist palliative care in the hospital: first steps towards a patient classification system in Germany. <i>Cost Effectiveness and Resource Allocation</i> , 2018, 16, 35.	1.5	9
114	Integrated breathlessness services for people with chronic conditions. <i>Current Opinion in Supportive and Palliative Care</i> , 2018, 12, 227-231.	1.3	9
115	Off-label-prescriptions in daily clinical practice – a cross-sectional national survey of palliative medicine physicians. <i>Progress in Palliative Care</i> , 2019, 27, 154-159.	1.2	9
116	It’s like standing in front of a prison fence – Dying during the SARS-CoV2 pandemic: A qualitative study of bereaved relatives’ experiences. <i>Palliative Medicine</i> , 2022, 36, 708-716.	3.1	9
117	Intentional Sedation as a Means to Ease Suffering: A Systematically Constructed Terminology for Sedation in Palliative Care. <i>Journal of Palliative Medicine</i> , 2022, 25, 793-796.	1.1	8
118	The feasibility and acceptability of short-term, individual existential behavioural therapy for informal caregivers of patients recruited in a specialist palliative care unit. <i>BMC Palliative Care</i> , 2016, 15, 88.	1.8	7
119	Patients’ perception of types of errors in palliative care – results from a qualitative interview study. <i>BMC Palliative Care</i> , 2016, 15, 75.	1.8	7
120	Patient-Controlled Therapy of Breathlessness in Palliative Care: A New Therapeutic Concept for Opioid Administration?. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 581-588.	1.2	7
121	Non-pharmacological interventions for breathlessness in people with cancer. <i>Expert Review of Quality of Life in Cancer Care</i> , 0, , 1-15.	0.6	7
122	Adaptation of the Australian Palliative Care Phase concept to the German palliative care context: a mixed-methods approach using cognitive interviews and cross-sectional data. <i>BMC Palliative Care</i> , 2021, 20, 128.	1.8	7
123	Implementation of an acute palliative care unit for COVID-19 patients in a tertiary hospital: Qualitative data on clinician perspectives. <i>Palliative Medicine</i> , 2022, 36, 332-341.	3.1	7
124	Palliative sedation: Improvement of guidelines necessary, but not sufficient. <i>Palliative Medicine</i> , 2015, 29, 479-480.	3.1	6
125	Sedatives and sedation at the end of life: a nursing home retrospective cohort study. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, e744-e747.	1.6	6
126	Limiting Treatment in Intensive Care: Contributions and Limits of Ethics Consultation. <i>Critical Care Medicine</i> , 2020, 48, 230-232.	0.9	6



#	ARTICLE	IF	CITATIONS
127	Specialist palliative care classification: typology development. <i>BMJ Supportive and Palliative Care</i> , 2022, , bmjspcare-2021-003435.	1.6	6
128	Evaluation of an interdisciplinary palliative care inhouse training for professionals in gynecological oncology. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 767-773.	1.7	5
129	Measuring Outcomes of Ethics Consultation: Empirical and Ethical Challenges. <i>Critical Care Medicine</i> , 2019, 47, e67-e68.	0.9	5
130	Drug-Related Problems on a Palliative Care Unit. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2021, 35, 264-272.	0.8	5
131	National and international non-therapeutic recommendations for adult palliative and end-of-life care in times of pandemics: A scoping review. <i>Palliative and Supportive Care</i> , 2022, 20, 854-866.	1.0	5
132	Challenges and Strategies Regarding Sedation at the End of Life in Hospitals and Nursing Homes. <i>Journal of Pain and Symptom Management</i> , 2022, 63, 530-538.	1.2	5
133	Barriers for the implementation of guidelines in palliative care—results from a national survey of professionals. <i>Supportive Care in Cancer</i> , 2018, 26, 1943-1952.	2.2	4
134	What Constitutes Good Health Care for Patients with Breathlessness? Perspectives of Patients, Caregivers, and Health Care Professionals. <i>Journal of Palliative Medicine</i> , 2019, 22, 656-662.	1.1	4
135	Monitoring of Palliative Care Symptoms and Concerns in Specialized Palliative Home Care Using an Electronic Version of the Integrated Palliative care Outcome Scale (Palli-MONITOR): protocol for a mixed-methods study. <i>BMJ Open</i> , 2021, 11, e042266.	1.9	4
136	“We don’t want to sedate him”- A qualitative interview study on intentions when administering sedative drugs at the end of life in nursing homes and hospitals. <i>BMC Palliative Care</i> , 2021, 20, 141.	1.8	4
137	Pharmacological and nonpharmacological interventions to improve symptom control, functional exercise capacity and quality of life in interstitial lung disease: an evidence synthesis. <i>ERJ Open Research</i> , 2021, 7, 00107-2020.	2.6	4
138	“Palliative Syringe Driver” A Mixed-Methods Study in Different Hospital Departments on Continuous Infusions of Sedatives and/or Opioids in End-of-Life Care. <i>Journal of Patient Safety</i> , 2022, 18, e801-e809.	1.7	4
139	Nurses' decision-making in ethically relevant clinical situations using the example of breathlessness: study protocol of a reflexive grounded theory integrating Goffman's framework analysis. <i>BMJ Open</i> , 2017, 7, e012975.	1.9	3
140	How short is too short? A randomised controlled trial evaluating short-term existential behavioural therapy for informal caregivers of palliative patients. <i>Palliative Medicine</i> , 2020, 34, 806-816.	3.1	3
141	Do guidelines influence breathlessness management in advanced lung diseases? A multinational survey of respiratory medicine and palliative care physicians. <i>BMC Pulmonary Medicine</i> , 2022, 22, 41.	2.0	3
142	COMPANION: development of a patient-centred complexity and casemix classification for adult palliative care patients based on needs and resource use – a protocol for a cross-sectional multi-centre study. <i>BMC Palliative Care</i> , 2022, 21, 18.	1.8	3
143	Episodic Breathlessness: A Clinically Relevant and Rising Issue. <i>Annals of the American Thoracic Society</i> , 2014, 11, 274-274.	3.2	2
144	Rectal Administration of Baclofen at the End of Life. <i>Journal of Pain and Symptom Management</i> , 2018, 56, e1-e3.	1.2	2

#	ARTICLE	IF	CITATIONS
145	Which Reimbursement System Fits Inpatient Palliative Care? A Qualitative Interview Study on Clinicians' and Financing Experts' Experiences and Views. <i>Journal of Palliative Medicine</i> , 2019, 22, 1378-1385.	1.1	2
146	Off-label drugs in palliative care: a Group Delphi treatment recommendation process. <i>BMJ Supportive and Palliative Care</i> , 2021, 11, 180-187.	1.6	2
147	BreathEase: rationale, design and recruitment of a randomised trial and embedded mixed-methods study of a multiprofessional breathlessness service in early palliative care. <i>ERJ Open Research</i> , 2021, 7, 00228-2020.	2.6	2
148	Sedatives and sedation at the end of life in the hospital—a multicenter retrospective cohort study. <i>Deutsches &amp;#x0308;rzteblatt International</i> , 2022, , .	0.9	2
149	Reply to: MASCC/ESMO consensus recommendations for the management of nausea and vomiting in advanced cancer. <i>Supportive Care in Cancer</i> , 2017, 25, 2989-2990.	2.2	1
150	Respiratory interventions for breathlessness in adults with advanced diseases. <i>The Cochrane Library</i> , 0, , .	2.8	1
151	Physical interventions for breathlessness in adults with advanced diseases. <i>The Cochrane Library</i> , 0, , .	2.8	1
152	Off-label use in adult palliative care — more common than expected. A retrospective chart review. <i>European Journal of Hospital Pharmacy</i> , 2022, 29, 329-335.	1.1	1
153	In Reply. <i>Deutsches &amp;#x0308;rzteblatt International</i> , 2013, 110, 753-4.	0.9	1
154	Pflege bei Atemnot — Gleichzeitigkeit und Unsicherheit als Ordnungsstrukturen von Entscheidungshandeln. <i>Palliative Care Und Forschung</i> , 2019, , 45-152.	0.0	1
155	Challenging but beneficial: using outcome measurement in routine care for patients with advanced disease. <i>Annals of Palliative Medicine</i> , 2018, 7, S135-S136.	1.2	1
156	Twitter discussions from a respiratory journal club — Authors' reply. <i>Lancet Respiratory Medicine</i> , 2015, 3, e10-e11.	10.7	0
157	Physical interventions for breathlessness in adults with advanced diseases. <i>The Cochrane Library</i> , 0, , .	2.8	0
158	Cognitive-emotional interventions for breathlessness in adults with advanced diseases. <i>The Cochrane Library</i> , 2017, , .	2.8	0
159	Cognitive-emotional interventions for breathlessness in adults with advanced diseases. <i>The Cochrane Library</i> , 0, , .	2.8	0
160	8â€¦Developing a casemix classification for specialist palliative care: a multi-centre cohort study to develop a patient-specific prediction model for the cost of specialist palliative care using classification and regression tree analysis. , 2021, , .		0
161	Drug Information Needs of Health Care Professionals in Palliative Care: A Retrospective Evaluation of a Palliative Care Drug Information Service. <i>Journal of Pain and Symptom Management</i> , 2021, 62, e28-e37.	1.2	0
162	Testinstrumente in der Palliativmedizin. <i>Springer-Lehrbuch</i> , 2012, , 32-39.	0.0	0

#	ARTICLE	IF	CITATIONS
163	Testinstrumente in der Palliativmedizin. Springer-Lehrbuch, 2014, , 36-43.	0.0	0
164	Symptome in der Palliativmedizin. Springer-Lehrbuch, 2014, , 59-147.	0.0	0
165	Developing a decision support tool for responding to patients's reported levels of information needs, family anxiety, depression, and breathlessness.. Journal of Clinical Oncology, 2014, 32, 173-173.	1.6	0
166	Options and Problems of Drug Application in Patients with Advanced Cancer. , 2015, , 137-156.		0
167	Symptome in der Palliativmedizin. , 2019, , 43-110.		0
168	Testinstrumente in der Palliativmedizin. , 2019, , 27-32.		0
169	Access to palliative care. , 0, , 35-50.		0