

Claudia Bausewein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2853886/publications.pdf>

Version: 2024-02-01

169
papers

6,613
citations

76326

40
h-index

82547

72
g-index

194
all docs

194
docs citations

194
times ranked

5146
citing authors

#	ARTICLE	IF	CITATIONS
1	Sedatives and sedation at the end of life: a nursing home retrospective cohort study. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, e744-e747.	1.6	6
2	Off-label use in adult palliative care – more common than expected. A retrospective chart review. <i>European Journal of Hospital Pharmacy</i> , 2022, 29, 329-335.	1.1	1
3	“Palliative Syringe Driver” A Mixed-Methods Study in Different Hospital Departments on Continuous Infusions of Sedatives and/or Opioids in End-of-Life Care. <i>Journal of Patient Safety</i> , 2022, 18, e801-e809.	1.7	4
4	National and international non-therapeutic recommendations for adult palliative and end-of-life care in times of pandemics: A scoping review. <i>Palliative and Supportive Care</i> , 2022, 20, 854-866.	1.0	5
5	Intentional Sedation as a Means to Ease Suffering: A Systematically Constructed Terminology for Sedation in Palliative Care. <i>Journal of Palliative Medicine</i> , 2022, 25, 793-796.	1.1	8
6	Do guidelines influence breathlessness management in advanced lung diseases? A multinational survey of respiratory medicine and palliative care physicians. <i>BMC Pulmonary Medicine</i> , 2022, 22, 41.	2.0	3
7	National strategy for palliative care of severely ill and dying people and their relatives in pandemics (PallPan) in Germany - study protocol of a mixed-methods project. <i>BMC Palliative Care</i> , 2022, 21, 10.	1.8	14
8	COMPANION: development of a patient-centred complexity and casemix classification for adult palliative care patients based on needs and resource use – a protocol for a cross-sectional multi-centre study. <i>BMC Palliative Care</i> , 2022, 21, 18.	1.8	3
9	Specialist palliative care classification: typology development. <i>BMJ Supportive and Palliative Care</i> , 2022, , bmjspcare-2021-003435.	1.6	6
10	Implementation of an acute palliative care unit for COVID-19 patients in a tertiary hospital: Qualitative data on clinician perspectives. <i>Palliative Medicine</i> , 2022, 36, 332-341.	3.1	7
11	It’s like standing in front of a prison fence – Dying during the SARS-CoV2 pandemic: A qualitative study of bereaved relatives’ experiences. <i>Palliative Medicine</i> , 2022, 36, 708-716.	3.1	9
12	Challenges and Strategies Regarding Sedation at the End of Life in Hospitals and Nursing Homes. <i>Journal of Pain and Symptom Management</i> , 2022, 63, 530-538.	1.2	5
13	Sedatives and sedation at the end of life in the hospital – a multicenter retrospective cohort study. <i>Deutsches Ärzteblatt International</i> , 2022, , .	0.9	2
14	Off-label drugs in palliative care: a Group Delphi treatment recommendation process. <i>BMJ Supportive and Palliative Care</i> , 2021, 11, 180-187.	1.6	2
15	Sedatives and Sedation at the End of Life in Nursing Homes: A Retrospective Multicenter Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 109-116.e1.	2.5	10
16	Effectiveness of a specialised breathlessness service for patients with advanced disease in Germany: a pragmatic fast-track randomised controlled trial (BreathEase). <i>European Respiratory Journal</i> , 2021, 58, 2002139.	6.7	12
17	“...Developing a casemix classification for specialist palliative care: a multi-centre cohort study to develop a patient-specific prediction model for the cost of specialist palliative care using classification and regression tree analysis. , 2021, , .		0
18	“Desire to Die” in palliative care patients – legal framework and recommendations of the national evidence-based guideline on palliative care in Germany. <i>Annals of Palliative Medicine</i> , 2021, 10, 3594-3610.	1.2	11

#	ARTICLE	IF	CITATIONS
19	Culture in the spotlight – cultural adaptation and content validity of the integrated palliative care outcome scale for dementia: A cognitive interview study. <i>Palliative Medicine</i> , 2021, 35, 962-971.	3.1	10
20	Monitoring of Palliative Care Symptoms and Concerns in Specialized Palliative Home Care Using an Electronic Version of the Integrated Palliative care Outcome Scale (Palli-MONITOR): protocol for a mixed-methods study. <i>BMJ Open</i> , 2021, 11, e042266.	1.9	4
21	Experiences, challenges and perspectives for ensuring end-of-life patient care: A national online survey with general practitioners in Germany. <i>PLoS ONE</i> , 2021, 16, e0254056.	2.5	13
22	Drug-Related Problems on a Palliative Care Unit. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2021, 35, 264-272.	0.8	5
23	Adaptation of the Australian Palliative Care Phase concept to the German palliative care context: a mixed-methods approach using cognitive interviews and cross-sectional data. <i>BMC Palliative Care</i> , 2021, 20, 128.	1.8	7
24	Drug Information Needs of Health Care Professionals in Palliative Care: A Retrospective Evaluation of a Palliative Care Drug Information Service. <i>Journal of Pain and Symptom Management</i> , 2021, 62, e28-e37.	1.2	0
25	“We don’t want to sedate him” – A qualitative interview study on intentions when administering sedative drugs at the end of life in nursing homes and hospitals. <i>BMC Palliative Care</i> , 2021, 20, 141.	1.8	4
26	Pharmacological and nonpharmacological interventions to improve symptom control, functional exercise capacity and quality of life in interstitial lung disease: an evidence synthesis. <i>ERJ Open Research</i> , 2021, 7, 00107-2020.	2.6	4
27	BreathEase: rationale, design and recruitment of a randomised trial and embedded mixed-methods study of a multiprofessional breathlessness service in early palliative care. <i>ERJ Open Research</i> , 2021, 7, 00228-2020.	2.6	2
28	“It felt like a black hole, great uncertainty, but we have to take care for our patients” – Qualitative findings on the effects of the COVID-19 pandemic on specialist palliative home care. <i>PLoS ONE</i> , 2021, 16, e0260767.	2.5	11
29	Outcomes of clinical ethics support near the end of life: A systematic review. <i>Nursing Ethics</i> , 2020, 27, 838-854.	3.4	15
30	Limiting Treatment in Intensive Care: Contributions and Limits of Ethics Consultation. <i>Critical Care Medicine</i> , 2020, 48, 230-232.	0.9	6
31	Standards, Guidelines, and Quality Measures for Successful Specialty Palliative Care Integration Into Oncology: Current Approaches and Future Directions. <i>Journal of Clinical Oncology</i> , 2020, 38, 987-994.	1.6	30
32	Validation of two short versions of the Zarit Burden Interview in the palliative care setting: a questionnaire to assess the burden of informal caregivers. <i>Supportive Care in Cancer</i> , 2020, 28, 5185-5193.	2.2	15
33	Effect of early palliative care for patients with glioblastoma (EPCOG): a randomised phase III clinical trial protocol. <i>BMJ Open</i> , 2020, 10, e034378.	1.9	26
34	Managing the supportive care needs of those affected by COVID-19. <i>European Respiratory Journal</i> , 2020, 55, 2000815.	6.7	95
35	How short is too short? A randomised controlled trial evaluating short-term existential behavioural therapy for informal caregivers of palliative patients. <i>Palliative Medicine</i> , 2020, 34, 806-816.	3.1	3
36	The Palliative Care of Patients With Incurable Cancer. <i>Deutsches Arzteblatt International</i> , 2020, 116, 108-115.	0.9	14

#	ARTICLE	IF	CITATIONS
37	Do we understand the intervention? What complex intervention research can teach us for the evaluation of clinical ethics support services (CESS). BMC Medical Ethics, 2019, 20, 48.	2.4	31
38	Off-label-prescriptions in daily clinical practice – a cross-sectional national survey of palliative medicine physicians. Progress in Palliative Care, 2019, 27, 154-159.	1.2	9
39	A brief, patient- and proxy-reported outcome measure in advanced illness: Validity, reliability and responsiveness of the Integrated Palliative care Outcome Scale (IPOS). Palliative Medicine, 2019, 33, 1045-1057.	3.1	197
40	Drug use beyond the licence in palliative care: A systematic review and narrative synthesis. Palliative Medicine, 2019, 33, 650-662.	3.1	19
41	Airflow relieves chronic breathlessness in people with advanced disease: An exploratory systematic review and meta-analyses. Palliative Medicine, 2019, 33, 618-633.	3.1	31
42	Understanding complexity – the palliative care situation as a complex adaptive system. BMC Health Services Research, 2019, 19, 157.	2.2	48
43	Ethical case interventions for adult patients. The Cochrane Library, 2019, 2019, CD012636.	2.8	24
44	Which Reimbursement System Fits Inpatient Palliative Care? A Qualitative Interview Study on Clinicians' and Financing Experts' Experiences and Views. Journal of Palliative Medicine, 2019, 22, 1378-1385.	1.1	2
45	Measuring Outcomes of Ethics Consultation: Empirical and Ethical Challenges. Critical Care Medicine, 2019, 47, e67-e68.	0.9	5
46	What Constitutes Good Health Care for Patients with Breathlessness? Perspectives of Patients, Caregivers, and Health Care Professionals. Journal of Palliative Medicine, 2019, 22, 656-662.	1.1	4
47	Pflege bei Atemnot – Gleichzeitigkeit und Unsicherheit als Ordnungsstrukturen von Entscheidungshandeln. Palliative Care Und Forschung, 2019, , 45-152.	0.0	1
48	Symptome in der Palliativmedizin. , 2019, , 43-110.		0
49	Testinstrumente in der Palliativmedizin. , 2019, , 27-32.		0
50	Evaluation of an interdisciplinary palliative care inhouse training for professionals in gynecological oncology. Archives of Gynecology and Obstetrics, 2018, 297, 767-773.	1.7	5
51	Barriers for the implementation of guidelines in palliative care – results from a national survey of professionals. Supportive Care in Cancer, 2018, 26, 1943-1952.	2.2	4
52	–Palliative sedation–? A retrospective cohort study on the use and labelling of continuously administered sedatives on a palliative care unit. Palliative Medicine, 2018, 32, 1189-1197.	3.1	19
53	Breathlessness services as a new model of support for patients with respiratory disease. Chronic Respiratory Disease, 2018, 15, 48-59.	2.4	36
54	Starting from scratch: implementing outcome measurement in clinical practice. Annals of Palliative Medicine, 2018, 7, S253-S261.	1.2	20

#	ARTICLE	IF	CITATIONS
55	A pilot study on patient-related costs and factors associated with the cost of specialist palliative care in the hospital: first steps towards a patient classification system in Germany. <i>Cost Effectiveness and Resource Allocation</i> , 2018, 16, 35.	1.5	9
56	Integrated breathlessness services for people with chronic conditions. <i>Current Opinion in Supportive and Palliative Care</i> , 2018, 12, 227-231.	1.3	9
57	Standard set of health outcome measures for older persons. <i>BMC Geriatrics</i> , 2018, 18, 36.	2.7	130
58	Redefining diagnosis-related groups (DRGs) for palliative care – a cross-sectional study in two German centres. <i>BMC Palliative Care</i> , 2018, 17, 58.	1.8	15
59	Rectal Administration of Baclofen at the End of Life. <i>Journal of Pain and Symptom Management</i> , 2018, 56, e1-e3.	1.2	2
60	Place of death in patients with dementia and the association with comorbidities: a retrospective population-based observational study in Germany. <i>BMC Palliative Care</i> , 2018, 17, 80.	1.8	15
61	Challenging but beneficial: using outcome measurement in routine care for patients with advanced disease. <i>Annals of Palliative Medicine</i> , 2018, 7, S135-S136.	1.2	1
62	Variations in the cost of formal and informal health care for patients with advanced chronic disease and refractory breathlessness: A cross-sectional secondary analysis. <i>Palliative Medicine</i> , 2017, 31, 369-377.	3.1	38
63	Funding models in palliative care: Lessons from international experience. <i>Palliative Medicine</i> , 2017, 31, 296-305.	3.1	58
64	Breathlessness during daily activity: The psychometric properties of the London Chest Activity of Daily Living Scale in patients with advanced disease and refractory breathlessness. <i>Palliative Medicine</i> , 2017, 31, 868-875.	3.1	11
65	Critical attitudes and beliefs towards guidelines amongst palliative care professionals – results from a national survey. <i>BMC Palliative Care</i> , 2017, 16, 20.	1.8	9
66	Reply to: MASCC/ESMO consensus recommendations for the management of nausea and vomiting in advanced cancer. <i>Supportive Care in Cancer</i> , 2017, 25, 2989-2990.	2.2	1
67	Nurses' decision-making in ethically relevant clinical situations using the example of breathlessness: study protocol of a reflexive grounded theory integrating Goffman's framework analysis. <i>BMJ Open</i> , 2017, 7, e012975.	1.9	3
68	Metamizole/dipyrone for the relief of cancer pain: A systematic review and evidence-based recommendations for clinical practice. <i>Palliative Medicine</i> , 2017, 31, 26-34.	3.1	46
69	Ethical case interventions for adult patients. <i>The Cochrane Library</i> , 2017, , .	2.8	14
70	Cognitive-emotional interventions for breathlessness in adults with advanced diseases. <i>The Cochrane Library</i> , 2017, , .	2.8	0
71	Care of cancer patients at the end of life in a German university hospital: A retrospective observational study from 2014. <i>PLoS ONE</i> , 2017, 12, e0175124.	2.5	39
72	The feasibility and acceptability of short-term, individual existential behavioural therapy for informal caregivers of patients recruited in a specialist palliative care unit. <i>BMC Palliative Care</i> , 2016, 15, 88.	1.8	7

#	ARTICLE	IF	CITATIONS
73	Pharmacological Management of Bronchorrhea in Malignant Disease: A Systematic Literature Review. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 916-925.	1.2	13
74	“Can I Breathe Again?” Patients' Self-Management Strategies for Episodic Breathlessness in Advanced Disease, Derived From Qualitative Interviews. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 228-234.	1.2	35
75	Dignity Through Integrated Symptom Management: Lessons From the Breathlessness Support Service. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 515-524.	1.2	18
76	Benzodiazepines for the relief of breathlessness in advanced malignant and non-malignant diseases in adults. <i>The Cochrane Library</i> , 2016, 2016, CD007354.	2.8	133
77	Patients'™ perception of types of errors in palliative care “ results from a qualitative interview study. <i>BMC Palliative Care</i> , 2016, 15, 75.	1.8	7
78	Discovering the hidden benefits of cognitive interviewing in two languages: The first phase of a validation study of the Integrated Palliative care Outcome Scale. <i>Palliative Medicine</i> , 2016, 30, 599-610.	3.1	109
79	Physical compared to mental diseases as reasons for committing suicide: a retrospective study. <i>BMC Palliative Care</i> , 2016, 15, 14.	1.8	36
80	EAPC White Paper on outcome measurement in palliative care: Improving practice, attaining outcomes and delivering quality services “ Recommendations from the European Association for Palliative Care (EAPC) Task Force on Outcome Measurement. <i>Palliative Medicine</i> , 2016, 30, 6-22.	3.1	149
81	Patients'™ experiences of a new integrated breathlessness support service for patients with refractory breathlessness: Results of a postal survey. <i>Palliative Medicine</i> , 2016, 30, 313-322.	3.1	26
82	Patient-Controlled Therapy of Breathlessness in Palliative Care: A New Therapeutic Concept for Opioid Administration?. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 581-588.	1.2	7
83	The need to research refractory breathlessness. <i>European Respiratory Journal</i> , 2016, 47, 342-343.	6.7	32
84	How should we manage information needs, family anxiety, depression, and breathlessness for those affected by advanced disease: development of a Clinical Decision Support Tool using a Delphi design. <i>BMC Medicine</i> , 2015, 13, 263.	5.5	34
85	How does a new breathlessness support service affect patients?. <i>European Respiratory Journal</i> , 2015, 46, 1515-1518.	6.7	17
86	Palliative Care of Adult Patients With Cancer. <i>Deutsches A&#x0308;rztblatt International</i> , 2015, 112, 863-70.	0.9	23
87	Place of Death. <i>Deutsches A&#x0308;rztblatt International</i> , 2015, 112, 496-504.	0.9	100
88	Capture, Transfer, and Feedback of Patient-Centered Outcomes Data in Palliative Care Populations: Does It Make a Difference? A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 611-624.	1.2	158
89	Screening for Depression in Advanced Disease: Psychometric Properties, Sensitivity, and Specificity of Two Items of the Palliative Care Outcome Scale (POS). <i>Journal of Pain and Symptom Management</i> , 2015, 49, 277-288.	1.2	14
90	Characteristics of episodic breathlessness as reported by patients with advanced chronic obstructive pulmonary disease and lung cancer: Results of a descriptive cohort study. <i>Palliative Medicine</i> , 2015, 29, 420-428.	3.1	33

#	ARTICLE	IF	CITATIONS
91	Twitter discussions from a respirology journal club – Authors' reply. <i>Lancet Respiratory Medicine</i> , 2015, 3, e10-e11.	10.7	0
92	Breathlessness and crises in the context of advanced illness: A comparison between COPD and lung cancer patients. <i>Palliative and Supportive Care</i> , 2015, 13, 229-237.	1.0	18
93	A Systematic Review of the Use of the Palliative Care Outcome Scale and the Support Team Assessment Schedule in Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 842-853.e19.	1.2	75
94	Palliative sedation: Improvement of guidelines necessary, but not sufficient. <i>Palliative Medicine</i> , 2015, 29, 479-480.	3.1	6
95	The clinical effectiveness and cost-effectiveness of treatments for idiopathic pulmonary fibrosis: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2015, 19, 1-336.	2.8	23
96	Options and Problems of Drug Application in Patients with Advanced Cancer. , 2015, , 137-156.		0
97	Learning from the public: citizens describe the need to improve end-of-life care access, provision and recognition across Europe. <i>European Journal of Public Health</i> , 2014, 24, 521-527.	0.3	18
98	Priorities for treatment, care and information if faced with serious illness: A comparative population-based survey in seven European countries. <i>Palliative Medicine</i> , 2014, 28, 101-110.	3.1	86
99	An integrated palliative and respiratory care service for patients with advanced disease and refractory breathlessness: a randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2014, 2, 979-987.	10.7	464
100	The European Association for Palliative Care basic dataset to describe a palliative care cancer population: Results from an international Delphi process. <i>Palliative Medicine</i> , 2014, 28, 463-473.	3.1	40
101	Choosing care homes as the least preferred place to die: a cross-national survey of public preferences in seven European countries. <i>BMC Palliative Care</i> , 2014, 13, 48.	1.8	26
102	How many people need palliative care? A study developing and comparing methods for population-based estimates. <i>Palliative Medicine</i> , 2014, 28, 49-58.	3.1	339
103	Inhaled nebulized and intranasal opioids for the relief of breathlessness. <i>Current Opinion in Supportive and Palliative Care</i> , 2014, 8, 208-212.	1.3	21
104	Episodic Breathlessness: A Clinically Relevant and Rising Issue. <i>Annals of the American Thoracic Society</i> , 2014, 11, 274-274.	3.2	2
105	Breathlessness, Functional Status, Distress, and Palliative Care Needs Over Time in Patients With Advanced Chronic Obstructive Pulmonary Disease or Lung Cancer: A Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 569-581.e1.	1.2	90
106	Is breathlessness what the professional says it is? Analysis of patient and professionals' assessments from a German nationwide register. <i>Supportive Care in Cancer</i> , 2014, 22, 1825-1832.	2.2	19
107	Definition, Categorization, and Terminology of Episodic Breathlessness: Consensus by an International Delphi Survey. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 828-838.	1.2	67
108	Testinstrumente in der Palliativmedizin. <i>Springer-Lehrbuch</i> , 2014, , 36-43.	0.0	0

#	ARTICLE	IF	CITATIONS
109	Symptome in der Palliativmedizin. Springer-Lehrbuch, 2014, , 59-147.	0.0	0
110	Developing a decision support tool for responding to patientsâ€™ reported levels of information needs, family anxiety, depression, and breathlessness.. Journal of Clinical Oncology, 2014, 32, 173-173.	1.6	0
111	â€Burden to othersâ€™ as a public concern in advanced cancer: a comparative survey in seven European countries. BMC Cancer, 2013, 13, 105.	2.6	35
112	Episodic Breathlessness in Patients With Advanced Disease: A Systematic Review. Journal of Pain and Symptom Management, 2013, 45, 561-578.	1.2	55
113	The Selection and Use of Outcome Measures in Palliative and End-of-Life Care Research: The MORECare International Consensus Workshop. Journal of Pain and Symptom Management, 2013, 46, 925-937.	1.2	61
114	Episodic and Continuous Breathlessness: A New Categorization of Breathlessness. Journal of Pain and Symptom Management, 2013, 45, 1019-1029.	1.2	56
115	Capturing activity, costs, and outcomes: The challenges to be overcome for successful economic evaluation in palliative care. Progress in Palliative Care, 2013, 21, 232-235.	1.2	10
116	Episodes of breathlessness: Types and patterns â€ a qualitative study exploring experiences of patients with advanced diseases. Palliative Medicine, 2013, 27, 524-532.	3.1	54
117	Non-pharmacological interventions for breathlessness in advanced stages of malignant and non-malignant diseases. The Cochrane Library, 2013, , CD005623.	2.8	80
118	Characterizing Episodic Breathlessness in Patients with Advanced Disease. Journal of Palliative Medicine, 2013, 16, 1275-1279.	1.1	28
119	To be involved or not to be involved: A survey of public preferences for self-involvement in decision-making involving mental capacity (competency) within Europe. Palliative Medicine, 2013, 27, 418-427.	3.1	41
120	Shortness of Breath and Cough in Patients in Palliative Care. Deutsches Ärztblatt International, 2013, 110, 563-71; quiz 572.	0.9	34
121	In Reply. Deutsches Ärztblatt International, 2013, 110, 753-4.	0.9	1
122	Preferences for place of death if faced with advanced cancer: a population survey in England, Flanders, Germany, Italy, the Netherlands, Portugal and Spain. Annals of Oncology, 2012, 23, 2006-2015.	1.2	430
123	Republished: Which questions of two commonly used multidimensional palliative care patient reported outcome measures are most useful? Results from the European and African PRISMA survey. Postgraduate Medical Journal, 2012, 88, 451-457.	1.8	15
124	Challenges in defining â€palliative careâ€™ for the purposes of clinical trials. Current Opinion in Supportive and Palliative Care, 2012, 6, 471-482.	1.3	17
125	Are we heading in the same direction? European and African doctorsâ€™ and nursesâ€™ views and experiences regarding outcome measurement in palliative care. Palliative Medicine, 2012, 26, 242-249.	3.1	27
126	Which questions of two commonly used multidimensional palliative care patient reported outcome measures are most useful? Results from the European and African PRISMA survey. BMJ Supportive and Palliative Care, 2012, 2, 36-42.	1.6	17

#	ARTICLE	IF	CITATIONS
127	Culture Is a Priority for Research in End-of-Life Care in Europe: A Research Agenda. <i>Journal of Pain and Symptom Management</i> , 2012, 44, 285-294.	1.2	27
128	Population, mortality and place of death in Germany (1950â€“2050) â€“ Implications for end-of-life care in the future. <i>Public Health</i> , 2012, 126, 937-946.	2.9	44
129	Acceptability and Preferences of Six Different Routes of Drug Application for Acute Breathlessness: A Comparison Study between the United Kingdom and Germany. <i>Journal of Palliative Medicine</i> , 2012, 15, 1374-1381.	1.1	20
130	Development, effectiveness and cost-effectiveness of a new out-patient Breathlessness Support Service: study protocol of a phase III fast-track randomised controlled trial. <i>BMC Pulmonary Medicine</i> , 2012, 12, 58.	2.0	34
131	Outcomes 'out of africa': the selection and implementation of outcome measures for palliative care in Africa. <i>BMC Palliative Care</i> , 2012, 11, 1.	1.8	38
132	Enhancing patient-reported outcome measurement in research and practice of palliative and end-of-life care. <i>Supportive Care in Cancer</i> , 2012, 20, 1573-1578.	2.2	29
133	A critical review of advance directives in Germany: Attitudes, use and healthcare professionalsâ€™ compliance. <i>Patient Education and Counseling</i> , 2012, 87, 277-288.	2.2	64
134	A pan-European survey of research in end-of-life cancer care. <i>Supportive Care in Cancer</i> , 2012, 20, 39-48.	2.2	21
135	Testinstrumente in der Palliativmedizin. <i>Springer-Lehrbuch</i> , 2012, , 32-39.	0.0	0
136	The use of two common palliative outcome measures in clinical care and research: A systematic review of POS and STAS. <i>Palliative Medicine</i> , 2011, 25, 304-313.	3.1	89
137	Breathlessness in cancer patients â€“ Implications, management and challenges. <i>European Journal of Oncology Nursing</i> , 2011, 15, 459-469.	2.1	41
138	Levodropropizine in the Management of Cough Associated with Cancer or Nonmalignant Chronic Diseaseâ€“A Systematic Review. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2011, 25, 209-218.	0.8	13
139	New models of care for advanced lung disease. <i>Progress in Palliative Care</i> , 2011, 19, 254-263.	1.2	17
140	The PRISMA Symposium 1: Outcome Tool Use. Disharmony in European Outcomes Research for Palliative and Advanced Disease Care: Too Many Tools in Practice. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 493-500.	1.2	43
141	Implementing patient reported outcome measures (PROMs) in palliative care - users' cry for help. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 27.	2.4	104
142	Constructing Understandings of End-of-Life Care in Europe: A Qualitative Study Involving Cognitive Interviewing with Implications for Cross-National Surveys. <i>Journal of Palliative Medicine</i> , 2011, 14, 343-349.	1.1	18
143	Measuring the Net Benefits of Hospice and Palliative Care: A Composite Measure for Multiple Audiencesâ€“Palliative Net Benefit. <i>Journal of Palliative Medicine</i> , 2011, 14, 264-265.	1.1	9
144	Nonpharmacological interventions for breathlessness. <i>Current Opinion in Supportive and Palliative Care</i> , 2011, 5, 77-86.	1.3	55

#	ARTICLE	IF	CITATIONS
145	Benzodiazepines for the relief of breathlessness in advanced malignant and non-malignant diseases in adults. , 2010, , CD007354.		105
146	Effectiveness of a hand-held fan for breathlessness: a randomised phase II trial. <i>BMC Palliative Care</i> , 2010, 9, 22.	1.8	71
147	Individual breathlessness trajectories do not match summary trajectories in advanced cancer and chronic obstructive pulmonary disease: results from a longitudinal study. <i>Palliative Medicine</i> , 2010, 24, 777-786.	3.1	70
148	Understanding Breathlessness: Cross-Sectional Comparison of Symptom Burden and Palliative Care Needs in Chronic Obstructive Pulmonary Disease and Cancer. <i>Journal of Palliative Medicine</i> , 2010, 13, 1109-1118.	1.1	202
149	Core attitudes of professionals in palliative care: A qualitative study. <i>International Journal of Palliative Nursing</i> , 2009, 15, 405-411.	0.5	36
150	Management of refractory breathlessness in patients with advanced cancer. <i>Wiener Medizinische Wochenschrift</i> , 2009, 159, 591-598.	1.1	22
151	Researching breathlessness in palliative care: consensus statement of the National Cancer Research Institute Palliative Care Breathlessness Subgroup. <i>Palliative Medicine</i> , 2009, 23, 213-227.	3.1	84
152	Pharmacological treatment of refractory breathlessness. <i>Expert Review of Respiratory Medicine</i> , 2009, 3, 21-36.	2.5	44
153	Intranasal Fentanyl for Episodic Breathlessness. <i>Journal of Pain and Symptom Management</i> , 2008, 36, e3-e6.	1.2	33
154	Non-pharmacological interventions for breathlessness in advanced stages of malignant and non-malignant diseases. , 2008, , CD005623.		180
155	Measurement of dyspnoea in the clinical rather than the research setting. <i>Current Opinion in Supportive and Palliative Care</i> , 2008, 2, 95-99.	1.3	42
156	Experiences of breathlessness: A systematic review of the qualitative literature. <i>Palliative and Supportive Care</i> , 2007, 5, 281-302.	1.0	80
157	Meaning in life in the Federal Republic of Germany: results of a representative survey with the Schedule for Meaning in Life Evaluation (SMiLE). <i>Health and Quality of Life Outcomes</i> , 2007, 5, 59.	2.4	55
158	The impact of a breathlessness intervention service (BIS) on the lives of patients with intractable dyspnea: A qualitative phase 1 study. <i>Palliative and Supportive Care</i> , 2006, 4, 287-293.	1.0	83
159	Adrenal Insufficiency Caused by Bilateral Adrenal Metastases – a Rare Treatable Cause for Recurrent Nausea and Vomiting in Metastatic Breast Cancer. <i>Oncology Research and Treatment</i> , 2006, 29, 203-205.	1.2	17
160	Validation and Clinical Application of the German Version of the Palliative Care Outcome Scale. <i>Journal of Pain and Symptom Management</i> , 2005, 30, 51-62.	1.2	120
161	Appropriate Methods to Assess the Effectiveness and Efficacy of Treatments or Interventions to Control Cancer Pain. <i>Journal of Palliative Medicine</i> , 2004, 7, 423-430.	1.1	13
162	Drugs in palliative care: results from a representative survey in Germany. <i>Palliative Medicine</i> , 2004, 18, 100-107.	3.1	89

#	ARTICLE	IF	CITATIONS
163	What are the problems in palliative care? Results from a representative survey. Supportive Care in Cancer, 2003, 11, 442-451.	2.2	96
164	Respiratory interventions for breathlessness in adults with advanced diseases. The Cochrane Library, 0, , .	2.8	1
165	Physical interventions for breathlessness in adults with advanced diseases. The Cochrane Library, 0, , .	2.8	0
166	Non-pharmacological interventions for breathlessness in people with cancer. Expert Review of Quality of Life in Cancer Care, 0, , 1-15.	0.6	7
167	Cognitive-emotional interventions for breathlessness in adults with advanced diseases. The Cochrane Library, 0, , .	2.8	0
168	Physical interventions for breathlessness in adults with advanced diseases. The Cochrane Library, 0, , .	2.8	1
169	Access to palliative care. , 0, , 35-50.		0