

Ferruccio Ceriotti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2854001/publications.pdf>

Version: 2024-02-01

142
papers

6,489
citations

87888

38
h-index

74163

75
g-index

145
all docs

145
docs citations

145
times ranked

9947
citing authors

#	ARTICLE	IF	CITATIONS
1	European Biological Variation Study (EuBIVAS): within- and between-subject biological variation estimates for serum thyroid biomarkers based on weekly samplings from 91 healthy participants. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 523-532.	2.3	21
2	The European Biological Variation Study (EuBIVAS): a summary report. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 505-517.	2.3	40
3	Within- and between-subject biological variation data for tumor markers based on the European Biological Variation Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 543-552.	2.3	19
4	Cell Population Data NEâ€W, NEâ€FSC, LYâ€Y of Sysmex XNâ€9000 can provide additional information to differentiate macrocytic anaemia from myelodysplastic syndrome: A preliminary study. <i>International Journal of Laboratory Hematology</i> , 2022, 44, .	1.3	7
5	Safety and effectiveness of up to 3 yearsâ™ bulevirtide monotherapy in patients with HDV-related cirrhosis. <i>Journal of Hepatology</i> , 2022, 76, 464-469.	3.7	48
6	Clinical characteristics of healthcare workers with SARS-CoV-2 infection after vaccination with BNT162b2 vaccine. <i>BMC Infectious Diseases</i> , 2022, 22, 97.	2.9	5
7	Diagnostic Accuracy of rapid antigen test for COVID-19 in an emergency department. <i>Diagnostic Microbiology and Infectious Disease</i> , 2022, 102, 115635.	1.8	7
8	Prevalence and Risk Factors for Anti-SARS-CoV-2 Antibody in Chronic Kidney Disease (Dialysis) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462	2.8	10
9	Triage process for the assessment of coronavirus disease 2019â€positive patients with cancer: The ONCOVID prospective study. <i>Cancer</i> , 2021, 127, 1091-1101.	4.1	9
10	Seroprevalence of anti-SARS-CoV-2 IgG among healthcare workers of a large university hospital in Milan, Lombardy, Italy: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e047216.	1.9	23
11	Definition of Outcome-Based Prostate-Specific Antigen (PSA) Thresholds for Advanced Prostate Cancer Risk Prediction. <i>Cancers</i> , 2021, 13, 3381.	3.7	25
12	The new Roche Elecsys TSH assay conforms with current IFCC C-STFT standards. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, e445-e448.	2.3	2
13	Nasopharyngeal Testing among Healthcare Workers (HCWs) of a Large University Hospital in Milan, Italy during Two Epidemic Waves of COVID-19. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8748.	2.6	8
14	SARS-CoV-2 anti-spike antibody titres after vaccination with BNT162b2 in naÃve and previously infected individuals. <i>Journal of Infection and Public Health</i> , 2021, 14, 1120-1122.	4.1	22
15	The European Biological Variation Study (EuBIVAS): Biological Variation Data for Coagulation Markers Estimated by a Bayesian Model. <i>Clinical Chemistry</i> , 2021, 67, 1259-1270.	3.2	14
16	Increased Risk of Urticaria/Angioedema after BNT162b2 mRNA COVID-19 Vaccine in Health Care Workers Taking ACE Inhibitors. <i>Vaccines</i> , 2021, 9, 1011.	4.4	9
17	Definition of Healthy Ranges for Alanine Aminotransferase Levels: A 2021 Update. <i>Hepatology Communications</i> , 2021, 5, 1824-1832.	4.3	37
18	Why glycated albumin decreases in pregnancy? Evidences from a prospective study on physiological pregnancies of Caucasian women. <i>Clinica Chimica Acta</i> , 2021, 520, 217-218.	1.1	2

#	ARTICLE	IF	CITATIONS
19	Global FT4 immunoassay standardization: an expert opinion review. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1013-1023.	2.3	12
20	Setting analytical performance specifications using HbA1c as a model measurand. <i>Clinica Chimica Acta</i> , 2021, 523, 407-414.	1.1	6
21	Side effects among healthcare workers from a large Milan university hospital after second dose of BNT162b2 mRNA COVID-19 vaccine.. <i>Medicina Del Lavoro</i> , 2021, 112, 477-485.	0.4	6
22	European Biological Variation Study (EuBIVAS): within- and between-subject biological variation estimates for serum biointact parathyroid hormone based on weekly samplings from 91 healthy participants. <i>Annals of Translational Medicine</i> , 2020, 8, 855-855.	1.7	10
23	Time Length of Negativization and Cycle Threshold Values in 182 Healthcare Workers with Covid-19 in Milan, Italy: An Observational Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5313.	2.6	16
24	SARS-CoV-2-related atypical thyroiditis. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 739-741.	11.4	225
25	Early Phases of COVID-19 Are Characterized by a Reduction in Lymphocyte Populations and the Presence of Atypical Monocytes. <i>Frontiers in Immunology</i> , 2020, 11, 560330.	4.8	47
26	Safety and efficacy of up to 76 weeks 10 mg (high dose) bulevirtide monotherapy in compensated cirrhotics with delta hepatitis. <i>Journal of Hepatology</i> , 2020, 73, S861-S862.	3.7	0
27	IFCC Working Group Recommendations for Correction of Bias Caused by Noncommutability of a Certified Reference Material Used in the Calibration Hierarchy of an End-User Measurement Procedure. <i>Clinical Chemistry</i> , 2020, 66, 769-778.	3.2	21
28	Genomewide Association Study of Severe Covid-19 with Respiratory Failure. <i>New England Journal of Medicine</i> , 2020, 383, 1522-1534.	27.0	1,548
29	Analytical Performance Specifications for Lipoprotein(a), Apolipoprotein B-100, and Apolipoprotein A-I Using the Biological Variation Model in the EuBIVAS Population. <i>Clinical Chemistry</i> , 2020, 66, 727-736.	3.2	17
30	The combination of PIVKA-II and AFP improves the detection accuracy for HCC in HBV caucasian cirrhotics on long-term oral therapy. <i>Liver International</i> , 2020, 40, 1987-1996.	3.9	44
31	The European Biological Variation Study (EuBIVAS): weekly biological variation of cardiac troponin I estimated by the use of two different high-sensitivity cardiac troponin I assays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1741-1747.	2.3	25
32	Short-term prognosis of unstable angina in the era of high-sensitivity cardiac troponin: insights for early rule-out strategies. <i>Coronary Artery Disease</i> , 2020, 31, 687-693.	0.7	0
33	Minimal increases of serum alpha-fetoprotein herald HCC detection in Caucasian HBV cirrhotic patients under long-term oral therapy. <i>Liver International</i> , 2019, 39, 1964-1974.	3.9	11
34	Excellent safety and effectiveness of high-dose myrccludex-B monotherapy administered for 48 weeks in HDV-related compensated cirrhosis: A case report of 3 patients. <i>Journal of Hepatology</i> , 2019, 71, 834-839.	3.7	53
35	European Biological Variation Study (EuBIVAS): Within- and Between-Subject Biological Variation Data for 15 Frequently Measured Proteins. <i>Clinical Chemistry</i> , 2019, 65, 1031-1041.	3.2	39
36	Trueness Evaluation and Verification of Interassay Agreement of 11 Serum IgA Measuring Systems: Implications for Medical Decisions. <i>Clinical Chemistry</i> , 2019, 65, 473-483.	3.2	5

#	ARTICLE	IF	CITATIONS
37	Is there a classical role for the clinical laboratory in digital health?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 353-358.	2.3	5
38	Effects of different anticoagulants on glycated albumin quantification. <i>Biochemia Medica</i> , 2019, 29, 138-141.	2.7	3
39	Short- and medium-term biological variation estimates of red blood cell and reticulocyte parameters in healthy subjects. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 954-963.	2.3	15
40	IFCC Working Group Recommendations for Assessing Commutability Part 1: General Experimental Design. <i>Clinical Chemistry</i> , 2018, 64, 447-454.	3.2	96
41	IFCC Working Group Recommendations for Assessing Commutability Part 2: Using the Difference in Bias between a Reference Material and Clinical Samples. <i>Clinical Chemistry</i> , 2018, 64, 455-464.	3.2	85
42	IFCC Working Group Recommendations for Assessing Commutability Part 3: Using the Calibration Effectiveness of a Reference Material. <i>Clinical Chemistry</i> , 2018, 64, 465-474.	3.2	43
43	Calibration by commutable control materials is able to reduce inter-method differences of current high-performance methods for HbA 2. <i>Clinica Chimica Acta</i> , 2018, 477, 60-65.	1.1	11
44	Harmonization of External Quality Assessment Schemes and their role “ clinical chemistry and beyond. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1587-1590.	2.3	18
45	Deriving proper measurement uncertainty from Internal Quality Control data: An impossible mission?. <i>Clinical Biochemistry</i> , 2018, 57, 37-40.	1.9	13
46	The European Federation of Clinical Chemistry and Laboratory Medicine syllabus for postgraduate education and training for Specialists in Laboratory Medicine: version 5 “ 2018. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1846-1863.	2.3	24
47	The EuBIVAS: Within- and Between-Subject Biological Variation Data for Electrolytes, Lipids, Urea, Uric Acid, Total Protein, Total Bilirubin, Direct Bilirubin, and Glucose. <i>Clinical Chemistry</i> , 2018, 64, 1380-1393.	3.2	75
48	Prognostic implications of high-sensitivity cardiac troponin T assay in a real-world population with non-ST-elevation acute coronary syndrome. <i>IJC Heart and Vasculature</i> , 2018, 20, 14-19.	1.1	10
49	Providing Correct Estimates of Biological Variation“Not an Easy Task. The Example of S100- β Protein and Neuron-Specific Enolase. <i>Clinical Chemistry</i> , 2018, 64, 1537-1539.	3.2	19
50	Biological variation estimates for prostate specific antigen from the European Biological Variation Study; consequences for diagnosis and monitoring of prostate cancer. <i>Clinica Chimica Acta</i> , 2018, 486, 185-191.	1.1	37
51	Commutability Assessment of Candidate Reference Materials for Pancreatic α -Amylase. <i>Clinical Chemistry</i> , 2018, 64, 1193-1202.	3.2	15
52	Immune-mediated necrotizing myopathy due to statins exposure. <i>Acta Myologica</i> , 2018, 37, 257-262.	1.5	8
53	Serum uric acid on admission predicts in-hospital mortality in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2017, 240, 25-29.	1.7	51
54	Biological Variation Estimates Obtained from 91 Healthy Study Participants for 9 Enzymes in Serum. <i>Clinical Chemistry</i> , 2017, 63, 1141-1150.	3.2	51

#	ARTICLE	IF	CITATIONS
55	Biological variation of platelet parameters determined by the Sysmex XN hematology analyzer. <i>Clinica Chimica Acta</i> , 2017, 470, 125-132.	1.1	41
56	American Liver Guidelines and Cutoffs for "Normal" ALT: A Potential for Overdiagnosis. <i>Clinical Chemistry</i> , 2017, 63, 1196-1198.	3.2	25
57	Multicenter evaluation of an enzymatic method for glycated albumin. <i>Clinica Chimica Acta</i> , 2017, 469, 81-86.	1.1	17
58	Quality specifications for the extra-analytical phase of laboratory testing: Reference intervals and decision limits. <i>Clinical Biochemistry</i> , 2017, 50, 595-598.	1.9	10
59	The EuBIVAS Project: Within- and Between-Subject Biological Variation Data for Serum Creatinine Using Enzymatic and Alkaline Picrate Methods and Implications for Monitoring. <i>Clinical Chemistry</i> , 2017, 63, 1527-1536.	3.2	66
60	Short- and medium-term biological variation estimates of leukocytes extended to differential count and morphology-structural parameters (cell population data) in blood samples obtained from healthy people. <i>Clinica Chimica Acta</i> , 2017, 473, 147-156.	1.1	30
61	Glycated albumin: correlation to HbA _{1c} and preliminary reference interval evaluation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, e31-e33.	2.3	20
62	Evaluation of the trueness of serum alkaline phosphatase measurement in a group of Italian laboratories. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, e47-e50.	2.3	19
63	Criteria for assigning laboratory measurands to models for analytical performance specifications defined in the 1st EFLM Strategic Conference. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 189-194.	2.3	130
64	Analytical Performances of an Enzymatic Assay for the Measurement of Glycated Albumin. <i>Journal of Applied Laboratory Medicine</i> , 2016, 1, 162-171.	1.3	10
65	Reference Intervals: Strengths, Weaknesses, and Challenges. <i>Clinical Chemistry</i> , 2016, 62, 916-923.	3.2	21
66	Sample collections from healthy volunteers for biological variation estimates™ update: a new project undertaken by the Working Group on Biological Variation established by the European Federation of Clinical Chemistry and Laboratory Medicine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1599-1608.	2.3	76
67	Glycation gap: An additional tool for glycometabolic monitoring. <i>Clinica Chimica Acta</i> , 2016, 463, 27-31.	1.1	6
68	When diagnostics meets translational research: detection of hemoglobin fractions in cellular lysates from in vitro erythroid cultures by Capillarys 2 Flex Piercing analyzer (Sebia). <i>Translational Research</i> , 2016, 169, 31-39.e4.	5.0	2
69	Harmonisation of the laboratory testing process: need for a coordinated approach. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, e361-e363.	2.3	4
70	Harmonization Initiatives in Europe. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2016, 27, 23-9.	0.7	8
71	Comparative Performance Assessment of Point-of-Care Testing Devices for Measuring Glucose and Ketones at the Patient Bedside. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 268-277.	2.2	37
72	How to define a significant deviation from the expected internal quality control result. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 913-8.	2.3	19

#	ARTICLE	IF	CITATIONS
73	Performance of glycated hemoglobin (HbA1c) methods evaluated with EQAS studies using fresh blood samples: Still space for improvements. <i>Clinica Chimica Acta</i> , 2015, 451, 305-309.	1.1	19
74	Evaluation of the performance of an immunoturbidimetric HbA1c reagent applied to the Siemens ADVIA 2400 automatic analyzer. <i>Clinical Biochemistry</i> , 2015, 48, 177-180.	1.9	4
75	Colour coding for blood collection tube closures – a call for harmonisation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 371-6.	2.3	22
76	Evaluation of the impact of standardization process on the quality of serum creatinine determination in Italian laboratories. <i>Clinica Chimica Acta</i> , 2014, 427, 100-106.	1.1	37
77	The role of External Quality Assessment Schemes in Monitoring and Improving the Standardization Process. <i>Clinica Chimica Acta</i> , 2014, 432, 77-81.	1.1	46
78	A mechanism-based way to evaluate commutability of control materials for enzymatic measurements. The example of gamma-glutamyltransferase. <i>Clinica Chimica Acta</i> , 2013, 424, 153-158.	1.1	4
79	Multicenter evaluation of hemoglobin A1c assay on capillary electrophoresis. <i>Clinica Chimica Acta</i> , 2013, 424, 207-211.	1.1	25
80	Reference values for alanine aminotransferase, α -amylase, aspartate aminotransferase, β -glutamyltransferase and lactate dehydrogenase measured according to the IFCC standardization during uncomplicated pregnancy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, e239-41.	2.3	7
81	The Asian project for collaborative derivation of reference intervals: (2) results of non-standardized analytes and transference of reference intervals to the participating laboratories on the basis of cross-comparison of test results. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1443-57.	2.3	37
82	The Asian project for collaborative derivation of reference intervals: (1) strategy and major results of standardized analytes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1429-42.	2.3	56
83	Urinary neutrophil gelatinase-associated lipocalin as an early predictor of prolonged intensive care unit stay after cardiac surgery. <i>Annals of Cardiac Anaesthesia</i> , 2012, 15, 13.	0.6	8
84	Obtaining reference intervals traceable to reference measurement systems: is it possible, who is responsible, what is the strategy?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 813-7.	2.3	34
85	Age dependence of within-subject biological variation of nine common clinical chemistry analytes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 841-4.	2.3	16
86	A risk-analysis approach to the evaluation of analytical quality. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 67-71.	2.3	6
87	Establishing Pediatric Reference Intervals: A Challenging Task. <i>Clinical Chemistry</i> , 2012, 58, 808-810.	3.2	72
88	IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 °C. Part 9: Reference procedure for the measurement of catalytic concentration of alkaline phosphatase. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 1439-46.	2.3	101
89	Prostate-Specific Antigen (PSA) Isoform p2PSA Significantly Improves the Prediction of Prostate Cancer at Initial Extended Prostate Biopsies in Patients with Total PSA Between 2.0 and 10 ng/ml: Results of a Prospective Study in a Clinical Setting. <i>European Urology</i> , 2011, 60, 214-222.	1.9	171
90	Reply from Authors re: Monique J. Roobol. Prostate Cancer Biomarkers to Improve Risk Stratification: Is Our Knowledge of Prostate Cancer Sufficient to Spare Prostate Biopsies Safely? <i>Eur Urol</i> 2011;60:223-5 and re: Carvell T. Nguyen, Michael W. Kattan. How to Tell If a New Marker Improves Prediction. <i>Eur Urol</i> 2011;60:226-8. <i>European Urology</i> , 2011, 60, 228-230.	1.9	1

#	ARTICLE	IF	CITATIONS
91	Comparison of the results from two different External Quality Assessment Schemes supports the utility of robust quality specifications. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 1143-1149.	2.3	14
92	Traceability of values for catalytic activity concentration of enzymes: a Certified Reference Material for aspartate transaminase. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 795-803.	2.3	3
93	Standardization in clinical enzymology: a challenge for the theory of metrological traceability. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 301-307.	2.3	35
94	Common reference intervals for aspartate aminotransferase (AST), alanine aminotransferase (ALT) and γ -glutamyl transferase (GGT) in serum: results from an IFCC multicenter study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1593-1601.	2.3	90
95	Reference intervals: the way forward. <i>Annals of Clinical Biochemistry</i> , 2009, 46, 8-17.	1.6	147
96	Quantity quotient reporting. Counterpoint. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1207-8.	2.3	5
97	Laboratory quality regulations and accreditation standards in Italy. <i>Clinical Biochemistry</i> , 2009, 42, 317.	1.9	1
98	Common reference intervals: The IFCC position. <i>Clinical Biochemistry</i> , 2009, 42, 297.	1.9	12
99	Reference Intervals for Serum Creatinine Concentrations: Assessment of Available Data for Global Application. <i>Clinical Chemistry</i> , 2008, 54, 559-566.	3.2	197
100	Commutable Calibrator with Value Assigned by the IFCC Reference Procedure to Harmonize Serum Lactate Dehydrogenase Activity Results Measured by 2 Different Methods. <i>Clinical Chemistry</i> , 2008, 54, 1349-1355.	3.2	12
101	Misidentification and Other Preanalytical Errors. <i>Journal of Medical Biochemistry</i> , 2008, 27, 339-342.	1.7	0
102	"Are my Laboratory Results Normal?" Considerations to be Made Concerning Reference Intervals and Decision Limits. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2008, 19, 106-14.	0.7	13
103	Recommendations for detection and management of unsuitable samples in clinical laboratories. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 728-36.	2.3	92
104	Process and risk analysis to reduce errors in clinical laboratories. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 742-8.	2.3	23
105	Performance characteristics and clinical utility of an enzymatic method for the measurement of glycated albumin in plasma. <i>Clinical Biochemistry</i> , 2007, 40, 1398-1405.	1.9	93
106	Prerequisites for use of common reference intervals. <i>Clinical Biochemist Reviews</i> , 2007, 28, 115-21.	3.3	63
107	IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37°C: International Federation of Clinical Chemistry and Laboratory Medicine (IFCC): Scientific Division, Committee on Reference Systems for Enzymes (C-RSE): Part 8. Reference procedure for the measurement of catalytic concentration of α -amylase: [α -Amylase: 1,4- α -D-glucan 4-glucanohydrolase (AMN), EC 3.2.1.1]. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 1146-55.	2.3	45
108	Redefining reference limits needs more attention to the analytical aspects. <i>Liver International</i> , 2006, 26, 1155-1156.	3.9	3

#	ARTICLE	IF	CITATIONS
109	Laboratory network of excellence: enhancing patient safety and service effectiveness. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 150-60.	2.3	79
110	Pediatric References Intervals, 5th Edition (formerly Pediatric Reference Ranges). Steven J. Soldin, Carlo Brugnara, and Edward C. Wong, editors; Jocelyn M. Hicks, editor emeritus. Washington, DC: AACC Press, 2005, 257 pp., \$75.00 (\$60.00 AACC members), softcover. ISBN 1-594250-32-4.. <i>Clinical Chemistry</i> , 2006, 52, 544-544.	3.2	2
111	Reference Intervals for Hemoglobin A1c in Pregnant Women: Data from an Italian Multicenter Study. <i>Clinical Chemistry</i> , 2006, 52, 1138-1143.	3.2	129
112	National survey on the use of measurement of cholinesterase activity in serum. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 256-7.	2.3	0
113	Creatinine determination in serum by capillary electrophoresis. <i>Electrophoresis</i> , 2004, 25, 463-468.	2.4	25
114	Experiences in the measurement of RBC-bound IgG as markers of cell age. <i>Bioelectrochemistry</i> , 2004, 62, 175-179.	4.6	6
115	Assay Using Succinylthiocholine as Substrate: The Method of Choice for the Measurement of Cholinesterase Catalytic Activity in Serum to Diagnose Succinylcholine Sensitivity. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 317-22.	2.3	8
116	Biological Variability of Albumin Excretion Rate and Albumin-to-Creatinine Ratio in Hypertensive Type 2 Diabetic Patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 1229-33.	2.3	21
117	IFCC Primary Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes at 37°C. Part 2. Reference Procedure for the Measurement of Catalytic Concentration of Creatine Kinase. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 635-42.	2.3	104
118	IFCC Primary Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes at 37°C. Part 6. Reference Procedure for the Measurement of Catalytic Concentration of $\hat{\text{I}}^3$ -Glutamyltransferase. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 734-8.	2.3	100
119	IFCC Primary Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes at 37°C. Part 5. Reference Procedure for the Measurement of Catalytic Concentration of Aspartate Aminotransferase. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 725-33.	2.3	145
120	IFCC Primary Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes at 37°C. Part 4. Reference Procedure for the Measurement of Catalytic Concentration of Alanine Aminotransferase. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 718-24.	2.3	210
121	IFCC Primary Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes at 37°C. Part 3. Reference Procedure for the Measurement of Catalytic Concentration of Lactate Dehydrogenase. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 643-8.	2.3	80
122	Recommendations for the Routine Use of Pancreatic Amylase Measurement instead of Total Amylase for the Diagnosis and Monitoring of Pancreatic Pathology. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 97-100.	2.3	24
123	Intermethod Variation in Serum Carcinoembryonic Antigen (CEA) Measurement. Fresh Serum Pools and Control Materials Compared. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 167-73.	2.3	13
124	A Two-Center Evaluation of the Blood Gas Immediate Response Mobile Analyzer (IRMA). <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 182-91.	2.3	5
125	IFCC Primary Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes at 37°C. Part 7. Certification of Four Reference Materials for the Determination of Enzymatic Activity of $\hat{\text{I}}^3$ -Glutamyltransferase, Lactate Dehydrogenase, Alanine Aminotransferase and Creatine Kinase according to IFCC Reference Procedures at 37°C. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 739-45.	2.3	46
126	IFCC Primary Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes at 37°C. Part 1. The Concept of Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 631-4.	2.3	43

#	ARTICLE	IF	CITATIONS
127	Errors in laboratory medicine. <i>Clinical Chemistry</i> , 2002, 48, 691-8.	3.2	233
128	Establishing a Reference System in Clinical Enzymology. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 795-800.	2.3	48
129	Certification of the Mass Concentration of Creatine Kinase Isoenzyme 2 (CK-MB) in the Reference Material BCR 608. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 858-65.	2.3	5
130	Impact of reference materials on accuracy in clinical chemistry. <i>Clinical Biochemistry</i> , 1998, 31, 449-457.	1.9	44
131	Production and certification of an enzyme reference material for creatine kinase isoenzyme 2 (CRM) Tj ETQq1 1 0.784314 rgBT /Over	1.1	0
132	Multicentre Evaluation of KONE Optima Analysis System. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 475-84.	2.3	2
133	European Multicentre Evaluation of the Super Aution SA-4220 Urinalysis Analyser. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 947-58.	2.3	3
134	Urinalysis-Challenges by New Medical Needs and Advanced Technologies. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 907.	2.3	1
135	Commutability of control materials in glycohemoglobin determinations. <i>Clinical Chemistry</i> , 1998, 44, 632-638.	3.2	8
136	Creatinine measurement proficiency testing: assignment of matrix-adjusted ID GC-MS target values. <i>Clinical Chemistry</i> , 1997, 43, 1342-1347.	3.2	36
137	Production and certification of an enzyme reference material for pancreatic Î±-amylase (CRM 476). <i>Clinica Chimica Acta</i> , 1996, 251, 145-162.	1.1	11
138	059 Preliminary data on heptastigmine monitoring. <i>Fresenius' Journal of Analytical Chemistry</i> , 1992, 343, 115-115.	1.5	0
139	Diagnostic value of four assays for lipase determination in serum: A comparative reevaluation. <i>Clinical Biochemistry</i> , 1991, 24, 497-503.	1.9	10
140	Multicentre evaluation of the Monarch (IL) clinical chemistry analyser. <i>Journal of Automated Methods and Management in Chemistry</i> , 1989, 11, 206-211.	0.3	0
141	Pituitary protein lipolytic factor(s): Partial purification by isoelectric focusing (IEF). <i>The Protein Journal</i> , 1983, 2, 455-468.	1.1	0
142	Direct flow automated serum-iron determination. <i>Journal of Automated Methods and Management in Chemistry</i> , 1982, 4, 17-20.	0.3	0