

Jiang Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/285496/publications.pdf>

Version: 2024-02-01

33
papers

2,321
citations

218677

26
h-index

377865

34
g-index

38
all docs

38
docs citations

38
times ranked

3849
citing authors

#	ARTICLE	IF	CITATIONS
1	Macrophage mitochondrial fission improves cancer cell phagocytosis induced by therapeutic antibodies and is impaired by glutamine competition. <i>Nature Cancer</i> , 2022, 3, 453-470.	13.2	21
2	Circulating MicroRNA: Incident Asthma Prediction and Vitamin D Effect Modification. <i>Journal of Personalized Medicine</i> , 2021, 11, 307.	2.5	7
3	The IRENA lncRNA converts chemotherapy-polarized tumor-suppressing macrophages to tumor-promoting phenotypes in breast cancer. <i>Nature Cancer</i> , 2021, 2, 457-473.	13.2	31
4	A CD10a€œOGP Membrane Peptolytic Signaling Axis in Fibroblasts Regulates Lipid Metabolism of Cancer Stem Cells via SCD1. <i>Advanced Science</i> , 2021, 8, e2101848.	11.2	17
5	Eosinophil extracellular traps drive asthma progression through neuro-immune signals. <i>Nature Cell Biology</i> , 2021, 23, 1060-1072.	10.3	42
6	Connecting METTL3 and intratumoural CD33+ MDSCs in predicting clinical outcome in cervical cancer. <i>Journal of Translational Medicine</i> , 2020, 18, 393.	4.4	36
7	Hypoxia Induces Mitochondrial Defect That Promotes T Cell Exhaustion in Tumor Microenvironment Through MYC-Regulated Pathways. <i>Frontiers in Immunology</i> , 2020, 11, 1906.	4.8	65
8	Single-cell transcriptomic analysis defines the interplay between tumor cells, viral infection, and the microenvironment in nasopharyngeal carcinoma. <i>Cell Research</i> , 2020, 30, 950-965.	12.0	111
9	Galectin-9 promotes a suppressive microenvironment in human cancer by enhancing STING degradation. <i>Oncogenesis</i> , 2020, 9, 65.	4.9	52
10	Sphingosine 1 phosphate receptor-1 (S1P1) promotes tumor-associated regulatory T cell expansion: leading to poor survival in bladder cancer. <i>Cell Death and Disease</i> , 2019, 10, 50.	6.3	34
11	Silencing PD-1 and PD-L1 with nanoparticle-delivered small interfering RNA increases cytotoxicity of tumor-infiltrating lymphocytes. <i>Nanomedicine</i> , 2019, 14, 955-967.	3.3	53
12	STING signaling remodels the tumor microenvironment by antagonizing myeloid-derived suppressor cell expansion. <i>Cell Death and Differentiation</i> , 2019, 26, 2314-2328.	11.2	81
13	Tumour YAP1 and PTEN expression correlates with tumour-associated myeloid suppressor cell expansion and reduced survival in colorectal cancer. <i>Immunology</i> , 2018, 155, 263-272.	4.4	34
14	CXCL2/MIF-CXCR2 signaling promotes the recruitment of myeloid-derived suppressor cells and is correlated with prognosis in bladder cancer. <i>Oncogene</i> , 2017, 36, 2095-2104.	5.9	216
15	LMP1-mediated glycolysis induces myeloid-derived suppressor cell expansion in nasopharyngeal carcinoma. <i>PLoS Pathogens</i> , 2017, 13, e1006503.	4.7	103
16	Exosomal miR-24a-3p impedes T cell function by targeting FGF11 and serves as a potential prognostic biomarker for nasopharyngeal carcinoma. <i>Journal of Pathology</i> , 2016, 240, 329-340.	4.5	184
17	Tumor-induced myeloid-derived suppressor cells promote tumor progression through oxidative metabolism in human colorectal cancer. <i>Journal of Translational Medicine</i> , 2015, 13, 47.	4.4	149
18	Myeloid-derived suppressor cells inhibit T cell proliferation in human extranodal NK/T cell lymphoma: a novel prognostic indicator. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 1587-1599.	4.2	71

#	ARTICLE	IF	CITATIONS
19	Phase I trial of adoptively transferred tumor-infiltrating lymphocyte immunotherapy following concurrent chemoradiotherapy in patients with locoregionally advanced nasopharyngeal carcinoma. <i>Oncolimmunology</i> , 2015, 4, e976507.	4.6	61
20	COX-2 promotes metastasis in nasopharyngeal carcinoma by mediating interactions between cancer cells and myeloid-derived suppressor cells. <i>Oncolimmunology</i> , 2015, 4, e1044712.	4.6	79
21	A phase I clinical trial utilizing autologous tumor-infiltrating lymphocytes in patients with primary hepatocellular carcinoma. <i>Oncotarget</i> , 2015, 6, 41339-41349.	1.8	79
22	Tumor-derived exosomes promote tumor progression and T-cell dysfunction through the regulation of enriched exosomal microRNAs in human nasopharyngeal carcinoma. <i>Oncotarget</i> , 2014, 5, 5439-5452.	1.8	303
23	Increased HIF-1alpha expression in tumor cells and lymphocytes of tumor microenvironments predicts unfavorable survival in esophageal squamous cell carcinoma patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 3887-97.	0.5	11
24	The expressions of MIF and CXCR4 protein in tumor microenvironment are adverse prognostic factors in patients with esophageal squamous cell carcinoma. <i>Journal of Translational Medicine</i> , 2013, 11, 60.	4.4	40
25	Tumor Microenvironment Macrophage Inhibitory Factor Directs the Accumulation of Interleukin-17-producing Tumor-infiltrating Lymphocytes and Predicts Favorable Survival in Nasopharyngeal Carcinoma Patients. <i>Journal of Biological Chemistry</i> , 2012, 287, 35484-35495.	3.4	73
26	Ex vivo expansion of tumor-infiltrating lymphocytes from nasopharyngeal carcinoma patients for adoptive immunotherapy. <i>Chinese Journal of Cancer</i> , 2012, 31, 287-294.	4.9	27
27	Circulating and Tumor-Infiltrating Foxp3+ Regulatory T Cell Subset in Chinese Patients with Extranodal NK/T Cell Lymphoma. <i>International Journal of Biological Sciences</i> , 2011, 7, 1027-1036.	6.4	8
28	Immunophenotyping at the Time of Diagnosis Distinguishes Two Groups of Nasopharyngeal Carcinoma Patients: Implications for Adoptive Immunotherapy. <i>International Journal of Biological Sciences</i> , 2011, 7, 607-617.	6.4	12
29	Distribution, characterization, and induction of CD8+ regulatory T cells and IL-17-producing CD8+ T cells in nasopharyngeal carcinoma. <i>Journal of Translational Medicine</i> , 2011, 9, 189.	4.4	43
30	Different subsets of tumor infiltrating lymphocytes correlate with NPC progression in different ways. <i>Molecular Cancer</i> , 2010, 9, 4.	19.2	123
31	Regulatory T cells and EBV associated malignancies. <i>International Immunopharmacology</i> , 2009, 9, 590-592.	3.8	36
32	Expression of immune-related molecules in primary EBV positive chinese nasopharyngeal carcinoma: Associated with latent membrane protein 1 (LMP1) expression. <i>Cancer Biology and Therapy</i> , 2007, 6, 1997-2004.	3.4	32
33	Functional Inactivation of EBV-Specific T-Lymphocytes in Nasopharyngeal Carcinoma: Implications for Tumor Immunotherapy. <i>PLoS ONE</i> , 2007, 2, e1122.	2.5	85