
## Jessica Raper

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2857095/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Neurotoxicity Outside the Operating Room: An Evolving Challenge for Pediatricians and Pediatric Subspecialists. Academic Pediatrics, 2022, 22, 193-195.	2.0	1
2	Heritability of social behavioral phenotypes and preliminary associations with autism spectrum disorder risk genes in rhesus macaques: A whole exome sequencing study. Autism Research, 2022, 15, 447-463.	3.8	14
3	Prophylactic progesterone prevents adverse behavioural and neurocognitive effects of neonatal anaesthesia exposure in rat. British Journal of Anaesthesia, 2022, 128, 301-310.	3.4	10
4	Applications of chemogenetics in non-human primates. Current Opinion in Pharmacology, 2022, 64, 102204.	3.5	18
5	Brain Development During Adolescence in Male Rhesus Macaques: The Role of Puberty. Biological Psychiatry, 2021, 89, S291.	1.3	0
6	Validation of the Social Responsiveness Scale (SRS) to screen for atypical social behaviors in juvenile macaques. PLoS ONE, 2021, 16, e0235946.	2.5	11
7	Long-term evidence of neonatal anaesthesia neurotoxicity linked to behavioural phenotypes in monkeys: where do we go from here?. British Journal of Anaesthesia, 2021, 127, 343-345.	3.4	4
8	Clinical and Preclinical Evidence for Adverse Neurodevelopment after Postnatal Zika Virus Infection. Tropical Medicine and Infectious Disease, 2021, 6, 10.	2.3	9
9	Pediatric Anesthetic and Sedation Neurotoxicity in the Developing Brain. , 2021, , 233-244.		0
10	Emotional responses in monkeys differ depending on the stimulus type, sex, and neonatal amygdala lesion status Behavioral Neuroscience, 2020, 134, 153-165.	1.2	8
11	Long-term alterations in brain and behavior after postnatal Zika virus infection in infant macaques. Nature Communications, 2020, 11, 2534.	12.8	38
12	Ultrastructural localization of <scp>DREADD</scp> s in monkeys. European Journal of Neuroscience, 2019, 50, 2801-2813.	2.6	37
13	Chemogenetic Inhibition of the Amygdala Modulates Emotional Behavior Expression in Infant Rhesus Monkeys. ENeuro, 2019, 6, ENEURO.0360-19.2019.	1.9	36
14	Postnatal Zika virus infection is associated with persistent abnormalities in brain structure, function, and behavior in infant macaques. Science Translational Medicine, 2018, 10, .	12.4	75
15	Persistent alteration in behavioural reactivity to a mild social stressor in rhesus monkeys repeatedly exposed to sevoflurane in infancy. British Journal of Anaesthesia, 2018, 120, 761-767.	3.4	82
16	Metabolism and Distribution of Clozapine-N-oxide: Implications for Nonhuman Primate Chemogenetics. ACS Chemical Neuroscience, 2017, 8, 1570-1576.	3.5	100
17	Increased anxiety-like behaviors, but blunted cortisol stress response after neonatal hippocampal lesions in monkeys. Psychoneuroendocrinology, 2017, 76, 57-66.	2.7	19
18	Neonatal perirhinal cortex lesions impair monkeys' ability to modulate their emotional responses Behavioral Neuroscience, 2017, 131, 359-371.	1.2	5

JESSICA RAPER

#	Article	IF	CITATIONS
19	Increased irritability, anxiety, and immune reactivity in transgenic Huntington's disease monkeys. Brain, Behavior, and Immunity, 2016, 58, 181-190.	4.1	26
20	Multiple sevoflurane exposures in infant monkeys do not impact the mother-infant bond. Neurotoxicology and Teratology, 2016, 54, 46-51.	2.4	21
21	Multiple Anesthetic Exposure in Infant Monkeys Alters Emotional Reactivity to an Acute Stressor. Anesthesiology, 2015, 123, 1084-1092.	2.5	171
22	Neonatal amygdala lesions advance pubertal timing in female rhesus macaques. Psychoneuroendocrinology, 2015, 51, 307-317.	2.7	19
23	Neonatal amygdala lesions alter mother–infant interactions in rhesus monkeys living in a speciesâ€ŧypical social environment. Developmental Psychobiology, 2014, 56, 1711-1722.	1.6	29
24	Neonatal Amygdala Lesions Lead to Increased Activity of Brain CRF Systems and Hypothalamic-Pituitary-Adrenal Axis of Juvenile Rhesus Monkeys. Journal of Neuroscience, 2014, 34, 11452-11460.	3.6	26
25	Neonatal amygdala lesions alter basal cortisol levels in infant rhesus monkeys. Psychoneuroendocrinology, 2013, 38, 818-829.	2.7	18
26	Pervasive alterations of emotional and neuroendocrine responses to an acute stressor after neonatal amygdala lesions in rhesus monkeys. Psychoneuroendocrinology, 2013, 38, 1021-1035.	2.7	39
27	Sex-dependent role of the amygdala in the development of emotional and neuroendocrine reactivity to threatening stimuli in infant and juvenile rhesus monkeys. Hormones and Behavior, 2013, 63, 646-658.	2.1	32
28	Neonatal orbital frontal damage alters basal cortisol and emotional reactivity, but not stress reactive cortisol response, in adult rhesus monkeys. Högre Utbildning, 2012, 3, .	3.0	1
29	Sex differences in otoacoustic emissions measured in rhesus monkeys (Macaca mulatta). Hormones and Behavior, 2006, 50, 274-284.	2.1	49