

Yangqiu Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2861608/publications.pdf>

Version: 2024-02-01

274
papers

4,725
citations

172457

29
h-index

175258

52
g-index

279
all docs

279
docs citations

279
times ranked

6272
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Roles of METTL3 in cancer: mechanisms and therapeutic targeting. <i>Journal of Hematology and Oncology</i> , 2020, 13, 117. | 17.0 | 269 |
| 2 | The role of PD-1 and PD-L1 in T-cell immune suppression in patients with hematological malignancies. <i>Journal of Hematology and Oncology</i> , 2013, 6, 74. | 17.0 | 234 |
| 3 | T cell senescence and CAR-T cell exhaustion in hematological malignancies. <i>Journal of Hematology and Oncology</i> , 2018, 11, 91. | 17.0 | 172 |
| 4 | Inhibition of long non-coding RNA NEAT1 impairs myeloid differentiation in acute promyelocytic leukemia cells. <i>BMC Cancer</i> , 2014, 14, 693. | 2.6 | 165 |
| 5 | Immunomodulation Effects of Mesenchymal Stromal Cells on Acute Graft-versus-Host Disease after Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 97-104. | 2.0 | 145 |
| 6 | Age related human T cell subset evolution and senescence. <i>Immunity and Ageing</i> , 2019, 16, 24. | 4.2 | 133 |
| 7 | Expression patterns of immune checkpoints in acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2020, 13, 28. | 17.0 | 100 |
| 8 | Overexpression of the long non-coding RNA PVT1 is correlated with leukemic cell proliferation in acute promyelocytic leukemia. <i>Journal of Hematology and Oncology</i> , 2015, 8, 126. | 17.0 | 95 |
| 9 | The c-Myc-regulated lncRNA NEAT1 and paraspeckles modulate imatinib-induced apoptosis in CML cells. <i>Molecular Cancer</i> , 2018, 17, 130. | 19.2 | 95 |
| 10 | PSCA and MUC1 in non-small-cell lung cancer as targets of chimeric antigen receptor T cells. <i>Oncolmmunology</i> , 2017, 6, e1284722. | 4.6 | 87 |
| 11 | Incorporation of a hinge domain improves the expansion of chimeric antigen receptor T cells. <i>Journal of Hematology and Oncology</i> , 2017, 10, 68. | 17.0 | 70 |
| 12 | Higher PD-1 expression concurrent with exhausted CD8+ T cells in patients with de novo acute myeloid leukemia. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2017, 29, 463-470. | 2.2 | 60 |
| 13 | Arene Ruthenium(II) Complexes as Low-Toxicity Inhibitor against the Proliferation, Migration, and Invasion of MDA-MB-231 Cells through Binding and Stabilizing <i>c-myc</i> G-Quadruplex DNA. <i>Organometallics</i> , 2016, 35, 317-326. | 2.3 | 59 |
| 14 | Increased PD-1+Tim-3+ exhausted T cells in bone marrow may influence the clinical outcome of patients with AML. <i>Biomarker Research</i> , 2020, 8, 6. | 6.8 | 54 |
| 15 | Altered expression pattern of miR-29a, miR-29b and the target genes in myeloid leukemia. <i>Experimental Hematology and Oncology</i> , 2014, 3, 17. | 5.0 | 51 |
| 16 | Systematic review and meta-analysis of the efficacy and safety of novel monoclonal antibodies for treatment of relapsed/refractory multiple myeloma. <i>Oncotarget</i> , 2017, 8, 34001-34017. | 1.8 | 47 |
| 17 | <i>MIR125B1</i> represses the degradation of the PML-RARA oncoprotein by an autophagy-lysosomal pathway in acute promyelocytic leukemia. <i>Autophagy</i> , 2014, 10, 1726-1737. | 9.1 | 44 |
| 18 | Quantitative evaluation of the immunodeficiency of a mouse strain by tumor engraftments. <i>Journal of Hematology and Oncology</i> , 2015, 8, 59. | 17.0 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Chimeric antigen receptor T cells targeting PD-L1 suppress tumor growth. <i>Biomarker Research</i> , 2020, 8, 19. | 6.8 | 42 |
| 20 | Gas6/AXL Signaling Regulates Self-Renewal of Chronic Myelogenous Leukemia Stem Cells by Stabilizing β -Catenin. <i>Clinical Cancer Research</i> , 2017, 23, 2842-2855. | 7.0 | 40 |
| 21 | Guiding T lymphopoiesis from pluripotent stem cells by defined transcription factors. <i>Cell Research</i> , 2020, 30, 21-33. | 12.0 | 39 |
| 22 | Myeloid-derived suppressor cells promote lung cancer metastasis by CCL11 to activate ERK and AKT signaling and induce epithelial-mesenchymal transition in tumor cells. <i>Oncogene</i> , 2021, 40, 1476-1489. | 5.9 | 39 |
| 23 | ANGPTL7 regulates the expansion and repopulation of human hematopoietic stem and progenitor cells. <i>Haematologica</i> , 2015, 100, 585-594. | 3.5 | 38 |
| 24 | Mesenchymal stem cells suppress leukemia via macrophage-mediated functional restoration of bone marrow microenvironment. <i>Leukemia</i> , 2020, 34, 2375-2383. | 7.2 | 38 |
| 25 | The role of BCL11B in hematological malignancy. <i>Experimental Hematology and Oncology</i> , 2012, 1, 22. | 5.0 | 36 |
| 26 | Characteristics of A20 gene polymorphisms and clinical significance in patients with rheumatoid arthritis. <i>Journal of Translational Medicine</i> , 2015, 13, 215. | 4.4 | 36 |
| 27 | The roles of stem cell memory T cells in hematological malignancies. <i>Journal of Hematology and Oncology</i> , 2015, 8, 113. | 17.0 | 36 |
| 28 | Detention of copper by sulfur nanoparticles inhibits the proliferation of A375 malignant melanoma and MCF-7 breast cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2016, 477, 1031-1037. | 2.1 | 36 |
| 29 | TIM-3 in Leukemia; Immune Response and Beyond. <i>Frontiers in Oncology</i> , 2021, 11, 753677. | 2.8 | 35 |
| 30 | TRAV and TRBV repertoire, clonality and the proliferative history of umbilical cord blood T-cells. <i>Transplant Immunology</i> , 2007, 18, 151-158. | 1.2 | 34 |
| 31 | Modulation of Circadian Rhythms Affects Corneal Epithelium Renewal and Repair in Mice. , 2017, 58, 1865. | | 34 |
| 32 | TOX as a potential target for immunotherapy in lymphocytic malignancies. <i>Biomarker Research</i> , 2021, 9, 20. | 6.8 | 34 |
| 33 | Pathways related to PMA-differentiated THP1 human monocytic leukemia cells revealed by RNA-Seq. <i>Science China Life Sciences</i> , 2015, 58, 1282-1287. | 4.9 | 33 |
| 34 | Local Group 2 Innate Lymphoid Cells Promote Corneal Regeneration after Epithelial Abrasion. <i>American Journal of Pathology</i> , 2017, 187, 1313-1326. | 3.8 | 32 |
| 35 | Reduced levels of recent thymic emigrants in acute myeloid leukemia patients. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 1047-1055. | 4.2 | 30 |
| 36 | Increased exhausted CD8 ⁺ T cells with programmed death-1, T cell immunoglobulin and mucin domain-containing 3 phenotype in patients with multiple myeloma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e266-e274. | 1.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Down regulation of <i>BCL11B</i> expression inhibits proliferation and induces apoptosis in malignant T cells by <i>BCL11B</i> -935-siRNA. <i>Hematology</i> , 2011, 16, 236-242. | 1.5 | 28 |
| 38 | Analysis of the expression pattern of the <i>BCL11B</i> gene and its relatives in patients with T-cell acute lymphoblastic leukemia. <i>Journal of Hematology and Oncology</i> , 2010, 3, 44. | 17.0 | 27 |
| 39 | Genome-wide analyses identify <i>KLF4</i> as an important negative regulator in T-cell acute lymphoblastic leukemia through directly inhibiting T-cell associated genes. <i>Molecular Cancer</i> , 2015, 14, 26. | 19.2 | 27 |
| 40 | Regulation of PD-1 in T cells for cancer immunotherapy. <i>European Journal of Pharmacology</i> , 2020, 881, 173240. | 3.5 | 27 |
| 41 | <i>PTEN</i> Is Fundamental for Elimination of Leukemia Stem Cells Mediated by <i>GSK126</i> Targeting <i>EZH2</i> in Chronic Myelogenous Leukemia. <i>Clinical Cancer Research</i> , 2018, 24, 145-157. | 7.0 | 26 |
| 42 | <i>IL-6</i> trans-signaling promotes the expansion and anti-tumor activity of CAR T cells. <i>Leukemia</i> , 2021, 35, 1380-1391. | 7.2 | 26 |
| 43 | Higher <i>TIGIT</i> ⁺ <i>CD226</i> ⁻ T cells in Patients with Acute Myeloid Leukemia. <i>Immunological Investigations</i> , 2022, 51, 40-50. | 2.0 | 25 |
| 44 | Expression and distribution of <i>PPP2R5C</i> gene in leukemia. <i>Journal of Hematology and Oncology</i> , 2011, 4, 21. | 17.0 | 24 |
| 45 | A skewed distribution and increased <i>PD-1</i> ⁺ <i>VÎ2</i> ⁺ <i>CD4</i> ⁺ <i>CD8</i> ⁺ T cells in patients with acute myeloid leukemia. <i>Journal of Leukocyte Biology</i> , 2019, 106, 725-732. | 3.3 | 24 |
| 46 | Single-Cell RNA-Seq of T Cells in B-ALL Patients Reveals an Exhausted Subset with Remarkable Heterogeneity. <i>Advanced Science</i> , 2021, 8, e2101447. | 11.2 | 24 |
| 47 | TCR engineered T cells for solid tumor immunotherapy. <i>Experimental Hematology and Oncology</i> , 2022, 11, . | 5.0 | 24 |
| 48 | TRGV and TRDV repertoire distribution and clonality of T cells from umbilical cord blood. <i>Transplant Immunology</i> , 2009, 20, 155-162. | 1.2 | 23 |
| 49 | Oligoclonal expansion of TCR VÎ T cells may be a potential immune biomarker for clinical outcome of acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2016, 9, 126. | 17.0 | 23 |
| 50 | Insulin Restores an Altered Corneal Epithelium Circadian Rhythm in Mice with Streptozotocin-induced Type 1 Diabetes. <i>Scientific Reports</i> , 2016, 6, 32871. | 3.3 | 23 |
| 51 | <i>DNAX</i> -activating protein 10 co-stimulation enhances the anti-tumor efficacy of chimeric antigen receptor T cells. <i>Oncolmmunology</i> , 2019, 8, e1509173. | 4.6 | 23 |
| 52 | Activation of transmembrane receptor tyrosine kinase <i>DDR1</i> - <i>STAT3</i> cascade by extracellular matrix remodeling promotes liver metastatic colonization in uveal melanoma. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 176. | 17.1 | 23 |
| 53 | Human Hyaluronidase PH20 Potentiates the Antitumor Activities of Mesothelin-Specific CAR-T Cells Against Gastric Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 660488. | 4.8 | 23 |
| 54 | Antitumor Effects of Blocking Protein Neddylaton in T3151-BCR-ABL Leukemia Cells and Leukemia Stem Cells. <i>Cancer Research</i> , 2018, 78, 1522-1536. | 0.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | PD-1 and TIGIT Are Highly Co-Expressed on CD8+ T Cells in AML Patient Bone Marrow. <i>Frontiers in Oncology</i> , 2021, 11, 686156. | 2.8 | 22 |
| 56 | Re-balance of memory T cell subsets in peripheral blood from patients with CML after TKI treatment. <i>Oncotarget</i> , 2017, 8, 81852-81859. | 1.8 | 22 |
| 57 | Loss of PRMT7 reprograms glycine metabolism to selectively eradicate leukemia stem cells in CML. <i>Cell Metabolism</i> , 2022, 34, 818-835.e7. | 16.2 | 22 |
| 58 | The role of peptide and DNA vaccines in myeloid leukemia immunotherapy. <i>Cancer Cell International</i> , 2013, 13, 13. | 4.1 | 21 |
| 59 | Loss of Angiopoietin-like 7 diminishes the regeneration capacity of hematopoietic stem and progenitor cells. <i>Journal of Hematology and Oncology</i> , 2015, 8, 7. | 17.0 | 21 |
| 60 | Regulatory $\gamma\delta$ T cells induced by G-CSF participate in acute graft-versus-host disease regulation in G-CSF-mobilized allogeneic peripheral blood stem cell transplantation. <i>Journal of Translational Medicine</i> , 2018, 16, 144. | 4.4 | 21 |
| 61 | Transcriptome-Based Co-Expression of BRD4 and PD-1/PD-L1 Predicts Poor Overall Survival in Patients With Acute Myeloid Leukemia. <i>Frontiers in Pharmacology</i> , 2020, 11, 582955. | 3.5 | 21 |
| 62 | Tumor mutation burden estimated by a 69-gene-panel is associated with overall survival in patients with diffuse large B-cell lymphoma. <i>Experimental Hematology and Oncology</i> , 2021, 10, 20. | 5.0 | 21 |
| 63 | Clonal expanded TCR $\gamma\delta$ T cells in patients with APL. <i>Hematology</i> , 2005, 10, 135-139. | 1.5 | 21 |
| 64 | Generation of diffuse large B cell lymphoma-associated antigen-specific $\gamma\delta$ T cells by TCR gene transfer. <i>Journal of Hematology and Oncology</i> , 2011, 4, 2. | 17.0 | 20 |
| 65 | Downregulation of BCL11A by siRNA induces apoptosis in B lymphoma cell lines. <i>Biomedical Reports</i> , 2013, 1, 47-52. | 2.0 | 20 |
| 66 | Memory T cells skew toward terminal differentiation in the CD8+ T cell population in patients with acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2018, 11, 93. | 17.0 | 20 |
| 67 | The TCR $\gamma\delta$ repertoire usage of T-cells from cord blood induced by chronic myelogenous leukemia associated antigen. <i>Hematology</i> , 2005, 10, 387-392. | 1.5 | 19 |
| 68 | Alterations in the expression pattern of TCR γ chain in T cells from patients with hematological diseases. <i>Hematology</i> , 2008, 13, 267-275. | 1.5 | 19 |
| 69 | Decreased level of recent thymic emigrants in CD4+ and CD8+ T cells from CML patients. <i>Journal of Translational Medicine</i> , 2010, 8, 47. | 4.4 | 19 |
| 70 | Characterization of the CDR3 structure of the $\gamma\delta$ T cell clone in patients with P210BCR-ABL-positive chronic myeloid leukemia and B-cell acute lymphoblastic leukemia. <i>Human Immunology</i> , 2011, 72, 798-804. | 2.4 | 19 |
| 71 | Gene expression profiles in BCL11B-siRNA treated malignant T cells. <i>Journal of Hematology and Oncology</i> , 2011, 4, 23. | 17.0 | 19 |
| 72 | Alternative expression of TCR γ related genes in patients with chronic myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2012, 5, 74. | 17.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Lower expression of PD-1 and PD-L1 in peripheral blood from patients with chronic ITP. <i>Hematology</i> , 2016, 21, 552-557. | 1.5 | 17 |
| 92 | Downregulated miR-17, miR-29c, miR-92a and miR-214 may be related to <i>BCL11B</i> overexpression in T-Cell acute lymphoblastic leukemia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e259-e265. | 1.1 | 17 |
| 93 | Increasing Tim3+CD244+, Tim3+CD57+, and Tim3+PD1+ T cells in patients with acute myeloid leukemia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, 137-141. | 1.1 | 17 |
| 94 | Predictive value of TCR V β 2-J β 2 profile for adjuvant gefitinib in EGFR mutant NSCLC from ADJUVANT-CTONG 1104 trial. <i>JCI Insight</i> , 2022, 7, . | 5.0 | 17 |
| 95 | TCR α chain expression in T cells from patients with CML. <i>Hematology</i> , 2009, 14, 95-100. | 1.5 | 16 |
| 96 | Deficiency of CD3 γ , delta, epsilon, and zeta expression in T cells from AML patients. <i>Hematology</i> , 2011, 16, 31-36. | 1.5 | 16 |
| 97 | Changes in the MALT1-A20-NF- κ B expression pattern may be related to T cell dysfunction in AML. <i>Cancer Cell International</i> , 2013, 13, 37. | 4.1 | 16 |
| 98 | Differential Gene Expression Profiles of PPP2R5C-siRNA-Treated Malignant T Cells. <i>DNA and Cell Biology</i> , 2013, 32, 573-581. | 1.9 | 16 |
| 99 | Molecular alterations in the TCR signaling pathway in patients with aplastic anemia. <i>Journal of Hematology and Oncology</i> , 2016, 9, 32. | 17.0 | 16 |
| 100 | Application of next-generation sequencing technology to precision medicine in cancer: joint consensus of the Tumor Biomarker Committee of the Chinese Society of Clinical Oncology. <i>Cancer Biology and Medicine</i> , 2019, 16, 189. | 3.0 | 16 |
| 101 | Persistent donor derived V β 4 T cell clones may improve survival for recurrent T cell acute lymphoblastic leukemia after HSCT and DLI. <i>Oncotarget</i> , 2016, 7, 42943-42952. | 1.8 | 16 |
| 102 | GZD824 suppresses the growth of human B cell precursor acute lymphoblastic leukemia cells by inhibiting the SRC kinase and PI3K/AKT pathways. <i>Oncotarget</i> , 2017, 8, 87002-87015. | 1.8 | 16 |
| 103 | Anticancer effects of disulfiram in T-cell malignancies through NPL4-mediated ubiquitin-proteasome pathway. <i>Journal of Leukocyte Biology</i> , 2022, 112, 919-929. | 3.3 | 16 |
| 104 | Alternative Expression Pattern of MALT1-A20-NF- κ B in Patients with Rheumatoid Arthritis. <i>Journal of Immunology Research</i> , 2014, 2014, 1-7. | 2.2 | 15 |
| 105 | Heterogeneity of CD34 and CD38 expression in acute B lymphoblastic leukemia cells is reversible and not hierarchically organized. <i>Journal of Hematology and Oncology</i> , 2016, 9, 94. | 17.0 | 15 |
| 106 | Super-enhancer landscape reveals leukemia stem cell reliance on X-box binding protein 1 as a therapeutic vulnerability. <i>Science Translational Medicine</i> , 2021, 13, eabh3462. | 12.4 | 15 |
| 107 | Higher TOX Genes Expression Is Associated With Poor Overall Survival for Patients With Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2021, 11, 740642. | 2.8 | 15 |
| 108 | Change in expression pattern of TCR-CD3 complex in patients with multiple myeloma. <i>Hematology</i> , 2011, 16, 143-149. | 1.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Upregulated TCR γ Enhances Interleukin-2 Production in T-Cells from Patients with CML. DNA and Cell Biology, 2012, 31, 1628-1635. | 1.9 | 14 |
| 110 | Expression feature of CD3, Fc ϵ R1 β , and Zap-70 in patients with chronic lymphocytic leukemia. Hematology, 2012, 17, 71-75. | 1.5 | 14 |
| 111 | Characteristics of CARMA1-BCL10-MALT1-A20-NF- κ B expression in T cell-acute lymphocytic leukemia. European Journal of Medical Research, 2014, 19, 62. | 2.2 | 14 |
| 112 | The evolution of malignant and reactive β 1a α T cell clones in a relapse T-ALL case after allogeneic stem cell transplantation. Molecular Cancer, 2013, 12, 73. | 19.2 | 13 |
| 113 | The role of cholesterol metabolism in leukemia. Blood Science, 2019, 1, 44-49. | 0.9 | 13 |
| 114 | GATA-1, -2 and -3 genes expression in bone marrow microenvironment with chronic aplastic anemia. Hematology, 2007, 12, 331-335. | 1.5 | 12 |
| 115 | Characteristics of A20 gene polymorphisms in T-cell acute lymphocytic leukemia. Hematology, 2014, 19, 448-454. | 1.5 | 12 |
| 116 | Combination of BCL11A siRNA with vincristine increases the apoptosis of SUDHL6 cells. European Journal of Medical Research, 2014, 19, 34. | 2.2 | 12 |
| 117 | Abnormal expression of A20 and its regulated genes in peripheral blood from patients with lymphomas. Cancer Cell International, 2014, 14, 36. | 4.1 | 12 |
| 118 | Characteristics of the TCR $V\beta 2$ repertoire in imatinib-resistant chronic myeloid leukemia patients with ABL mutations. Science China Life Sciences, 2015, 58, 1276-1281. | 4.9 | 12 |
| 119 | Lead poisoning influences TCR-related gene expression patterns in peripheral blood T-lymphocytes of exposed workers. Journal of Immunotoxicology, 2015, 12, 92-97. | 1.7 | 12 |
| 120 | Different aberrant expression pattern of immune checkpoint receptors in patients with PTCL and NK/T ϵ CL. Asia-Pacific Journal of Clinical Oncology, 2018, 14, e252-e258. | 1.1 | 12 |
| 121 | The expression pattern of Bcl11a, Mdm2 and Pten genes in B ϵ cell acute lymphoblastic leukemia. Asia-Pacific Journal of Clinical Oncology, 2018, 14, e124-e128. | 1.1 | 12 |
| 122 | Evaluation of TCR repertoire diversity in patients after hematopoietic stem cell transplantation. Stem Cell Investigation, 2015, 2, 17. | 3.0 | 12 |
| 123 | Leukemia Associated Clonal Expansion of TCR $V\beta 2$ Subfamily T Cells. Hematology, 2003, 8, 375-384. | 1.5 | 11 |
| 124 | Characterization of conserved CDR3 sequence of TCR α - and β -chain genes in peripheral blood T-cells from patients with diffuse large B-cell lymphoma. Hematology, 2010, 15, 48-57. | 1.5 | 11 |
| 125 | Clonal expanded TRA and TRB subfamily T cells in peripheral blood from patients with diffuse large B-cell lymphoma. Hematology, 2010, 15, 81-87. | 1.5 | 11 |
| 126 | Enhancement of the TCR γ Expression, Polyclonal Expansion, and Activation of T Cells from Patients with Acute Myeloid Leukemia After IL-2, IL-7, and IL-12 Induction. DNA and Cell Biology, 2015, 34, 481-488. | 1.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Knockdown of long non-coding RNA PVT1 inhibits the proliferation of Raji cells through cell cycle regulation. <i>Oncology Letters</i> , 2019, 18, 1225-1234. | 1.8 | 11 |
| 128 | TAL1 mediates imatinib-induced CML cell apoptosis via the PTEN/PI3K/AKT pathway. <i>Biochemical and Biophysical Research Communications</i> , 2019, 519, 234-239. | 2.1 | 11 |
| 129 | Disulfiram, an aldehyde dehydrogenase inhibitor, works as a potent drug against sepsis and cancer via NETosis, pyroptosis, apoptosis, ferroptosis, and cuproptosis. <i>Blood Science</i> , 2022, 4, 152-154. | 0.9 | 11 |
| 130 | KDR and Sema3 genes expression in bone marrow stromal cells and hematopoietic cells from leukemia patients and normal individuals. <i>Hematology</i> , 2005, 10, 307-312. | 1.5 | 10 |
| 131 | Frequency analysis of TRBV subfamily sTREC _s to characterize T-cell reconstitution in acute leukemia patients after allogeneic hematopoietic stem cell transplantation. <i>Journal of Hematology and Oncology</i> , 2011, 4, 19. | 17.0 | 10 |
| 132 | Comparison of the Distribution and Clonal Expansion Features of the T-Cell β Repertoire in Myelodysplastic Syndrome-RAEB and RAEB with Progression to AML. <i>DNA and Cell Biology</i> , 2012, 31, 1563-1570. | 1.9 | 10 |
| 133 | Distribution and Clonality of the $V\alpha$ and $V\beta$ T-Cell Receptor Repertoire of Regulatory T Cells in Leukemia Patients With and Without Graft Versus Host Disease. <i>DNA and Cell Biology</i> , 2014, 33, 182-188. | 1.9 | 10 |
| 134 | The TCR β Repertoire and Relative Gene Expression Characteristics of T-ALL Cases with Biclinal Malignant $V\beta$ 1 and $V\beta$ 2 T Cells. <i>DNA and Cell Biology</i> , 2014, 33, 49-56. | 1.9 | 10 |
| 135 | Analysis of the expression of PHTF1 and related genes in acute lymphoblastic leukemia. <i>Cancer Cell International</i> , 2015, 15, 93. | 4.1 | 10 |
| 136 | Upregulated TCR β improves cytokine secretion in T cells from patients with AML. <i>Journal of Hematology and Oncology</i> , 2015, 8, 72. | 17.0 | 10 |
| 137 | Age-Related Immune Profile of the T Cell Receptor Repertoire, Thymic Recent Output Function, and miRNAs. <i>BioMed Research International</i> , 2020, 2020, 1-13. | 1.9 | 10 |
| 138 | High expression of CD56 may be associated with favorable overall survival in intermediate-risk acute myeloid leukemia. <i>Hematology</i> , 2021, 26, 210-214. | 1.5 | 10 |
| 139 | Effect of Staphylococcal Enterotoxin A on the Distribution and Clonal Expansion of TCR $V\beta$ 2 Subfamilies and the Cytotoxicity of T Cells Stimulated by PML-RAR α Peptid.. <i>Blood</i> , 2007, 110, 3871-3871. | 1.4 | 10 |
| 140 | Increased TOX expression associates with exhausted T cells in patients with multiple myeloma. <i>Experimental Hematology and Oncology</i> , 2022, 11, 12. | 5.0 | 10 |
| 141 | Increased $\langle scp \rangle$ TOX $\langle /scp \rangle$ expression concurrent with $\langle scp \rangle$ PD $\langle /scp \rangle$, Tim β , and $\langle scp \rangle$ CD244 $\langle /scp \rangle$ expression in T cells from patients with acute myeloid leukemia. <i>Cytometry Part B - Clinical Cytometry</i> , 2022, 102, 143-152. | 1.5 | 10 |
| 142 | The feature of TRGV and TRDV repertoire distribution and clonality in patients with immune thrombocytopenic purpura. <i>Hematology</i> , 2009, 14, 237-244. | 1.5 | 9 |
| 143 | Overexpression of MALT1-A20-NF- κ B in adult B-cell acute lymphoblastic leukemia. <i>Cancer Cell International</i> , 2015, 15, 73. | 4.1 | 9 |
| 144 | Notch pathway plays a novel and critical role in regulating responses of T and antigen-presenting cells in aGVHD. <i>Cell Biology and Toxicology</i> , 2017, 33, 169-181. | 5.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Increased TOX expression concurrent with PD-1, Tim-3, and CD244 in T cells from patients with non-Hodgkin lymphoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2021, , . | 1.1 | 9 |
| 146 | NRF2 activation induced by PML-RAR α promotes microRNA 125b-1 expression and confers resistance to chemotherapy in acute promyelocytic leukemia. <i>Clinical and Translational Medicine</i> , 2021, 11, e418. | 4.0 | 9 |
| 147 | Generation of V β 13/21+T cell specific target CML cells by TCR gene transfer. <i>Oncotarget</i> , 2016, 7, 84246-84257. | 1.8 | 9 |
| 148 | Recent thymic output function in patients with hematological malignancy. <i>Hematology</i> , 2005, 10, 297-305. | 1.5 | 8 |
| 149 | Evolution of T-cell clonality in a patient with Ph-negative acute lymphocytic leukemia occurring after interferon and imatinib therapy for Ph-positive chronic myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2010, 3, 14. | 17.0 | 8 |
| 150 | A change in CD3 β , CD3 δ , CD3 μ , and CD3 η gene expression in T-lymphocytes from benzene-exposed and benzene-poisoned workers. <i>Journal of Immunotoxicology</i> , 2012, 9, 160-167. | 1.7 | 8 |
| 151 | Gene expression profile analysis of SUDHL6 cells with siRNA-mediated BCL11A downregulation. <i>Cell Biology International</i> , 2014, 38, 1205-1214. | 3.0 | 8 |
| 152 | Characteristics of TCR η , ZAP-70, and Fc γ RII β Gene Expression in Patients with T- and NK/T-Cell Lymphoma. <i>DNA and Cell Biology</i> , 2015, 34, 201-207. | 1.9 | 8 |
| 153 | T cell modulation in immunotherapy for hematological malignancies. <i>Cell Biology and Toxicology</i> , 2017, 33, 323-327. | 5.3 | 8 |
| 154 | Characterization of KIR \times NKG2A \times Eomes \times NK-like CD8+ T cells and their decline with age in healthy individuals. <i>Cytometry Part B - Clinical Cytometry</i> , 2021, 100, 467-475. | 1.5 | 8 |
| 155 | Lower BCL11B expression is associated with adverse clinical outcome for patients with myelodysplastic syndrome. <i>Biomarker Research</i> , 2021, 9, 46. | 6.8 | 8 |
| 156 | Poor prognosis of intra-tumoural TRBV6 variants in EGFR-mutant NSCLC: Results from the ADJUVANT-TONG1104 trial. <i>Clinical and Translational Medicine</i> , 2022, 12, e775. | 4.0 | 8 |
| 157 | Gene expression profiling of CD3 β , δ , μ , and η chains in CD4+ and CD8+ T cells from human umbilical cord blood. <i>Hematology</i> , 2010, 15, 230-235. | 1.5 | 7 |
| 158 | The characteristic expression pattern of BMI-1 and SALL4 genes in placenta tissue and cord blood. <i>Stem Cell Research and Therapy</i> , 2013, 4, 49. | 5.5 | 7 |
| 159 | Identification of miR-125b targets involved in acute promyelocytic leukemia cell proliferation. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 1758-1763. | 2.1 | 7 |
| 160 | A20 SNP rs77191406 may be related to secondary cancer for rheumatoid arthritis and systemic lupus erythematosus patients. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016, 12, 409-414. | 1.1 | 7 |
| 161 | Defined, serum/feeder-free conditions for expansion and drug screening of primary B-acute lymphoblastic leukemia. <i>Oncotarget</i> , 2017, 8, 106382-106392. | 1.8 | 7 |
| 162 | TNFAIP3 mutation may be associated with favorable overall survival for patients with T-cell lymphoma. <i>Cancer Cell International</i> , 2021, 21, 490. | 4.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Reconstitution of T-Cell Immunity in the Early Period after Allogeneic Hematopoieticstem Cell Transplantation.. Blood, 2006, 108, 3035-3035. | 1.4 | 7 |
| 164 | Expression Pattern of TCR-zeta Chain in Patients with Aplastic Anemia and Polycythemia Vera.. Blood, 2007, 110, 3763-3763. | 1.4 | 7 |
| 165 | Clonal expansion T cells identified in acute monoblastic leukemia by CDR3 size analysis of TCR V beta repertoire using RT-PCR and genescan. Chinese Medical Journal, 2002, 115, 69-71. | 2.3 | 7 |
| 166 | Enhancement of specific cellular immune response induced by DNA vaccines encoding PML-RAR β and hIL-2 genes. Hematology, 2010, 15, 88-95. | 1.5 | 6 |
| 167 | Immunotherapy for small-cell lung cancer. Lancet Oncology, The, 2016, 17, 846-847. | 10.7 | 6 |
| 168 | CD215+ Myeloid Cells Respond to Interleukin 15 Stimulation and Promote Tumor Progression. Frontiers in Immunology, 2017, 8, 1713. | 4.8 | 6 |
| 169 | Different genetic alteration of <i>A20</i> in a $\text{V}\alpha 22$ T cell clone. Asia-Pacific Journal of Clinical Oncology, 2018, 14, e116-e123. | 1.1 | 6 |
| 170 | The <i>Myc</i> -regulated miR-17-92 cluster mediates ATRA-induced APL cell differentiation. Asia-Pacific Journal of Clinical Oncology, 2019, 15, 364-370. | 1.1 | 6 |
| 171 | Increased CD8+CD27+perforin+ T cells and decreased CD8+CD70+ T cells may be immune biomarkers for aplastic anemia severity. Blood Cells, Molecules, and Diseases, 2019, 77, 34-42. | 1.4 | 6 |
| 172 | Notch inhibition enhances graft-versus-leukemia while reducing graft-versus-host disease. European Journal of Pharmacology, 2019, 843, 226-232. | 3.5 | 6 |
| 173 | Combinatory strategy using nanoscale proteomics and machine learning for T cell subtyping in peripheral blood of single multiple myeloma patients. Analytica Chimica Acta, 2021, 1173, 338672. | 5.4 | 6 |
| 174 | The disruption of hematopoiesis in tumor progression. Blood Science, 2019, 1, 88-91. | 0.9 | 6 |
| 175 | Higher Expression of <i>WT1</i> With Lower <i>CD58</i> Expression may be Biomarkers for Risk Stratification of Patients With Cytogenetically Normal Acute Myeloid Leukemia. Technology in Cancer Research and Treatment, 2021, 20, 153303382110521. | 1.9 | 6 |
| 176 | The role of NFAT in the pathogenesis and targeted therapy of hematological malignancies. European Journal of Pharmacology, 2022, 921, 174889. | 3.5 | 6 |
| 177 | High expression of TMEM244 is associated with poor overall survival of patients with T-cell lymphoma. Biomarker Research, 2022, 10, . | 6.8 | 6 |
| 178 | The T-cell receptor $\text{V}\beta 2$ gene repertoire and clonal expansion from peripheral blood T cells in benzene-exposed workers in China. Hematology, 2009, 14, 106-110. | 1.5 | 5 |
| 179 | T-cell immune suppression in patients with hematologic malignancies: clinical implications. International Journal of Hematologic Oncology, 2014, 3, 289-297. | 1.6 | 5 |
| 180 | Alteration of gene expression profile following PPP2R5C knockdown may be associated with proliferation suppression and increased apoptosis of K562 cells. Journal of Hematology and Oncology, 2015, 8, 34. | 17.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | The second wave of checkpoint inhibitors with chemotherapy for advanced non-small-cell lung cancer. <i>Lancet Oncology</i> , The, 2019, 20, 889-891. | 10.7 | 5 |
| 182 | CD8+GITR+ T cells may negatively regulate T cell overactivation in aplastic anemia. <i>Immunological Investigations</i> , 2021, 50, 406-415. | 2.0 | 5 |
| 183 | The importance of genomic predictors for clinical outcome of hematological malignancies. <i>Blood Science</i> , 2021, 3, 93-95. | 0.9 | 5 |
| 184 | The expression pattern of CD3 chain genes in fetal/maternal interface. <i>Hematology</i> , 2011, 16, 185-189. | 1.5 | 4 |
| 185 | T-cell immunodeficiency and reconstruction based on TCR rearrangement analysis in hematological malignancy: update from 2011 ASH annual meeting. <i>Journal of Hematology and Oncology</i> , 2012, 5, . | 17.0 | 4 |
| 186 | Alteration of the gene expression profile of T-cell receptor $\hat{1}\hat{2}$ -modified T-cells with diffuse large B-cell lymphoma specificity. <i>Hematology</i> , 2013, 18, 138-143. | 1.5 | 4 |
| 187 | Identification of TCR $\hat{V}^211-2-\hat{D}^21-\hat{J}^21-1$ T cell clone specific for WT1 peptides using high-throughput TCR \hat{I}^2 gene sequencing. <i>Biomarker Research</i> , 2019, 7, 12. | 6.8 | 4 |
| 188 | Specific Immune Response Induced by PML-Rar $\hat{1}\pm$ -hIL-2 Vaccine in BALB/C Mice. <i>Blood</i> , 2008, 112, 4009-4009. | 1.4 | 4 |
| 189 | Human induced-T-to-natural killer cells have potent anti-tumour activities. <i>Biomarker Research</i> , 2022, 10, 13. | 6.8 | 4 |
| 190 | <i>BCL11B</i> suppression does not influence CD34 ⁺ cell differentiation and proliferation. <i>Hematology</i> , 2012, 17, 329-333. | 1.5 | 3 |
| 191 | Arsenic induced complete remission in a refractory T-ALL patient with a distinct T-cell clonal evolution without molecular complete remission: A case report. <i>Oncology Letters</i> , 2016, 11, 4123-4130. | 1.8 | 3 |
| 192 | Approaches for generation of anti-leukemia specific T cells. <i>Cell Regeneration</i> , 2018, 7, 40-44. | 2.6 | 3 |
| 193 | Extensive exploration of T cell heterogeneity in cancers by single cell sequencing. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2019, 31, 410-418. | 2.2 | 3 |
| 194 | Lower T cell inhibitory receptor level in mononuclear cells from cord blood compared with peripheral blood. <i>Stem Cell Investigation</i> , 2019, 6, 35-35. | 3.0 | 3 |
| 195 | Physalin B inhibits cell proliferation and induces apoptosis in undifferentiated human gastric cancer HGC $\hat{27}$ cells. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, 18, 224-231. | 1.1 | 3 |
| 196 | Mesenchymal Stem Cells Ameliorate Thymic Functions in aGVHD Patients after Allogeneic Haematopoietic Stem Cell Transplantation. <i>Blood</i> , 2014, 124, 42-42. | 1.4 | 3 |
| 197 | Terminal differentiation of bone marrow NK cells and increased circulation of TIGIT ⁺ NK cells may be related to poor outcome in acute myeloid leukemia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, 18, 456-464. | 1.1 | 3 |
| 198 | DAP10 integration in CAR-T cells enhances the killing of heterogeneous tumors by harnessing endogenous NKG2D. <i>Molecular Therapy - Oncolytics</i> , 2022, 26, 15-26. | 4.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Effects of Immunotherapy on the Distribution and Clonality of TCR V β 3 and V β Subfamily T Cells in Allergic Rhinitis Patients. <i>Journal of Medical Biochemistry</i> , 2012, 31, 94-99. | 1.7 | 2 |
| 200 | AFM detection of biophysical characteristics of specific regulatory T Cells after allogeneic hematopoietic stem cell transplantation. <i>BMC Biophysics</i> , 2014, 7, . | 4.4 | 2 |
| 201 | Abnormalities in the T Cell Receptor V β Repertoire and <i>Foxp3</i> Expression in Refractory Anemia with Ringed Sideroblasts. <i>DNA and Cell Biology</i> , 2015, 34, 588-595. | 1.9 | 2 |
| 202 | MiR-214 regulates CD3 ζ expression in T cells. <i>Central-European Journal of Immunology</i> , 2019, 44, 127-131. | 1.2 | 2 |
| 203 | The role of NFAT2/miR-20a-5p signaling pathway in the regulation of CD8+ nA β ve T cells activation and differentiation. <i>Immunobiology</i> , 2021, 226, 152111. | 1.9 | 2 |
| 204 | Increase of Regulatory β 3 T Cells Reduces the Incidence of Acute Graft-Versus-Host Disease after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2016, 128, 2230-2230. | 1.4 | 2 |
| 205 | Correlation of the transcription factors <i>IRF4</i> and <i>BACH2</i> with the abnormal <i>NFATC1</i> expression in T cells from chronic myeloid leukemia patients. <i>Hematology</i> , 2022, 27, 523-529. | 1.5 | 2 |
| 206 | SEA Antagonizes the Imatinib-Meditated Inhibitory Effects on T Cell Activation via the TCR Signaling Pathway. <i>BioMed Research International</i> , 2014, 2014, 1-8. | 1.9 | 1 |
| 207 | CD8+ iT cell, a budding star for cancer immunotherapy. <i>Cell Biology and Toxicology</i> , 2018, 34, 417-419. | 5.3 | 1 |
| 208 | Changes in Thymic Recent Output Function in Patients with B-Cell Lymphocytic Malignancy.. <i>Blood</i> , 2006, 108, 4464-4464. | 1.4 | 1 |
| 209 | The Long Non-Coding RNA NEAT1 Modulates Imatinib-Induced Apoptosis in CML Cells. <i>Blood</i> , 2015, 126, 4019-4019. | 1.4 | 1 |
| 210 | The Distribution of T Memory Stem Cells in Cord Blood, Peripheral Blood from Healthy Individuals and Patients with Leukemia/Lymphoma. <i>Blood</i> , 2016, 128, 3376-3376. | 1.4 | 1 |
| 211 | Oligoclonal Expansion of TCR V β T Cells May be a Potential Immune Biomarker for AML Outcome. <i>Blood</i> , 2016, 128, 5237-5237. | 1.4 | 1 |
| 212 | Upregulation of TCR β Chain Overcome T Cell Immunodeficiency in Patients with Chronic Myeloid Leukemia. <i>Blood</i> , 2011, 118, 4719-4719. | 1.4 | 1 |
| 213 | Dysexpression of TCR β Related Genes in the Patients with Chronic Myeloid Leukemia. <i>Blood</i> , 2012, 120, 4832-4832. | 1.4 | 1 |
| 214 | The Role of Transcription Factor GATA-2 in Early Hematopoiesis. <i>Zhongguo Shi Yan Xue Ye Xue Za Zhi / Zhongguo Bing Li Sheng Li Xue Hui = Journal of Experimental Hematology / Chinese Association of Pathophysiology</i> , 2000, 8, 66-70. | 0.2 | 1 |
| 215 | Predictive value of intra-tumoural TCR β rearrangements in precisely selecting adjuvant therapy for <i>EGFR</i> mutant non-small-cell lung cancer. <i>Clinical and Translational Discovery</i> , 2022, 2, . | 0.5 | 1 |
| 216 | The Chemokine Receptor CCR8 Is a Target of Chimeric Antigen T Cells for Treating T Cell Malignancies. <i>Frontiers in Immunology</i> , 2022, 13, . | 4.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Analysis of the clonal expansion of TCR V β 2 T cells in patients with CML after DLI. Chinese-German Journal of Clinical Oncology, 2002, 1, 145-148. | 0.1 | 0 |
| 218 | Clonal expansion and cytotoxicity of TCRV β 2 subfamily T cells induced by CML and K562 cells. Chinese Journal of Clinical Oncology, 2004, 1, 47-52. | 0.0 | 0 |
| 219 | Expression of Neuropilin-1 Gene in Bone Marrow Stromal Cells from Patients with Myeloid Leukemia and Normal Individuals. Chinese-German Journal of Clinical Oncology, 2005, 4, 171-173. | 0.1 | 0 |
| 220 | Distribution and clonality of peripheral blood TCR Va subfamily T cells in patients with acute promyelocytic leukemia. Chinese-German Journal of Clinical Oncology, 2007, 6, 591-593. | 0.1 | 0 |
| 221 | Stimulation of staphylococcal enterotoxin A combined with PML-RAR β peptide on the specific T-cells against NB4 cell line. Chinese-German Journal of Clinical Oncology, 2009, 8, 175-177. | 0.1 | 0 |
| 222 | Expression pattern of GATA-1, -2 and -3 genes in leukemic bone marrow microenvironment. Chinese-German Journal of Clinical Oncology, 2009, 8, 541-545. | 0.1 | 0 |
| 223 | Deletion with 25 nucleotides of TCR β gene in T cells from a case with chronic myeloid leukemia. Stem Cell Investigation, 2017, 4, 52-52. | 3.0 | 0 |
| 224 | Alteration of gene expression profile in CD3 ⁺ T-cells after downregulating MALT1. ImmunoTargets and Therapy, 2018, Volume 7, 77-81. | 5.8 | 0 |
| 225 | Naïve T Cell Level and TCR V β 2 Repertoire Usage in Patients with Chronic Myelogenous Leukemia.. Blood, 2004, 104, 4648-4648. | 1.4 | 0 |
| 226 | Oligoclonal Expansion of TCR V beta Subfamily T Cells in Patients with B-ALL.. Blood, 2004, 104, 3840-3840. | 1.4 | 0 |
| 227 | The Significant Decrease of Recent Thymic Output Function in Patients with Benzene-Poisoned Aplastic Anemia.. Blood, 2004, 104, 1338-1338. | 1.4 | 0 |
| 228 | Detection of 24 TCR V β 2-D β 1 sjTRECs in T Cells from Cord Blood, Peripheral Blood of Normal Individuals and Patients with AML-M2.. Blood, 2005, 106, 4557-4557. | 1.4 | 0 |
| 229 | Idiotype TCR V β 2 DNA Plasmid Constructe, Transfer and Express in K562 Cells.. Blood, 2005, 106, 5521-5521. | 1.4 | 0 |
| 230 | Specific Cytotoxicity and Clonal Expansion of TCR V β 2 Subfamily T Cells Induced by PML-RAR β Peptide.. Blood, 2005, 106, 3904-3904. | 1.4 | 0 |
| 231 | Analysis of the T-Cell Receptor V β Gene Repertoire and Clonal Expansion in the Benzene-Exposed Group.. Blood, 2006, 108, 3874-3874. | 1.4 | 0 |
| 232 | The Feature of Rec β sjTRECs Level and Frequency of 23 TCR V β 2-D β 1 sjTRECs in Mononuclear Cells, CD4+ and CD8+ T Cells from Cord Blood and Peripheral Blood of Normal Individuals.. Blood, 2006, 108, 3873-3873. | 1.4 | 0 |
| 233 | The Feature of Distribution and Clonality of TCR V β and V β 2 Repertoire in Cord Blood.. Blood, 2006, 108, 5132-5132. | 1.4 | 0 |
| 234 | Analysis of the Recent Thymic Output Function of 23 TCR V β 2 Subfamily Naïve T Cells in Patients with AML.. Blood, 2006, 108, 4482-4482. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | The Feature of TCR V β 2 Subfamily T Cells Expansion in NOD/SCID Mice Transplanted with Human Cord Blood Hematopoietic Stem Cell.. Blood, 2006, 108, 3872-3872. | 1.4 | 0 |
| 236 | A Vector Expressing PML-RAR β Fused to GM-CSF Is an Effective DNA Vaccine for Inducing Specific Immune Response to APL Cells.. Blood, 2007, 110, 4882-4882. | 1.4 | 0 |
| 237 | Identification of Specific TRAV6 and TRAV23 Genes in Peripheral Blood T Cells from Patients with Diffuse Large B-Cell Lymphoma.. Blood, 2007, 110, 4398-4398. | 1.4 | 0 |
| 238 | The Molecular Characteristics in CDR3 of TCR V β 1 and V β 2 Genes Associated with cGVHD in Patients after Allogeneic Hematopoietic Stem Cell Transplantation.. Blood, 2007, 110, 3247-3247. | 1.4 | 0 |
| 239 | The Feature of TCR Zeta Gene in CD4+ and CD8+ T Cells in Patients with CML.. Blood, 2007, 110, 4526-4526. | 1.4 | 0 |
| 240 | Development of a PML-RAR β -IL-2 Recombinant Plasmid DNA for APL.. Blood, 2007, 110, 4881-4881. | 1.4 | 0 |
| 241 | Identification of Specific TCR V β 23 and V β 13 Genes Relate to Diffuse Large B-Cell Lymphoma-Associated Antigen.. Blood, 2007, 110, 3869-3869. | 1.4 | 0 |
| 242 | The Feature of TCR V β 2 Repertoire, Thymic Recent Output Function and TCR-zeta Chain Expression in Patients with Immune Thrombocytopenic Purpura.. Blood, 2007, 110, 2099-2099. | 1.4 | 0 |
| 243 | The Feature of CD3-zeta Chain Gene Expression in Mononuclear Cells without and with Stimulation by Different Factors from Umbilical Cord Blood.. Blood, 2007, 110, 3870-3870. | 1.4 | 0 |
| 244 | Analysis of T Cell Cleanlity of Ph+ Acute Lymphoblastic Leukemia with Chronic Gvhd in Continuous Remission after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2008, 112, 3941-3941. | 1.4 | 0 |
| 245 | Oligoclonal V β 21 with Different V β Partner in T Cells Associated with CML Cell Antigens. Blood, 2008, 112, 4236-4236. | 1.4 | 0 |
| 246 | Identification of Idiotype TCR V β 6, V β 10 and V β 23 Relate to APL-Associated Antigen. Blood, 2008, 112, 3984-3984. | 1.4 | 0 |
| 247 | CD3-Zeta Gene Expression in Workers Benzene-Exposed and Benzene- Poisoned Workers. Blood, 2008, 112, 4925-4925. | 1.4 | 0 |
| 248 | Effects of down-Regulating BCL11B Expression on the Proliferation and Apoptosis of Molt-4 Cells by RNA Interference. Blood, 2008, 112, 4635-4635. | 1.4 | 0 |
| 249 | The Feature of TCR V β 3 And TCR V β Repertoire Distribution and Clonality in Patients with Immune Thrombocyteinc Purpura.. Blood, 2008, 112, 3409-3409. | 1.4 | 0 |
| 250 | The Change of Elf-1 Gene Expression Level in Hematological Malignancies.. Blood, 2009, 114, 4704-4704. | 1.4 | 0 |
| 251 | The Regulation of Differentiation and Proliferation of the BCL11B Gene In T Cells. Blood, 2010, 116, 2769-2769. | 1.4 | 0 |
| 252 | Characterization of CDR3 Structure of V β 21 T Cell Clones In Patients with P210BCR-ABL Positive CML and B-ALL. Blood, 2010, 116, 4455-4455. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Biomolecular Characteristics of Specific Regulatory T Cells of Graft-Versus-Disease Based on T-Cell Receptor Analysis. Blood, 2011, 118, 4067-4067. | 1.4 | 0 |
| 254 | G-CSF Affects the Distribution and Clonality of TRGV and TRDV Repertoire of T Cells and the Expression Pattern of CD3 Genes. Blood, 2011, 118, 1946-1946. | 1.4 | 0 |
| 255 | The Feature of SALL4 and BMI-1 Expression in Placenta and Umbilical Cord Blood. Blood, 2011, 118, 4800-4800. | 1.4 | 0 |
| 256 | Change of SALL4 and BMI-1 Expression Levels in Hematologic Malignancies. Blood, 2011, 118, 4642-4642. | 1.4 | 0 |
| 257 | Molecular Characterization of Novel Chromosomal Translocations Involved with TCR Locus in T-ALL. Blood, 2011, 118, 4409-4409. | 1.4 | 0 |
| 258 | Down-Regulation of PPP2R5C Expression Inhibits Proliferation in Leukemic T Cells Proliferation by RNA Interference. Blood, 2012, 120, 4678-4678. | 1.4 | 0 |
| 259 | The Evolution of Malignant and Reactive $\hat{\gamma}$ ⁺ T Cell Clones in Relapse T-ALL After Allogeneic Stem Cell Transplantation. Blood, 2012, 120, 4672-4672. | 1.4 | 0 |
| 260 | The Feature of MALT1-A20-NF- $\hat{\kappa}$ B Expression Pattern Provide Important Insights Into the Therapeutic Benefit for T-ALL. Blood, 2012, 120, 4810-4810. | 1.4 | 0 |
| 261 | Overexpressed A20 in Refractory/Relapse B-ALL May Serve As a Potential Therapeutic Target. Blood, 2012, 120, 4816-4816. | 1.4 | 0 |
| 262 | Analysis Of Gene Expression Profile In SUDHL6 Cells Of siRNA-Mediated BCL1 1A Downregulation. Blood, 2013, 122, 3780-3780. | 1.4 | 0 |
| 263 | Enhancement Of Human Regulatory $\hat{\gamma}$ ⁺ T Cells In Vitro Induced By Granulocyte Colony-Stimulating Factor. Blood, 2013, 122, 5418-5418. | 1.4 | 0 |
| 264 | Effect Of Granulocyte Colony-Stimulating Factor Mobilization On The Expression Of Th1/Th2 Chemokines and Their Receptors. Blood, 2013, 122, 4512-4512. | 1.4 | 0 |
| 265 | Proliferation Inhibition and Apoptosis Induction Of Imatinib Resistance Chronic Myeloid Leukemia Cells By Down-Regulated PPP2R5C. Blood, 2013, 122, 5158-5158. | 1.4 | 0 |
| 266 | Lincrna Hotset Regulates Hox Gene Transcription and Promotes Early Hematopoietic Fates. Blood, 2014, 124, 1573-1573. | 1.4 | 0 |
| 267 | The Effect of G-CSF Mobilization on the Expression of Immunoregulatory-Associated Molecules and G-CSFR Gene in the Peripheral Blood $\hat{\gamma}$ ⁺ T Cells. Blood, 2014, 124, 3855-3855. | 1.4 | 0 |
| 268 | Specific Gamma Delta T Cells for Cellular Immunotherapy of EBV-Associated Diseases after Allo-HSCT By T-Cell Receptor Gene Modification. Blood, 2014, 124, 5811-5811. | 1.4 | 0 |
| 269 | Expression of Th17/Tregs Axis Associated Regulatory Factors in Patients with Acute Graft-Versus-Host Disease. Blood, 2014, 124, 3910-3910. | 1.4 | 0 |
| 270 | Alterative Expression Pattern of T Cell Immunosuppressive Receptors in Peripheral Blood of Patients with ITP. Blood, 2015, 126, 4625-4625. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | The Characteristic of TCR Signaling Pathway in T Cell from Patients with Aplastic Anemia. <i>Blood</i> , 2015, 126, 2226-2226. | 1.4 | 0 |
| 272 | Expression of Regulatory T Cells in Patients with Acute Graft-Versus-Host Disease. <i>Blood</i> , 2016, 128, 5784-5784. | 1.4 | 0 |
| 273 | [Corrigendum] Anthelmintic pyvinium pamoate blocks Wnt/ β -catenin and induces apoptosis in multiple myeloma cells. <i>Oncology Letters</i> , 2020, 20, 1-1. | 1.8 | 0 |
| 274 | Generation of Inducible BCL11B Knockout in TAL1/LMO1 Transgenic Mouse T Cell Leukemia/Lymphoma Model. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4932. | 4.1 | 0 |