Anussara Prayongrat

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2863293/publications.pdf

Version: 2024-02-01

840119 887659 26 315 11 17 citations h-index g-index papers 26 26 26 632 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A randomized phaseÂllI study between sequential versus simultaneous integrated boost intensity-modulated radiation therapy in nasopharyngeal carcinoma. Strahlentherapie Und Onkologie, 2018, 194, 375-385.	1.0	30
2	Prevalence and significance of plasma Epstein-Barr Virus DNA level in nasopharyngeal carcinoma. Journal of Radiation Research, 2017, 58, 509-516.	0.8	28
3	Clinical outcomes of intensity modulated proton therapy and concurrent chemotherapy in esophageal carcinoma: a single institutional experience. Advances in Radiation Oncology, 2017, 2, 301-307.	0.6	28
4	Selection of external beam radiotherapy approaches for precise and accurate cancer treatment. Journal of Radiation Research, 2018, 59, i2-i10.	0.8	28
5	A randomized phase II/III study of adverse events between sequential (SEQ) versus simultaneous integrated boost (SIB) intensity modulated radiation therapy (IMRT) in nasopharyngeal carcinoma; preliminary result on acute adverse events. Radiation Oncology, 2015, 10, 166.	1.2	26
6	Validation of previously reported predictors for radiation-induced hypothyroidism in nasopharyngeal cancer patients treated with intensity-modulated radiation therapy, a post hoc analysis from a Phase III randomized trial. Journal of Radiation Research, 2018, 59, 446-455.	0.8	26
7	The normal tissue complication probability model-based approach considering uncertainties for the selective use of radiation modality in primary liver cancer patients. Radiotherapy and Oncology, 2019, 135, 100-106.	0.3	18
8	Efficacy of intensity-modulated radiotherapy with concurrent carboplatin in nasopharyngeal carcinoma. Radiology and Oncology, 2015, 49, 155-162.	0.6	15
9	Optimal plasma pretreatment EBV DNA cut-off point for nasopharyngeal cancer patients treated with intensity modulated radiation therapy. Japanese Journal of Clinical Oncology, 2018, 48, 467-475.	0.6	15
10	Neoadjuvant chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy alone in nasopharyngeal carcinoma patients with cervical nodal necrosis. Scientific Reports, 2017, 7, 42624.	1.6	14
11	Prognostic value of plasma EBV DNA for nasopharyngeal cancer patients during treatment with intensity-modulated radiation therapy and concurrent chemotherapy. Radiology and Oncology, 2018, 52, 195-203.	0.6	14
12	High dose radiation with chemotherapy followed by salvage esophagectomy among patients with locally advanced esophageal squamous cell carcinoma. Thoracic Cancer, 2017, 8, 219-228.	0.8	11
13	Comparison between the seventh and eighth edition of the AJCC/UICC staging system for nasopharyngeal cancer integrated with pretreatment plasma Epstein–Barr virus DNA level in a non-Chinese population: secondary analysis from a prospective randomized trial. Japanese Journal of Clinical Oncology. 2019. 49. 1100-1113.	0.6	10
14	Present developments in reaching an international consensus for a model-based approach to particle beam therapy. Journal of Radiation Research, 2018, 59, i72-i76.	0.8	8
15	Prospective study to evaluate the safety of the world-first spot-scanning dedicated, small 360-degree gantry, synchrotron-based proton beam therapy system. Journal of Radiation Research, 2018, 59, i63-i71.	0.8	8
16	Longâ€term patientâ€rated cosmetic and satisfactory outcomes of early breast cancer treated with conventional versus hypofractionated breast irradiation with simultaneous integrated boost technique. Breast Journal, 2020, 26, 1946-1952.	0.4	7
17	Tumor Prognostic Prediction of Nasopharyngeal Carcinoma Using CT-Based Radiomics in Non-Chinese Patients. Frontiers in Oncology, 2022, 12, 775248.	1.3	5
18	Assessing the uncertainty in a normal tissue complication probability difference (â^†NTCP): radiation-induced liver disease (RILD) in liver tumour patients treated with proton vs X-ray therapy. Journal of Radiation Research, 2018, 59, i50-i57.	0.8	4

#	Article	IF	CITATIONS
19	Hypothyroidism after radiotherapy for nasopharyngeal carcinoma. Annals of Nasopharynx Cancer, 0, 4, 3-3.	0.5	4
20	The Road Less Traveled: Should We Omit Prophylactic Cranial Irradiation for Patients With Small Cell Lung Cancer?. Clinical Lung Cancer, 2018, 19, 289-293.	1.1	3
21	Outcomes of stereotactic radiosurgery of brain metastases from neuroendocrine tumors. Neuro-Oncology Practice, 2018, 5, 37-45.	1.0	3
22	Cranial neuropathies in advanced nasopharyngeal carcinoma: Neurological recovery after modern radiotherapy and systemic chemotherapy. Radiotherapy and Oncology, 2021, 163, 221-228.	0.3	3
23	Flattening filter free stereotactic body radiation therapy for lung tumors: outcomes and predictive factors. Translational Cancer Research, 2021, 10, 571-580.	0.4	2
24	Assessment of the confidence interval in the multivariable normal tissue complication probability model for predicting radiation-induced liver disease in primary liver cancer. Journal of Radiation Research, 2021, 62, 483-493.	0.8	2
25	Comparison of intensity modulated proton therapy beam configurations for treating thoracic esophageal cancer. Physics and Imaging in Radiation Oncology, 2022, 22, 51-56.	1.2	2
26	BMET-32OUTCOMES OF GAMMA KNIFE RADIOSURGERY IN BRAIN METASTASES FROM NEUROENDOCRINE TUMORS. Neuro-Oncology, 2015, 17, v52.1-v52.	0.6	1