Thomas D Anthopoulos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2863798/publications.pdf Version: 2024-02-01

		3334	6471
436	31,817	91	157
papers	citations	h-index	g-index
449 all docs	449 docs citations	449 times ranked	22113 citing authors

#	Article	IF	CITATIONS
1	Planar refractive index patterning through microcontact photo-thermal annealing of a printable organic/inorganic hybrid material. Materials Horizons, 2022, 9, 411-416.	12.2	4
2	Emissive Chargeâ€Transfer States at Hybrid Inorganic/Organic Heterojunctions Enable Low Nonâ€Radiative Recombination and Highâ€Performance Photodetectors. Advanced Materials, 2022, 34, e2104654.	21.0	13
3	Oligoethylene Glycol Side Chains Increase Charge Generation in Organic Semiconductor Nanoparticles for Enhanced Photocatalytic Hydrogen Evolution. Advanced Materials, 2022, 34, e2105007.	21.0	33
4	A Lowâ€Power CuSCN Hydrogen Sensor Operating Reversibly at Room Temperature. Advanced Functional Materials, 2022, 32, 2102635.	14.9	8
5	A Triâ€Channel Oxide Transistor Concept for the Rapid Detection of Biomolecules Including the SARSâ€CoVâ€2 Spike Protein. Advanced Materials, 2022, 34, e2104608.	21.0	19
6	Over 18% ternary polymer solar cells enabled by a terpolymer as the third component. Nano Energy, 2022, 92, 106681.	16.0	97
7	Doping Approaches for Organic Semiconductors. Chemical Reviews, 2022, 122, 4420-4492.	47.7	153
8	Y6 Organic Thinâ€Film Transistors with Electron Mobilities of 2.4 cm ² V ^{â^'1} s ^{â^'1} via Microstructural Tuning. Advanced Science, 2022, 9, e2104977.	11.2	16
9	N-type polymer semiconductors incorporating para, meta, and ortho-carborane in the conjugated backbone. Polymer, 2022, 240, 124481.	3.8	6
10	14ÂGHz Schottky Diodes Using a <i>p</i> â€Doped Organic Polymer. Advanced Materials, 2022, 34, e2108524.	21.0	9
11	Versatile methods for improving the mechanical properties of fullerene and non-fullerene bulk heterojunction layers to enable stretchable organic solar cells. Journal of Materials Chemistry C, 2022, 10, 3375-3386.	5.5	10
12	A Universal Cosolvent Evaporation Strategy Enables Direct Printing of Perovskite Single Crystals for Optoelectronic Device Applications. Advanced Materials, 2022, 34, e2109862.	21.0	18
13	Bismuth-based mixed-anion compounds for anode materials in rechargeable batteries. Chemical Communications, 2022, 58, 3354-3357.	4.1	12
14	Scaled Deposition of Ti ₃ C ₂ <i>T</i> _{<i>x</i>} MXene on Complex Surfaces: Application Assessment as Rear Electrodes for Silicon Heterojunction Solar Cells. ACS Nano, 2022, 16, 2419-2428.	14.6	28
15	Infrared Organic Photodetectors Employing Ultralow Bandgap Polymer and Nonâ€Fullerene Acceptors for Biometric Monitoring. Small, 2022, 18, e2200580.	10.0	39
16	Generation of long-lived charges in organic semiconductor heterojunction nanoparticles for efficient photocatalytic hydrogen evolution. Nature Energy, 2022, 7, 340-351.	39.5	164
17	Efficient Piezoelectric Energy Harvesting from a Discrete Hybrid Bismuth Bromide Ferroelectric Templated by Phosphonium Cation. Chemistry - A European Journal, 2022, , .	3.3	6
18	Damp heat–stable perovskite solar cells with tailored-dimensionality 2D/3D heterojunctions. Science, 2022, 376, 73-77.	12.6	366

#	Article	IF	CITATIONS
19	Low-energy consumption CuSCN-based ultra-low-ppb level ozone sensor, operating at room temperature. Sensors and Actuators A: Physical, 2022, 338, 113462.	4.1	1
20	Near-IR Absorbing Molecular Semiconductors Incorporating Cyanated Benzothiadiazole Acceptors for High-Performance Semitransparent n-Type Organic Field-Effect Transistors. , 2022, 4, 165-174.		12
21	Chlorine-Infused Wide-Band Gap p-CuSCN/n-GaN Heterojunction Ultraviolet-Light Photodetectors. ACS Applied Materials & Interfaces, 2022, 14, 17889-17898.	8.0	8
22	Charge transport and recombination in wide-bandgap Y6 derivatives-based organic solar cells. Advances in Natural Sciences: Nanoscience and Nanotechnology, 2022, 13, 025001.	1.5	1
23	Radiofrequency Schottky Diodes Based on p-Doped Copper(I) Thiocyanate (CuSCN). ACS Applied Materials & Interfaces, 2022, 14, 29993-29999.	8.0	3
24	Rapid and up-scalable manufacturing of gigahertz nanogap diodes. Nature Communications, 2022, 13, .	12.8	11
25	Two-dimensional ferroelectricity and antiferroelectricity for next-generation computing paradigms. Matter, 2022, 5, 1999-2014.	10.0	3
26	The Energy Level Conundrum of Organic Semiconductors in Solar Cells. Advanced Materials, 2022, 34,	21.0	72
27	Photophysics of Defect-Passivated Quasi-2D (PEA) ₂ PbBr ₄ Perovskite Using an Organic Small Molecule. ACS Energy Letters, 2022, 7, 2450-2458.	17.4	8
28	Sequential Formation of Tunableâ€Bandgap Mixedâ€Halide Leadâ€Based Perovskites: In Situ Investigation and Photovoltaic Devices. Solar Rrl, 2021, 5, .	5.8	15
29	Scaling-up perovskite solar cells on hydrophobic surfaces. Nano Energy, 2021, 81, 105633.	16.0	46
30	Unraveling the New Role of an Ethylene Carbonate Solvation Shell in Rechargeable Metal Ion Batteries. ACS Energy Letters, 2021, 6, 69-78.	17.4	99
31	Amphipathic Side Chain of a Conjugated Polymer Optimizes Dopant Location toward Efficient Nâ€Type Organic Thermoelectrics. Advanced Materials, 2021, 33, e2006694.	21.0	91
32	Oneâ€Step Sixfold Cyanation of Benzothiadiazole Acceptor Units for Airâ€Stable Highâ€Performance nâ€Type Organic Fieldâ€Effect Transistors. Angewandte Chemie - International Edition, 2021, 60, 5970-5977.	13.8	34
33	Intrinsic efficiency limits in low-bandgap non-fullerene acceptor organic solar cells. Nature Materials, 2021, 20, 378-384.	27.5	257
34	Oneâ€Step Sixfold Cyanation of Benzothiadiazole Acceptor Units for Airâ€Stable Highâ€Performance nâ€Type Organic Fieldâ€Effect Transistors. Angewandte Chemie, 2021, 133, 6035-6042.	2.0	2
35	The influence of alkyl group regiochemistry and backbone fluorination on the packing and transistor performance of N-cyanoimine functionalised indacenodithiophenes. Materials Advances, 2021, 2, 1706-1714.	5.4	7
36	N-Doping improves charge transport and morphology in the organic non-fullerene acceptor O-IDTBR. Journal of Materials Chemistry C, 2021, 9, 4486-4495.	5.5	17

#	Article	IF	CITATIONS
37	Molecular doping of near-infrared organic photodetectors for photoplethysmogram sensors. Journal of Materials Chemistry C, 2021, 9, 3129-3135.	5.5	6
38	Tyrian purple: an ancient natural dye for cross-conjugated n-type charge transport. Journal of Materials Chemistry C, 2021, 9, 4200-4205.	5.5	2
39	All-Solution-Processed Quantum Dot Electrical Double-Layer Transistors Enhanced by Surface Charges of Ti ₃ C ₂ T _{<i>x</i>} MXene Contacts. ACS Nano, 2021, 15, 5221-5229.	14.6	30
40	Wide and Tunable Bandgap MAPbBr _{3â^'<i>x</i>} Cl _{<i>x</i>} Hybrid Perovskites with Enhanced Phase Stability: In Situ Investigation and Photovoltaic Devices. Solar Rrl, 2021, 5, 2000718.	5.8	32
41	Lithiumâ€ion Desolvation Induced by Nitrate Additives Reveals New Insights into High Performance Lithium Batteries. Advanced Functional Materials, 2021, 31, 2101593.	14.9	100
42	Adduct-based p-doping of organic semiconductors. Nature Materials, 2021, 20, 1248-1254.	27.5	40
43	Efficient Hybrid Amorphous Silicon/Organic Tandem Solar Cells Enabled by Nearâ€Infrared Absorbing Nonfullerene Acceptors. Advanced Energy Materials, 2021, 11, 2100166.	19.5	5
44	Polymorphism in Nonâ€Fullerene Acceptors Based on Indacenodithienothiophene. Advanced Functional Materials, 2021, 31, 2103784.	14.9	33
45	Wide-Band-Gap Mixed-Halide 3D Perovskites: Electronic Structure and Halide Segregation Investigation. ACS Applied Electronic Materials, 2021, 3, 2277-2285.	4.3	10
46	18.4 % Organic Solar Cells Using a High Ionization Energy Selfâ€Assembled Monolayer as Holeâ€Extraction Interlayer. ChemSusChem, 2021, 14, 3569-3578.	6.8	121
47	Concurrent cationic and anionic perovskite defect passivation enables 27.4% perovskite/silicon tandems with suppression of halide segregation. Joule, 2021, 5, 1566-1586.	24.0	119
48	Significant Performance Improvement in nâ€Channel Organic Fieldâ€Effect Transistors with C ₆₀ :C ₇₀ Coâ€Crystals Induced by Poly(2â€ethylâ€2â€oxazoline) Nanodots. Advanced Materials, 2021, 33, e2100421.	21.0	9
49	Ternary organic photodetectors based on pseudo-binaries nonfullerene-based acceptors. JPhys Materials, 2021, 4, 045001.	4.2	9
50	Pushing the Limits of Flexibility and Stretchability of Solar Cells: A Review. Advanced Materials, 2021, 33, e2101469.	21.0	51
51	Determining Out-of-Plane Hole Mobility in CuSCN via the Time-of-Flight Technique To Elucidate Its Function in Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 38499-38507.	8.0	4
52	Using Two Compatible Donor Polymers Boosts the Efficiency of Ternary Organic Solar Cells to 17.7%. Chemistry of Materials, 2021, 33, 7254-7262.	6.7	35
53	Interfacial Model Deciphering Highâ€Voltage Electrolytes for High Energy Density, High Safety, and Fastâ€Charging Lithiumâ€lon Batteries. Advanced Materials, 2021, 33, e2102964.	21.0	122
54	Unraveling the compositional heterogeneity and carrier dynamics of alkali cation doped 3D/2D perovskites with improved stability. Materials Advances, 2021, 2, 1253-1262.	5.4	23

#	Article	IF	CITATIONS
55	The Effect of Alkyl Spacers on the Mixed Ionicâ€Electronic Conduction Properties of Nâ€Type Polymers. Advanced Functional Materials, 2021, 31, 2008718.	14.9	67
56	Ruddlesden–Popperâ€Phase Hybrid Halide Perovskite/Smallâ€Molecule Organic Blend Memory Transistors. Advanced Materials, 2021, 33, e2003137.	21.0	32
57	Chemical Design Rules for Nonâ€Fullerene Acceptors in Organic Solar Cells. Advanced Energy Materials, 2021, 11, 2102363.	19.5	38
58	Printed Memtransistor Utilizing a Hybrid Perovskite/Organic Heterojunction Channel. ACS Applied Materials & Interfaces, 2021, 13, 51592-51601.	8.0	9
59	Charge Carrier Recombination at Perovskite/Hole Transport Layer Interfaces Monitored by Time-Resolved Spectroscopy. ACS Energy Letters, 2021, 6, 4155-4164.	17.4	20
60	Sputtered transparent electrodes for optoelectronic devices: Induced damage and mitigation strategies. Matter, 2021, 4, 3549-3584.	10.0	43
61	28.2%-efficient, outdoor-stable perovskite/silicon tandem solar cell. Joule, 2021, 5, 3169-3186.	24.0	99
62	Transistors based on two-dimensional materials for future integrated circuits. Nature Electronics, 2021, 4, 786-799.	26.0	335
63	Chemical Design Rules for Nonâ€Fullerene Acceptors in Organic Solar Cells (Adv. Energy Mater.) Tj ETQq1 1 0.78	4314 rgBT 19.5	Qverlock 1
64	Rapid photodegradation of organic micro-pollutants in water using high-intensity pulsed light. Journal of Water Process Engineering, 2021, 44, 102414.	5.6	5
65	Hall Effect in Polycrystalline Organic Semiconductors: The Effect of Grain Boundaries. Advanced Functional Materials, 2020, 30, 1903617.	14.9	37
66	Recent Progress in Photonic Processing of Metalâ€Oxide Transistors. Advanced Functional Materials, 2020, 30, 1906022.	14.9	58
67	A universal solution processed interfacial bilayer enabling ohmic contact in organic and hybrid optoelectronic devices. Energy and Environmental Science, 2020, 13, 268-276.	30.8	40
68	Ambient blade coating of mixed cation, mixed halide perovskites without dripping: <i>in situ</i> investigation and highly efficient solar cells. Journal of Materials Chemistry A, 2020, 8, 1095-1104.	10.3	68
69	Novel wide-bandgap non-fullerene acceptors for efficient tandem organic solar cells. Journal of Materials Chemistry A, 2020, 8, 1164-1175.	10.3	39
70	Colossal Tunneling Electroresistance in Coâ€Planar Polymer Ferroelectric Tunnel Junctions. Advanced Electronic Materials, 2020, 6, 1901091.	5.1	14
71	Modification of Indacenodithiophene-Based Polymers and Its Impact on Charge Carrier Mobility in Organic Thin-Film Transistors. Journal of the American Chemical Society, 2020, 142, 652-664.	13.7	101
72	Low-Temperature Cross-Linking Benzocyclobutene Based Polymer Dielectric for Organic Thin Film Transistors on Plastic Substrates. Journal of Organic Chemistry, 2020, 85, 277-283.	3.2	17

#	Article	IF	CITATIONS
73	Polymer Lightâ€Emitting Transistors With Chargeâ€Carrier Mobilities Exceeding 1 cm ² V ^{â~1} s ^{â~1} . Advanced Electronic Materials, 2020, 6, 1901132.	5.1	8
74	Nonfullerene-Based Organic Photodetectors for Ultrahigh Sensitivity Visible Light Detection. ACS Applied Materials & Interfaces, 2020, 12, 48836-48844.	8.0	40
75	100 GHz zinc oxide Schottky diodes processed from solution on a wafer scale. Nature Electronics, 2020, 3, 718-725.	26.0	45
76	Long-range exciton diffusion in molecular non-fullerene acceptors. Nature Communications, 2020, 11, 5220.	12.8	204
77	Quantum Confinement and Thicknessâ€Dependent Electron Transport in Solutionâ€Processed In ₂ O ₃ Transistors. Advanced Electronic Materials, 2020, 6, 2000682.	5.1	16
78	Over 14% efficiency all-polymer solar cells enabled by a low bandgap polymer acceptor with low energy loss and efficient charge separation. Energy and Environmental Science, 2020, 13, 5017-5027.	30.8	170
79	A Structurally Simple but Highâ€Performing Donor–Acceptor Polymer for Fieldâ€Effect Transistor Applications. Advanced Electronic Materials, 2020, 6, 2000490.	5.1	10
80	N-type organic thermoelectrics: demonstration of ZT > 0.3. Nature Communications, 2020, 11, 5694.	12.8	98
81	Efficient Double- and Triple-Junction Nonfullerene Organic Photovoltaics and Design Guidelines for Optimal Cell Performance. ACS Energy Letters, 2020, 5, 3692-3701.	17.4	15
82	Metal Halide Perovskites for Highâ€Energy Radiation Detection. Advanced Science, 2020, 7, 2002098.	11.2	126
83	A Simple n-Dopant Derived from Diquat Boosts the Efficiency of Organic Solar Cells to 18.3%. ACS Energy Letters, 2020, 5, 3663-3671.	17.4	253
84	A Multilayered Electron Extracting System for Efficient Perovskite Solar Cells. Advanced Functional Materials, 2020, 30, 2004273.	14.9	17
85	Impact of p-type doping on charge transport in blade-coated small-molecule:polymer blend transistors. Journal of Materials Chemistry C, 2020, 8, 15368-15376.	5.5	19
86	Optoelectronic Ferroelectric Domainâ€Wall Memories Made from a Single Van Der Waals Ferroelectric. Advanced Functional Materials, 2020, 30, 2004206.	14.9	67
87	Printable CsPbI ₃ Perovskite Solar Cells with PCE of 19% via an Additive Strategy. Advanced Materials, 2020, 32, e2001243.	21.0	157
88	Ambipolar Deep-Subthreshold Printed-Carbon-Nanotube Transistors for Ultralow-Voltage and Ultralow-Power Electronics. ACS Nano, 2020, 14, 14036-14046.	14.6	30
89	Ledge-directed epitaxy of continuously self-aligned single-crystalline nanoribbons of transition metal dichalcogenides. Nature Materials, 2020, 19, 1300-1306.	27.5	104
90	Understanding Charge Transport in Highâ€Mobility <i>pâ€</i> Doped Multicomponent Blend Organic Transistors. Advanced Electronic Materials, 2020, 6, 2000539.	5.1	15

#	Article	IF	CITATIONS
91	Self-Assembled Monolayer Enables Hole Transport Layer-Free Organic Solar Cells with 18% Efficiency and Improved Operational Stability. ACS Energy Letters, 2020, 5, 2935-2944.	17.4	425
92	Lowâ€Voltage Heterojunction Metal Oxide Transistors via Rapid Photonic Processing. Advanced Electronic Materials, 2020, 6, 2000028.	5.1	25
93	Highâ€Performance Tandem Organic Solar Cells Using HSolar as the Interconnecting Layer. Advanced Energy Materials, 2020, 10, 2000823.	19.5	23
94	Emerging Thinâ€Film Transistor Technologies and Applications. Advanced Functional Materials, 2020, 30, 2001678.	14.9	8
95	Colloidal Quantum Dot Photovoltaics Using Ultrathin, Solution-Processed Bilayer In ₂ O ₃ /ZnO Electron Transport Layers with Improved Stability. ACS Applied Energy Materials, 2020, 3, 5135-5141.	5.1	13
96	Highly transparent and conductive electrodes enabled by scalable printing-and-sintering of silver nanowires. Nanotechnology, 2020, 31, 395201.	2.6	32
97	Water stable molecular n-doping produces organic electrochemical transistors with high transconductance and record stability. Nature Communications, 2020, 11, 3004.	12.8	82
98	Rapid Photonic Processing of High-Electron-Mobility PbS Colloidal Quantum Dot Transistors. ACS Applied Materials & Interfaces, 2020, 12, 31591-31600.	8.0	16
99	Efficient Hybrid Mixedâ€lon Perovskite Photovoltaics: In Situ Diagnostics of the Roles of Cesium and Potassium Alkali Cation Addition. Solar Rrl, 2020, 4, 2000272.	5.8	19
100	Liquid phase exfoliation of MoS ₂ and WS ₂ in aqueous ammonia and their application in highly efficient organic solar cells. Journal of Materials Chemistry C, 2020, 8, 5259-5264.	5.5	109
101	A Highly Conductive Titanium Oxynitride Electronâ€6elective Contact for Efficient Photovoltaic Devices. Advanced Materials, 2020, 32, e2002608.	21.0	46
102	Role of Alkali-Metal Cations in Electronic Structure and Halide Segregation of Hybrid Perovskites. ACS Applied Materials & Interfaces, 2020, 12, 34402-34412.	8.0	15
103	Low Temperature Scalable Deposition of Copper(I) Thiocyanate Films via Aerosol-Assisted Chemical Vapor Deposition. Crystal Growth and Design, 2020, 20, 5380-5386.	3.0	3
104	Solution-processable and photopolymerisable TiO ₂ nanorods as dielectric layers for thin film transistors. RSC Advances, 2020, 10, 25540-25546.	3.6	6
105	Organic Solar Cells: Highâ€Performance Tandem Organic Solar Cells Using HSolar as the Interconnecting Layer (Adv. Energy Mater. 25/2020). Advanced Energy Materials, 2020, 10, 2070109.	19.5	0
106	Core Fluorination Enhances Solubility and Ambient Stability of an IDTâ€Based nâ€Type Semiconductor in Transistor Devices. Advanced Functional Materials, 2020, 30, 2000325.	14.9	27
107	Solution-Processed Mixed-Dimensional Hybrid Perovskite/Carbon Nanotube Electronics. ACS Nano, 2020, 14, 3969-3979.	14.6	30
108	Chlorine Vacancy Passivation in Mixed Halide Perovskite Quantum Dots by Organic Pseudohalides Enables Efficient Rec. 2020 Blue Light-Emitting Diodes. ACS Energy Letters, 2020, 5, 793-798.	17.4	208

#	Article	IF	CITATIONS
109	Electrolyte Engineering Enables High Stability and Capacity Alloying Anodes for Sodium and Potassium Ion Batteries. ACS Energy Letters, 2020, 5, 766-776.	17.4	134
110	17.1% Efficient Singleâ€Junction Organic Solar Cells Enabled by nâ€Type Doping of the Bulkâ€Heterojunction. Advanced Science, 2020, 7, 1903419.	11.2	173
111	Roomâ€Temperature Partial Conversion of αâ€FAPbI ₃ Perovskite Phase via PbI ₂ Solvation Enables Highâ€Performance Solar Cells. Advanced Functional Materials, 2020, 30, 1907442.	14.9	41
112	Crucial Role of Fluorine in Fully Alkylated Ladder-Type Carbazole-Based Nonfullerene Organic Solar Cells. ACS Applied Materials & Interfaces, 2020, 12, 9555-9562.	8.0	31
113	Managing grains and interfaces via ligand anchoring enables 22.3%-efficiency inverted perovskite solar cells. Nature Energy, 2020, 5, 131-140.	39.5	894
114	Thienyl Sidechain Substitution and Backbone Fluorination of Benzodithiophene-Based Donor Polymers Concertedly Minimize Carrier Losses in ITIC-Based Organic Solar Cells. Journal of Physical Chemistry C, 2020, 124, 10420-10429.	3.1	10
115	Stretchable and Transparent Conductive PEDOT:PSSâ€Based Electrodes for Organic Photovoltaics and Strain Sensors Applications. Advanced Functional Materials, 2020, 30, 2001251.	14.9	88
116	Bias stability of solution-processed In2O3 thin film transistors. JPhys Materials, 2020, 4, 015003.	4.2	5
117	Device Physics in Organic Solar Cells and Drift-Diffusion Simulations. , 2020, , 1-36.		1
118	Flexible IGZO TFTs and Their Suitability for Space Applications. IEEE Journal of the Electron Devices Society, 2019, 7, 1182-1190.	2.1	14
119	Fused Cyclopentadithienothiophene Acceptor Enables Ultrahigh Shortâ€Circuit Current and High Efficiency >11% in Asâ€Cast Organic Solar Cells. Advanced Functional Materials, 2019, 29, 1904956.	14.9	26
120	Performance and Stability Improvement of Layered NCM Lithium-Ion Batteries at High Voltage by a Microporous Al ₂ O ₃ Sol–Gel Coating. ACS Omega, 2019, 4, 13972-13980.	3.5	57
121	Impact of Layer Configuration and Doping on Electron Transport and Bias Stability in Heterojunction and Superlattice Metal Oxide Transistors. Advanced Functional Materials, 2019, 29, 1902591.	14.9	46
122	Impact of Fullerene on the Photophysics of Ternary Small Molecule Organic Solar Cells. Advanced Energy Materials, 2019, 9, 1901443.	19.5	37
123	Impact of Nonfullerene Acceptor Side Chain Variation on Transistor Mobility. Advanced Electronic Materials, 2019, 5, 1900344.	5.1	45
124	On the Role of Contact Resistance and Electrode Modification in Organic Electrochemical Transistors. Advanced Materials, 2019, 31, e1902291.	21.0	52
125	Growth of 2H stacked WSe ₂ bilayers on sapphire. Nanoscale Horizons, 2019, 4, 1434-1442.	8.0	20
126	Quantum Dots Supply Bulk- and Surface-Passivation Agents for Efficient and Stable Perovskite Solar Cells. Joule, 2019, 3, 1963-1976.	24.0	222

#	Article	IF	CITATIONS
127	The Effect of Ring Expansion in Thienobenzo[<i>b</i>]indacenodithiophene Polymers for Organic Field-Effect Transistors. Journal of the American Chemical Society, 2019, 141, 18806-18813.	13.7	45
128	17% Efficient Organic Solar Cells Based on Liquid Exfoliated WS ₂ as a Replacement for PEDOT:PSS. Advanced Materials, 2019, 31, e1902965.	21.0	500
129	Self-Powered Perovskite/CdS Heterostructure Photodetectors. ACS Applied Materials & Interfaces, 2019, 11, 40204-40213.	8.0	65
130	Efficient and Stable Solution-Processed Organic Light-Emitting Transistors Using a High- <i>k</i> Dielectric. ACS Photonics, 2019, 6, 3159-3165.	6.6	11
131	Enhancing the Charge Extraction and Stability of Perovskite Solar Cells Using Strontium Titanate (SrTiO ₃) Electron Transport Layer. ACS Applied Energy Materials, 2019, 2, 8090-8097.	5.1	51
132	Use of the Phenâ€NaDPO:Sn(SCN) ₂ Blend as Electron Transport Layer Results to Consistent Efficiency Improvements in Organic and Hybrid Perovskite Solar Cells. Advanced Functional Materials, 2019, 29, 1905810.	14.9	41
133	Electrochemical Stability and Ambipolar Charge Transport in Diketopyrrolopyrrole-Based Organic Materials. ACS Applied Electronic Materials, 2019, 1, 2037-2046.	4.3	5
134	Ultrathin channels make transistors go faster. Nature Materials, 2019, 18, 1033-1034.	27.5	5
135	Deciphering photocarrier dynamics for tuneable high-performance perovskite-organic semiconductor heterojunction phototransistors. Nature Communications, 2019, 10, 4475.	12.8	49
136	Highly-efficient semi-transparent organic solar cells utilising non-fullerene acceptors with optimised multilayer MoO ₃ /Ag/MoO ₃ electrodes. Materials Chemistry Frontiers, 2019, 3, 450-455.	5.9	40
137	Impact of the Solvation State of Lead Iodide on Its Two tep Conversion to MAPbI ₃ : An In Situ Investigation. Advanced Functional Materials, 2019, 29, 1807544.	14.9	45
138	One‧tep Blade oated Highly Efficient Nonfullerene Organic Solar Cells with a Selfâ€Assembled Interfacial Layer Enabled by Solvent Vapor Annealing. Solar Rrl, 2019, 3, 1900179.	5.8	19
139	Introducing a Nonvolatile Nâ€Type Dopant Drastically Improves Electron Transport in Polymer and Smallâ€Molecule Organic Transistors. Advanced Functional Materials, 2019, 29, 1902784.	14.9	35
140	High Responsivity and Response Speed Single‣ayer Mixedâ€Cation Lead Mixedâ€Halide Perovskite Photodetectors Based on Nanogap Electrodes Manufactured on Largeâ€Area Rigid and Flexible Substrates. Advanced Functional Materials, 2019, 29, 1901371.	14.9	39
141	Triarylphosphine Oxide as Cathode Interfacial Material for Inverted Perovskite Solar Cells. Advanced Materials Interfaces, 2019, 6, 1900434.	3.7	16
142	Addition of the Lewis Acid Zn(C ₆ F ₅) ₂ Enables Organic Transistors with a Maximum Hole Mobility in Excess of 20 cm ² V ^{â^'1} s ^{â^'1} . Advanced Materials, 2019, 31, e1900871.	21.0	64
143	Plasmonicâ€Enhanced Light Harvesting and Perovskite Solar Cell Performance Using Au Biometric Dimers with Broadband Structural Darkness. Solar Rrl, 2019, 3, 1900138.	5.8	34
144	P3HT Molecular Weight Determines the Performance of P3HT:Oâ€IDTBR Solar Cells. Solar Rrl, 2019, 3, 1900023.	5.8	27

#	Article	IF	CITATIONS
145	Lightâ€Emitting Transistors Based on Solutionâ€Processed Heterostructures of Selfâ€Organized Multipleâ€Quantumâ€Well Perovskite and Metalâ€Oxide Semiconductors. Advanced Electronic Materials, 2019, 5, 1800985.	5.1	18
146	Bismuthâ€Based Perovskiteâ€Inspired Solar Cells: In Situ Diagnostics Reveal Similarities and Differences in the Film Formation of Bismuth―and Leadâ€Based Films. Solar Rrl, 2019, 3, 1800305.	5.8	41
147	Hybridization of Local Exciton and Charge-Transfer States Reduces Nonradiative Voltage Losses in Organic Solar Cells. Journal of the American Chemical Society, 2019, 141, 6362-6374.	13.7	307
148	Key Parameters Requirements for Nonâ€Fullereneâ€Based Organic Solar Cells with Power Conversion Efficiency >20%. Advanced Science, 2019, 6, 1802028.	11.2	149
149	Impact of the Gate Dielectric on Contact Resistance in Highâ€Mobility Organic Transistors. Advanced Electronic Materials, 2019, 5, 1800723.	5.1	40
150	A versatile star-shaped organic semiconductor based on benzodithiophene and diketopyrrolopyrrole. Journal of Materials Chemistry C, 2019, 7, 6622-6629.	5.5	16
151	Highly sensitive and room temperature detection of ultra-low concentrations of O ₃ using self-powered sensing elements of Cu ₂ O nanocubes. Nanoscale Advances, 2019, 1, 2009-2017.	4.6	15
152	Rapid photonic curing of solution-processed In2O3 layers on flexible substrates. Applied Surface Science, 2019, 479, 974-979.	6.1	19
153	Adding a new layer to â€~more than Moore'. Nature Electronics, 2019, 2, 497-498.	26.0	8
154	Hybrid organic–metal oxide multilayer channel transistors with high operational stability. Nature Electronics, 2019, 2, 587-595.	26.0	49
155	Lyotropic â€~hairy' TiO ₂ nanorods. Nanoscale Advances, 2019, 1, 254-264.	4.6	8
156	One-step growth of reduced graphene oxide on arbitrary substrates. Carbon, 2019, 144, 457-463.	10.3	12
157	Charge and Triplet Exciton Generation in Neat PC ₇₀ BM Films and Hybrid CuSCN:PC ₇₀ BM Solar Cells. Advanced Energy Materials, 2019, 9, 1802476.	19.5	20
158	α,β-Unsubstituted <i>meso</i> -positioning thienyl BODIPY: a promising electron deficient building block for the development of near infrared (NIR) p-type donor–acceptor (D–A) conjugated polymers. Journal of Materials Chemistry C, 2018, 6, 4030-4040.	5.5	22
159	Anion-induced N-doping of naphthalenediimide polymer semiconductor in organic thin-film transistors. Npj Flexible Electronics, 2018, 2, .	10.7	32
160	Alkylated indacenodithieno[3,2- <i>b</i>]thiophene-based all donor ladder-type conjugated polymers for organic thin film transistors. Journal of Materials Chemistry C, 2018, 6, 2004-2009.	5.5	18
161	Copper (I) Selenocyanate (CuSeCN) as a Novel Holeâ€Transport Layer for Transistors, Organic Solar Cells, and Lightâ€Emitting Diodes. Advanced Functional Materials, 2018, 28, 1707319.	14.9	19
162	Highâ€Efficiency Fullerene Solar Cells Enabled by a Spontaneously Formed Mesostructured CuSCNâ€Nanowire Heterointerface. Advanced Science, 2018, 5, 1700980.	11.2	19

#	Article	IF	CITATIONS
163	The Impact of Molecular pâ€Doping on Charge Transport in Highâ€Mobility Smallâ€Molecule/Polymer Blend Organic Transistors. Advanced Electronic Materials, 2018, 4, 1700464.	5.1	63
164	An Alkylated Indacenodithieno[3,2â€ <i>b</i>]thiopheneâ€Based Nonfullerene Acceptor with High Crystallinity Exhibiting Single Junction Solar Cell Efficiencies Greater than 13% with Low Voltage Losses. Advanced Materials, 2018, 30, 1705209.	21.0	474
165	Charge Photogeneration and Recombination in Mesostructured CuSCNâ€Nanowire/PC ₇₀ BM Solar Cells. Solar Rrl, 2018, 2, 1800095.	5.8	9
166	Solutionâ€Processed In ₂ O ₃ /ZnO Heterojunction Electron Transport Layers for Efficient Organic Bulk Heterojunction and Inorganic Colloidal Quantumâ€Dot Solar Cells. Solar Rrl, 2018, 2, 1800076.	5.8	34
167	Accurate Extraction of Charge Carrier Mobility in 4â€Probe Fieldâ€Effect Transistors. Advanced Functional Materials, 2018, 28, 1707105.	14.9	40
168	Pronounced Side Chain Effects in Triple Bond-Conjugated Polymers Containing Naphthalene Diimides for n-Channel Organic Field-Effect Transistors. ACS Applied Materials & Interfaces, 2018, 10, 12921-12929.	8.0	20
169	High Speed Ultraviolet Phototransistors Based on an Ambipolar Fullerene Derivative. ACS Applied Materials & Interfaces, 2018, 10, 10202-10210.	8.0	26
170	Remarkable Enhancement of the Hole Mobility in Several Organic Smallâ€Molecules, Polymers, and Smallâ€Molecule:Polymer Blend Transistors by Simple Admixing of the Lewis Acid pâ€Dopant B(C ₆ F ₅) ₃ . Advanced Science, 2018, 5, 1700290.	11.2	131
171	Flexible nanogap polymer light-emitting diodes fabricated via adhesion lithography (a-Lith). JPhys Materials, 2018, 1, 01LT01.	4.2	8
172	Low Temperature and Radiation Stability of Flexible IGZO TFTs and their Suitability for Space Applications. , 2018, , .		1
173	Enabling thin-film transistor technologies and the device metrics that matter. Nature Communications, 2018, 9, 5264.	12.8	55
174	Enhanced Light–Matter Interaction: Light–Matter Interaction within Extreme Dimensions: From Nanomanufacturing to Applications (Advanced Optical Materials 18/2018). Advanced Optical Materials, 2018, 6, 1870072.	7.3	0
175	Low-Voltage Solution-Processed Hybrid Light-Emitting Transistors. ACS Applied Materials & Interfaces, 2018, 10, 18445-18449.	8.0	22
176	Phase Inversion Strategy to Flexible Freestanding Electrode: Critical Coupling of Binders and Electrolytes for High Performance Li–S Battery. Advanced Functional Materials, 2018, 28, 1802244.	14.9	64
177	Large-area plastic nanogap electronics enabled by adhesion lithography. Npj Flexible Electronics, 2018, 2, .	10.7	29
178	Light–Matter Interaction within Extreme Dimensions: From Nanomanufacturing to Applications. Advanced Optical Materials, 2018, 6, 1800444.	7.3	22
179	Electron mobility enhancement in solution-processed low-voltage In2O3 transistors via channel interface planarization. AIP Advances, 2018, 8, .	1.3	10
180	Recent Progress in Highâ€Mobility Organic Transistors: A Reality Check. Advanced Materials, 2018, 30, e1801079.	21.0	498

#	Article	IF	CITATIONS
181	Post-polymerisation functionalisation of conjugated polymer backbones and its application in multi-functional emissive nanoparticles. Nature Communications, 2018, 9, 3237.	12.8	48
182	pâ€Doping of Copper(I) Thiocyanate (CuSCN) Holeâ€Transport Layers for Highâ€Performance Transistors and Organic Solar Cells. Advanced Functional Materials, 2018, 28, 1802055.	14.9	50
183	The Influence of Backbone Fluorination on the Dielectric Constant of Conjugated Polythiophenes. Advanced Electronic Materials, 2018, 4, 1700375.	5.1	17
184	Electronic Properties of Copper(I) Thiocyanate (CuSCN). Advanced Electronic Materials, 2017, 3, 1600378.	5.1	64
185	Cyano substituted benzotriazole based polymers for use in organic solar cells. Journal of Materials Chemistry A, 2017, 5, 6465-6470.	10.3	26
186	Alternating 5,5-Dimethylcyclopentadiene and Diketopyrrolopyrrole Copolymer Prepared at Room Temperature for High Performance Organic Thin-Film Transistors. Journal of the American Chemical Society, 2017, 139, 8094-8097.	13.7	49
187	Alkylated Selenophene-Based Ladder-Type Monomers via a Facile Route for High-Performance Thin-Film Transistor Applications. Journal of the American Chemical Society, 2017, 139, 8552-8561.	13.7	105
188	Heterojunction oxide thin-film transistors with unprecedented electron mobility grown from solution. Science Advances, 2017, 3, e1602640.	10.3	148
189	Exploring the Leidenfrost Effect for the Deposition of Highâ€Quality In ₂ O ₃ Layers via Spray Pyrolysis at Low Temperatures and Their Application in High Electron Mobility Transistors. Advanced Functional Materials, 2017, 27, 1606407.	14.9	43
190	Rapid laser-induced photochemical conversion of sol–gel precursors to In ₂ O ₃ layers and their application in thin-film transistors. Journal of Materials Chemistry C, 2017, 5, 3673-3677.	5.5	33
191	Modulationâ€Doped In ₂ O ₃ /ZnO Heterojunction Transistors Processed from Solution. Advanced Materials, 2017, 29, 1605837.	21.0	96
192	Solution-processed p-type copper(I) thiocyanate (CuSCN) for low-voltage flexible thin-film transistors and integrated inverter circuits. Applied Physics Letters, 2017, 110, 113504.	3.3	33
193	Semiconductor-Free Nonvolatile Resistive Switching Memory Devices Based on Metal Nanogaps Fabricated on Flexible Substrates via Adhesion Lithography. IEEE Transactions on Electron Devices, 2017, 64, 1973-1980.	3.0	20
194	The impact of post-deposition annealing on the performance of solution-processed single layer In ₂ O ₃ and isotype In ₂ O ₃ /ZnO heterojunction transistors. Journal of Materials Chemistry C, 2017, 5, 59-64.	5.5	34
195	Sub-second photonic processing of solution-deposited single layer and heterojunction metal oxide thin-film transistors using a high-power xenon flash lamp. Journal of Materials Chemistry C, 2017, 5, 11724-11732.	5.5	37
196	Metalâ€Halide Perovskite Transistors for Printed Electronics: Challenges and Opportunities. Advanced Materials, 2017, 29, 1702838.	21.0	117
197	Effect of Alkyl Chain Branching Point on 3D Crystallinity in High Nâ€₹ype Mobility Indolonaphthyridine Polymers. Advanced Functional Materials, 2017, 27, 1704069.	14.9	18
198	Copper(I) Thiocyanate (CuSCN) Holeâ€Transport Layers Processed from Aqueous Precursor Solutions and Their Application in Thinâ€Film Transistors and Highly Efficient Organic and Organometal Halide Perovskite Solar Cells. Advanced Functional Materials. 2017. 27. 1701818.	14.9	208

#	Article	IF	CITATIONS
199	Deep Ultraviolet Copper(I) Thiocyanate (CuSCN) Photodetectors Based on Coplanar Nanogap Electrodes Fabricated via Adhesion Lithography. ACS Applied Materials & Interfaces, 2017, 9, 41965-41972.	8.0	31
200	Charge Transport in 2D DNA Tunnel Junction Diodes. Small, 2017, 13, 1703006.	10.0	13
201	Flexible diodes for radio frequency (RF) electronics: a materials perspective. Semiconductor Science and Technology, 2017, 32, 123002.	2.0	64
202	Effect of Systematically Tuning Conjugated Donor Polymer Lowest Unoccupied Molecular Orbital Levels via Cyano Substitution on Organic Photovoltaic Device Performance. Chemistry of Materials, 2016, 28, 5110-5120.	6.7	115
203	Energy Quantization in Solutionâ€Processed Layers of Indium Oxide and Their Application in Resonant Tunneling Diodes. Advanced Functional Materials, 2016, 26, 1656-1663.	14.9	21
204	Alâ€Đoped ZnO Transistors Processed from Solution at 120 °C. Advanced Electronic Materials, 2016, 2, 1600070.	5.1	42
205	An Airâ€Stable Semiconducting Polymer Containing Dithieno[3,2â€ <i>b</i> :2′,3′â€ <i>d</i>]arsole. Angewa Chemie - International Edition, 2016, 55, 7148-7151.	Indte 13.8	56
206	Radio Frequency Coplanar ZnO Schottky Nanodiodes Processed from Solution on Plastic Substrates. Small, 2016, 12, 1993-2000.	10.0	48
207	Hybrid Lightâ€Emitting Transistors Based on Lowâ€Temperature Solutionâ€Processed Metal Oxides and a Chargeâ€Injecting Interlayer. Advanced Optical Materials, 2016, 4, 231-237.	7.3	24
208	Vertical Phase Separation in Small Molecule:Polymer Blend Organic Thin Film Transistors Can Be Dynamically Controlled. Advanced Functional Materials, 2016, 26, 1737-1746.	14.9	98
209	Hybrid Modulationâ€Doping of Solutionâ€Processed Ultrathin Layers of ZnO Using Molecular Dopants. Advanced Materials, 2016, 28, 3952-3959.	21.0	16
210	Metal oxide semiconductor thin-film transistors for flexible electronics. Applied Physics Reviews, 2016, 3, 021303.	11.3	511
211	Hybrid complementary circuits based on <i>p</i> -channel organic and <i>n</i> -channel metal oxide transistors with balanced carrier mobilities of up to 10 cm2/Vs. Applied Physics Letters, 2016, 109, .	3.3	24
212	Nanoscale current spreading analysis in solution-processed graphene oxide/silver nanowire transparent electrodes via conductive atomic force microscopy. Journal of Applied Physics, 2016, 119, .	2.5	14
213	Temperature and composition-dependent density of states in organic small-molecule/polymer blend transistors. Journal of Applied Physics, 2016, 120, .	2.5	21
214	A Novel Alkylated Indacenodithieno[3,2â€b]thiopheneâ€Based Polymer for Highâ€Performance Fieldâ€Effect Transistors. Advanced Materials, 2016, 28, 3922-3927.	21.0	117
215	Design, synthesis, chemical stability, packing, cyclic voltammetry, ionisation potential, and charge transport of [1]benzothieno[3,2-b][1]benzothiophene derivatives. Journal of Materials Chemistry C, 2016, 4, 4863-4879.	5.5	33
216	Air-Stable <i>n</i> -channel Diketopyrrolopyrroleâ^'Diketopyrrolopyrrole Oligomers for High Performance Ambipolar Organic Transistors. ACS Applied Materials & Interfaces, 2016, 8, 25415-25427.	8.0	36

#	Article	IF	CITATIONS
217	Doping of Large Ionization Potential Indenopyrazine Polymers via Lewis Acid Complexation with Tris(pentafluorophenyl)borane: A Simple Method for Improving the Performance of Organic Thin-Film Transistors. Chemistry of Materials, 2016, 28, 8016-8024.	6.7	53
218	Nanoscale Charge Percolation Analysis in Polymer‧orted (7,5) Singleâ€Walled Carbon Nanotube Networks. Small, 2016, 12, 4211-4221.	10.0	16
219	Significant Stability Enhancement in Highâ€Efficiency Polymer:Fullerene Bulk Heterojunction Solar Cells by Blocking Ultraviolet Photons from Solar Light. Advanced Science, 2016, 3, 1500269.	11.2	63
220	Nondestructive Method for Mapping Metal Contact Diffusion in In ₂ O ₃ Thin-Film Transistors. ACS Applied Materials & Interfaces, 2016, 8, 25631-25636.	8.0	10
221	Analysis of Schottky Contact Formation in Coplanar Au/ZnO/Al Nanogap Radio Frequency Diodes Processed from Solution at Low Temperature. ACS Applied Materials & Interfaces, 2016, 8, 23167-23174.	8.0	43
222	Conjugated Copolymers of Vinylene Flanked Naphthalene Diimide. Macromolecules, 2016, 49, 6384-6393.	4.8	49
223	Small Molecule/Polymer Blend Organic Transistors with Hole Mobility Exceeding 13 cm ² V ^{â^'1} s ^{â^'1} . Advanced Materials, 2016, 28, 7791-7798.	21.0	166
224	Ambipolar Organic Phototransistors with pâ€Type/nâ€Type Conjugated Polymer Bulk Heterojunction Light‣ensing Layers. Advanced Electronic Materials, 2016, 2, 1600264.	5.1	46
225	Vinylene-Linked Oligothiophene–Difluorobenzothiadiazole Copolymer for Transistor Applications. ACS Applied Materials & Interfaces, 2016, 8, 31154-31165.	8.0	14
226	Indolo-naphthyridine-6,13-dione Thiophene Building Block for Conjugated Polymer Electronics: Molecular Origin of Ultrahigh n-Type Mobility. Chemistry of Materials, 2016, 28, 8366-8378.	6.7	52
227	>10% Efficiency Polymer:Fullerene Solar Cells with Polyacetyleneâ€Based Polyelectrolyte Interlayers. Advanced Materials Interfaces, 2016, 3, 1600415.	3.7	35
228	Room temperature dielectric bistability in solution-processed spin crossover polymer thin films. Journal of Materials Chemistry C, 2016, 4, 6240-6248.	5.5	17
229	An Air‧table Semiconducting Polymer Containing Dithieno[3,2â€ <i>b</i> :2′,3′â€ <i>d</i>]arsole. Angewa Chemie, 2016, 128, 7264-7267.	indte 2.0	15
230	Strong molecular weight effects of gate-insulating memory polymers in low-voltage organic nonvolatile memory transistors with outstanding retention characteristics. NPG Asia Materials, 2016, 8, e235-e235.	7.9	23
231	High mobility transistors based on electrospray-printed small-molecule/polymer semiconducting blends. Journal of Materials Chemistry C, 2016, 4, 3499-3507.	5.5	30
232	Quasi Two-Dimensional Dye-Sensitized In ₂ O ₃ Phototransistors for Ultrahigh Responsivity and Photosensitivity Photodetector Applications. ACS Applied Materials & Interfaces, 2016, 8, 4894-4902.	8.0	61
233	Exploring and controlling intrinsic defect formation in SnO ₂ thin films. Journal of Materials Chemistry C, 2016, 4, 758-765.	5.5	35
234	Influence of the heteroatom on the optoelectronic properties and transistor performance of soluble thiophene-, selenophene- and tellurophene–vinylene copolymers. Chemical Science, 2016, 7, 1093-1099.	7.4	84

#	Article	IF	CITATION
235	Using Molecular Design to Increase Hole Transport: Backbone Fluorination in the Benchmark Material		

#	Article	IF	CITATIONS
253	Low-voltage polymer/small-molecule blend organic thin-film transistors and circuits fabricated via spray deposition. Applied Physics Letters, 2015, 106, .	3.3	33
254	Preface: Printed electronics. Semiconductor Science and Technology, 2015, 30, 100301.	2.0	1
255	High Electron Mobility Thinâ€Film Transistors Based on Solutionâ€Processed Semiconducting Metal Oxide Heterojunctions and Quasiâ€Superlattices. Advanced Science, 2015, 2, 1500058.	11.2	134
256	Novel soluble thieno[3,2-b]thiophene fused porphyrazine. RSC Advances, 2015, 5, 90645-90650.	3.6	3
257	Fused Ring Cyclopentadithienothiophenes as Novel Building Blocks for High Field Effect Mobility Conjugated Polymers. Macromolecules, 2015, 48, 5605-5613.	4.8	12
258	Copper thiocyanate: An attractive hole transport/extraction layer for use in organic photovoltaic cells. Applied Physics Letters, 2015, 107, .	3.3	53
259	Diselenogermole as a novel donor monomer for low band gap polymers. Journal of Materials Chemistry A, 2015, 3, 1986-1994.	10.3	19
260	Indium Oxide Thin-Film Transistors Processed at Low Temperature via Ultrasonic Spray Pyrolysis. ACS Applied Materials & Interfaces, 2015, 7, 782-790.	8.0	79
261	Highâ€Efficiency, Solutionâ€Processed, Multilayer Phosphorescent Organic Lightâ€Emitting Diodes with a Copper Thiocyanate Holeâ€Injection/Holeâ€Transport Layer. Advanced Materials, 2015, 27, 93-100.	21.0	178
262	Cyano substituted benzothiadiazole: a novel acceptor inducing n-type behaviour in conjugated polymers. Journal of Materials Chemistry C, 2015, 3, 265-275.	5.5	89
263	Highâ€Efficiency Organic Photovoltaic Cells Based on the Solutionâ€Processable Hole Transporting Interlayer Copper Thiocyanate (CuSCN) as a Replacement for PEDOT:PSS. Advanced Energy Materials, 2015, 5, 1401529.	19.5	133
264	Integration of solution-processed (7,5) SWCNTs with sputtered and spray-coated metal oxides for flexible complementary inverters. , 2014, , .		7
265	Selenium in Diketopyrrolopyrroleâ€based Polymers: Influence on Electronic Properties and Charge Carrier Mobilities. Israel Journal of Chemistry, 2014, 54, 817-827.	2.3	6
266	Influence of the Electron Deficient Coâ€Monomer on the Optoelectronic Properties and Photovoltaic Performance of Dithienogermoleâ€based Coâ€Polymers. Advanced Functional Materials, 2014, 24, 678-687.	14.9	59
267	High electron mobility thin-film transistors based on Ga2O3 grown by atmospheric ultrasonic spray pyrolysis at low temperatures. Applied Physics Letters, 2014, 105, .	3.3	56
268	Comparative Study of the Nâ€Type Doping Efficiency in Solutionâ€processed Fullerenes and Fullerene Derivatives. Advanced Functional Materials, 2014, 24, 7116-7124.	14.9	55
269	Sub-15-nm patterning of asymmetric metal electrodes and devices by adhesion lithography. Nature Communications, 2014, 5, 3933.	12.8	77
270	Laser-Assisted Reduction of Graphene Oxide for Flexible, Large-Area Optoelectronics. IEEE Journal of Selected Topics in Quantum Electronics, 2014, 20, 106-115.	2.9	59

#	Article	IF	CITATIONS
271	Triple bulk heterojunctions as means for recovering the microstructure of photoactive layers in organic solar cell devices. Solar Energy Materials and Solar Cells, 2014, 120, 37-47.	6.2	14
272	Benzotrithiophene Copolymers: Influence of Molecular Packing and Energy Levels on Charge Carrier Mobility. Macromolecules, 2014, 47, 2883-2890.	4.8	26
273	Incorporation of benzocarborane into conjugated polymer systems: synthesis, characterisation and optoelectronic properties. Journal of Materials Chemistry C, 2014, 2, 232-239.	5.5	21
274	Benzocarborano[2,1- <i>b</i> :3,4- <i>b</i> ′]dithiophene Containing Conjugated Polymers: Synthesis, Characterization, and Optoelectronic Properties. Macromolecules, 2014, 47, 89-96.	4.8	19
275	The role of the ethynylene bond on the optical and electronic properties of diketopyrrolopyrrole copolymers. RSC Advances, 2014, 4, 58404-58411.	3.6	3
276	Correlating Non-Geminate Recombination with Film Structure: A Comparison of Polythiophene: Fullerene Bilayer and Blend Films. Journal of Physical Chemistry Letters, 2014, 5, 3669-3676.	4.6	9
277	Reduced roughness for improved mobility in benzodipyrrolidone-based, n-type OFETS. Journal of Materials Chemistry C, 2014, 2, 8822-8828.	5.5	24
278	High-speed scanning thermal lithography for nanostructuring of electronic devices. Nanoscale, 2014, 6, 5813-5819.	5.6	5
279	Polythiophenes with vinylene linked <i>ortho</i> , <i>meta</i> and <i>para</i> -carborane sidechains. Polymer Chemistry, 2014, 5, 6190-6199.	3.9	23
280	In situ photo-induced chemical doping of solution-processed graphene oxide for electronic applications. Journal of Materials Chemistry C, 2014, 2, 5931-5937.	5.5	26
281	Influence of Side-Chain Regiochemistry on the Transistor Performance of High-Mobility, All-Donor Polymers. Journal of the American Chemical Society, 2014, 136, 15154-15157.	13.7	97
282	Use of side-chain for rational design of n-type diketopyrrolopyrrole-based conjugated polymers: what did we find out?. Physical Chemistry Chemical Physics, 2014, 16, 17253-17265.	2.8	54
283	Microstructural Control of Charge Transport in Organic Blend Thinâ€Film Transistors. Advanced Functional Materials, 2014, 24, 5969-5976.	14.9	60
284	Controlling Conformations of Diketopyrrolopyrrole-Based Conjugated Polymers: Role of Torsional Angle. Journal of Physical Chemistry C, 2014, 118, 11536-11544.	3.1	28
285	Alkyl Chain Extension as a Route to Novel Thieno[3,2- <i>b</i>]thiophene Flanked Diketopyrrolopyrrole Polymers for Use in Organic Solar Cells and Field Effect Transistors. Macromolecules, 2013, 46, 5961-5967.	4.8	67
286	Observation of Unusual, Highly Conductive Grain Boundaries in Highâ€Mobility Phase Separated Organic Semiconducting Blend Films Probed by Lateralâ€Transport Conductiveâ€AFM. Advanced Materials, 2013, 25, 4320-4326.	21.0	53
287	Molecular origin of high field-effect mobility in an indacenodithiophene–benzothiadiazole copolymer. Nature Communications, 2013, 4, 2238.	12.8	456
288	Near Infrared Absorbing Soluble Poly(cyclopenta[2,1-b:3,4-b′]dithiophen-4-one)vinylene Polymers Exhibiting High Hole and Electron Mobilities in Ambient Air. Chemistry of Materials, 2013, 25, 59-68.	6.7	35

#	Article	IF	CITATIONS
289	Post-fabrication, <i>in situ</i> laser reduction of graphene oxide devices. Applied Physics Letters, 2013, 102, .	3.3	76
290	New Fused Bis-Thienobenzothienothiophene Copolymers and Their Use in Organic Solar Cells and Transistors. Macromolecules, 2013, 46, 727-735.	4.8	43
291	<i>p</i> -channel thin-film transistors based on spray-coated Cu2O films. Applied Physics Letters, 2013, 102, .	3.3	101
292	Low band gap dithienogermolodithiophene copolymers with tunable acceptors and side-chains for organic solar cells. Journal of Materials Chemistry A, 2013, 1, 14973.	10.3	31
293	Isostructural, Deeper Highest Occupied Molecular Orbital Analogues of Poly(3-hexylthiophene) for High-Open Circuit Voltage Organic Solar Cells. Chemistry of Materials, 2013, 25, 4239-4249.	6.7	55
294	Observation of wrinkle induced potential drops in biased chemically derived graphene thin film networks. Carbon, 2013, 64, 35-44.	10.3	11
295	Highâ€Performance ZnO Transistors Processed Via an Aqueous Carbonâ€Free Metal Oxide Precursor Route at Temperatures Between 80–180 °C. Advanced Materials, 2013, 25, 4340-4346.	21.0	156
296	Graphene oxide gate dielectric for graphene-based monolithic field effect transistors. Applied Physics Letters, 2013, 102, .	3.3	43
297	Post-Polymerization Ketalization for Improved Organic Photovoltaic Materials. Macromolecules, 2013, 46, 7727-7732.	4.8	14
298	Holeâ€Transporting Transistors and Circuits Based on the Transparent Inorganic Semiconductor Copper(I) Thiocyanate (CuSCN) Processed from Solution at Room Temperature. Advanced Materials, 2013, 25, 1504-1509.	21.0	196
299	Synthesis of tetraselenophenoporphyrazine and its application in transistor devices. Journal of Materials Chemistry C, 2013, 1, 6198.	5.5	9
300	Fused Dithienogermolodithiophene Low Band Gap Polymers for High-Performance Organic Solar Cells without Processing Additives. Journal of the American Chemical Society, 2013, 135, 2040-2043.	13.7	145
301	BPTs: thiophene-flanked benzodipyrrolidone conjugated polymers for ambipolar organic transistors. Chemical Communications, 2013, 49, 4465.	4.1	63
302	Dihydropyrroloindoledione-based copolymers for organic electronics. Journal of Materials Chemistry C, 2013, 1, 2711.	5.5	19
303	High Mobility Fieldâ€Effect Transistors with Versatile Processing from a Smallâ€Molecule Organic Semiconductor. Advanced Materials, 2013, 25, 4352-4357.	21.0	126
304	Solution-processable metal oxide semiconductors for thin-film transistor applications. Chemical Society Reviews, 2013, 42, 6910.	38.1	250
305	Pyrroloindacenodithiophene polymers: the effect of molecular structure on OFET performance. Polymer Chemistry, 2013, 4, 3537.	3.9	23
306	The Influence of Polymer Purification on Photovoltaic Device Performance of a Series of Indacenodithiophene Donor Polymers. Advanced Materials, 2013, 25, 2029-2034.	21.0	129

#	Article	IF	CITATIONS
307	Electric field-induced hole transport in copper(i) thiocyanate (CuSCN) thin-films processed from solution at room temperature. Chemical Communications, 2013, 49, 4154-4156.	4.1	169
308	Be-Doped ZnO Thin-Film Transistors and Circuits Fabricated by Spray Pyrolysis in Air. Journal of Display Technology, 2013, 9, 688-693.	1.2	7
309	Improved Field-Effect Transistor Performance of a Benzotrithiophene Polymer through Ketal Cleavage in the Solid State. ACS Applied Materials & Interfaces, 2013, 5, 1806-1810.	8.0	23
310	Correction to "Improved Field-Effect Transistor Performance of a Benzotrithiophene Polymer through Ketal Cleavage in the Solid State― ACS Applied Materials & Interfaces, 2013, 5, 2783-2783.	8.0	0
311	Solution-processed ZnO nanoparticle-based transistors via a room-temperature photochemical conversion process. Applied Physics Letters, 2013, 102, .	3.3	35
312	Selected Peer-Reviewed Articles from EMRS 2012 Symposium on "Organic and Hybrid Materials for Flexible Electronics: Properties and Applications― Journal of Nanoscience and Nanotechnology, 2013, 13, 5134-5135.	0.9	1
313	Organic and Hybrid Materials for Flexible Electronics. Advanced Materials, 2013, 25, 4208-4209.	21.0	29
314	Onâ€Demand Patterning of Nanostructured Pentacene Transistors by Scanning Thermal Lithography. Advanced Materials, 2013, 25, 552-558.	21.0	13
315	Semiconducting Arylacetylene:Insulating Polymer Blends for Organic-Based Electronic Devices. Materials Research Society Symposia Proceedings, 2012, 1402, 94.	0.1	0
316	Solution-processed dye-sensitized ZnO phototransistors with extremely high photoresponsivity. Journal of Applied Physics, 2012, 112, .	2.5	34
317	Low-voltage graphene transistors based on self-assembled monolayer nanodielectrics. Materials Research Society Symposia Proceedings, 2012, 1451, 179-184.	0.1	0
318	Thiophene fluorination to enhance photovoltaic performance in low band gap donor–acceptor polymers. Chemical Communications, 2012, 48, 11130.	4.1	68
319	Designing organic and inorganic ambipolar thin-film transistors and inverters: Theory and experiment. Organic Electronics, 2012, 13, 2816-2824.	2.6	35
320	Germaindacenodithiophene based low band gap polymers for organic solar cells. Chemical Communications, 2012, 48, 2955.	4.1	53
321	Random benzotrithiophene-based donor–acceptor copolymers for efficient organic photovoltaic devices. Chemical Communications, 2012, 48, 5832.	4.1	111
322	Solution-processable organic dielectrics for graphene electronics. Nanotechnology, 2012, 23, 344017.	2.6	33
323	Low band gap selenophene–diketopyrrolopyrrolepolymers exhibiting high and balanced ambipolar performance in bottom-gate transistors. Chemical Science, 2012, 3, 181-185.	7.4	169
324	Electronic structure tuning of new fused thieno[3,2-b]thieno bisthiophene based polymers via alkyl chain and Group IV heteroatom modulation. Proceedings of SPIE, 2012, , .	0.8	0

#	Article	IF	CITATIONS
325	Fullerene/Cobalt Porphyrin Hybrid Nanosheets with Ambipolar Charge Transporting Characteristics. Journal of the American Chemical Society, 2012, 134, 7204-7206.	13.7	119
326	Synthesis of novel thieno[3,2-b]thienobis(silolothiophene) based low bandgap polymers for organic photovoltaics. Chemical Communications, 2012, 48, 7699.	4.1	63
327	Diketopyrrolopyrrole–Diketopyrrolopyrrole-Based Conjugated Copolymer for High-Mobility Organic Field-Effect Transistors. Journal of the American Chemical Society, 2012, 134, 16532-16535.	13.7	339
328	Acenaphtho[1,2-b]quinoxaline based low band gap copolymers for organic thin film transistor applications. Journal of Materials Chemistry, 2012, 22, 4450-4458.	6.7	16
329	Comparative Optoelectronic Study between Copolymers of Peripherally Alkylated Dithienosilole and Dithienogermole. Macromolecules, 2012, 45, 735-742.	4.8	42
330	Solution-processed small molecule transistors with low operating voltages and high grain-boundary anisotropy. Journal of Materials Chemistry, 2012, 22, 9458.	6.7	19
331	Silaindacenodithiopheneâ€Based Low Band Gap Polymers – The Effect of Fluorine Substitution on Device Performances and Film Morphologies. Advanced Functional Materials, 2012, 22, 1663-1670.	14.9	177
332	Solutionâ€Processed Small Moleculeâ€Polymer Blend Organic Thinâ€Film Transistors with Hole Mobility Greater than 5 cm ² /Vs. Advanced Materials, 2012, 24, 2441-2446.	21.0	219
333	Air‣table and Highâ€Mobility nâ€Channel Organic Transistors Based on Smallâ€Molecule/Polymer Semiconducting Blends. Advanced Materials, 2012, 24, 3205-3211.	21.0	121
334	Highâ€Performance Ambipolar Diketopyrrolopyrroleâ€Thieno[3,2â€ <i>b</i>]thiophene Copolymer Fieldâ€Effect Transistors with Balanced Hole and Electron Mobilities. Advanced Materials, 2012, 24, 647-652.	21.0	521
335	Indole-substituted nickel dithiolene complexes in electronic and optoelectronic devices. Journal of Materials Chemistry, 2011, 21, 15422.	6.7	29
336	Low-voltage ZnO thin-film transistors based on Y2O3 and Al2O3 high-k dielectrics deposited by spray pyrolysis in air. Applied Physics Letters, 2011, 98, 123503.	3.3	122
337	Synthesis, Characterization, and Field Effect Transistor Properties of Regioregular Poly(3-alkyl-2,5-selenylenevinylene). Macromolecules, 2011, 44, 5194-5199.	4.8	49
338	Analysis of Recombination Losses in a Pentacene/C ₆₀ Organic Bilayer Solar Cell. Journal of Physical Chemistry Letters, 2011, 2, 2759-2763.	4.6	47
339	Indacenodithiophene- <i>co</i> -benzothiadiazole Copolymers for High Performance Solar Cells or Transistors via Alkyl Chain Optimization. Macromolecules, 2011, 44, 6649-6652.	4.8	165
340	Benzotrithiophene Co-polymers with High Charge Carrier Mobilities in Field-Effect Transistors. Chemistry of Materials, 2011, 23, 4025-4031.	6.7	56
341	Self-assembly and charge transport properties of a benzobisthiazole end-capped with dihexyl thienothiophene units. Journal of Materials Chemistry, 2011, 21, 2091-2097.	6.7	28
342	Pyrroloindacenodithiophene containing polymers for organic field effect transistors and organic photovoltaics. Journal of Materials Chemistry, 2011, 21, 18744.	6.7	50

#	Article	IF	CITATIONS
343	Silaindacenodithiophene Semiconducting Polymers for Efficient Solar Cells and High-Mobility Ambipolar Transistors. Chemistry of Materials, 2011, 23, 768-770.	6.7	126
344	Molecular Packing of High-Mobility Diketo Pyrrolo-Pyrrole Polymer Semiconductors with Branched Alkyl Side Chains. Journal of the American Chemical Society, 2011, 133, 15073-15084.	13.7	381
345	Bias-stress effects in organic field-effect transistors based on self-assembled monolayer nanodielectrics. Physical Chemistry Chemical Physics, 2011, 13, 14387.	2.8	22
346	The tuning of the energy levels of dibenzosilole copolymers and applications in organic electronics. Journal of Materials Chemistry, 2011, 21, 11800.	6.7	39
347	Partially oxidized graphene as a precursor to graphene. Journal of Materials Chemistry, 2011, 21, 11217.	6.7	76
348	Soluble fullerene derivatives: The effect of electronic structure on transistor performance and air stability. Journal of Applied Physics, 2011, 110, .	2.5	19
349	Influence of molecular architecture and processing on properties of semiconducting arylacetylene: Insulating poly(vinylidene fluoride) blends. Organic Electronics, 2011, 12, 1886-1892.	2.6	23
350	A low band gap co-polymer of dithienogermole and 2,1,3-benzothiadiazole by Suzuki polycondensation and its application in transistor and photovoltaic cells. Journal of Materials Chemistry, 2011, 21, 16257.	6.7	91
351	Thieno[3,2- <i>b</i>]thiopheneâ~Diketopyrrolopyrrole-Containing Polymers for High-Performance Organic Field-Effect Transistors and Organic Photovoltaic Devices. Journal of the American Chemical Society, 2011, 133, 3272-3275.	13.7	854
352	Effect of multiple adduct fullerenes on charge generation and transport in photovoltaic blends with poly(3â€hexylthiopheneâ€2,5â€diyl). Journal of Polymer Science, Part B: Polymer Physics, 2011, 49, 45-51.	2.1	59
353	Synthesis of a Novel Fused Thiopheneâ€thieno[3,2â€b]thiopheneâ€thiophene Donor Monomer and Coâ€polymer for Use in OPV and OFETs. Macromolecular Rapid Communications, 2011, 32, 1664-1668.	3.9	41
354	Structural and Electrical Characterization of ZnO Films Grown by Spray Pyrolysis and Their Application in Thinâ€Film Transistors. Advanced Functional Materials, 2011, 21, 525-531.	14.9	100
355	In-Situ Monitoring of the Solid-State Microstructure Evolution of Polymer:Fullerene Blend Films Using Field-Effect Transistors. Advanced Functional Materials, 2011, 21, 356-363.	14.9	37
356	Realâ€īime Investigation of Crystallization and Phaseâ€5egregation Dynamics in P3HT:PCBM Solar Cells During Thermal Annealing. Advanced Functional Materials, 2011, 21, 1701-1708.	14.9	207
357	Highâ€Mobility Lowâ€Voltage ZnO and Liâ€Doped ZnO Transistors Based on ZrO ₂ Highâ€ <i>k</i> Dielectric Grown by Spray Pyrolysis in Ambient Air. Advanced Materials, 2011, 23, 1894-1898.	21.0	217
358	Reduced Graphene Oxide Electrodes for Large Area Organic Electronics. Advanced Materials, 2011, 23, 1558-1562.	21.0	92
359	Effect of Acene Length on Electronic Properties in 5â€, 6â€, and 7â€Ringed Heteroacenes. Advanced Materials, 2011, 23, 3698-3703.	21.0	65
360	Impact of Fullerene Molecular Weight on P3HT:PCBM Microstructure Studied Using Organic Thinâ€Film Transistors. Advanced Energy Materials, 2011, 1, 1176-1183.	19.5	14

#	Article	IF	CITATIONS
361	Percolation behaviour in high mobility p-channel polymer/small-molecule blend organic field-effect transistors. Organic Electronics, 2011, 12, 143-147.	2.6	46
362	Measurement of the diffusivity of fullerenes in polymers using bilayer organic field effect transistors. Physical Review B, 2011, 84, .	3.2	18
363	Indacenodithiophene Semiconducting Polymers for High-Performance, Air-Stable Transistors. Journal of the American Chemical Society, 2010, 132, 11437-11439.	13.7	529
364	The Influence of Film Morphology in Highâ€Mobility Smallâ€Molecule:Polymer Blend Organic Transistors. Advanced Functional Materials, 2010, 20, 2330-2337.	14.9	120
365	Organic Transistors in Optical Displays and Microelectronic Applications. Advanced Materials, 2010, 22, 3778-3798.	21.0	576
366	Solid‣tate Processing of Organic Semiconductors. Advanced Materials, 2010, 22, 3942-3947.	21.0	46
367	Airâ€Stable Solutionâ€Processed Hybrid Transistors with Hole and Electron Mobilities Exceeding 2 cm ² V ^{â^'1} s ^{â^'1} . Advanced Materials, 2010, 22, 3598-3602.	21.0	56
368	Sprayâ€Deposited Liâ€Doped ZnO Transistors with Electron Mobility Exceeding 50 cm ² /Vs. Advanced Materials, 2010, 22, 4764-4769.	21.0	105
369	Micron-scale patterning of high conductivity poly(3,4-ethylendioxythiophene):poly(styrenesulfonate) for organic field-effect transistors. Organic Electronics, 2010, 11, 1307-1312.	2.6	33
370	Low-voltage ambipolar phototransistors based on a pentacene/PC61BM heterostructure and a self-assembled nano-dielectric. Organic Electronics, 2010, 11, 1250-1254.	2.6	98
371	TiO 2 thin-film transistors fabricated by spray pyrolysis. Applied Physics Letters, 2010, 96, .	3.3	50
372	Synthesis and Characterization of Fused Pyrrolo[3,2- <i>d</i> :4,5- <i>d′</i>]bisthiazole-Containing Polymers. Organic Letters, 2010, 12, 5478-5481.	4.6	40
373	Synthesis and characterization of pyrene-centered oligothiophenes. Synthetic Metals, 2010, 160, 1987-1993.	3.9	16
374	Synthesis and characterisation of new diindenodithienothiophene (DITT) based materials. Journal of Materials Chemistry, 2010, 20, 1112-1116.	6.7	14
375	Solution-processed organic transistors based on semiconducting blends. Journal of Materials Chemistry, 2010, 20, 2562.	6.7	201
376	Ink-jet printed p-type polymer electronics based on liquid-crystalline polymer semiconductors. Journal of Materials Chemistry, 2010, 20, 1927.	6.7	41
377	Ambipolar organic transistors and near-infrared phototransistors based on a solution-processable squarilium dye. Journal of Materials Chemistry, 2010, 20, 3673.	6.7	77
378	Solution processed low-voltage organic transistors and complementary inverters. Applied Physics Letters, 2009, 95, .	3.3	30

#	Article	IF	CITATIONS
379	Highâ€Performance Polymerâ€Small Molecule Blend Organic Transistors. Advanced Materials, 2009, 21, 1166-1171.	21.0	351
380	Highâ€Performance Zinc Oxide Transistors and Circuits Fabricated by Spray Pyrolysis in Ambient Atmosphere. Advanced Materials, 2009, 21, 2226-2231.	21.0	197
381	Systematic Improvement in Charge Carrier Mobility of Air Stable Triarylamine Copolymers. Journal of the American Chemical Society, 2009, 131, 10814-10815.	13.7	186
382	Electronic properties of ZnO field-effect transistors fabricated by spray pyrolysis in ambient air. Applied Physics Letters, 2009, 95, 133507.	3.3	65
383	High mobility p-channel organic field effect transistors on flexible substrates using a polymer-small molecule blend. Synthetic Metals, 2009, 159, 2365-2367.	3.9	65
384	Complementary circuits based on solution processed low-voltage organic field-effect transistors. Synthetic Metals, 2009, 159, 2368-2370.	3.9	16
385	Solution processed low-voltage organic transistors based on self-assembled monolayer gate dielectrics. Proceedings of SPIE, 2009, , .	0.8	0
386	Development of Polymer Semiconductors for Field-Effect Transistor Devices in Displays. , 2009, , 393-429.		3
387	Morphology evolution via self-organization and lateral and vertical diffusion in polymer:fullerene solar cell blends. Nature Materials, 2008, 7, 158-164.	27.5	1,396
388	High mobility n-channel organic field-effect transistors based on soluble C60 and C70 fullerene derivatives. Synthetic Metals, 2008, 158, 468-472.	3.9	151
389	Solution Processed Self-Assembled Monolayer Gate Dielectrics for Low-Voltage Organic Transistors. Materials Research Society Symposia Proceedings, 2008, 1114, 90201.	0.1	0
390	Low-voltage organic transistors based on solution processed semiconductors and self-assembled monolayer gate dielectrics. Applied Physics Letters, 2008, 93, .	3.3	111
391	Light-sensing ambipolar organic transistors for optoelectronic applications. Proceedings of SPIE, 2008, , .	0.8	1
392	High-performance organic integrated circuits based on solution processable polymer-small molecule blends. Applied Physics Letters, 2008, 93, .	3.3	74
393	Fluorine containing C60 derivatives for high-performance electron transporting field-effect transistors and integrated circuits. Applied Physics Letters, 2008, 92, 143310.	3.3	26
394	Subpicosecond photoinduced Stark spectroscopy in fullerene-based devices. Physical Review B, 2007, 75, .	3.2	14
395	Electro-optical circuits based on light-sensing ambipolar organic field-effect transistors. Applied Physics Letters, 2007, 91, 113513.	3.3	81
396	On the role of hydrogen in organic magnetoresistance: A study of C60 devices. Synthetic Metals, 2007, 157, 930-934.	3.9	28

#	Article	IF	CITATIONS
397	Air-stable ambipolar organic transistors. Applied Physics Letters, 2007, 90, 122105.	3.3	194
398	Near-Infrared Light-Emitting Ambipolar Organic Field-Effect Transistors. Advanced Materials, 2007, 19, 734-738.	21.0	140
399	Advantageous 3D Ordering of ï€â€Conjugated Systems: A New Approach Towards Efficient Charge Transport in any Direction. Advanced Materials, 2007, 19, 4438-4442.	21.0	61
400	The synthesis and properties of iridium cored dendrimers with carbazole dendrons. Organic Electronics, 2006, 7, 85-98.	2.6	46
401	Ambipolar charge transport in organic field-effect transistors. Physical Review B, 2006, 73, .	3.2	169
402	The Mobility and Decay Kinetics of Charge Carriers in Pulse-Ionized Microcrystalline PCBM Powder. Advanced Functional Materials, 2006, 16, 2274-2280.	14.9	64
403	Air-Stable Complementary-like Circuits Based on Organic Ambipolar Transistors. Advanced Materials, 2006, 18, 1900-1904.	21.0	224
404	Air-Stable n-Channel Organic Transistors Based on a Soluble C84 Fullerene Derivative. Advanced Materials, 2006, 18, 1679-1684.	21.0	89
405	The Negative Effect of High-Temperature Annealing on Charge-Carrier Lifetimes in Microcrystalline PCBM. Advanced Materials, 2006, 18, 2294-2298.	21.0	45
406	High performance n-channel organic field-effect transistors and ring oscillators based on C60 fullerene films. Applied Physics Letters, 2006, 89, 213504.	3.3	239
407	Photoinduced Transient Stark Spectroscopy in Organic Semiconductors: A Method for Charge Mobility Determination in the Picosecond Regime. Physical Review Letters, 2006, 96, 106601.	7.8	71
408	67.1: Invited Paper: Dendrimers — Efficient Solution-Processed Phosphorescent OLED Materials. Digest of Technical Papers SID International Symposium, 2005, 36, 1862.	0.3	0
409	Encapsulated Cores: Host-Free Organic Light-Emitting Diodes Based on Solution-Processible Electrophosphorescent Dendrimers. Advanced Materials, 2005, 17, 1945-1948.	21.0	148
410	Solution processible organic transistors and circuits based on a C70 methanofullerene. Journal of Applied Physics, 2005, 98, 054503.	2.5	99
411	Simple color tuning of phosphorescent dendrimer light emitting diodes. Applied Physics Letters, 2005, 86, 161104.	3.3	28
412	Integrated Complementary-Like Circuits Based on Organic Ambipolar Transistors. Materials Research Society Symposia Proceedings, 2005, 871, 1.	0.1	6
413	Organic complementary-like inverters employing methanofullerene-based ambipolar field-effect transistors. Applied Physics Letters, 2004, 85, 4205-4207.	3.3	179
414	Tuning of emission color for blue dendrimer blend light-emitting diodes. Applied Physics Letters, 2004, 85, 1463-1465.	3.3	57

#	Article	IF	CITATIONS
415	Solution-Processable Red Phosphorescent Dendrimers for Light-Emitting Device Applications. Advanced Materials, 2004, 16, 557-560.	21.0	175
416	Ambipolar Organic Field-Effect Transistors Based on a Solution-Processed Methanofullerene. Advanced Materials, 2004, 16, 2174-2179.	21.0	276
417	Low frequency capacitance characterization of α-phase nickel phthalocyanine/lead interfaces: effects of temperature and oxygen doping. Journal of Physics and Chemistry of Solids, 2004, 65, 1345-1348.	4.0	14
418	Conjugated dendrimers: a modular approach to materials for full-color displays. , 2004, 5214, 50.		0
419	Influence of molecular structure on the properties of dendrimer light-emitting diodes. Organic Electronics, 2003, 4, 71-76.	2.6	48
420	Electrical properties of α-nickel phthalocyanine/aluminium interfaces: effects of oxygen doping and thermal annealing. Journal of Physics and Chemistry of Solids, 2003, 64, 1217-1223.	4.0	32
421	Influence of oxygen doping on the electrical and photovoltaic properties of Schottky type solar cells based on α-nickel phthalocyanine. Thin Solid Films, 2003, 441, 207-213.	1.8	42
422	Highly efficient solution-processible phosphorescent dendrimers for organic light-emitting diodes. Journal of the Society for Information Display, 2003, 11, 161.	2.1	1
423	Alternating current conduction properties of thermally evaporated α-nickel phthalocyanine thin films: Effects of oxygen doping and thermal annealing. Journal of Applied Physics, 2003, 94, 2426-2433.	2.5	20
424	Highly efficient single-layer dendrimer light-emitting diodes with balanced charge transport. Applied Physics Letters, 2003, 82, 4824-4826.	3.3	128
425	Oxygen induced p-doping of α-nickel phthalocyanine vacuum sublimed films: Implication for its use in organic photovoltaics. Applied Physics Letters, 2003, 82, 1628-1630.	3.3	48
426	Nondispersive hole transport in a spin-coated dendrimer film measured by the charge-generation-layer time-of-flight method. Applied Physics Letters, 2002, 81, 3266-3268.	3.3	35
427	Effects of temperature on electronic properties of nickel phthalocyanine thin sandwich film structures. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2002, 20, 295-298.	2.1	10
428	Ultrafast Energy Transfer Triggers Ionization Energy Offset Dependence of Quantum Efficiency in Low-bandgap Non-fullerene Acceptor Solar Cells. , 0, , .		0
429	Adhesion lithography for fabrication of printed radio-frequency diodes. SPIE Newsroom, 0, , .	0.1	2
430	Ultra-high performance organic transistors enabled by molecular doping. , 0, , .		0
431	Multi-Input Parameter Modulable Memtransistors from Hybrid Perovskite/Conjugated Polymer Heterostructures. , 0, , .		0
432	Aqueous ammonia-based exfoliation of two dimensional MoS2 and WS2 and their application in non-fullerene organic solar cells. , 0, , .		0

#	Article	IF	CITATIONS
433	Heterojunction oxide thin-film transistors. , 0, , 5-1-5-27.		3
434	In Situ Investigation and Photovoltaic Devices: Sequential Formation of Tunable-Bandgap Mixed-Halide Lead-based Perovskites. , 0, , .		1
435	Trace Solvent Additives Enhance Charge Generation in Layerâ€by‣ayer Coated Organic Solar Cells. Small Structures, 0, , .	12.0	18
436	Addition of Diquat Enhances the Electron Mobility in Various Nonâ€Fullerene Acceptor Molecules. Advanced Functional Materials, 0, , 2202954.	14.9	6