

# Mohammed H Al-Saleh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2864661/publications.pdf>

Version: 2024-02-01

55  
papers

5,912  
citations

147801

31  
h-index

161849

54  
g-index

56  
all docs

56  
docs citations

56  
times ranked

5585  
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of graphene nanoplatelets geometrical characteristics on the properties of polylactic acid composites. <i>Diamond and Related Materials</i> , 2022, 126, 109092.	3.9	4
2	Influence of polymer structure on the electrical resistivity of nanocomposite materials. <i>Synthetic Metals</i> , 2020, 265, 116409.	3.9	7
3	Measuring surface energy of carbon nanotubes using modified washburn method. <i>Materials Research Express</i> , 2019, 6, 115088.	1.6	6
4	Synergistic effect of CNT/CB hybrid mixture on the electrical properties of conductive composites. <i>Materials Research Express</i> , 2019, 6, 065011.	1.6	8
5	Carbon-based polymer nanocomposites as dielectric energy storage materials. <i>Nanotechnology</i> , 2019, 30, 062001.	2.6	21
6	Utilizing Vacuum Bagging Process to Prepare Carbon Fiber/CNT-Modified-epoxy Composites with Improved Mechanical Properties. <i>Polymer-Plastics Technology and Engineering</i> , 2018, 57, 175-184.	1.9	14
7	Thermal performance and fire resistance of nanoclay modified cementitious materials. <i>Construction and Building Materials</i> , 2018, 159, 213-219.	7.2	72
8	Influence of Nanoclay on the Properties and Morphology of Cement Mortar. <i>KSCE Journal of Civil Engineering</i> , 2018, 22, 4056-4063.	1.9	17
9	Flexural strength recovery of heat-damaged RC beams using carbon nanotubes modified CFRP. <i>Construction and Building Materials</i> , 2017, 145, 474-482.	7.2	24
10	Clay/carbon nanotube hybrid mixture to reduce the electrical percolation threshold of polymer nanocomposites. <i>Composites Science and Technology</i> , 2017, 149, 34-40.	7.8	50
11	Repair of heat-damaged RC columns using carbon nanotubes modified CFRP. <i>Materials and Structures/Materiaux Et Constructions</i> , 2017, 50, 1.	3.1	15
12	Effect of elevated temperatures on mechanical performance of cement mortar with nanoclay. <i>MATEC Web of Conferences</i> , 2017, 120, 02005.	0.2	5
13	Fabrication and dielectric characterization of barium hexaferrite/UHMWPE composite for energy storage applications. <i>Physica B: Condensed Matter</i> , 2017, 523, 45-51.	2.7	5
14	Graphene Nanoplateletâ€“Polystyrene Nanocomposite: Dielectric and Charge Storage Behaviors. <i>Journal of Electronic Materials</i> , 2016, 45, 3532-3539.	2.2	33
15	Electrical, EMI shielding and tensile properties of PP/PE blends filled with GNP:CNT hybrid nanofiller. <i>Synthetic Metals</i> , 2016, 217, 322-330.	3.9	80
16	Electrical and electromagnetic interference shielding characteristics of GNP/UHMWPE composites. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 195302.	2.8	71
17	Effect of viscosity reducing agent on the properties of CNT/epoxy nanocomposites. <i>Journal of Polymer Engineering</i> , 2016, 36, 407-412.	1.4	4
18	Experimental and theoretical analysis of the mechanical and thermal properties of carbon nanotube/acrylonitrileâ€“styreneâ€“butadiene nanocomposites. <i>Polymer</i> , 2016, 89, 12-17.	3.8	34

#	ARTICLE	IF	CITATIONS
19	Carbon nanotube-filled polypropylene/polyethylene blends: compatibilization and electrical properties. <i>Polymer Bulletin</i> , 2016, 73, 975-987.	3.3	39
20	Effect of using carbon nanotube modified epoxy on bondâ€‘slip behavior between concrete and FRP sheets. <i>Construction and Building Materials</i> , 2016, 105, 511-518.	7.2	62
21	Effect of carbon nanotubes on strengthening of RC beams retrofitted with carbon fiber/epoxy composites. <i>Materials and Design</i> , 2016, 89, 225-234.	7.0	50
22	Effect of processing conditions on the dispersion, electrical, and mechanical properties of carbon nanotube/polypropylene nanocomposites. <i>Journal of Reinforced Plastics and Composites</i> , 2015, 34, 742-749.	3.1	11
23	Electrically conductive carbon nanotube/polypropylene nanocomposite with improved mechanical properties. <i>Materials and Design</i> , 2015, 85, 76-81.	7.0	66
24	Electrical and mechanical properties of graphene/carbon nanotube hybrid nanocomposites. <i>Synthetic Metals</i> , 2015, 209, 41-46.	3.9	99
25	Influence of conductive network structure on the EMI shielding and electrical percolation of carbon nanotube/polymer nanocomposites. <i>Synthetic Metals</i> , 2015, 205, 78-84.	3.9	142
26	Using carbon nanotubes to improve strengthening efficiency of carbon fiber/epoxy composites confined RC columns. <i>Composite Structures</i> , 2015, 134, 523-532.	5.8	32
27	Effect of Clay Addition on the Properties of Carbon Nanotubes-Filled Immiscible Polyethylene/Polypropylene Blends. <i>Journal of Macromolecular Science - Physics</i> , 2015, 54, 1259-1266.	1.0	9
28	Effect of Nanoclay on the Expansive Potential of Cement Mortar due to Alkali-Silica Reaction. <i>ACI Materials Journal</i> , 2015, 112, .	0.2	9
29	Electrical and dielectric behaviors of dry-mixed CNT/UHMWPE nanocomposites. <i>High Performance Polymers</i> , 2014, 26, 205-211.	1.8	38
30	Electrical Impedance Spectroscopic Study of CNT/Ethylene-alt-CO/Propylene-alt-CO Polyketones Nanocomposite. <i>Journal of Macromolecular Science - Physics</i> , 2014, 53, 878-892.	1.0	9
31	A viscoelastic-based model for TFC membranes flux reduction during compaction. <i>Desalination</i> , 2014, 344, 362-370.	8.2	33
32	Carbon nanofiber/polyethylene nanocomposite: Processing behavior, microstructure and electrical properties. <i>Materials &amp; Design</i> , 2013, 52, 128-133.	5.1	48
33	EMI shielding effectiveness of carbon based nanostructured polymeric materials: A comparative study. <i>Carbon</i> , 2013, 60, 146-156.	10.3	767
34	Hybrids of conductive polymer nanocomposites. <i>Materials &amp; Design</i> , 2013, 52, 1071-1076.	5.1	47
35	X-band EMI shielding mechanisms and shielding effectiveness of high structure carbon black/polypropylene composites. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 035304.	2.8	145
36	Effect of dc-bias on the dielectric behavior of CNT/ABS nanocomposites. <i>Physica B: Condensed Matter</i> , 2013, 418, 41-46.	2.7	23

#	ARTICLE	IF	CITATIONS
37	CNT/ABS nanocomposites by solution processing: Proper dispersion and selective localization for low percolation threshold. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013, 46, 53-59.	7.6	52
38	The effect of active layer non-uniformity on the flux and compaction of TFC membranes. <i>Desalination</i> , 2013, 328, 17-23.	8.2	21
39	Impedance characteristics and conductivity of CNT/ABS nanocomposites. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 385305.	2.8	67
40	Electrical double percolation and carbon nanotubes distribution in solution processed immiscible polymer blend. <i>Synthetic Metals</i> , 2013, 175, 75-80.	3.9	30
41	Morphological, electrical and electromagnetic interference shielding characterization of vapor grown carbon nanofiber/polystyrene nanocomposites. <i>Polymer International</i> , 2013, 62, 601-607.	3.1	18
42	Microstructure, electrical, and electromagnetic interference shielding properties of carbon nanotube/acrylonitrile-butadiene-styrene nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 1356-1362.	2.1	51
43	Copper nanowire/polystyrene nanocomposites: Lower percolation threshold and higher EMI shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011, 42, 92-97.	7.6	208
44	Review of the mechanical properties of carbon nanofiber/polymer composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011, 42, 2126-2142.	7.6	383
45	Highly electrically conductive and high performance EMI shielding nanowire/polymer nanocomposites by miscible mixing and precipitation. <i>Journal of Materials Chemistry</i> , 2011, 21, 829-836.	6.7	241
46	Electrically conductive carbon nanofiber/polyethylene composite: effect of melt mixing conditions. <i>Polymers for Advanced Technologies</i> , 2011, 22, 246-253.	3.2	32
47	Processing-microstructure-property relationship in conductive polymer nanocomposites. <i>Polymer</i> , 2010, 51, 2740-2747.	3.8	71
48	Mechanical properties of carbon black-filled polypropylene/polystyrene blends containing styrene-butadiene-styrene copolymer. <i>Polymer Engineering and Science</i> , 2009, 49, 693-702.	3.1	18
49	A review of vapor grown carbon nanofiber/polymer conductive composites. <i>Carbon</i> , 2009, 47, 2-22.	10.3	978
50	Electromagnetic interference shielding mechanisms of CNT/polymer composites. <i>Carbon</i> , 2009, 47, 1738-1746.	10.3	1,274
51	Electromagnetic Interference (EMI) Shielding Effectiveness of PP/PS Polymer Blends Containing High Structure Carbon Black. <i>Macromolecular Materials and Engineering</i> , 2008, 293, 621-630.	3.6	142
52	Nanostructured carbon black filled polypropylene/polystyrene blends containing styrene-butadiene-styrene copolymer: Influence of morphology on electrical resistivity. <i>European Polymer Journal</i> , 2008, 44, 1931-1939.	5.4	63
53	An innovative method to reduce percolation threshold of carbon black filled immiscible polymer blends. <i>Composites Part A: Applied Science and Manufacturing</i> , 2008, 39, 284-293.	7.6	157
54	Effect of Polyethylene Structure on the Properties of Carbon Nanotube/Polyethylene Composites. <i>Journal of Macromolecular Science - Physics</i> , 0, , 1-11.	1.0	0

#	ARTICLE	IF	CITATIONS
55	Influence of Carbon Nanotubes Purity on the Properties of Carbon Nanotubes/Low-Density Polyethylene Composites. Journal of Macromolecular Science - Physics, 0, , 1-11.	1.0	1