

Andreas Reif

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2870292/publications.pdf>

Version: 2024-02-01

289
papers

20,397
citations

20759

60
h-index

16127

124
g-index

317
all docs

317
docs citations

317
times ranked

20903
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in the pattern of suicides and suicide attempt admissions in relation to the COVID-19 pandemic. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 357-365.	1.8	8
2	Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum disorder: The <sc>ENIGMA</sc> adventure. <i>Human Brain Mapping</i> , 2022, 43, 37-55.	1.9	61
3	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
4	The impact of physical fitness on resilience to modern life stress and the mediating role of general self-efficacy. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 679-692.	1.8	10
5	Non-mental diseases associated with ADHD across the lifespan: Fidgety Philipp and Pippi Longstocking at risk of multimorbidity?. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 132, 1157-1180.	2.9	22
6	Neuronal response to high negative affective stimuli in major depressive disorder: An fMRI study. <i>Journal of Affective Disorders</i> , 2022, 298, 239-247.	2.0	8
7	ADHD symptoms in neurometabolic diseases: Underlying mechanisms and clinical implications. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 132, 838-856.	2.9	18
8	Comprehensive exploration of the genetic contribution of the dopaminergic and serotonergic pathways to psychiatric disorders. <i>Translational Psychiatry</i> , 2022, 12, 11.	2.4	17
9	Evidence From Imaging Resilience Genetics for a Protective Mechanism Against Schizophrenia in the Ventral Visual Pathway. <i>Schizophrenia Bulletin</i> , 2022, 48, 551-562.	2.3	4
10	A pilot study of multilevel analysis of BDNF in paternal and maternal perinatal depression. <i>Archives of Women's Mental Health</i> , 2022, 25, 237-249.	1.2	8
11	Depressive symptoms in youth with ADHD: the role of impairments in cognitive emotion regulation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 793-806.	1.8	6
12	Uncovering associations between mental illness diagnosis, nitric oxide synthase gene variation, and peripheral nitric oxide concentration. <i>Brain, Behavior, and Immunity</i> , 2022, 101, 275-283.	2.0	12
13	The dynamical association between physical activity and affect in the daily life of individuals with ADHD. <i>European Neuropsychopharmacology</i> , 2022, 57, 69-74.	0.3	3
14	Sharing knowledge about ADHD comorbidity: lessons learned. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 135, 104586.	2.9	0
15	Equivalency of four research-grade movement sensors to assess movement behaviors and its implications for population surveillance. <i>Scientific Reports</i> , 2022, 12, 5525.	1.6	4
16	Exploring the Contribution to ADHD of Genes Involved in Mendelian Disorders Presenting with Hyperactivity and/or Inattention. <i>Genes</i> , 2022, 13, 93.	1.0	4
17	Rationale, Mission and Vision for a National Centre of Affective Disorders in Germany. <i>Pharmacopsychiatry</i> , 2022, 55, 65-72.	1.7	0
18	Exome sequencing in bipolar disorder identifies AKAP11 as a risk gene shared with schizophrenia. <i>Nature Genetics</i> , 2022, 54, 541-547.	9.4	65

#	ARTICLE	IF	CITATIONS
19	Peripheral blood inflammatory markers in patients with attention deficit/hyperactivity disorder (ADHD): A systematic review and meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 118, 110581.	2.5	18
20	Influence of NOS1AP Risk Variants on the Corrected QT (QTc) Interval in the Pharmacotherapy of Schizophrenia. <i>Pharmacopsychiatry</i> , 2022, 55, 266-273.	1.7	3
21	Is genetic risk of ADHD mediated via dopaminergic mechanism? A study of functional connectivity in ADHD and pharmacologically challenged healthy volunteers with a genetic risk profile. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	7
22	The role of comorbid depressive symptoms on long-range temporal correlations in resting EEG in adults with ADHD. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1421-1435.	1.8	2
23	ADHD co-morbidities: A review of implication of gene \times environment effects with dopamine-related genes. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 139, 104757.	2.9	11
24	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021, 26, 4179-4190.	4.1	58
25	Longitudinal determination of resilience in humans to identify mechanisms of resilience to modern-life stressors: the longitudinal resilience assessment (LORA) study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1035-1051.	1.8	31
26	Expression of the adult ADHD-associated gene <i>ADGRL3</i> is dysregulated by risk variants and environmental risk factors. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 335-349.	1.3	6
27	Comedication and Polypharmacy With ADHD Medications in Adults: A Swedish Nationwide Study. <i>Journal of Attention Disorders</i> , 2021, 25, 1519-1528.	1.5	5
28	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	4.1	44
29	Knockdown of the ADHD Candidate Gene <i>Diras2</i> in Murine Hippocampal Primary Cells. <i>Journal of Attention Disorders</i> , 2021, 25, 572-583.	1.5	6
30	No effect of a dopaminergic modulation fMRI task by amisulpride and L-DOPA on reward anticipation in healthy volunteers. <i>Psychopharmacology</i> , 2021, 238, 1333-1342.	1.5	12
31	Low cardiorespiratory fitness and obesity for ADHD in childhood and adolescence: A 6-year cohort study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 903-913.	1.3	6
32	Anxiety disorders. <i>Lancet</i> , The, 2021, 397, 914-927.	6.3	210
33	Association of dietary fat composition with cognitive performance and brain morphology in cognitively healthy individuals. <i>Acta Neuropsychiatrica</i> , 2021, 33, 134-140.	1.0	7
34	Differential impact of COVID-related lockdown on mental health in Germany. <i>World Psychiatry</i> , 2021, 20, 140-141.	4.8	78
35	Cognitive mechanisms underlying depressive disorders in ADHD: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 121, 307-345.	2.9	16
36	Characterizing neuroanatomic heterogeneity in people with and without ADHD based on subcortical brain volumes. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1140-1149.	3.1	14

#	ARTICLE	IF	CITATIONS
37	Therapygenetic effects of 5-HTTLPR on cognitive-behavioral therapy in anxiety disorders: A meta-analysis. <i>European Neuropsychopharmacology</i> , 2021, 44, 105-120.	0.3	5
38	Transdiagnostic comparison of visual working memory capacity in bipolar disorder and schizophrenia. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 12.	0.8	6
39	Comorbidity of ADHD and adult bipolar disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 124, 100-123.	2.9	71
40	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
41	Parental ADHD in pregnancy and the postpartum period – A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 124, 63-77.	2.9	14
42	ADHD and accidents over the life span – A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 125, 582-591.	2.9	41
43	Impact of COVID-19 lockdown on mental health in Germany: longitudinal observation of different mental health trajectories and protective factors. <i>Translational Psychiatry</i> , 2021, 11, 392.	2.4	78
44	Effects of body-oriented yoga: a RCT study for patients with major depressive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1217-1229.	1.8	7
45	The Frequent Stressor and Mental Health Monitoring-Paradigm: A Proposal for the Operationalization and Measurement of Resilience and the Identification of Resilience Processes in Longitudinal Observational Studies. <i>Frontiers in Psychology</i> , 2021, 12, 710493.	1.1	33
46	Hippocampal overexpression of NOS1AP promotes endophenotypes related to mental disorders. <i>EBioMedicine</i> , 2021, 71, 103565.	2.7	8
47	Transdiagnostic neuroimaging of reward system phenotypes in ADHD and comorbid disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 128, 165-181.	2.9	26
48	Alcohol use disorders and ADHD. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 128, 648-660.	2.9	27
49	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	0.8	6
50	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	1.6	10
51	Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. <i>Translational Psychiatry</i> , 2021, 11, 485.	2.4	13
52	Studying dietary intake in daily life through multilevel two-part modelling: a novel analytical approach and its practical application. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 130.	2.0	2
53	Sphingolipid and Endocannabinoid Profiles in Adult Attention Deficit Hyperactivity Disorder. <i>Biomedicines</i> , 2021, 9, 1173.	1.4	11
54	The World Federation of ADHD International Consensus Statement: 208 Evidence-based conclusions about the disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 128, 789-818.	2.9	483

#	ARTICLE	IF	CITATIONS
55	Investigating rare pathogenic/likely pathogenic exonic variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 5239-5250.	4.1	15
56	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDiCT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021, 46, 1307-1314.	2.8	33
57	Studying Microtemporal, Within-Person Processes of Diet, Physical Activity, and Related Factors Using the APPetite-Mobile-App: Feasibility, Usability, and Validation Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e25850.	2.1	9
58	A Within-Sample Comparison of Two Innovative Neuropsychological Tests for Assessing ADHD. <i>Brain Sciences</i> , 2021, 11, 36.	1.1	5
59	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	2.4	25
60	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 37.	0.8	5
61	P.0328 Adult bipolar disorder and attention deficit/hyperactivity disorder - a common comorbidity?. <i>European Neuropsychopharmacology</i> , 2021, 53, S238-S239.	0.3	0
62	P.0819 Usefulness of haircortisol as a biological correlate for resilience to everyday life stress. <i>European Neuropsychopharmacology</i> , 2021, 53, S598-S599.	0.3	0
63	Effects of comorbid disorders on reward processing and connectivity in adults with ADHD. <i>Translational Psychiatry</i> , 2021, 11, 636.	2.4	8
64	Nitric oxide interacts with monoamine oxidase to modulate aggression and anxiety-like behaviour. <i>European Neuropsychopharmacology</i> , 2020, 30, 30-43.	0.3	36
65	<i>KCNJ6</i> variants modulate reward-related brain processes and impact executive functions in attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 247-257.	1.1	9
66	Longitudinal multi-level biomarker analysis of BDNF in major depression and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 169-181.	1.8	45
67	Identification of ADHD risk genes in extended pedigrees by combining linkage analysis and whole-exome sequencing. <i>Molecular Psychiatry</i> , 2020, 25, 2047-2057.	4.1	17
68	Nitric oxide synthase genotype interacts with stressful life events to increase aggression in male subjects in a population-representative sample. <i>European Neuropsychopharmacology</i> , 2020, 30, 56-65.	0.3	7
69	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	0.7	137
70	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020, 22, 255-265.	1.1	24
71	Cross-disorder genetic analyses implicate dopaminergic signaling as a biological link between Attention-Deficit/Hyperactivity Disorder and obesity measures. <i>Neuropsychopharmacology</i> , 2020, 45, 1188-1195.	2.8	23
72	Special Issue on the Neurobiology of aggressive behaviour in the context of ADHD and related disorders. <i>European Neuropsychopharmacology</i> , 2020, 30, 1-4.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Amisulpride and α -DOPA modulate subcortical brain nuclei connectivity in resting-state pharmacologic magnetic resonance imaging. <i>Human Brain Mapping</i> , 2020, 41, 1806-1818.	1.9	12
74	Intrinsic functional connectivity, CSF biomarker profiles and their relation to cognitive function in mild cognitive impairment. <i>Acta Neuropsychiatrica</i> , 2020, 32, 206-213.	1.0	5
75	The role of resources in the face of psychopathology. <i>Journal of Clinical Psychology</i> , 2020, 76, 406-422.	1.0	5
76	Is brain arousal regulation a predictor of response to psychostimulant therapy in adult ADHD patients?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 1073-1076.	1.8	4
77	S177. IMPACT OF NOS1AP AND ITS INTERACTION PARTNERS AT THE GLUTAMATERGIC SYNAPSE ON WORKING MEMORY NETWORKS - AN FMRI IMAGING GENETICS STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S105-S105.	2.3	0
78	Disease burden and direct medical costs of incident adult ADHD: A retrospective longitudinal analysis based on German statutory health insurance claims data. <i>European Psychiatry</i> , 2020, 63, e86.	0.1	7
79	Risk Stratification for Bipolar Disorder Using Polygenic Risk Scores Among Young High-Risk Adults. <i>Frontiers in Psychiatry</i> , 2020, 11, 552532.	1.3	5
80	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016.	5.8	26
81	Energy Metabolism Disturbances in Cell Models of PARK2 CNV Carriers with ADHD. <i>Journal of Clinical Medicine</i> , 2020, 9, 4092.	1.0	7
82	Neural correlates of NOS1 ex1f-VNTR allelic variation in panic disorder and agoraphobia during fear conditioning and extinction in fMRI. <i>NeuroImage: Clinical</i> , 2020, 27, 102268.	1.4	1
83	Prevalence of Prediabetes and Diabetes Mellitus Type II in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 314.	1.3	8
84	Proteomic Profiling as a Diagnostic Biomarker for Discriminating Between Bipolar and Unipolar Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 189.	1.3	9
85	An investigation of genetic variability of DNA methyltransferases DNMT3A and 3B does not provide evidence for a major role in the pathogenesis of panic disorder and dimensional anxiety phenotypes. <i>Journal of Neural Transmission</i> , 2020, 127, 1527-1537.	1.4	2
86	Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020, 177, 834-843.	4.0	120
87	Involvement of the 14-3-3 Gene Family in Autism Spectrum Disorder and Schizophrenia: Genetics, Transcriptomics and Functional Analyses. <i>Journal of Clinical Medicine</i> , 2020, 9, 1851.	1.0	14
88	Efficacy of cognitive-behavioral group therapy in patients at risk for serious mental illness presenting with subthreshold bipolar symptoms: Results from a prespecified interim analysis of a multicenter, randomized, controlled study. <i>Bipolar Disorders</i> , 2020, 22, 517-529.	1.1	14
89	Cumulative Dopamine Genetic Score predicts behavioral and electrophysiological correlates of response inhibition via interactions with task demand. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2020, 20, 59-75.	1.0	9
90	Whole-exome sequencing of 81 individuals from 27 multiply affected bipolar disorder families. <i>Translational Psychiatry</i> , 2020, 10, 57.	2.4	23

#	ARTICLE	IF	CITATIONS
91	Genetics of ADHD: What Should the Clinician Know?. <i>Current Psychiatry Reports</i> , 2020, 22, 18.	2.1	43
92	Treating impulsivity with probiotics in adults (PROBIA): study protocol of a multicenter, double-blind, randomized, placebo-controlled trial. <i>Trials</i> , 2020, 21, 161.	0.7	21
93	Shared genetic background between children and adults with attention deficit/hyperactivity disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 1617-1626.	2.8	72
94	The Quantified Behavioral Test—A Confirmatory Test in the Diagnostic Process of Adult ADHD?. <i>Frontiers in Psychiatry</i> , 2020, 11, 216.	1.3	19
95	Simvastatin add-on to escitalopram in patients with comorbid obesity and major depression (SIMCODE): study protocol of a multicentre, randomised, double-blind, placebo-controlled trial. <i>BMJ Open</i> , 2020, 10, e040119.	0.8	18
96	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020, 8, 22.	0.8	18
97	Impulsivity and Venturesomeness in an Adult ADHD Sample: Relation to Personality, Comorbidity, and Polygenic Risk. <i>Frontiers in Psychiatry</i> , 2020, 11, 557160.	1.3	7
98	Establishing an effective dose for chronic intracerebroventricular administration of clozapine in mice. <i>Acta Neuropsychiatrica</i> , 2019, 31, 305-315.	1.0	2
99	Ultra-Rare Genetic Variation in the Epilepsies: A Whole-Exome Sequencing Study of 17,606 Individuals. <i>American Journal of Human Genetics</i> , 2019, 105, 267-282.	2.6	237
100	Prevalence of ADHD in Accident Victims: Results of the PRADA Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1643.	1.0	24
101	Association of rs7688285 allelic variation coding for GLRB with fear reactivity and exposure-based therapy in patients with panic disorder and agoraphobia. <i>European Neuropsychopharmacology</i> , 2019, 29, 1138-1151.	0.3	4
102	A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. <i>Translational Psychiatry</i> , 2019, 9, 150.	2.4	35
103	Aberrant brain network topology in fronto-limbic circuitry differentiates euthymic bipolar disorder from recurrent major depressive disorder. <i>Brain and Behavior</i> , 2019, 9, e01257.	1.0	22
104	Accident patterns in trauma surgery patients with and without self-reported ADHD. <i>Journal of Neural Transmission</i> , 2019, 126, 1163-1173.	1.4	7
105	Brain Imaging of the Cortex in ADHD: A Coordinated Analysis of Large-Scale Clinical and Population-Based Samples. <i>American Journal of Psychiatry</i> , 2019, 176, 531-542.	4.0	261
106	Influence of two functional polymorphisms in NOS1 on baseline cortisol and working memory in healthy subjects. <i>Nitric Oxide - Biology and Chemistry</i> , 2019, 88, 45-49.	1.2	3
107	Limited effects of early life manipulations on sex-specific gene expression and behavior in adulthood. <i>Behavioural Brain Research</i> , 2019, 369, 111927.	1.2	10
108	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	9.4	1,191

#	ARTICLE	IF	CITATIONS
109	Dissociation of impulsivity and aggression in mice deficient for the ADHD risk gene <i>Adgrl3</i> : Evidence for dopamine transporter dysregulation. <i>Neuropharmacology</i> , 2019, 156, 107557.	2.0	34
110	Associative Memory Impairments Are Associated With Functional Alterations Within the Memory Network in Schizophrenia Patients and Their Unaffected First-Degree Relatives: An fMRI Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 33.	1.3	8
111	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	1.5	25
112	Direct medical costs of ADHD and its comorbid conditions on basis of a claims data analysis. <i>European Psychiatry</i> , 2019, 58, 38-44.	0.1	59
113	Orexin in the anxiety spectrum: association of a <i>HCRTR1</i> polymorphism with panic disorder/agoraphobia, CBT treatment response and fear-related intermediate phenotypes. <i>Translational Psychiatry</i> , 2019, 9, 75.	2.4	29
114	Cross-species models of attention-deficit/hyperactivity disorder and autism spectrum disorder. <i>Psychiatric Genetics</i> , 2019, 29, 1-17.	0.6	23
115	A Data Science-Based Analysis Points at Distinct Patterns of Lipid Mediator Plasma Concentrations in Patients With Dementia. <i>Frontiers in Psychiatry</i> , 2019, 10, 41.	1.3	7
116	The role of pre-, peri-, and postnatal risk factors in bipolar disorder and adult ADHD. <i>Journal of Neural Transmission</i> , 2019, 126, 1117-1126.	1.4	12
117	C-reactive protein concentration in bipolar disorder: association with genetic variants. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 26.	0.8	18
118	Individual differences in human fear generalizationâ€”pattern identification and implications for anxiety disorders. <i>Translational Psychiatry</i> , 2019, 9, 307.	2.4	36
119	P.664 Influence of <i>NOS1AP</i> risk variants on the corrected QT (QTc) interval in the pharmacotherapy of schizophrenia. <i>European Neuropsychopharmacology</i> , 2019, 29, S449-S450.	0.3	0
120	Genetic risk factors and geneâ€”environment interactions in adult and childhood attention-deficit/hyperactivity disorder. <i>Psychiatric Genetics</i> , 2019, 29, 63-78.	0.6	58
121	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	13.5	935
122	Prenatal and postnatal experiences associated with epigenetic changes in the adult mouse brain. <i>Behavioural Brain Research</i> , 2019, 359, 143-148.	1.2	11
123	Human <i>BDNF</i> rs6265 polymorphism as a mediator for the generalization of contextual anxiety. <i>Journal of Neuroscience Research</i> , 2019, 97, 300-312.	1.3	16
124	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019, 51, 63-75.	9.4	1,594
125	Does prior traumatization affect the treatment outcome of CBT for panic disorder? The potential role of the <i>MAOA</i> gene and depression symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 161-170.	1.8	4
126	Neural correlates of response inhibition in patients with bipolar disorder during acute versus remitted phase. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 637-646.	1.3	5

#	ARTICLE	IF	CITATIONS
127	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	6.0	102
128	18.3 DISTURBED AND INTACT ATTENTIONAL PROCESSES DURING WORKING MEMORY ENCODING IN SCHIZOPHRENIA: CONVERGING BEHAVIORAL AND IMAGING GENETICS EVIDENCE. <i>Schizophrenia Bulletin</i> , 2018, 44, S30-S30.	2.3	0
129	Bright light therapy versus physical exercise to prevent co-morbid depression and obesity in adolescents and young adults with attention-deficit / hyperactivity disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 140.	0.7	26
130	Recent developments in the genetics of attention-deficit hyperactivity disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 654-672.	1.0	14
131	The protocadherin 17 gene affects cognition, personality, amygdala structure and function, synapse development and risk of major mood disorders. <i>Molecular Psychiatry</i> , 2018, 23, 400-412.	4.1	60
132	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018, 83, 1044-1053.	0.7	146
133	Explorative results from multistep screening for potential genetic risk loci of Alzheimer's disease in the longitudinal VITA study cohort. <i>Journal of Neural Transmission</i> , 2018, 125, 77-87.	1.4	8
134	White Matter Microstructural Changes and Episodic Memory Disturbances in Late-Onset Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 480.	1.3	11
135	A functional genetic variation of SLC6A2 repressor hsa-miR-579-3p upregulates sympathetic noradrenergic processes of fear and anxiety. <i>Translational Psychiatry</i> , 2018, 8, 226.	2.4	13
136	Plasticity of Functional MAOA Gene Methylation in Acrophobia. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 822-827.	1.0	36
137	Live fast, die young? A review on the developmental trajectories of ADHD across the lifespan. <i>European Neuropsychopharmacology</i> , 2018, 28, 1059-1088.	0.3	398
138	Family environment interacts with CRHR1 rs17689918 to predict mental health and behavioral outcomes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 86, 45-51.	2.5	10
139	Genetic variation in serotonin function impacts on altruistic punishment in the ultimatum game: A longitudinal approach. <i>Brain and Cognition</i> , 2018, 125, 37-44.	0.8	6
140	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	1.3	28
141	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
142	<i>SLC2A3</i> single-nucleotide polymorphism and duplication influence cognitive processing and population-specific risk for attention-deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017, 58, 798-809.	3.1	25
143	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults: a cross-sectional mega-analysis. <i>Lancet Psychiatry</i> , 2017, 4, 310-319.	3.7	565
144	CRHR1 promoter hypomethylation: An epigenetic readout of panic disorder?. <i>European Neuropsychopharmacology</i> , 2017, 27, 360-371.	0.3	46

#	ARTICLE	IF	CITATIONS
145	GLRB allelic variation associated with agoraphobic cognitions, increased startle response and fear network activation: a potential neurogenetic pathway to panic disorder. <i>Molecular Psychiatry</i> , 2017, 22, 1431-1439.	4.1	47
146	Cognitive remediation for bipolar patients with objective cognitive impairment: a naturalistic study. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 8.	0.8	33
147	Intensified emotion perception in depression: Differences in physiological arousal and subjective perceptions. <i>Psychiatry Research</i> , 2017, 253, 303-310.	1.7	28
148	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1155-e1155.	2.4	150
149	Neuropsychological Symptoms in Sporadic Creutzfeldt-Jakob Disease Patients in Germany. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 329-337.	1.2	15
150	A functional variant of the neuropeptide S receptor gene modulates clinical outcomes and healthcare utilization in patients with systolic heart failure: results from the Interdisciplinary Network Heart Failure (INH) Study. <i>European Journal of Heart Failure</i> , 2017, 19, 314-323.	2.9	13
151	The resilience framework as a strategy to combat stress-related disorders. <i>Nature Human Behaviour</i> , 2017, 1, 784-790.	6.2	420
152	Personalized translational epilepsy research – Novel approaches and future perspectives. <i>Epilepsy and Behavior</i> , 2017, 76, 7-12.	0.9	14
153	Personalized translational epilepsy research – Novel approaches and future perspectives. <i>Epilepsy and Behavior</i> , 2017, 76, 13-18.	0.9	26
154	Modulation of defensive reactivity by GLRB allelic variation: converging evidence from an intermediate phenotype approach. <i>Translational Psychiatry</i> , 2017, 7, e1227-e1227.	2.4	12
155	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 571-582.	2.2	24
156	Genetic variation of dopamine and serotonin function modulates the feedback-related negativity during altruistic punishment. <i>Scientific Reports</i> , 2017, 7, 2996.	1.6	17
157	The regulation of tetraspanin 8 gene expression – A potential new mechanism in the pathogenesis of bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 740-750.	1.1	6
158	Common variants at 2q11.2, 8q21.3, and 11q13.2 are associated with major mood disorders. <i>Translational Psychiatry</i> , 2017, 7, 1273.	2.4	9
159	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 473-476.	0.7	4
160	Genetic Overlap Between Attention-Deficit/Hyperactivity Disorder and Bipolar Disorder: Evidence From Genome-wide Association Study Meta-analysis. <i>Biological Psychiatry</i> , 2017, 82, 634-641.	0.7	99
161	Altered apolipoprotein C expression in association with cognition impairments and hippocampus volume in schizophrenia and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 199-212.	1.8	19
162	[P4367]: DIETARY FAT COMPOSITION CORRELATES WITH VERBAL MEMORY AND FRONTAL GREY AND WHITE MATTER VOLUME IN HEALTHY INDIVIDUALS: AN MRI STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1432.	0.4	0

#	ARTICLE	IF	CITATIONS
163	The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 558.	0.7	32
164	Effects of an Anxiety-Specific Psychometric Factor on Fear Conditioning and Fear Generalization. <i>Zeitschrift Fur Psychologie / Journal of Psychology</i> , 2017, 225, 200-213.	0.7	6
165	Microglia ablation alleviates myelin-associated catatonic signs in mice. <i>Journal of Clinical Investigation</i> , 2017, 128, 734-745.	3.9	88
166	Preventing the Return of Fear Using Reconsolidation Update Mechanisms Depends on the Met-Allele of the Brain Derived Neurotrophic Factor Val66Met Polymorphism. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv137.	1.0	26
167	Whole-Exome Sequencing Reveals Increased Burden of Rare Functional and Disruptive Variants in Candidate Risk Genes in Individuals With Persistent Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 521-523.	0.3	28
168	White matter abnormalities in the fornix are linked to cognitive performance in SZ but not in BD disorder: An exploratory analysis with DTI deterministic tractography. <i>Journal of Affective Disorders</i> , 2016, 201, 64-78.	2.0	22
169	Time to wake up: No impact of COMT Val158Met gene variation on circadian preferences, arousal regulation and sleep. <i>Chronobiology International</i> , 2016, 33, 893-905.	0.9	21
170	MAOA gene hypomethylation in panic disorder – reversibility of an epigenetic risk pattern by psychotherapy. <i>Translational Psychiatry</i> , 2016, 6, e773-e773.	2.4	138
171	Neurobiological markers predicting treatment response in anxiety disorders: A systematic review and implications for clinical application. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 66, 143-162.	2.9	101
172	Cognitive deficits in first-degree relatives of bipolar patients: the use of homogeneous subgroups in the search of cognitive endophenotypes. <i>Journal of Neural Transmission</i> , 2016, 123, 1001-1011.	1.4	11
173	Fear conditioning and stimulus generalization in patients with social anxiety disorder. <i>Journal of Anxiety Disorders</i> , 2016, 44, 36-46.	1.5	50
174	Functional Impact of An ADHD-Associated DIRAS2 Promoter Polymorphism. <i>Neuropsychopharmacology</i> , 2016, 41, 3025-3031.	2.8	9
175	Meta-analysis of the DRD5 VNTR in persistent ADHD. <i>European Neuropsychopharmacology</i> , 2016, 26, 1527-1532.	0.3	4
176	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 17.	0.8	35
177	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016, 242, 388-394.	1.7	36
178	Exome chip analyses in adult attention deficit hyperactivity disorder. <i>Translational Psychiatry</i> , 2016, 6, e923-e923.	2.4	27
179	Impaired working memory for visual motion direction in schizophrenia: Absence of recency effects and association with psychopathology. <i>Neuropsychology</i> , 2016, 30, 653-663.	1.0	7
180	Tor1a ^{+/-} mice develop dystonia-like movements via a striatal dopaminergic dysregulation triggered by peripheral nerve injury. <i>Acta Neuropathologica Communications</i> , 2016, 4, 108.	2.4	27

#	ARTICLE	IF	CITATIONS
181	Developing excellence in developmental psychiatry. <i>Journal of Neural Transmission</i> , 2016, 123, 807-808.	1.4	0
182	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 26.	0.8	29
183	The role of ASTN2 variants in childhood and adult ADHD, comorbid disorders and associated personality traits. <i>Journal of Neural Transmission</i> , 2016, 123, 849-858.	1.4	7
184	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	1.4	182
185	Influence of 5-HTT variation, childhood trauma and self-efficacy on anxiety traits: a gene-environment-coping interaction study. <i>Journal of Neural Transmission</i> , 2016, 123, 895-904.	1.4	46
186	Panic disorder with agoraphobia from a behavioral neuroscience perspective: Applying the research principles formulated by the Research Domain Criteria (RDoC) initiative. <i>Psychophysiology</i> , 2016, 53, 312-322.	1.2	65
187	Human fear acquisition deficits in relation to genetic variants of the corticotropin-releasing hormone receptor 1 and the serotonin transporter – revisited. <i>Genes, Brain and Behavior</i> , 2016, 15, 209-220.	1.1	14
188	Interaction of NOS1AP with the NOS-I PDZ domain: Implications for schizophrenia-related alterations in dendritic morphology. <i>European Neuropsychopharmacology</i> , 2016, 26, 741-755.	0.3	29
189	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	6.3	306
190	Converging evidence for an impact of a functional <i>NOS</i> gene variation on anxiety-related processes. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 803-812.	1.5	15
191	Sex- and Subtype-Related Differences of Personality Disorders (Axis II) and Personality Traits in Persistent ADHD. <i>Journal of Attention Disorders</i> , 2016, 20, 1056-1065.	1.5	14
192	Developmental aspects of fear: Comparing the acquisition and generalization of conditioned fear in children and adults. <i>Developmental Psychobiology</i> , 2016, 58, 471-481.	0.9	62
193	Shared and distinct gray matter abnormalities in schizophrenia, schizophrenia relatives and bipolar disorder in association with cognitive impairment. <i>Schizophrenia Research</i> , 2016, 171, 140-148.	1.1	30
194	Cytogenetic Effects of Chronic Methylphenidate Treatment and Chronic Social Stress in Adults with Attention-Deficit/Hyperactivity Disorder. <i>Pharmacopsychiatry</i> , 2016, 49, 146-154.	1.7	8
195	Successful treatment of an adult with symptomatic attention deficit, hyperactivity, and impulsivity after temporal lobe resection: case report. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2016, 8, 59-62.	1.7	2
196	Cognitive deficits in bipolar disorder: from acute episode to remission. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 225-237.	1.8	33
197	Candidate genes in panic disorder: meta-analyses of 23 common variants in major anxiogenic pathways. <i>Molecular Psychiatry</i> , 2016, 21, 665-679.	4.1	83
198	Allelic variation in CRHR1 predisposes to panic disorder: evidence for biased fear processing. <i>Molecular Psychiatry</i> , 2016, 21, 813-822.	4.1	54

#	ARTICLE	IF	CITATIONS
199	Type 2 diabetes and pre-diabetic abnormalities in patients with bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 189, 240-245.	2.0	17
200	On the role of <i>NOS1</i> ex1fâ€œVNTNTR in ADHDâ€”allelic, subgroup, and metaâ€œanalysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 445-458.	1.1	20
201	Modulation of prefrontal functioning in attention systems by <i>NPSR1</i> gene variation. <i>NeuroImage</i> , 2015, 114, 199-206.	2.1	28
202	Further evidence for the association of the <i>NPSR1</i> gene A/T polymorphism (Asn ¹⁰⁷ Ile) with impulsivity and hyperactivity. <i>Journal of Psychopharmacology</i> , 2015, 29, 878-883.	2.0	21
203	Does lithium reduce acute suicidal ideation and behavior? A protocol for a randomized, placebo-controlled multicenter trial of lithium plus Treatment As Usual (TAU) in patients with suicidal major depressive episode. <i>BMC Psychiatry</i> , 2015, 15, 117.	1.1	20
204	Evidence for cognitive subgroups in bipolar disorder and the influence of subclinical depression and sleep disturbances. <i>European Neuropsychopharmacology</i> , 2015, 25, 192-202.	0.3	65
205	5HTT is associated with the phenotype psychological flexibility: results from a randomized clinical trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 399-406.	1.8	21
206	Neuronal nitric oxide synthase (<i>NOS1</i>) and its adaptor, <i>NOS1AP</i> , as a genetic risk factors for psychiatric disorders. <i>Genes, Brain and Behavior</i> , 2015, 14, 46-63.	1.1	90
207	Oxytocin Receptor Gene Methylation: Converging Multilevel Evidence for a Role in Social Anxiety. <i>Neuropsychopharmacology</i> , 2015, 40, 1528-1538.	2.8	155
208	Therapygenetics: anterior cingulate cortexâ€”amygdala coupling is associated with 5-HTTLPR and treatment response in panic disorder with agoraphobia. <i>Journal of Neural Transmission</i> , 2015, 122, 135-144.	1.4	31
209	Reliance on functional resting-state network for stable task control predicts behavioral tendency for cooperation. <i>NeuroImage</i> , 2015, 118, 231-236.	2.1	18
210	Predicting Treatment Response to Cognitive Behavioral Therapy in Panic Disorder With Agoraphobia by Integrating Local Neural Information. <i>JAMA Psychiatry</i> , 2015, 72, 68.	6.0	110
211	MicroRNA hsa-miR-4717-5p regulates <i>RGS2</i> and may be a risk factor for anxiety-related traits. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 296-306.	1.1	23
212	Common and rare variants of microRNA genes in autism spectrum disorders. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 376-386.	1.3	27
213	Serotonin transporter polymorphism modulates neural correlates of real-life joint action. An investigation with functional near-infrared spectroscopy (fNIRS). <i>Neuroscience</i> , 2015, 292, 129-136.	1.1	5
214	Genome-wide analysis implicates microRNAs and their target genes in the development of bipolar disorder. <i>Translational Psychiatry</i> , 2015, 5, e678-e678.	2.4	67
215	Multi-level biomarker analysis of nitric oxide synthase isoforms in bipolar disorder and adult ADHD. <i>Journal of Psychopharmacology</i> , 2015, 29, 31-38.	2.0	28
216	Caseâ€œControl Genome-Wide Association Study of Persistent Attention-Deficit Hyperactivity Disorder Identifies <i>FBXO33</i> as a Novel Susceptibility Gene for the Disorder. <i>Neuropsychopharmacology</i> , 2015, 40, 915-926.	2.8	59

#	ARTICLE	IF	CITATIONS
217	Linking Online Gaming and Addictive Behavior: Converging Evidence for a General Reward Deficiency in Frequent Online Gamers. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 385.	1.0	30
218	Prenatal stress-induced programming of genome-wide promoter DNA methylation in 5-HTT-deficient mice. <i>Translational Psychiatry</i> , 2014, 4, e473-e473.	2.4	44
219	Genome-wide analysis of rare copy number variations reveals PARK2 as a candidate gene for attention-deficit/hyperactivity disorder. <i>Molecular Psychiatry</i> , 2014, 19, 115-121.	4.1	76
220	Interaction of the neuropeptide S receptor gene Asn107Ile variant and environment: contribution to affective and anxiety disorders, and suicidal behaviour. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 541-552.	1.0	42
221	The functional $\hat{\sim}1019C/G$ HTR1A polymorphism and mechanisms of fear. <i>Translational Psychiatry</i> , 2014, 4, e490-e490.	2.4	37
222	Predominant polarity in bipolar disorder and validation of the polarity index in a German sample. <i>BMC Psychiatry</i> , 2014, 14, 322.	1.1	15
223	Further evidence for plasma progranulin as a biomarker in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 157, 87-91.	2.0	30
224	Internalizing and externalizing behavior in adult ADHD. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2014, 6, 101-110.	1.7	30
225	Genome-wide association study reveals two new risk loci for bipolar disorder. <i>Nature Communications</i> , 2014, 5, 3339.	5.8	294
226	The genetic contribution of the NO system at the glutamatergic post-synapse to schizophrenia: Further evidence and meta-analysis. <i>European Neuropsychopharmacology</i> , 2014, 24, 65-85.	0.3	38
227	The BDNF Val66Met Polymorphism Modulates the Generalization of Cued Fear Responses to a Novel Context. <i>Neuropsychopharmacology</i> , 2014, 39, 1187-1195.	2.8	61
228	The C9ORF72 hexanucleotide repeat expansion is a rare cause of schizophrenia. <i>Neurobiology of Aging</i> , 2014, 35, 1214.e7-1214.e10.	1.5	49
229	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	2.0	43
230	The phenomenology of the first panic attack in clinical and community-based samples. <i>Journal of Anxiety Disorders</i> , 2014, 28, 522-529.	1.5	16
231	MAOA and mechanisms of panic disorder revisited: from bench to molecular psychotherapy. <i>Molecular Psychiatry</i> , 2014, 19, 122-128.	4.1	89
232	The tricks of the trait: Neural implementation of personality varies with genotype-dependent serotonin levels. <i>NeuroImage</i> , 2013, 81, 393-399.	2.1	15
233	IMpACTing on adult ADHD research. <i>European Neuropsychopharmacology</i> , 2013, 23, 413-415.	0.3	3
234	Epigenetic signature of panic disorder: A role of glutamate decarboxylase 1 (GAD1) DNA hypomethylation?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 189-196.	2.5	62

#	ARTICLE	IF	CITATIONS
235	KCNIP4 as a candidate gene for personality disorders and adult ADHD. <i>European Neuropsychopharmacology</i> , 2013, 23, 436-447.	0.3	30
236	Neuropeptide S receptor gene: Fear-specific modulations of prefrontal activation. <i>NeuroImage</i> , 2013, 66, 353-360.	2.1	28
237	Dopamine D4 receptor gene variation impacts self-reported altruism. <i>Molecular Psychiatry</i> , 2013, 18, 402-403.	4.1	27
238	High Loading of Polygenic Risk for ADHD in Children With Comorbid Aggression. <i>American Journal of Psychiatry</i> , 2013, 170, 909-916.	4.0	127
239	Contextual fear conditioning in virtual reality is affected by 5HTTLPR and NPSR1 polymorphisms: effects on fear-potentiated startle. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 31.	1.0	45
240	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	1.1	156
241	Association of a functional variant of the nitric oxide synthase 1 gene with personality, anxiety, and depressiveness. <i>Development and Psychopathology</i> , 2012, 24, 1225-1235.	1.4	25
242	Genome-Wide Analysis of Copy Number Variants in Attention Deficit Hyperactivity Disorder: The Role of Rare Variants and Duplications at 15q13.3. <i>American Journal of Psychiatry</i> , 2012, 169, 195-204.	4.0	242
243	Replication and meta-analysis of TMEM132D gene variants in panic disorder. <i>Translational Psychiatry</i> , 2012, 2, e156-e156.	2.4	74
244	The genetics of attention deficit/hyperactivity disorder in adults, a review. <i>Molecular Psychiatry</i> , 2012, 17, 960-987.	4.1	317
245	Meta-analysis argues for a female-specific role of <i>MAOA</i> -VNTR in panic disorder in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 786-793.	1.1	63
246	Genome-wide copy number variation study associates metabotropic glutamate receptor gene networks with attention deficit hyperactivity disorder. <i>Nature Genetics</i> , 2012, 44, 78-84.	9.4	334
247	<i>NOS1</i> ex1f-VNTR polymorphism affects prefrontal oxygenation during response inhibition tasks. <i>Human Brain Mapping</i> , 2012, 33, 2561-2571.	1.9	10
248	Monoamine oxidase A gene DNA hypomethylation – a risk factor for panic disorder?. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1217-1228.	1.0	100
249	The Relationship Between Valence, Task Difficulty, and the <i>COMT</i> Val ¹⁵⁸ Met Polymorphism in Disengagement Processes. <i>Journal of Psychophysiology</i> , 2012, 26, 124-131.	0.3	4
250	<i>NOS1</i> ex1f-VNTR polymorphism influences prefrontal brain oxygenation during a working memory task. <i>NeuroImage</i> , 2011, 57, 1617-1623.	2.1	19
251	Association of a Functional <i>NOS1</i> Promoter Repeat with Alzheimer's Disease in the VITA Cohort. <i>Journal of Alzheimer's Disease</i> , 2011, 23, 327-333.	1.2	16
252	Genome-wide copy number variation analysis in attention-deficit/hyperactivity disorder: association with neuropeptide Y gene dosage in an extended pedigree. <i>Molecular Psychiatry</i> , 2011, 16, 491-503.	4.1	145

#	ARTICLE	IF	CITATIONS
253	Neuropeptide S receptor geneâ€™s converging evidence for a role in panic disorder. <i>Molecular Psychiatry</i> , 2011, 16, 938-948.	4.1	157
254	Genetic variation in the choline O-acetyltransferase gene in depression and Alzheimerâ€™s disease: The VITA and Milano studies. <i>Journal of Psychiatric Research</i> , 2011, 45, 1250-1256.	1.5	15
255	Reduced prefrontal oxygenation during object and spatial visual working memory in unipolar and bipolar depression. <i>Psychiatry Research - Neuroimaging</i> , 2011, 194, 378-384.	0.9	54
256	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 372-381.	2.6	257
257	A functional NOS1 promoter polymorphism interacts with adverse environment on functional and dysfunctional impulsivity. <i>Psychopharmacology</i> , 2011, 214, 239-248.	1.5	39
258	Genome-wide association study in German patients with attention deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 888-897.	1.1	76
259	Serotonin transporter gene and childhood trauma - a G Ã— E effect on anxiety sensitivity. <i>Depression and Anxiety</i> , 2011, 28, 1048-1057.	2.0	58
260	A functional promoter polymorphism of neuronal nitric oxide synthase moderates prefrontal functioning in schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 887-897.	1.0	38
261	DIRAS2 is Associated with Adult ADHD, Related Traits, and Co-Morbid Disorders. <i>Neuropsychopharmacology</i> , 2011, 36, 2318-2327.	2.8	49
262	The effect of a functional NOS1 promoter polymorphism on impulsivity is moderated by platelet MAO activity. <i>Psychopharmacology</i> , 2010, 209, 255-261.	1.5	34
263	Is NOS1 a genetic link between RLS and ADHD?. <i>Journal of Psychiatric Research</i> , 2010, 44, 60-61.	1.5	12
264	Meta-analysis of brain-derived neurotrophic factor p.Val66Met in adult ADHD in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 512-523.	1.1	55
265	Functional variants of <i>TSPAN8</i> are associated with bipolar disorder and schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 967-972.	1.1	18
266	An international multicenter association study of the serotonin transporter gene in persistent ADHD. <i>Genes, Brain and Behavior</i> , 2010, 9, 449-458.	1.1	55
267	The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment. <i>Neuropsychobiology</i> , 2010, 62, 72-78.	0.9	134
268	Dopamine Transporter (SLC6A3) Genotype Impacts Neurophysiological Correlates of Cognitive Response Control in an Adult Sample of Patients with ADHD. <i>Neuropsychopharmacology</i> , 2010, 35, 2193-2202.	2.8	37
269	Multicenter Analysis of the SLC6A3/DAT1 VNTR Haplotype in Persistent ADHD Suggests Differential Involvement of the Gene in Childhood and Persistent ADHD. <i>Neuropsychopharmacology</i> , 2010, 35, 656-664.	2.8	180
270	Meta-Analysis of Genome-Wide Association Studies of Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 884-897.	0.3	423

#	ARTICLE	IF	CITATIONS
271	Case-Control Genome-Wide Association Study of Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 906-920.	0.3	150
272	Influence of Functional Variant of Neuronal Nitric Oxide Synthase on Impulsive Behaviors in Humans. <i>Archives of General Psychiatry</i> , 2009, 66, 41.	13.8	136
273	Molecular genetics of adult ADHD: converging evidence from genome-wide association and extended pedigree linkage studies. <i>Journal of Neural Transmission</i> , 2008, 115, 1573-1585.	1.4	356
274	Meta-analysis of genome-wide linkage scans of attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1392-1398.	1.1	160
275	Genome-wide linkage analysis of ADHD using high-density SNP arrays: novel loci at 5q13.1 and 14q12. <i>Molecular Psychiatry</i> , 2008, 13, 522-530.	4.1	104
276	The functional MAOA-uVNTR promoter polymorphism in patients with frontotemporal dementia. <i>European Journal of Neurology</i> , 2008, 15, 637-639.	1.7	6
277	Association of a NOS1 promoter repeat with Alzheimer's disease. <i>Neurobiology of Aging</i> , 2008, 29, 1359-1365.	1.5	31
278	Nature and Nurture Predispose to Violent Behavior: Serotonergic Genes and Adverse Childhood Environment. <i>Neuropsychopharmacology</i> , 2007, 32, 2375-2383.	2.8	230
279	Behavioural and expressional phenotyping of nitric oxide synthase-I knockdown animals. , 2007, , 69-85.		40
280	Co-morbidity of adult attention-deficit/hyperactivity disorder with focus on personality traits and related disorders in a tertiary referral center. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 309-317.	1.8	196
281	FZD3 is not a risk gene for schizophrenia: a case-control study in a Caucasian sample. , 2007, , 297-301.		6
282	A NOS-III haplotype that includes functional polymorphisms is associated with bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2006, 9, 13.	1.0	33
283	A neuronal nitric oxide synthase (NOS-I) haplotype associated with schizophrenia modifies prefrontal cortex function. <i>Molecular Psychiatry</i> , 2006, 11, 286-300.	4.1	204
284	Homocysteinemia as well as methylenetetrahydrofolate reductase polymorphism are associated with affective psychoses. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 1162-1168.	2.5	77
285	Encephalopathy and myoclonus triggered by valproic acid. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 1061-1063.	2.5	21
286	Duplication 15q14 pter: a rare chromosomal abnormality underlying bipolar affective disorder. <i>European Psychiatry</i> , 2004, 19, 179-181.	0.1	8
287	Toward a molecular architecture of personality. <i>Behavioural Brain Research</i> , 2003, 139, 1-20.	1.2	231
288	Delusional Paralysis: An Unusual Variant of Cotard's Syndrome. <i>Psychopathology</i> , 2003, 36, 218-220.	1.1	9

#	ARTICLE	IF	CITATIONS
289	Neurogenetics of Personality Disorders. , 0, , 1387-1412.		0