## Andreas Sjödin

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2872702/publications.pdf

Version: 2024-02-01

138	12,529	54 h-index	110
papers	citations		g-index
139	139	139	8428
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Gestational exposure to polybrominated diphenyl ethers and social skills and problem behaviors in adolescents: The HOME study. Environment International, 2022, 159, 107036.	4.8	8
2	Understanding the Role of Persistent Organic Pollutants and Stress in the Association between Proximity to the World Trade Center Disaster and Birth Outcomes. International Journal of Environmental Research and Public Health, 2022, 19, 2008.	1.2	2
3	A nested case-control study of serum polychlorinated biphenyls and papillary thyroid cancer risk among U.S. military service members. Environmental Research, 2022, 212, 113367.	3.7	9
4	Exposure to polychlorinated biphenyls and organochlorine pesticides and thyroid cancer in connecticut women. Environmental Research, 2021, 192, 110333.	3.7	29
5	Brominated flame retardants and organochlorine pesticides and incidence of uterine leiomyomata. Environmental Epidemiology, 2021, 5, e127.	1.4	4
6	Prenatal Exposure to Mixtures of Persistent Endocrine-disrupting Chemicals and Birth Size in a Population-based Cohort of British Girls. Epidemiology, 2021, 32, 573-582.	1.2	12
7	Prenatal exposure to mixtures of persistent endocrine disrupting chemicals and early menarche in a population-based cohort of British girls. Environmental Pollution, 2021, 276, 116705.	3.7	23
8	Chemical mixture exposures during pregnancy and cognitive abilities in school-aged children. Environmental Research, 2021, 197, 111027.	3.7	18
9	Characterizing exposures to flame retardants, dioxins, and furans among firefighters responding to controlled residential fires. International Journal of Hygiene and Environmental Health, 2021, 236, 113782.	2.1	11
10	Correlates of Persistent Endocrine-Disrupting Chemical Mixtures among Reproductive-Aged Black Women. Environmental Science & Eamp; Technology, 2021, 55, 14000-14014.	4.6	9
11	Prenatal exposure to mixtures of persistent endocrine disrupting chemicals and postnatal body size in British girls. Early Human Development, 2021, 161, 105450.	0.8	8
12	Exposure to endocrine disrupting chemicals (EDCs) and cardiometabolic indices during pregnancy: The HOME Study. Environment International, 2021, 156, 106747.	4.8	25
13	A Prospective Ultrasound Study of Plasma Polychlorinated Biphenyl Concentrations and Incidence of Uterine Leiomyomata. Epidemiology, 2021, 32, 259-267.	1.2	7
14	Exposures to chemical mixtures during pregnancy and neonatal outcomes: The HOME study. Environment International, 2020, 134, 105219.	4.8	61
15	Functional connectivity of the reading network is associated with prenatal polybrominated diphenyl ether concentrations in a community sample of 5 year-old children: A preliminary study. Environment International, 2020, 134, 105212.	4.8	12
16	Polybrominated Diphenyl Ethers, Polybrominated Biphenyls, and Risk of Papillary Thyroid Cancer: A Nested Case-Control Study. American Journal of Epidemiology, 2020, 189, 120-132.	1.6	27
17	Longitudinal association of biomarkers of pesticide exposure with cardiovascular disease risk factors in youth with diabetes. Environmental Research, 2020, 181, 108916.	3.7	20
18	Prenatal exposure to a mixture of persistent organic pollutants (POPs) and child reading skills at school age. International Journal of Hygiene and Environmental Health, 2020, 228, 113527.	2.1	23

#	Article	IF	CITATIONS
19	Correlates of plasma concentrations of brominated flame retardants in a cohort of U.S. Black women residing in the Detroit, Michigan metropolitan area. Science of the Total Environment, 2020, 714, 136777.	3.9	10
20	Serum elimination half-lives adjusted for ongoing exposure of tri-to hexabrominated diphenyl ethers: Determined in persons moving from North America to Australia. Chemosphere, 2020, 248, 125905.	4.2	18
21	Correlates of organochlorine pesticide plasma concentrations among reproductive-aged black women. Environmental Research, 2020, 184, 109352.	3.7	7
22	Polybrominated diphenyl ether (PBDE) and poly- and perfluoroalkyl substance (PFAS) exposures during pregnancy and maternal depression. Environment International, 2020, 139, 105694.	4.8	26
23	Prenatal exposure to Polychlorinated Biphenyls and body fatness in girls. Chemosphere, 2019, 236, 124315.	4.2	2
24	Predictors of plasma polychlorinated biphenyl concentrations among reproductive-aged black women. International Journal of Hygiene and Environmental Health, 2019, 222, 1001-1010.	2.1	9
25	Polybrominated Diphenyl Ethers and Biphenyl in Serum: Time Trend Study from the National Health and Nutrition Examination Survey for Years 2005/06 through 2013/14. Environmental Science & Eamp; Technology, 2019, 53, 6018-6024.	4.6	34
26	A preliminary study on prenatal polybrominated diphenyl ether serum concentrations and intrinsic functional network organization and executive functioning in childhood. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 1010-1020.	3.1	17
27	Pre- and Postnatal Polybrominated Diphenyl Ether Concentrations in Relation to Thyroid Parameters Measured During Early Childhood. Thyroid, 2019, 29, 631-641.	2.4	23
28	Exposure to Polybrominated Diphenyl Ethers and a Polybrominated Biphenyl and Risk of Thyroid Cancer in Women: Single and Multi-Pollutant Approaches. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1755-1764.	1.1	22
29	Prenatal Exposure to Endocrine-disrupting Chemicals in Relation to Autism Spectrum Disorder and Intellectual Disability. Epidemiology, 2019, 30, 418-426.	1.2	20
30	Exposure to polybrominated diphenyl ethers (PBDEs) during childhood and adiposity measures at age 8†years. Environment International, 2019, 123, 148-155.	4.8	24
31	Childhood polybrominated diphenyl ether (PBDE) serum concentration and reading ability at ages 5 and 8†years: The HOME Study. Environment International, 2019, 122, 330-339.	4.8	24
32	Temporal trends and developmental patterns of plasmaÂpolybrominated diphenyl ether concentrations over a 15-year period between 1998 and 2013. Journal of Exposure Science and Environmental Epidemiology, 2019, 29, 49-60.	1.8	22
33	Polybrominated Diphenyl Ethers, Polychlorinated Biphenyls, and 2,2-Bis(4-chlorophenyl)-1,1-dichloroethene in 7- and 9-Year-Old Children and Their Mothers in the Center for the Health Assessment of Mothers and Children of Salinas Cohort. Environmental Science & amp: Technology. 2018, 52, 2287-2294.	4.6	9
34	Polychlorinated biphenyls, indicators of thyroid function and thyroid autoantibodies in the Anniston Community Health Survey I (ACHS-I). Chemosphere, 2018, 195, 156-165.	4.2	20
35	Determinants of prenatal exposure to polybrominated diphenyl ethers (PBDEs) among urban, minority infants born between 1998 and 2006. Environmental Pollution, 2018, 233, 774-781.	3.7	24
36	Obesity in relation to serum persistent organic pollutant concentrations in CHAMACOS women. Environmental Epidemiology, 2018, 2, e032.	1.4	18

#	Article	IF	Citations
37	Prenatal exposure to organochlorine pesticides and early childhood communication development in British girls. NeuroToxicology, 2018, 69, 121-129.	1.4	12
38	Temporal trends in serum polybrominated diphenyl ether concentrations in the Australian population, 2002–2013. Environment International, 2018, 121, 357-364.	4.8	18
39	Associations between prenatal and childhood PBDE exposure and early adolescent visual, verbal and working memory. Environment International, 2018, 118, 9-16.	4.8	45
40	Exposure of dioxin-like chemicals in participants of the Anniston community health survey follow-up. Science of the Total Environment, 2018, 637-638, 881-891.	3.9	12
41	A nested case-control study of polychlorinated biphenyls, organochlorine pesticides, and thyroid cancer in the Janus Serum Bank cohort. Environmental Research, 2018, 165, 125-132.	3.7	37
42	Profiles and Predictors of Environmental Chemical Mixture Exposure among Pregnant Women: The Health Outcomes and Measures of the Environment Study. Environmental Science & Echnology, 2018, 52, 10104-10113.	4.6	56
43	Toddler's behavior and its impacts on exposure to polybrominated diphenyl ethers. Journal of Exposure Science and Environmental Epidemiology, 2017, 27, 193-197.	1.8	32
44	Association of prenatal and childhood PBDE exposure with timing of puberty in boys and girls. Environment International, 2017, 100, 132-138.	4.8	54
45	In utero and childhood DDT, DDE, PBDE and PCBs exposure and sex hormones in adolescent boys: The CHAMACOS study. International Journal of Hygiene and Environmental Health, 2017, 220, 364-372.	2.1	58
46	Prenatal and postnatal polybrominated diphenyl ether exposure and visual spatial abilities in children. Environmental Research, 2017, 153, 83-92.	3.7	29
47	Prenatal and postnatal polybrominated diphenyl ether (PBDE) exposure and measures of inattention and impulsivity in children. Neurotoxicology and Teratology, 2017, 64, 20-28.	1.2	31
48	Childhood polybrominated diphenyl ether (PBDE) exposure and neurobehavior in children at 8 years. Environmental Research, 2017, 158, 677-684.	3.7	38
49	Persistent organic pollutants in infants and toddlers: Relationship between concentrations in matched plasma and faecal samples. Environment International, 2017, 107, 82-88.	4.8	5
50	Metabolic syndrome is associated with exposure to organochlorine pesticides in Anniston, AL, United States. Environment International, 2017, 108, 11-21.	4.8	57
51	Polychlorinated Biphenyl and Organochlorine Pesticide Concentrations in Maternal Mid-Pregnancy Serum Samples: Association with Autism Spectrum Disorder and Intellectual Disability. Environmental Health Perspectives, 2017, 125, 474-480.	2.8	155
52	Prenatal PBDE and PCB Exposures and Reading, Cognition, and Externalizing Behavior in Children. Environmental Health Perspectives, 2017, 125, 746-752.	2.8	73
53	Lactational Exposure to Polybrominated Diphenyl Ethers and Its Relation to Early Childhood Anthropometric Measurements. Environmental Health Perspectives, 2016, 124, 1656-1661.	2.8	16
54	Polybrominated Diphenyl Ether Exposure and Thyroid Function Tests in North American Adults. Environmental Health Perspectives, 2016, 124, 420-425.	2.8	72

#	Article	IF	CITATIONS
55	Prenatal Polybrominated Diphenyl Ether Exposure and Body Mass Index in Children Up To 8 Years of Age. Environmental Health Perspectives, 2016, 124, 1891-1897.	2.8	29
56	Polybrominated diphenyl ether exposure and reproductive hormones in North American men. Reproductive Toxicology, 2016, 62, 46-52.	1.3	21
57	In utero exposure to organochlorine pesticides and early menarche in the Avon Longitudinal Study of Parents and Children. Environment International, 2016, 94, 467-472.	4.8	19
58	Prenatal polybrominated diphenyl ether and perfluoroalkyl substance exposures and executive function in school-age children. Environmental Research, 2016, 147, 556-564.	3.7	80
59	Maternal Polybrominated Diphenyl Ether (PBDE) Exposure and Thyroid Hormones in Maternal and Cord Sera: The HOME Study, Cincinnati, USA. Environmental Health Perspectives, 2015, 123, 1079-1085.	2.8	93
60	Brominated Flame Retardants and Other Persistent Organohalogenated Compounds in Relation to Timing of Puberty in a Longitudinal Study of Girls. Environmental Health Perspectives, 2015, 123, 1046-1052.	2.8	65
61	Polybrominated Diphenyl Ethers and Thyroid Cancer Risk in the Prostate, Colorectal, Lung, and Ovarian Cancer Screening Trial Cohort. American Journal of Epidemiology, 2015, 181, 883-888.	1.6	48
62	Increasing Sample Size in Prospective Birth Cohorts: Back-Extrapolating Prenatal Levels of Persistent Organic Pollutants in Newly Enrolled Children. Environmental Science & Environmental Science & 2015, 49, 3940-3948.	4.6	12
63	Prenatal Exposure to Polybrominated Diphenyl Ethers and Polyfluoroalkyl Chemicals and Infant Neurobehavior. Journal of Pediatrics, 2015, 166, 736-742.	0.9	29
64	Polybrominated diphenyl ether serum concentrations in a Californian population of children, their parents, and older adults: an exposure assessment study. Environmental Health, 2015, 14, 23.	1.7	36
65	Prenatal exposure to polybrominated diphenyl ethers and child attention problems at 3–7years. Neurotoxicology and Teratology, 2015, 52, 143-150.	1.2	68
66	Prenatal DDT and DDE exposure and child IQ in the CHAMACOS cohort. Environment International, 2015, 85, 206-212.	4.8	61
67	IN UTERO AND CHILDHOOD POLYBROMINATED DIPHENYL ETHER (PBDE) EXPOSURES AND NEURODEVELOPMENT IN THE CHAMACOS STUDY. , 2015, , 285-304.		1
68	Gestational Exposure to Endocrine-Disrupting Chemicals and Reciprocal Social, Repetitive, and Stereotypic Behaviors in 4- and 5-Year-Old Children: The HOME Study. Environmental Health Perspectives, 2014, 122, 513-520.	2.8	255
69	Prenatal Polybrominated Diphenyl Ether Exposures and Neurodevelopment in U.S. Children through 5 Years of Age: The HOME Study. Environmental Health Perspectives, 2014, 122, 856-862.	2.8	167
70	Temporal Variability of Polybrominated Diphenyl Ether (PBDE) Serum Concentrations over One Year. Environmental Science & Envir	4.6	25
71	Brominated Flame Retardants in Breast Milk and Behavioural and Cognitive Development at 36 Months. Paediatric and Perinatal Epidemiology, 2014, 28, 48-57.	0.8	56
72	Exploring the potential association between brominated diphenyl ethers, polychlorinated biphenyls, organochlorine pesticides, perfluorinated compounds, phthalates, and bisphenol a in polycystic ovary syndrome: a case–control study. BMC Endocrine Disorders, 2014, 14, 86.	0.9	105

#	Article	IF	Citations
73	Plasma polychlorinated biphenyl concentrations and immune function in postmenopausal women. Environmental Research, 2014, 131, 174-180.	3.7	6
74	Reduction of the body burden of PCBs and DDE by dietary intervention in a randomized trial. Journal of Nutritional Biochemistry, 2014, 25, 483-488.	1.9	33
75	Polybrominated Diphenyl Ethers, 2,2′,4,4′,5,5′-Hexachlorobiphenyl (PCB-153), and <i>p</i> , <i>p</i> ,6>p,6,6,6,6,6,6,6,7,7,7,7,7,7,7,7	4.6	17
76	Polybrominated Diphenyl Ethers and Other Persistent Organic Pollutants in Serum Pools from the National Health and Nutrition Examination Survey: 2001–2002. Environmental Science and Technology Letters, 2014, 1, 92-96.	3.9	9
77	Polybrominated Diphenyl Ethers, Polychlorinated Biphenyls, and Persistent Pesticides in Serum from the National Health and Nutrition Examination Survey: 2003–2008. Environmental Science & Technology, 2014, 48, 753-760.	4.6	97
78	Case–control study of breast cancer and exposure to synthetic environmental chemicals among Alaska Native women. International Journal of Circumpolar Health, 2014, 73, 25760.	0.5	88
79	Milk and serum standard reference materials for monitoring organic contaminants in human samples. Analytical and Bioanalytical Chemistry, 2013, 405, 1203-1211.	1.9	17
80	Flame Retardant Exposure among Collegiate United States Gymnasts. Environmental Science & Emp; Technology, 2013, 47, 13848-13856.	4.6	56
81	Concentrations of select persistent organic pollutants across pregnancy trimesters in maternal and in cord serum in Trujillo, Peru. Chemosphere, 2013, 91, 1426-1433.	4.2	38
82	Predictors of serum concentrations of polybrominated flame retardants among healthy pregnant women in an urban environment: a cross-sectional study. Environmental Health, 2013, 12, 23.	1.7	37
83	<i>In Utero</i> and Childhood Polybrominated Diphenyl Ether (PBDE) Exposures and Neurodevelopment in the CHAMACOS Study. Environmental Health Perspectives, 2013, 121, 257-262.	2.8	339
84	Serum PBDEs in a North Carolina Toddler Cohort: Associations with Handwipes, House Dust, and Socioeconomic Variables. Environmental Health Perspectives, 2012, 120, 1049-1054.	2.8	242
85	Brominated flame retardants in the Australian population: 1993–2009. Chemosphere, 2012, 89, 398-403.	4.2	53
86	Impact of Dust from Multiple Microenvironments and Diet on PentaBDE Body Burden. Environmental Science & Environmental Environmental Science & Environmental Environme	4.6	68
87	Factors Associated with Serum Polybrominated Diphenyl Ether (PBDE) Levels Among School-Age Children in the CHAMACOS Cohort. Environmental Science & Echnology, 2012, 46, 7373-7381.	4.6	48
88	Adiposity, body composition, and weight change in relation to organochlorine pollutant plasma concentrations. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 617-624.	1.8	31
89	Lactational Exposure to Polybrominated Diphenyl Ethers and Its Relation to Social and Emotional Development among Toddlers. Environmental Health Perspectives, 2012, 120, 1438-1442.	2.8	91
90	Determinants of Serum Polybrominated Diphenyl Ether (PBDE) Levels among Pregnant Women in the CHAMACOS Cohort. Environmental Science & Environmental S	4.6	53

#	Article	IF	Citations
91	Exposure to PBDEs in the Office Environment: Evaluating the Relationships Between Dust, Handwipes, and Serum. Environmental Health Perspectives, 2011, 119, 1247-1252.	2.8	180
92	A Comparison of PBDE Serum Concentrations in Mexican and Mexican-American Children Living in California. Environmental Health Perspectives, 2011, 119, 1442-1448.	2.8	44
93	Association of Prenatal Exposure to Polybrominated Diphenyl Ethers and Infant Birth Weight. American Journal of Epidemiology, 2011, 174, 885-892.	1.6	122
94	Prenatal Exposure to Polybrominated Diphenyl Ether Flame Retardants and Neonatal Thyroid-Stimulating Hormone Levels in the CHAMACOS Study. American Journal of Epidemiology, 2011, 174, 1166-1174.	1.6	57
95	Low Dose Organochlorine Pesticides and Polychlorinated Biphenyls Predict Obesity, Dyslipidemia, and Insulin Resistance among People Free of Diabetes. PLoS ONE, 2011, 6, e15977.	1.1	325
96	A method for rapid, non-targeted screening for environmental contaminants in household dust. Journal of Chromatography A, 2010, 1217, 6851-6856.	1.8	97
97	Lactational exposure to polychlorinated biphenyls, dichlorodiphenyltrichloroethane, and dichlorodiphenyldichloroethylene and infant growth: an analysis of the Pregnancy, Infection, and Nutrition Babies Study. Paediatric and Perinatal Epidemiology, 2010, 24, 262-271.	0.8	40
98	Prenatal Exposure to PBDEs and Neurodevelopment. Environmental Health Perspectives, 2010, 118, 712-719.	2.8	588
99	Low Dose of Some Persistent Organic Pollutants Predicts Type 2 Diabetes: A Nested Case–Control Study. Environmental Health Perspectives, 2010, 118, 1235-1242.	2.8	300
100	PBDE Concentrations in Women's Serum and Fecundability. Environmental Health Perspectives, 2010, 118, 699-704.	2.8	237
101	Polybrominated Diphenyl Ether (PBDE) Flame Retardants and Thyroid Hormone during Pregnancy. Environmental Health Perspectives, 2010, 118, 1444-1449.	2.8	258
102	Individual Characteristics Associated with PBDE Levels in U.S. Human Milk Samples. Environmental Health Perspectives, 2010, 118, 155-160.	2.8	92
103	Human Exposure to Brominated Flame Retardants. Handbook of Environmental Chemistry, 2010, , 203-239.	0.2	3
104	Relationships between Polybrominated Diphenyl Ether Concentrations in House Dust and Serum. Environmental Science & Environmen	4.6	181
105	Distribution and Determinants of Pesticide Mixtures in Cord Serum Using Principal Component Analysis. Environmental Science &	4.6	37
106	Body burdens of brominated flame retardants and other persistent organo-halogenated compounds and their descriptors in US girls. Environmental Research, 2010, 110, 251-257.	3.7	73
107	Partitioning of polybrominated diphenyl ethers (PBDEs) in serum and milk from the same mothers. Chemosphere, 2010, 78, 1279-1284.	4.2	65
108	Hypospadias and halogenated organic pollutant levels in maternal mid-pregnancy serum samples. Chemosphere, 2010, 80, 641-646.	4.2	51

#	Article	IF	CITATIONS
109	Serum Polybrominated Diphenyl Ether (PBDE) Levels Are Higher in Children (2–5 Years of Age) than in Infants and Adults. Environmental Health Perspectives, 2009, 117, 1461-1465.	2.8	169
110	Do Human Milk Concentrations of Persistent Organic Chemicals Really Decline During Lactation? Chemical Concentrations During Lactation and Milk/Serum Partitioning. Environmental Health Perspectives, 2009, 117, 1625-1631.	2.8	91
111	Response to "An assessment of the human health risks from exposure to polybrominated diphenyl ethers (PBDEs) in house dust―by Marek Banasik et al Chemosphere, 2009, 77, 706-707.	4.2	O
112	Concentration of polybrominated diphenyl ethers (PBDEs) in household dust from various countries. Chemosphere, 2008, 73, S131-S136.	4.2	198
113	Serum Levels of Polybrominated Diphenyl Ethers (PBDEs) in Foam Recyclers and Carpet Installers Working in the United States. Environmental Science & Environmental Science & 2008, 42, 3453-3458.	4.6	83
114	Serum Concentrations of Polybrominated Diphenyl Ethers (PBDEs) and Polybrominated Biphenyl (PBB) in the United States Population: 2003–2004. Environmental Science & Echnology, 2008, 42, 1377-1384.	4.6	307
115	Birth Delivery Mode Modifies the Associations between Prenatal Polychlorinated Biphenyl (PCB) and Polybrominated Diphenyl Ether (PBDE) and Neonatal Thyroid Hormone Levels. Environmental Health Perspectives, 2008, 116, 1376-1382.	2.8	182
116	Lifestyle and polybrominated diphenyl ethers in human milk in the United States: A pilot study. Toxicological and Environmental Chemistry, 2008, 90, 1047-1054.	0.6	8
117	Polybrominated Diphenyl Ether Levels in the Blood of Pregnant Women Living in an Agricultural Community in California. Environmental Health Perspectives, 2007, 115, 71-74.	2.8	55
118	Determinants of Prenatal Exposure to Polychlorinated Biphenyls (PCBs) and Polybrominated Diphenyl Ethers (PBDEs) in an Urban Population. Environmental Health Perspectives, 2007, 115, 1794-1800.	2.8	119
119	Certification of SRM 1589a PCBs, pesticides, PBDEs, and dioxins/furans in human serum. Analytical and Bioanalytical Chemistry, 2007, 389, 1201-1208.	1.9	12
120	Apparent Half-Lives of Hepta- to Decabrominated Diphenyl Ethers in Human Serum as Determined in Occupationally Exposed Workers. Environmental Health Perspectives, 2006, 114, 176-181.	2.8	265
121	Exposures among Pregnant Women near the World Trade Center Site on 11 September 2001. Environmental Health Perspectives, 2005, 113, 739-748.	2.8	50
122	Body Burdens of Polybrominated Diphenyl Ethers among Urban Anglers. Environmental Health Perspectives, 2005, 113, 1689-1692.	2.8	52
123	Retrospective time-trend study of polybrominated diphenyl ether and polybrominated and polychlorinated biphenyl levels in human serum from the United States Environmental Health Perspectives, 2004, 112, 654-658.	2.8	185
124	Semiautomated High-Throughput Extraction and Cleanup Method for the Measurement of Polybrominated Diphenyl Ethers and Polybrominated and Polychlorinated Biphenyls in Breast Milk. Analytical Chemistry, 2004, 76, 4508-4514.	3.2	47
125	Measurement of Selected Polybrominated Diphenyl Ethers, Polybrominated and Polychlorinated Biphenyls, and Organochlorine Pesticides in Human Serum and Milk Using Comprehensive Two-Dimensional Gas Chromatography Isotope Dilution Time-of-Flight Mass Spectrometry. Analytical Chemistry. 2004, 76, 6313-6320.	3.2	122
126	Semiautomated High-Throughput Extraction and Cleanup Method for the Measurement of Polybrominated Diphenyl Ethers, Polybrominated Biphenyls, and Polychlorinated Biphenyls in Human Serum. Analytical Chemistry, 2004, 76, 1921-1927.	3.2	219

#	Article	IF	CITATION
127	PBDEs: Sjödin's Response. Environmental Health Perspectives, 2004, 112, .	2.8	1
128	Retrospective Time-Trend Study of Polybrominated Diphenyl Ether and Polybrominated and Polychlorinated Biphenyl Levels in Human Serum from the United States. Environmental Health Perspectives, 2004, 112, 654-658.	2.8	229
129	Qualitative evaluation of thermal desorption-programmable temperature vaporization-comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry for the analysis of selected halogenated contaminants. Journal of Chromatography A, 2003, 1019, 143-156.	1.8	54
130	New high-resolution mass spectrometric approach for the measurement of polychlorinated biphenyls and organochlorine pesticides in human serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 794, 137-148.	1.2	104
131	A review on human exposure to brominated flame retardants?particularly polybrominated diphenyl ethers. Environment International, 2003, 29, 829-839.	4.8	461
132	An overview of commercially used brominated flame retardants, their applications, their use patterns in different countries/regions and possible modes of release. Environment International, 2003, 29, 683-689.	4.8	1,627
133	Comprehensive Solid-Phase Extraction Method for Persistent Organic Pollutants. Validation and Application to the Analysis of Persistent Chlorinated Pesticides. Analytical Chemistry, 2003, 75, 71-77.	3.2	100
134	Exposure to polybrominated diphenyl ethers and tetrabromobisphenol A among computer technicians. Chemosphere, 2002, 46, 709-716.	4.2	225
135	Flame Retardants in Indoor Air at an Electronics Recycling Plant and at Other Work Environments. Environmental Science & Envir	4.6	454
136	Plasma Levels of Persistent Organohalogens and Hormone Levels in Adult Male Humans. Archives of Environmental Health, 2001, 56, 138-143.	0.4	138
137	Brominated Flame Retardants in Serum from U.S. Blood Donors. Environmental Science & Emp; Technology, 2001, 35, 3830-3833.	4.6	144
138	Influence of the Consumption of Fatty Baltic Sea Fish on Plasma Levels of Halogenated Environmental	2.8	144