

Narcis Gusi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2874758/publications.pdf>

Version: 2024-02-01

140
papers

4,648
citations

136950

32
h-index

133252

59
g-index

157
all docs

157
docs citations

157
times ranked

5992
citing authors

#	ARTICLE	IF	CITATIONS
1	Health-related quality of life and multidimensional fitness profile in polio survivors. <i>Disability and Rehabilitation</i> , 2022, 44, 1374-1379.	1.8	1
2	Relationship between pineal gland, sleep and melatonin in fibromyalgia women: a magnetic resonance imaging study. <i>Acta Neuropsychiatrica</i> , 2022, 34, 77-85.	2.1	1
3	Combined Body Mass Index and Waist-to-Height Ratio and Its Association with Lifestyle and Health Factors among Spanish Children: The PASOS Study. <i>Nutrients</i> , 2022, 14, 234.	4.1	3
4	Effects of Transcranial Direct Current Stimulation on Brain Electrical Activity, Heart Rate Variability, and Dual-Task Performance in Healthy and Fibromyalgia Women: A Study Protocol. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2022, 12, 37.	2.1	1
5	Determinants of Adherence to the Mediterranean Diet in Spanish Children and Adolescents: The PASOS Study. <i>Nutrients</i> , 2022, 14, 738.	4.1	12
6	Effects of 6-Month Square Stepping Exercise Intervention on Physical and Cognitive Competence, Regucalcin, and Body Composition in Older People: Study Protocol for a Randomised Control Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3086.	2.6	1
7	Differences among Sociodemographic Variables, Physical Fitness Levels, and Body Composition with Adherence to Regular Physical Activity in Older Adults from the EXERNET Multicenter Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3853.	2.6	2
8	Creative versus repetitive dance therapies to reduce the impact of fibromyalgia and pain: A systematic review and meta-analysis. <i>Complementary Therapies in Clinical Practice</i> , 2022, 47, 101577.	1.7	4
9	Comparison between the Impacts of Memory and Arithmetic-Based Dual Tasks on Physical Performance in Women with Fibromyalgia. <i>Biology</i> , 2022, 11, 947.	2.8	1
10	Fibromyalgia impact in the prefrontal cortex subfields: An assessment with MRI. <i>Clinical Neurology and Neurosurgery</i> , 2022, 219, 107344.	1.4	2
11	Are there neurophysiological differences behind the play of different chess modalities?: An international grandmaster case study.. <i>Physiology and Behavior</i> , 2022, 255, 113918.	2.1	2
12	Relationship between Kinesiophobia and Mobility, Impact of the Disease, and Fear of Falling in Women with and without Fibromyalgia: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8257.	2.6	9
13	Mobility Assessment under Dual Task Conditions in Women With Fibromyalgia: A Test-Retest Reliability Study. <i>PM and R</i> , 2021, 13, 66-72.	1.6	4
14	Effects of a home-based exercise program on mental health for caregivers of relatives with dementia: a randomized controlled trial. <i>International Psychogeriatrics</i> , 2021, 33, 359-372.	1.0	11
15	MoCA vs. MMSE of Fibromyalgia Patients: The Possible Role of Dual-Task Tests in Detecting Cognitive Impairment. <i>Journal of Clinical Medicine</i> , 2021, 10, 125.	2.4	8
16	Impact of Fibromyalgia in the Hippocampal Subfields Volumes of Women—An MRI Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1549.	2.6	6
17	Screen Time and Parents' Education Level Are Associated with Poor Adherence to the Mediterranean Diet in Spanish Children and Adolescents: The PASOS Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 795.	2.4	29
18	Cost-Effectiveness of a Whole-Body Vibration Program in Patients with Type 2 Diabetes: A Retrospective Study Protocol. <i>Sustainability</i> , 2021, 13, 2581.	3.2	0

#	ARTICLE	IF	CITATIONS
19	Association between 30-s Chair Stand-Up Test and Anthropometric Values, Vibration Perception Threshold, FHSQ, and 15-D in Patients with Type 2 Diabetes Mellitus. <i>Biology</i> , 2021, 10, 246.	2.8	2
20	“Fat but powerful” paradox: association of muscle power and adiposity markers with all-cause mortality in older adults from the EXERNET multicentre study. <i>British Journal of Sports Medicine</i> , 2021, 55, 1204-1211.	6.7	17
21	Fitness vs Fatness as Determinants of Survival in Noninstitutionalized Older Adults: The EXERNET Multicenter Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, , .	3.6	2
22	How important is current physical fitness for future quality of life? Results from an 8-year longitudinal study on older adults. <i>Experimental Gerontology</i> , 2021, 149, 111301.	2.8	5
23	Changes in Health Behaviors, Mental and Physical Health among Older Adults under Severe Lockdown Restrictions during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7067.	2.6	53
24	Validity, reliability, and calibration of the physical activity unit 7 item screener (PAU-7S) at population scale. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 98.	4.6	11
25	Fat“Fit Patterns, Drug Consumption, and Polypharmacy in Older Adults: The EXERNET Multi-Center Study. <i>Nutrients</i> , 2021, 13, 2872.	4.1	1
26	Psychophysiological response of military pilots in different combat flight maneuvers in a flight simulator. <i>Physiology and Behavior</i> , 2021, 238, 113483.	2.1	20
27	Comparison of the Psychometric Properties of the EQ-5D-3L-Y and EQ-5D-5L-Y Instruments in Spanish Children and Adolescents. <i>Value in Health</i> , 2021, 24, 1799-1806.	0.3	6
28	Impact of COVID-19 Confinement on Physical Activity and Sedentary Behaviour in Spanish University Students: Role of Gender. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 369.	2.6	108
29	Effect of hypoxic conditioning on functional fitness, balance and fear of falling in healthy older adults: a randomized controlled trial. <i>European Review of Aging and Physical Activity</i> , 2021, 18, 25.	2.9	7
30	Impact of fibromyalgia on sexual function in women. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2020, 33, 355-361.	1.1	13
31	Fitness as a Mediator of the Enhancement of Quality of Life after a 6-Months Exercise Program. <i>Research Quarterly for Exercise and Sport</i> , 2020, 91, 24-33.	1.4	5
32	Chess Players Increase the Theta Power Spectrum When the Difficulty of the Opponent Increases: An EEG Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 46.	2.6	11
33	Effect of Exergame Training and Detraining on Lower-Body Strength, Agility, and Cardiorespiratory Fitness in Women with Fibromyalgia: Single-Blinded Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 161.	2.6	22
34	Effects of an exercise program linked to primary care on depression in elderly: fitness as mediator of the improvement. <i>Quality of Life Research</i> , 2020, 29, 1239-1246.	3.1	12
35	Study protocol of a population-based cohort investigating Physical Activity, Sedentarism, lifestyles and Obesity in Spanish youth: the PASOS study. <i>BMJ Open</i> , 2020, 10, e036210.	1.9	22
36	Impact of cognitive tasks on biomechanical and kinematic parameters of gait in women with fibromyalgia: A cross-sectional study. <i>Physiology and Behavior</i> , 2020, 227, 113171.	2.1	8

#	ARTICLE	IF	CITATIONS
37	Effects of 24-Week Exergame Intervention on the Gray Matter Volume of Different Brain Structures in Women with Fibromyalgia: A Single-Blind, Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 2436.	2.4	6
38	Ganoderma lucidum Effects on Mood and Health-Related Quality of Life in Women with Fibromyalgia. <i>Healthcare (Switzerland)</i> , 2020, 8, 520.	2.0	5
39	Foot Health Status Questionnaire (FHSQ) in Spanish People with Type 2 Diabetes Mellitus: Preliminary Values Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3643.	2.6	6
40	The Effects of Age, Organized Physical Activity and Sedentarism on Fitness in Older Adults: An 8-Year Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4312.	2.6	18
41	Twelve Weeks of Whole Body Vibration Training Improve Regucalcin, Body Composition and Physical Fitness in Postmenopausal Women: A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3940.	2.6	12
42	Effect of dance therapies on motor-cognitive dual-task performance in middle-aged and older adults: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2020, 43, 1-12.	1.8	6
43	Test-Retest Reliability of Vibration Perception Threshold Test in People with Type 2 Diabetes Mellitus. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1773.	2.6	10
44	Association between TUG and Anthropometric Values, Vibration Perception Threshold, FHSQ and 15-D in Type 2 Diabetes Mellitus Patients. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2018.	2.6	4
45	Effects of exergames on heart rate variability of women with fibromyalgia: A randomized controlled trial. <i>Scientific Reports</i> , 2020, 10, 5168.	3.3	16
46	Cost-Effectiveness and Effects of a Home-Based Exercise Intervention for Female Caregivers of Relatives with Dementia: Study Protocol for a Randomized Controlled Trial. <i>Healthcare (Switzerland)</i> , 2020, 8, 54.	2.0	4
47	Acute Effects of a Whole Body Vibration Session on the Vibration Perception Threshold in Patients with Type 2 Diabetes Mellitus. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4356.	2.6	2
48	Effects of 8-Week Whole-Body Vibration Training on the HbA1c, Quality of Life, Physical Fitness, Body Composition and Foot Health Status in People with T2DM: A Double-Blinded Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1317.	2.6	9
49	Neurophysiological Differences Between Women With Fibromyalgia and Healthy Controls During Dual Task: A Pilot Study. <i>Frontiers in Psychology</i> , 2020, 11, 558849.	2.1	6
50	Psychological Symptomatology in Informal Caregivers of Persons with Dementia: Influences on Health-Related Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1078.	2.6	13
51	Effects of Ganoderma lucidum and Ceratonia siliqua on blood glucose, lipid profile, and body composition in women with fibromyalgia. <i>Nutricion Hospitalaria</i> , 2020, 38, 139-145.	0.3	0
52	Does fitness attenuate the relationship between changes in sitting time and health-related quality of life over time in community-dwelling older adults? Evidence from the EXERNET multicenter longitudinal study. <i>Quality of Life Research</i> , 2019, 28, 3259-3266.	3.1	4
53	Influence of depressive feelings in the brain processing of women with fibromyalgia. <i>Medicine (United Tj ETQq1 1 0.784314 pgBT /Over</i>	1.0	14
54	Effects of Exergames on Brain Dynamics in Women with Fibromyalgia: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2019, 8, 1015.	2.4	17

#	ARTICLE	IF	CITATIONS
55	Benefits of 24-Week Exergame Intervention on Health-Related Quality of Life and Pain in Women with Fibromyalgia: A Single-Blind, Randomized Controlled Trial. <i>Games for Health Journal</i> , 2019, 8, 380-386.	2.0	23
56	Reliability of the 30 s Chair Stand Test in Women with Fibromyalgia. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2344.	2.6	15
57	Duration of the Symptoms and Brain Aging in Women with Fibromyalgia: A Cross-Sectional Study. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2106.	2.5	7
58	Effects of 24-week exergame intervention on physical function under single- and dual-task conditions in fibromyalgia: A randomized controlled trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 1610-1617.	2.9	24
59	Impact of Fibromyalgia on Alpha-2 EEG Power Spectrum in the Resting Condition: A Descriptive Correlational Study. <i>BioMed Research International</i> , 2019, 2019, 1-6.	1.9	24
60	Is Sitting Time Related with Physical Fitness in Spanish Elderly Population? The Exernet Multicenter Study. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 401-407.	3.3	9
61	Dual task performance and history of falls in community-dwelling older adults. <i>Experimental Gerontology</i> , 2019, 120, 35-39.	2.8	31
62	Impact of adding a simultaneous cognitive task in the elbow's range of movement during arm curl test in women with fibromyalgia. <i>Clinical Biomechanics</i> , 2019, 65, 110-115.	1.2	14
63	EQ-5D-Y-5L: developing a revised EQ-5D-Y with increased response categories. <i>Quality of Life Research</i> , 2019, 28, 1951-1961.	3.1	47
64	Influence of a Cell-Phone Conversation on Balance Performance in Women with Fibromyalgia: A Cross-Sectional Descriptive Study. <i>BioMed Research International</i> , 2019, 2019, 1-6.	1.9	12
65	Test-Retest Reliability of Kinematic Parameters of Timed Up and Go in People with Type 2 Diabetes. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4709.	2.5	11
66	Strength Assessment Under Dual Task Conditions in Women with Fibromyalgia: A Test-Retest Reliability Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4971.	2.6	6
67	Análisis de la edad sobre la fiabilidad de pruebas fitness en mayores. <i>Revista Internacional De Medicina Y Ciencias De La Actividad Fisica Y Del Deporte</i> , 2019, 19, 627.	0.2	1
68	Electroencephalographic response of chess players in decision-making processes under time pressure. <i>Physiology and Behavior</i> , 2019, 198, 140-143.	2.1	29
69	Efectos de la tarea dual sobre el tiro libre en baloncesto. <i>Revista Iberoamericana De Ciencias De La Actividad Física Y El Deporte</i> , 2019, 8, 68.	0.3	0
70	Use of Biotechnological Devices in the Quantification of Psychophysiological Workload of Professional Chess Players. <i>Journal of Medical Systems</i> , 2018, 42, 40.	3.6	34
71	Reliability of the Timed Up and Go Test in Fibromyalgia. <i>Rehabilitation Nursing</i> , 2018, 43, 35-39.	0.5	21
72	Effect of exergames on musculoskeletal pain: A systematic review and meta-analysis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 760-771.	2.9	29

#	ARTICLE	IF	CITATIONS
73	Impact of adding a cognitive task while performing physical fitness tests in women with fibromyalgia. <i>Medicine (United States)</i> , 2018, 97, e13791.	1.0	21
74	Effects of Dance on Pain in Patients with Fibromyalgia: A Systematic Review and Meta-Analysis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-16.	1.2	16
75	Cost-effectiveness of a follow-up program for older patients with heart failure: a randomized controlled trial. <i>European Geriatric Medicine</i> , 2018, 9, 523-532.	2.8	6
76	Fitness as mediator between weight status and dimensions of health-related quality of life. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 155.	2.4	15
77	Does anthropometric and fitness parameters mediate the effect of exercise on the HRQoL of overweight and obese children/adolescents?. <i>Quality of Life Research</i> , 2018, 27, 2305-2312.	3.1	11
78	Impact of Fibromyalgia in the Sit-to-stand Sit Performance Compared With Healthy Controls. <i>PM and R</i> , 2017, 9, 588-595.	1.6	8
79	Validity of the International Fitness Scale (IFIS) in older adults. <i>Experimental Gerontology</i> , 2017, 95, 77-81.	2.8	29
80	Criterion-Referenced Fitness Standards Associated with Maintaining Functional Capacity in Chilean Older Adults. <i>Rejuvenation Research</i> , 2017, 20, 484-491.	1.8	3
81	Fibromyalgia and quality of life: mapping the revised fibromyalgia impact questionnaire to the preference-based instruments. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 114.	2.4	13
82	Effects of Exergames on Quality of Life, Pain, and Disease Effect in Women With Fibromyalgia: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1725-1731.	0.9	43
83	Stair negotiation in women with fibromyalgia. <i>Medicine (United States)</i> , 2017, 96, e8364.	1.0	6
84	Physical Exercise Improves Heart Rate Variability in Patients with Type 2 Diabetes: A Systematic Review. <i>Current Diabetes Reports</i> , 2017, 17, 110.	4.2	50
85	Validation of the self-report EXERNET questionnaire for measuring physical activity and sedentary behavior in elderly. <i>Archives of Gerontology and Geriatrics</i> , 2017, 69, 156-161.	3.0	28
86	Parent-child discrepancy in the assessment of health-related quality of life using the EQ-5D-Y questionnaire. <i>Archivos Argentinos De Pediatría</i> , 2017, 115, 541-546.	0.2	18
87	Exergames for women with fibromyalgia: a randomised controlled trial to evaluate the effects on mobility skills, balance and fear of falling. <i>PeerJ</i> , 2017, 5, e3211.	2.0	38
88	Portuguese translation, cross-cultural adaptation and reliability of the questionnaire "Start Back Screening Tool" (SBST). <i>Acta Reumatológica Portuguesa</i> , 2017, 42, 38-46.	0.2	5
89	Whole-body vibration therapy for fibromyalgia?. <i>Focus on Alternative and Complementary Therapies</i> , 2016, 21, 56-57.	0.1	0
90	Extension Of The Labels Within The Eq-5d-Y. <i>Value in Health</i> , 2016, 19, A480.	0.3	1

#	ARTICLE	IF	CITATIONS
91	Increased Physical Activity and Fitness above the 50th Percentile Avoid the Threat of Older Adults Becoming Institutionalized: A Cross-sectional Pilot Study. <i>Rejuvenation Research</i> , 2016, 19, 13-20.	1.8	14
92	Performance of women with fibromyalgia in walking up stairs while carrying a load. <i>PeerJ</i> , 2016, 4, e1656.	2.0	6
93	Cost-Utility Analysis of a Six-Weeks <i>Ganoderma Lucidum</i> -Based Treatment for Women with Fibromyalgia: A Randomized Double-Blind, Active Placebo-Controlled Trial. <i>Myopain</i> , 2015, 23, 188-194.	0.0	2
94	Effect of A Follow-up Program in Elderly Adults with Heart Failure with Cognitive Impairment After Hospital Discharge. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1950-1951.	2.6	6
95	Effects of Whole-Body Vibration Therapy in Patients with Fibromyalgia: A Systematic Literature Review. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-11.	1.2	26
96	Fear of Falling in Women with Fibromyalgia and Its Relation with Number of Falls and Balance Performance. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	32
97	Changes in HRQoL after 12 months of exercise linked to primary care are associated with fitness effects in older adults. <i>European Journal of Public Health</i> , 2015, 25, 873-879.	0.3	15
98	Higher levels of physical fitness are associated with a reduced risk of suffering sarcopenic obesity and better perceived health among the elderly. The EXERNET multi-center study. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 211-217.	3.3	50
99	Using a dry electrode EEG device during balance tasks in healthy young-adult males: Test-retest reliability analysis. <i>Somatosensory & Motor Research</i> , 2015, 32, 219-226.	0.9	19
100	Can adult weights be used to value child health states? Testing the influence of perspective in valuing EQ-5D-Y. <i>Quality of Life Research</i> , 2015, 24, 2519-2539.	3.1	54
101	GANODERMA LUCIDUM IMPROVES PHYSICAL FITNESS IN WOMEN WITH FIBROMYALGIA. <i>Nutricion Hospitalaria</i> , 2015, 32, 2126-35.	0.3	15
102	Reliability and validity of lumbar and abdominal trunk muscle endurance tests in office workers with nonspecific subacute low back pain. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2014, 27, 399-408.	1.1	27
103	Effectiveness of a follow-up program for elderly heart failure patients after hospital discharge. A randomized controlled trial. <i>European Geriatric Medicine</i> , 2014, 5, 252-257.	2.8	14
104	Supportive Environments for Physical Activity, Community Action, and Policy in 8 European Union Member States: Comparative Analysis and Specificities of Context. <i>Journal of Physical Activity and Health</i> , 2014, 11, 873-883.	2.0	8
105	Musculoskeletal fitness and health-related quality of life characteristics among sedentary office workers affected by sub-acute, non-specific low back pain: a cross-sectional study. <i>Physiotherapy</i> , 2013, 99, 194-200.	0.4	49
106	Applicability and Test-Retest Reliability of Isokinetic Shoulder Abduction and Adduction in Women Fibromyalgia Patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 444-450.	0.9	15
107	Clinical effects of a nine-month web-based intervention in subacute non-specific low back pain patients: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2013, 27, 28-39.	2.2	36
108	Reanalysis of a tailored web-based exercise programme for office workers with sub-acute low back pain: Assessing the stage of change in behaviour. <i>Psychology, Health and Medicine</i> , 2013, 18, 687-697.	2.4	13

#	ARTICLE	IF	CITATIONS
109	Tilt vibratory exercise improves pain, strength and somatosensory function in patients with fibromyalgia: A randomized controlled trial. <i>Journal of Nursing Education and Practice</i> , 2013, 4, .	0.2	0
110	A Web-Based Intervention to Improve and Prevent Low Back Pain Among Office Workers: A Randomized Controlled Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 831-D6.	3.5	32
111	An occupational, internet-based intervention to prevent chronicity in subacute lower back pain: A randomised controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 581-587.	1.1	27
112	Normative Fitness Performance Scores of Community-Dwelling Older Adults in Spain. <i>Journal of Aging and Physical Activity</i> , 2012, 20, 106-126.	1.0	31
113	Using Whole-Body Vibration Training in Patients Affected with Common Neurological Diseases: A Systematic Literature Review. <i>Journal of Alternative and Complementary Medicine</i> , 2012, 18, 29-41.	2.1	64
114	Physical fitness levels among independent non-institutionalized Spanish elderly: The elderly EXERNET multi-center study. <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 406-416.	3.0	64
115	Balance training reduces fear of falling and improves dynamic balance and isometric strength in institutionalised older people: a randomised trial. <i>Journal of Physiotherapy</i> , 2012, 58, 97-104.	1.7	110
116	Effect of increasing difficulty in standing balance tasks with visual feedback on postural sway and EMG: Complexity and performance. <i>Human Movement Science</i> , 2012, 31, 1224-1237.	1.4	43
117	Sitting time increases the overweight and obesity risk independently of walking time in elderly people from Spain. <i>Maturitas</i> , 2012, 73, 337-343.	2.4	58
118	Harmonization Process and Reliability Assessment of Anthropometric Measurements in the Elderly EXERNET Multi-Centre Study. <i>PLoS ONE</i> , 2012, 7, e41752.	2.5	19
119	Test-Retest Reliability of Isometric and Isokinetic Knee Extension and Flexion in Patients With Fibromyalgia: Evaluation of the Smallest Real Difference. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1646-1651.	0.9	27
120	Effects of whole body vibration therapy on main outcome measures for chronic non-specific low back pain: A single-blind randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 689-694.	1.1	84
121	Prevalence of overweight and obesity in non-institutionalized people aged 65 or over from Spain: the elderly EXERNET multi-centre study. <i>Obesity Reviews</i> , 2011, 12, 583-592.	6.5	86
122	Fitness and health-related quality of life dimensions in community-dwelling middle aged and older adults. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 117.	2.4	64
123	The Spanish version of the "StarT Back Screening Tool" (SBST) in different subgroups. <i>Atencion Primaria</i> , 2011, 43, 356-361.	1.4	43
124	Tilting Whole Body Vibration Improves Quality of Life in Women with Fibromyalgia: A Randomized Controlled Trial. <i>Journal of Alternative and Complementary Medicine</i> , 2011, 17, 723-728.	2.1	30
125	Test-Retest reliability of Biodex Balance SD on physically active old people. <i>Journal of Human Sport and Exercise</i> , 2011, 6, 444-451.	0.4	57
126	Development of the EQ-5D-Y: a child-friendly version of the EQ-5D. <i>Quality of Life Research</i> , 2010, 19, 875-886.	3.1	574

#	ARTICLE	IF	CITATIONS
127	Feasibility, reliability, and validity of the EQ-5D-Y: results from a multinational study. <i>Quality of Life Research</i> , 2010, 19, 887-897.	3.1	325
128	Tilt vibratory exercise and the dynamic balance in fibromyalgia: A randomized controlled trial. <i>Arthritis Care and Research</i> , 2010, 62, 1072-1078.	3.4	38
129	Improvements of muscle strength predicted benefits in HRQOL and postural balance in women with fibromyalgia: an 8-month randomized controlled trial. <i>Rheumatology</i> , 2009, 48, 1147-1151.	1.9	68
130	Fitness efficacy of vibratory exercise compared to walking in postmenopausal women. <i>European Journal of Applied Physiology</i> , 2009, 106, 741-748.	2.5	37
131	Health-Related Quality of Life and Fitness of the Caregiver of Patient with Dementia. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1182-1187.	0.4	37
132	Cost-utility of a walking programme for moderately depressed, obese, or overweight elderly women in primary care: a randomised controlled trial. <i>BMC Public Health</i> , 2008, 8, 231.	2.9	99
133	Cost-utility of an 8-month aquatic training for women with fibromyalgia: a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2008, 10, R24.	3.5	55
134	Needs, Interests, and Limitations for the Promotion of Health and Exercise by a Web Site for Sighted and Blind Elderly People: A Qualitative Exploratory Study. <i>Educational Gerontology</i> , 2008, 34, 449-461.	1.3	4
135	Eight months of physical training in warm water improves physical and mental health in women with fibromyalgia: A randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 248-252.	1.1	92
136	Aquatic Training and Detraining on Fitness and Quality of Life in Fibromyalgia. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1044-1050.	0.4	97
137	Efectos del entrenamiento acuático y posterior desentrenamiento sobre la percepción e intensidad del dolor y el número de puntos sensibles de mujeres con fibromialgia. <i>Apunts Medicine De L'Esport</i> , 2007, 42, 76-81.	0.5	6
138	The Fibromyalgia Treatment With Physical Exercise in Warm Water Reduces the Impact of the Disease on Female Patients' Physical and Mental Health. <i>Reumatología Clínica (English Edition)</i> , 2007, 3, 33-37.	0.3	10
139	Low-frequency vibratory exercise reduces the risk of bone fracture more than walking: a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 92.	1.9	226
140	Exercise in waist-high warm water decreases pain and improves health-related quality of life and strength in the lower extremities in women with fibromyalgia. <i>Arthritis and Rheumatism</i> , 2006, 55, 66-73.	6.7	134