

# James E Ferrando

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2877575/publications.pdf>

Version: 2024-02-01

629  
papers

32,263  
citations

4960  
84  
h-index

10158  
140  
g-index

648  
all docs

648  
docs citations

648  
times ranked

10544  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in Run $\bar{A}2$ . European Physical Journal C, 2022, 82, 1.	3.9	6
2	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s}=13\text{TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
3	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
6	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
7	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \pi^{\pm} \nu \pi^{\mp} \bar{\nu}$ events in Run $\bar{A}2$ data. European Physical Journal C, 2022, 82, 1.	3.9	4
8	The ATLAS inner detector trigger performance in pp collisions at $13\text{TeV}$ during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
9	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
10	Measurement of the energy asymmetry in $t\bar{t}$ production at $13\text{TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
11	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13\text{TeV}$ . European Physical Journal C, 2022, 82, 1.	3.9	12
12	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
13	Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{ fb}^{-1}$ of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
14	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
15	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
16	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
17	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
18	Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
19	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
20	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
21	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
22	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
23	Optimisation of large-radius jet reconstruction for the ATLAS detector in $13 \text{ TeV}$ proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
24	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^-e^+e^-$ and $e^+e^-e^+e^-u\bar{u}$ final states using $139 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
25	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
26	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^-bb$ and $e^+e^-WW$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
27	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
28	Measurements of $W+W^\pm$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
29	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	46
30	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
31	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_1$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
32	Search for supersymmetry in events with four or more charged leptons in $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
33	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\pm$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
34	Measurements of differential cross-sections in four-lepton events in $13 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
35	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
36	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82

#	ARTICLE	IF	CITATIONS
37	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
38	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
39	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
40	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
41	Search for dark matter produced in association with a single top quark in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
42	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
43	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
44	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
45	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13\text{TeV}$ proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
46	Measurement of the t-bar-t overline{t} production cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
47	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
48	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
49	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
50	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
51	Azimuthal correlations in photoproduction and deep inelastic ep scattering at HERA. Journal of High Energy Physics, 2021, 2021, 1.	4.7	1
52	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
53	Measurement of b-quark fragmentation properties in jets using the decay $B \pm \bar{B} \rightarrow J/\psi K \pm$ in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
54	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
55	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
56	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\pi$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
57	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
58	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
59	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
60	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
61	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
62	Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
63	Higgs boson production cross-section measurements and their EFT interpretation in the $4\pi$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
64	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
65	Study of proton parton distribution functions at high $x$ using ZEUS data. Physical Review D, 2020, 101, 1.	4.7	5
66	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
67	Two-particle azimuthal correlations as a probe of collective behaviour in deep inelastic ep scattering at HERA. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
68	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
69	Reconstruction and identification of boosted di-lepton systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
70	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
71	Search for top squarks in events with a Higgs or Z boson using 139 fb $^{-1}$ of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
72	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30

#	ARTICLE	IF	CITATIONS
73	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
74	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
75	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
76	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
77	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
78	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
79	Limits on contact interactions and leptoquarks at HERA. Physical Review D, 2019, 99, .	4.7	8
80	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13\text{ TeV}$ . European Physical Journal C, 2019, 79, 1.	3.9	77
81	Measurement of VH, $H\rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
82	Charm production in charged current deep inelastic scattering at HERA. Journal of High Energy Physics, 2019, 2019, 1.	4.7	4
83	Performance of top-quark and $\varvec{W}$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
84	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
85	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
86	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
87	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
88	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
89	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
90	Measurement of $W^{pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8

#	ARTICLE	IF	CITATIONS
91	Measurement of the inclusive cross-section for the production of jets in association with a $Z$ boson in proton-proton collisions at $8\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
92	ATLAS b-jet identification performance and efficiency measurement with $\text{t} \{ \text{ar} \{ t \} \}$ events in pp collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2019, 79, 1.	3.9	130
93	Measurements of top-quark pair differential and double-differential cross-sections in the $e^+e^- + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
94	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in $36\text{fb}^{-1}$ of pp collisions at $s = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
95	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
96	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2018, 78, 102.	3.9	13
97	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
98	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{ext}}} = 2.76\text{TeV}$ and $s_{\text{NN}} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59
99	Measurement of quarkonium production in proton-proton collisions at $\sqrt{s} = 5.02\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
100	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13\text{TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
101	Search for heavy ZZ resonances in the $e^+e^- + e^+e^- + \gamma\gamma$ final states using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
102	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
103	Search for heavy resonances decaying into WW in the $e^+\mu^-\mu^+e^+$ final state in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
104	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8\text{TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
105	Search for W W/W Z resonance production in $\gamma\gamma$ final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
106	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
107	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{ext}}} = 5.02\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
108	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow l^+l^-W\bar{W}$ channel using pp collision data recorded at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53

#	ARTICLE	IF	CITATIONS
109	Measurement of colour flow using jet-pull observables in $\text{tar}\{t\} \text{ t t } \bar{\chi}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	3.9	16
110	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
111	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
112	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
113	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
114	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
115	Measurements of b-jet tagging efficiency with the ATLAS detector using $\text{t}\bar{\chi}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
116	Measurement of the inclusive and fiducial $\text{tar}\{t\} \text{ t t } \bar{\chi}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
117	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
118	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
119	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
120	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
121	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
122	Measurement of $Z/\gamma$ polarization in $Z/\gamma \rightarrow e^+e^-$ . European Physical Journal C, 2018, 78, 163.	3.9	7
123	Measurement of differential cross sections and $W/W'$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
124	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using $3.2 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
125	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
126	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29

#	ARTICLE	IF	CITATIONS
127	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
128	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
129	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
130	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
131	Performance of algorithms that reconstruct missing transverse momentum in proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
132	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
133	Search for triboson $W^{pm} W^{pm} W^{mp}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
134	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
135	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
136	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
137	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
138	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
139	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
140	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	3.9	28
141	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
142	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
143	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
144	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12

#	ARTICLE	IF	CITATIONS
145	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the ZZ $\rightarrow \ell^+ \ell^- \nu \bar{\nu}$ and Z Z $\rightarrow \ell^+ \ell^- \nu \bar{\nu}$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.		
146	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
147	Measurements of $t\bar{t}(2S)$ and $X(3872) \rightarrow J/\psi + \pi^\pm$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
148	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
149	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
150	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
151	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
152	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47
153	Precision measurement and interpretation of inclusive $W^+ W^+$ , $W^- W^-$ . <i>European Physical Journal C</i> , 2017, 77, 367.	3.9	145
154	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
155	Constraining new resonant physics with top spin polarisation information. <i>European Physical Journal C</i> , 2017, 77, 1.	3.9	3
156	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	3.9	80
157	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
158	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	3.9	50
159	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
160	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
161	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
162	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
163	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
164	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
165	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
166	Measurement of $WW/WZ \rightarrow q\bar{q} \rightarrow l^+l^-q\bar{q}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $s = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
167	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
168	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
169	Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
170	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
171	Search for top quark decays $t \rightarrow t'$ with $t' \rightarrow qH$ , with $H \rightarrow l^+l^-$ in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
172	Study of $WW\gamma$ and $WZ\gamma$ . <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
173	Measurements of top quark spin observables in $t\bar{t} \rightarrow l^+l^-$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
174	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
175	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow l^+l^-$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
176	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
177	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
178	Search for pair production of heavy vector-like quarks decaying to high-p $T$ $W$ bosons and $b$ quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
179	Measurement of the $k_t$ splitting scales in $Z \rightarrow l^+l^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
180	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
181	Evidence for the $H \rightarrow b\bar{b} \rightarrow H\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
182	Search for new high-mass phenomena in the dilepton final state using $36 \text{ fb}^{-1}$ of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	168
183	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32
184	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
185	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
186	Measurement of event-shape observables in $Z \rightarrow ell^+ ell^- + Z \rightarrow l^+ l^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
187	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
188	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
189	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
190	Search for minimal supersymmetric standard model Higgs Bosons $H_A$ and for a $Z'$ boson in the $t\bar{t}, b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
191	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73
192	Measurement of the $b\bar{b} \rightarrow b\bar{b} \gamma\gamma$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
193	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
194	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
195	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
196	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453
197	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658.	3.9	48
198	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565.	3.9	31

#	ARTICLE	IF	CITATIONS
199	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	44
200	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71
201	Search for flavour-changing neutral current top-quark decays to $q Z$ in $p p$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
202	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39
203	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10
204	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	43
205	Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 513.	3.9	46
206	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions. <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
207	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	70
208	Search for single production of vector-like quarks decaying into $W b$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 442.	3.9	43
209	Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
210	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295.	3.9	50
211	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 581.	3.9	298
212	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322.	3.9	51
213	Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
214	Measurement of the transverse momentum and $\phi$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 291.	3.9	154
215	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} \mu^{\mp} \nu \bar{\nu}$ with the ATLAS detector at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
216	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
217	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
218	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
219	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	2.9	2
220	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
221	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
222	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
223	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
224	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
225	Addendum to "Measurement of the $t\bar{t}$ production cross-section using emu $e^{\pm}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
226	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
227	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
228	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
229	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
230	Measurement of the CP-violating phase $\delta_s$ and the $B_s \rightarrow D_s^+ \nu \bar{\nu}$ meson decay width difference with $B_s \rightarrow D_s^+ \nu \bar{\nu}$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
231	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
232	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
233	A search for prompt lepton+jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
234	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
235	Constraining top quark effective theory in the LHC Run II era. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-32.	4.7	61
236	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	3.9	60
237	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
238	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
239	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
240	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62
241	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	3.9	95
242	Probing lepton flavour violation via neutrinoless $\nu_e \rightarrow e^- + \bar{\nu}_e + 3\mu^- + 3\bar{\nu}_\mu$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
243	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
244	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 259.	3.9	72
245	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	49
246	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
247	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5.	3.9	109
248	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ and $8 \text{ TeV}$ in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	3.9	274
249	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	3.9	54
250	Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow J/\psi D_s^-$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4.	3.9	40
251	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow t\bar{t} Z Z$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 45.	3.9	197
252	Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	3.9	43

#	ARTICLE	IF	CITATIONS
253	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. , 2016, 76, 1.	1	
254	Global fit of top quark effective theory to data. Physical Review D, 2015, 92, .	4.7	47
255	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8\text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
256	A search for high-mass resonances decaying to $t, \bar{t}, \tau^+, \tau^-$ in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
257	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
258	Search for lepton-flavour-violating $H \rightarrow t\bar{t}, \tau^+\tau^-$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
259	Measurement of four-jet differential cross sections in $s = 8\text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
260	A search for $t\bar{t} \rightarrow t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
261	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
262	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76\text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
263	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
264	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
265	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
266	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7\text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
267	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8\text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
268	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
269	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
270	Summary of the searches for squarks and gluinos using $s = 8\text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60

#	ARTICLE	IF	CITATIONS
271	Determination of the top-quark pole mass using $t\bar{t}$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
272	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
273	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
274	Towards an understanding of the correlations in jet substructure. <i>European Physical Journal C</i> , 2015, 75, 1.	3.9	103
275	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
276	The PDF4LHC report on PDFs and LHC data: results from Run I and preparation for Run II. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2015, 42, 103103.	3.6	77
277	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
278	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
279	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
280	Search for $W'$ decays in $t\bar{t} \rightarrow q\bar{q}bb$ and $t\bar{t} \rightarrow q\bar{q}b\bar{b}$ decays in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
281	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
282	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
283	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
284	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $s = 8$ TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015, 75, 407.	3.9	27
285	Measurement of the production and lepton charge asymmetry of $W$ bosons in Pb+Pb collisions at $s = 2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 23.	3.9	41
286	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $s = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 17.	3.9	268
287	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79.	3.9	30
288	Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 69.	3.9	74

#	ARTICLE	IF	CITATIONS
289	Measurements of the $W\bar{W}$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
290	Search for dark matter in events with heavy quarks and missing transverse momentum in $p\bar{p}$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
291	LHAPDF6: parton density access in the LHC precision era. European Physical Journal C, 2015, 75, 1.	3.9	975
292	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
293	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $s = 7 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
294	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
295	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated ( $W/Z$ )H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
296	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
297	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
298	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ , $\tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
299	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
300	Performance of the ATLAS muon trigger in pp collisions at $s = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 120.	3.9	62
301	Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
302	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu \nu \bar{\nu}$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
303	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
304	Search for a new resonance decaying to a $W$ or $Z$ boson and a Higgs boson in the $e\bar{e} \rightarrow b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
305	Measurement of three-jet production cross-sections in $p\bar{p}$ collisions at $7 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
306	Constraints on the off-shell Higgs boson signal strength in the high-mass $ZZ$ and $WW$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95

#	ARTICLE	IF	CITATIONS
307	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 303.	3.9	70
308	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
309	Observation and measurements of the production of prompt and non-prompt $\psi(2S)$ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
310	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
311	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
312	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
313	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and $7 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
314	Measurement of the top quark mass in the $t\bar{t}$ lepton+jets and $t\bar{t}$ dilepton channels using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
315	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
316	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.		3
317	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. , 2015, 75, 1.		1
318	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. , 2015, 75, 1.		2
319	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
320	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
321	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. Journal of High Energy Physics, 2014, 2014, 1.	4.7	33
322	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
323	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
324	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45

#	ARTICLE	IF	CITATIONS
325	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of $s = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
326	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
327	Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with $b$ -tagged jets in $p p$ collisions at $s = 7 \text{ TeV}$ and $8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
328	Deep inelastic cross-section measurements at large $x$ with the ZEUS detector at HERA. Physical Review D, 2014, 90, .	4.7	30
329	Reconstructing singly produced top partners in decays to $Wb$ . Physical Review D, 2014, 90, .	4.7	8
330	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
331	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $s = 7 \text{ TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
332	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
333	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
334	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
335	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $p p$ collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
336	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
337	Measurement of the production cross-section of $\chi^0(2S) \rightarrow (\pi^+\pi^-)^0 + \chi^0$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	21
338	Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
339	Measurement of $D \rightarrow \gamma$ photoproduction at three different centre-of-mass energies at HERA. Journal of High Energy Physics, 2014, 2014, 1.	4.7	1
340	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
341	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. Journal of High Energy Physics, 2014, 2014, 1.	4.7	14
342	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45

#	ARTICLE	IF	CITATIONS
343	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	47
344	Search for pair and single production of new heavy quarks that decay to a $Z$ boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
345	Measurement of neutral current $\pm$ cross sections at high Bjorken $x$ with the ZEUS detector. <i>Physical Review D</i> , 2014, 89, .	4.7	6
346	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
347	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
348	The differential production cross section of the $\phi(1020)$ meson in $s = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13
349	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	3.9	204
350	Measurement of the underlying event in jet events from $7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
351	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	3.9	22
352	Light-quark and gluon jet discrimination in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	3.9	77
353	Measurement of the electroweak production of dijets in association with a $Z$ -boson and distributions sensitive to vector boson fusion in proton-proton collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
354	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	88
355	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W \pm$ boson in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
356	Measurement of dijet cross-sections in pp collisions at $7 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
357	Measurement of the production of a $W$ boson in association with a charm quark in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
358	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	145
359	Search for supersymmetry at $s = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
360	Measurement of the low-mass Drell-Yan differential cross section at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25

#	ARTICLE	IF	CITATIONS
361	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
362	Measurement of $t\bar{t} c_1$ and $t\bar{t} c_2$ production with $s = 7 \text{ TeV}$ pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	32
363	Further studies of the photoproduction of isolated photons with a jet at HERA. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	3
364	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	10
365	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
366	Boosted objects and jet substructure at the LHC. Report of BOOST2012, held at IFIC Valencia, 23rd–27th July 2012. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	124
367	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883.	3.9	55
368	Photoproduction of isolated photons, inclusively and with a jet, at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 730, 293–301.	4.1	10
369	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. <i>European Physical Journal C</i> , 2014, 2014, 1.		2
370	Measurement of the $t\bar{t}$ production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.		2
371	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	73
372	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	53
373	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
374	Measurement of $D^{\star}\bar{D}$ production in deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	8
375	Measurement of D $\bar{D}$ production in deep inelastic ep scattering with the ZEUS detector at HERA. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	8
376	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	137
377	Measurement of ZZ production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ and limits on anomalous ZZZ and ZZ $\tilde{l}^3$ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	61
378	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
379	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
380	NLO QCD corrections to $tW$ and $tZ$ production in forward-backward asymmetry models. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	5
381	Measurement of inelastic $J/\psi$ and $\psi'$ photoproduction at HERA. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	7
382	Measurement of k T splitting scales in $W\rightarrow l\nu$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
383	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow car(s)$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2465. Search for $mml:math$ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>t</mml:mi><mml:mover accent="true"><mml:mi>t</mml:mi><mml:mo>\bar{t}</mml:mo></mml:mover></mml:math> resonances in the lepton plus jets final state with ATLAS using <i>mml:math</i> xmlns:mml="http://www.w3.org/1998/Math/MathML"	3.9	119
384	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	39
385	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	71
386	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	31
387	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
388	Measurement of charm fragmentation fractions in photoproduction at HERA. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	23
389	Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2518.	3.9	362
390	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2509.	3.9	105
391	Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.	3.9	34
392			
393			

#	ARTICLE	IF	CITATIONS
397	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
398	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
399	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
400	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. <small>using a high-&lt;math&gt;\langle p_T \rangle&lt;/math&gt;</small>	4.7	15
401	<small>xml�:math altimg="sr1.gif" overflow="scroll"&gt;&lt;mml:msub&gt;&lt;mml:mrow&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;/mml:mrow&gt;&lt;/mml:msub&gt;&lt;mml:mrow&gt;&lt;mml:mi&gt;W&lt;/mml:mi&gt; boson and a b quark in the lepton plus jets final state at &lt;mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt; altimg="sr2.gif" overflow="scroll"&gt;&lt;mml:math altimg="sr3.gif" display="block"&gt;&lt;/mml:math&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</small>	4.1	40
402	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 1.	3.9	61
403	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton- $\pi$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 1.	3.9	45
404	Production of the excited charm mesons and at HERA. Nuclear Physics B, 2013, 866, 229-254. <small>Production of &lt;math&gt;\psi(2S)&lt;/math&gt; at HERA</small>	2.5	13
405	<small>xml�:xcos="http://www.elsevier.com/xml/xcos/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:stb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:scs="http://www.elsevier.com/xml/common/struct-cs/dtd"</small>	4.1	6
406	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
407	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
408	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
409	Combination and QCD analysis of charm production cross section measurements in deep-inelastic ep scattering at HERA. European Physical Journal C, 2013, 73, 1.	3.9	134
410	Measurement of the $\tau^+$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
411	Search for WH production with a light Higgs boson decaying to prompt electron+jets in proton- $\pi$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
412	Search for resonant diboson production in the WW/WZ $\rightarrow l\bar{l}/jj$ decay channels with the ATLAS detector at $\sqrt{s}=7 \text{ TeV}$ . Physical Review D, 2013, 87, .	4.7	18
413	<small>Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using &lt;math&gt;\sqrt{s}=7 \text{ TeV}&lt;/math&gt;. Physical Review D, 2013, 87, .</small>	4.7	112
414	Measurement of upsilon production in $7 \text{ TeV}$ collisions at ATLAS. Physical Review D, 2013, 87, .	4.7	78

#	ARTICLE or nonpointing photons in the diphoton and	IF	CITATIONS
415	xml�:math> display="inline"><mml:msubsup><mml:mi>E</mml:mi><mml:mi>mathvariant="normal">T</mml:mi><mml:mi>miss</mml:mi></mml:msubsup></mml:math>final state in<math>Search for contact interactions and large extra dimensions in dilepton events from<math>xml�:math> display="inline"><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math>collisions at<math>xml�:math> display="inline"><mml:mi>p</mml:mi><mml:mi>s</mml:mi></mml:math> collisions at<math>xml�:math> display="bold">=</mml:mo><mml:mn>7</mml:mn><mml:mtext>â‰‰</mml:mtext><mml:mtext>â‰‰</mml:mtext></mml:math> TeV proton-proton interactions with the ATLAS detector. Physical Review D, 2013, 88, . Measurement of charged-particle event shape variables in inclusive(s)=7â‰‰TeV proton-proton interactions with the ATLAS detector. Physical Review D, 2013, 88, . Measurement of the<math>W</math> production in<math>W</math>+<math>W</math> collisions at<math>W</math>=0</math>. Measurement of the<math>W</math> production in<math>W</math>+<math>W</math> collisions at<math>W</math>=0</math>. and mass in the ATLAS experiment. Physical Review D, 2013, 87, .	4.7	16
416	xml�:math> display="bold">=</mml:mo><mml:mn>4.7</mml:mn><mml:mtext>35</mml:mtext>	4.7	35
417	xml�:math> display="bold">=</mml:mo><mml:mn>4.7</mml:mn><mml:mtext>12</mml:mtext>	4.7	12
418	xml�:math> display="bold">=</mml:mo><mml:mn>4.7</mml:mn><mml:mtext>76</mml:mtext>	4.7	76
419	xml�:math> display="bold">=</mml:mo><mml:mn>4.7</mml:mn><mml:mtext>14</mml:mtext>	4.7	14
420	Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector. Physical Review D, 2013, 88, .	4.7	14
421	Search for new phenomena in events with three charged leptons at<math>W</math>=0</math>. Measurements of<math>W</math>+<math>W</math> and<math>W</math>+<math>W</math> collisions at<math>W</math>=0</math>. and<math>W</math>+<math>W</math> neutral sections with a longitudinally polarized positron beam at HERA. Physical Review D, 2013, 87, . Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector. Physical Review D, 2012, 86, .	4.7	14
422	xml�:math> display="bold">=</mml:mo><mml:mn>4.7</mml:mn><mml:mtext>60</mml:mtext>	4.7	60
423	xml�:math> display="bold">=</mml:mo><mml:mn>4.7</mml:mn><mml:mtext>18</mml:mtext>	4.7	18
424	xml�:math> display="bold">=</mml:mo><mml:mn>4.7</mml:mn><mml:mtext>3</mml:mtext>	4.7	3
425	Search for resonant top quark plus jet production inttâ™jetsevents with the ATLAS detector inppcollisions ats=7â‰‰TeV. Physical Review D, 2012, 86, .	4.7	16
426	ATLAS measurements of the properties of jets for boosted particle searches. Physical Review D, 2012, 86, .	4.7	21
427	xml�:math> display="bold">=</mml:mo><mml:mn>7.8</mml:mn><mml:mtext>46</mml:mtext>	7.8	46
428	xml�:math> display="bold">=</mml:mo><mml:mn>7.8</mml:mn><mml:mtext>31</mml:mtext>	7.8	31
429	xml�:math> display="bold">=</mml:mo><mml:mn>4.7</mml:mn><mml:mtext>135</mml:mtext>	4.7	135
430	Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at<math>W</math>=0</math>. and<math>W</math>+<math>W</math> collisions at<math>W</math>=0</math>. the ATLAS detector. Physical Review D, 2012, 85, .	4.7	45
431	xml�:math> display="bold">=</mml:mo><mml:mn>7.8</mml:mn><mml:mtext>33</mml:mtext>	7.8	33
432	Underlying event characteristics and their dependence on jet size of charged-particle jet events inppcollisions at(s)=7â‰‰TeV with the ATLAS detector. Physical Review D, 2012, 86, .	4.7	12

#	ARTICLE	IF	CITATIONS
433	Search for Pair Production of a New Quark that Decays into a Boson and a Bottom Quark with the ATLAS Detector. Further search for supersymmetry at final states with jets, missing transverse momentum, and isolated leptons with the ATLAS detector. Physical Review D, 2012, 86,	7.8	26
434	Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. Physical Review D, 2012, 85,	4.7	26
435	Measurement of production in jets from collisions at $\sqrt{s} = 7\text{ TeV}$ . Physical Review D, 2012, 85,	4.7	23
436	Search for resonant WZ production in the $WZ \rightarrow l^+l^-l^+l^-$ channel in the two-lepton channel at $\sqrt{s} = 7\text{ TeV}$ . Physical Review Letters, 2012, 109, 032001.	4.7	23
437	Search for Down-Type Fourth Generation Quarks with the ATLAS Detector in Events with One Lepton and Hadronically Decaying Bosons. Physical Review Letters, 2012, 109, 032001.	4.7	23
438	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
439	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
440	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
441	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7\text{ fb}^{-1}$ of $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
442	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
443	Search for the Standard Model Higgs boson in the $H \rightarrow l^+l^-, \tau^+\tau^-$ decay mode in $\sqrt{s} = 7\text{ TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
444	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
445	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
446	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
450	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54

#	ARTICLE	IF	CITATIONS
451	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
452	Time-dependent angular analysis of the decay $B^- \rightarrow \psi(2S) \pi^-$ and extraction of the CP-violating weak phase by ATLAS. Journal of High Energy Physics, 2012, 2012, .	4.7	23
453	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
454	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
455	Search for excited leptons in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	14
456	Measurement of the isolated diphoton cross section in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	41
457	Search for supersymmetry in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	24
458	Search for supersymmetry in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	31
459	Search for supersymmetry in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	58
460	Search for supersymmetry in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	30
461	Angular correlations in three-jet events in $\sqrt{s}=7\text{TeV}$ pp collisions at HERA. Physical Review D, 2012, 85, .	4.7	2
462	Measurement of the transverse momentum distribution of bosons in $\sqrt{s}=7\text{TeV}$ pp collisions at HERA. Physical Review D, 2012, 85, .	4.7	37
463	Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s}=7\text{TeV}$ pp collisions using 1 $\text{fb}^{-1}$ of ATLAS data. Physical Review D, 2012, 85, .	4.7	57
464	Inclusive-jet photoproduction at HERA and determination of $F_2$ . Nuclear Physics B, 2012, 864, 1-37.	2.5	39
465	Measurement of isolated photons accompanied by jets in deep inelastic ep scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 715, 88-97.	4.1	9
466	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
467	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	100
468	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7\text{TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	13

#	ARTICLE	IF	CITATIONS
469	Measurement of $\tau$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	3.9	109
470	A search for $t$ resonances with the ATLAS detector in $2.05 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 2083.	3.9	25
471	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
472	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
473	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
474	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
475	Combined inclusive diffractive cross sections measured with forward proton spectrometers in deep inelastic ep scattering at HERA. European Physical Journal C, 2012, 72, 1.	3.9	33
476	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{\mathbf{s}}=7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	22
477	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
478	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
479	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	36
480			

#	ARTICLE	IF	CITATIONS
487	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	36
488	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	126
489	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	57
490	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. Measurement of the t-dependence in the inclusive production of $\pi^+ \pi^-$ and $\eta \eta$ at $\sqrt{s} = 7\text{TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	29
491	Search for single-top production in ep collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 708, 14-20. Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 712, 22-39.	4.1	32
492	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	15
493	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	36

#	ARTICLE	IF	CITATIONS
505	Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2011, 84, .	4.7	29
506	Measurement of the cross section with the ATLAS detector. <i>Physical Review D</i> , 2011, 84, .	4.7	23
507	Measurements of underlying-event properties using neutral and charged particles in $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2011, 83, .	4.7	70
508	Measurement of inclusive jet and dijet cross sections in $\sqrt{s} = 7 \text{ TeV}$ centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	114
509	Measurement of beauty production in deep inelastic scattering at HERA using decays into electrons. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	13
510	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	146
511	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	17
512	Luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	179
513	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900 \text{ GeV}$ and $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	31
514	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	18
515	Measurement of heavy-quark jet photoproduction at HERA. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	13
516	Boosted objects: a probe of beyond the standard model physics. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	249
517	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	41
518	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	40
519	Search for diphoton events with large missing transverse energy with $36 \text{ pb}^{-1}$ of $7 \text{ TeV}$ proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	15
520	Measurement of multi-jet cross sections in proton-proton collisions at a $7 \text{ TeV}$ center-of-mass energy. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	60
521	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of $7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	56
522	Search for a heavy neutral particle decaying into an electron and a muon using $1 \text{ fb}^{-1}$ of ATLAS data. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	14

#	ARTICLE	IF	CITATIONS
523	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7\text{-TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
524	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7\text{-TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
525	Study of taupair production at HERA. Journal of High Energy Physics, 2011, 2011, 1.	4.7	1
526	Measurement of dijet production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
527	Measurement of $W^{\pm 3}$ and $Z^{\pm 3}$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
528	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
529	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
530	Measurement of the energy dependence of the total photon-proton cross section at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 697, 184-193.	4.1	6
531	Measurement of charm and beauty production in deep inelastic ep scattering from decays into muons at HERA. European Physical Journal C, 2010, 65, 65-79.	3.9	46
532	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61
533	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95
534	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
535	Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 875-916.	3.9	23
536	Measurement of beauty production in DIS and extraction at ZEUS. European Physical Journal C, 2010, 69, 347-360.	3.9	19
537	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
538	Measurement of high-Q <sup>2</sup> charged current deep inelastic scattering cross sections with a longitudinally polarised positron beam at HERA. European Physical Journal C, 2010, 70, 945-963.	3.9	29
539	Inclusive dijet cross sections in neutral current deep inelastic scattering at HERA. European Physical Journal C, 2010, 70, 965-982.	3.9	27
540	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	3.9	121

#	ARTICLE	IF	CITATIONS
541	Combined measurement and QCD analysis of the inclusive $e \pm p$ scattering cross sections at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	458
542	Events with an isolated lepton and missing transverse momentum and measurement of $W$ production at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	8
543	Measurement of $J/\psi$ photoproduction at large momentum transfer at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	12
544	Scaled momentum spectra in deep inelastic scattering at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	2
545	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
546	On direct measurement of the $W$ production charge asymmetry at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	5
547	Measurement of $D^+$ and $\bar{D}^0$ production in deep inelastic scattering at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	5
548	Measurement of the $W \pm$ , $Z^{1/2}$ and $Z^{1/3} \pm$ production cross sections in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64
549	Measurement of isolated photon production in deep inelastic ep scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 687, 16-25. <small>Inclusive-jet cross sections in NC DIS at HERA and a comparison of the mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="s11.gif" overflow="scroll"&gt;&lt;mml:msub&gt;&lt;mml:mi&gt;k&lt;/mml:mi&gt;&lt;mml:mi&gt;T&lt;/mml:mi&gt;&lt;/mml:msub&gt;&lt;/mml:math&gt;, anti-&lt;mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="s12.gif" overflow="scroll"&gt;&lt;mml:msub&gt;&lt;mml:mi&gt;k&lt;/mml:mi&gt;&lt;mml:mi&gt;T&lt;/mml:mi&gt;&lt;/mml:msub&gt;&lt;/mml:math&gt; and SIScone jet algorithms. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 827, 1-33.</small>	4.1	45
550		4.1	24
551		2.5	7
552	A QCD analysis of ZEUS diffractive data. Nuclear Physics B, 2010, 831, 1-25.	2.5	62
553	Search for events with an isolated lepton and missing transverse momentum and a measurement of $W$ production at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 672, 106-115.	4.1	10
554	Exclusive photoproduction of $\rho$ mesons at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 680, 4-12.	4.1	70
555	Multi-lepton production at high transverse momentum at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 680, 13-23.	4.1	7
556	Measurement of the longitudinal proton structure function at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 682, 8-22.	4.1	62
557	Production of excited charm and charm-strange mesons at HERA. European Physical Journal C, 2009, 60, 25-45.	3.9	28
558	Measurement of charged current deep inelastic scattering cross sections with a longitudinally polarised electron beam at HERA. European Physical Journal C, 2009, 61, 223-235.	3.9	28

#	ARTICLE	IF	CITATIONS
559	Measurement of high- $Q^2$ neutral current deep inelastic $e^- p$ -scattering cross sections with a longitudinally polarised electron-beam at HERA. European Physical Journal C, 2009, 62, 625-658.	3.9	30
560	Measurement of $D^\pm$ and $D^0$ production in deep inelastic scattering using a lifetime tag at HERA. European Physical Journal C, 2009, 63, 171-188.	3.9	47
561	Subjet distributions in deep inelastic scattering at HERA. European Physical Journal C, 2009, 63, 527-548.	3.9	7
562	Deep inelastic scattering with leading protons or large rapidity gaps at HERA. Nuclear Physics B, 2009, 816, 1-61.	2.5	57
563	Diffractive photoproduction of dijets in ep collisions at HERA. European Physical Journal C, 2008, 55, 177-191.	3.9	41
564	Three- and four-jet final states in photoproduction at HERA. Nuclear Physics B, 2008, 792, 1-47.	2.5	20
565	Deep inelastic inclusive and diffractive scattering at $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle mml:msup \rangle \langle mml:mi \rangle Q \langle /mml:mi \rangle \langle mml:mn \rangle 2 \langle /mml:mn \rangle \langle /mml:msup \rangle \langle /mml:math \rangle$ values from 25 to 320 GeV $^2$ with the ZEUS forward plug calorimeter. Nuclear Physics B, 2008, 800, 1-76.	2.5	27
566	Multijet cross sections in charged current $\bar{e} p$ -scattering at HERA. Physical Review D, 2008, 78, .	4.7	6
567	Beauty photoproduction using decays into electrons at HERA. Physical Review D, 2008, 78, .	4.7	12
568	Inclusive $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle mml:msubsup \rangle \langle mml:mi \rangle K \langle /mml:mi \rangle \langle mml:mi \rangle S \langle /mml:mi \rangle \langle mml:mn \rangle 0 \langle /mml:mn \rangle \langle /mml:msubsup \rangle \langle mml:msubsup \rangle$ Production in $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle mml:mi \rangle e \langle /mml:mi \rangle \langle mml:mi \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle$ Collisions at HERA. Physical Review Letters, 2008, 101, 112003.	7.8	9
569	HERA Signature-Based Searches I: events with isolated leptons and missing transverse momentum at HERA. , 2008, .	0	
570	High-ETdijet photoproduction at HERA. Physical Review D, 2007, 76, .	4.7	14
571	Event shapes in deep inelastic scattering at HERA. Nuclear Physics B, 2007, 767, 1-28.	2.5	26
572	Inclusive-jet and dijet cross sections in deep inelastic scattering at HERA. Nuclear Physics B, 2007, 765, 1-30.	2.5	65
573	Leading neutron energy and distributions in deep inelastic scattering and photoproduction at HERA. Nuclear Physics B, 2007, 776, 1-37.	2.5	36
574	Multijet production at low in deep inelastic scattering at HERA. Nuclear Physics B, 2007, 786, 152-180.	2.5	17
575	Measurement of (anti)deuteron and (anti)proton production in DIS at HERA. Nuclear Physics B, 2007, 786, 181-205.	2.5	18
576	The optical alignment system of the ZEUS microvertex detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 580, 1227-1242.	1.6	2

#	ARTICLE	IF	CITATIONS
577	The design and performance of the ZEUS global tracking trigger. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 580, 1257-1282.	1.6	40
578	The design and performance of the ZEUS micro vertex detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 581, 656-686.	1.6	66
579	Jet-radius dependence of inclusive-jet cross sections in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 649, 12-24.	4.1	31
580	Measurement of meson production in scattering at low. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 649, 111-121.	4.1	7
581	Bose-Einstein correlations of charged and neutral kaons in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 652, 1-12.	4.1	10
582	Measurement of prompt photons with associated jets in photoproduction at HERA. European Physical Journal C, 2007, 49, 511-522.	3.9	24
583	Measurement of neutral current cross sections at high Bjorken-x with the ZEUS detector at HERA. European Physical Journal C, 2007, 49, 523-544.	3.9	4
584	Search for stop production in R-parity-violating supersymmetry at HERA. European Physical Journal C, 2007, 50, 269.	3.9	18
585	Photoproduction of events with rapidity gaps between jets at HERA. European Physical Journal C, 2007, 50, 283-297.	3.9	10
586	Measurement of open beauty production at HERA in the $D^*\bar{D}^{\prime\prime}$ final state. European Physical Journal C, 2007, 50, 299-314.	3.9	19
587	Measurement of $K^0 S$ , $\bar{K}^0$ and $\bar{D}^+$ , production at HERA. European Physical Journal C, 2007, 51, 1-23.	3.9	17
588	Measurement of azimuthal asymmetries in neutral current deep inelastic scattering at HERA. European Physical Journal C, 2007, 51, 289-299.	3.9	13
589	Diffractive photoproduction of $D^*\bar{D}^\pm(2010)$ at HERA. European Physical Journal C, 2007, 51, 301-315.	3.9	18
590	Forward-jet production in deep inelastic ep scattering at HERA. European Physical Journal C, 2007, 52, 515-530.	3.9	12
591	Dijet production in diffractive deep inelastic scattering at HERA. European Physical Journal C, 2007, 52, 813-832.	3.9	31
592	Summary of the Electroweak and Beyond the Standard Model Working Group., 2007, .	0	
593	Monte Carlo mass production for the ZEUS experiment on the Grid. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 559, 43-47.	1.6	2
594	Forward jet production in deep inelastic ep scattering and low-x parton dynamics at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2006, 632, 13-26.	4.1	21

#	ARTICLE	IF	CITATIONS
595	ment of high- $\langle mml:math altimg="si1.gif" overflow="scroll" \rangle$ xmins:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd"	4.1	17
596	ISOLATED LEPTONS IN EVENTS WITH LARGE MISSING TRANSVERSE MOMENTUM AND THE SEARCH FOR SINGLE TOP PRODUCTION AT HERA. Modern Physics Letters A, 2006, 21, 1901-1916.	1.2	1
597	Study of the pion trajectory in the photoproduction of leading neutrons at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 610, 199-211.	4.1	15
598	Search for pentaquarks decaying to $\Lambda_c^0 \rightarrow \Lambda \pi$ in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 610, 212-224.	4.1	22
599	Study of deep inelastic inclusive and diffractive scattering with the ZEUS forward plug calorimeter. Nuclear Physics B, 2005, 713, 3-80.	2.5	77
600	Exclusive electroproduction of $\bar{K}$ mesons at HERA. Nuclear Physics B, 2005, 718, 3-31.	2.5	83
601	Inclusive jet cross sections and dijet correlations in photoproduction at HERA. Nuclear Physics B, 2005, 729, 492-525.	2.5	26
602	Bottom photoproduction measured using decays into muons in dijet events in ep collisions at $s=318\text{GeV}$ . Physical Review D, 2004, 70,	4.7	31
603	Measurement of $D^{\ast}\bar{D}$ production in deep inelastic scattering at DESY HERA. Physical Review D, 2004, 69, .	4.7	94
604	High-Q $_2$ neutral current cross sections in e+ p deep inelastic scattering at $s=318\text{GeV}$ . Physical Review D, 2004, 70, .	4.7	50
605	Single-top production via flavour changing neutral currents. European Physical Journal C, 2004, 33, s761-s763.	3.9	0
606	Observation of $K_S K_S 0$ resonances in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 578, 33-44.	4.1	8
607	Isolated tau leptons in events with large missing transverse momentum at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 583, 41-58.	4.1	11
608	Bose-Einstein correlations in one and two dimensions in deep inelastic scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 583, 231-246.	4.1	10
609	Photoproduction of $D_s^{\ast} - \bar{D}^{\ast}$ mesons associated with a leading neutron. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 590, 143-160.	4.1	15
610	Search for contact interactions, large extra dimensions and finite quark radius in ep collisions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 23-41.	4.1	30
611	Evidence for a narrow baryonic state decaying to $K_0 S p$ and $K_0 S \bar{p}$ , in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 7-22.	4.1	162
612	Observation of isolated high-ET photons in deep inelastic scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 595, 86-100.	4.1	22

#	ARTICLE	IF	CITATIONS
613	Measurement of beauty production in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 599, 173-189.	4.1	38
614	Exclusive electroproduction of $J/\psi$ mesons at HERA. Nuclear Physics B, 2004, 695, 3-37.	2.5	164
615	Substructure dependence of jet cross sections at HERA and determination of. Nuclear Physics B, 2004, 700, 3-50.	2.5	13
616	Measurement of deeply virtual Compton scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 573, 46-62.	4.1	143
617	Study of the azimuthal asymmetry of jets in neutral current deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 551, 226-240.	4.1	12
618	Observation of the strange sea in the proton via inclusive $\bar{K}$ -meson production in neutral current deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 553, 141-158.	4.1	7
619	Measurement of subjet multiplicities in neutral current deep inelastic scattering at HERA and determination of $\bar{K}^0 S$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 558, 41-58.	4.1	31
620	Search for single-top production in ep collisions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 559, 153-170.	4.1	79
621	Scaling violations and determination of $\bar{K}^0 S$ from jet production in $\bar{p}^3 p$ interactions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 560, 7-23.	4.1	25
622	Dijet angular distributions in photoproduction of charm at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 565, 87-101.	4.1	21
623	Measurement of the open-charm contribution to the diffractive proton structure function. Nuclear Physics B, 2003, 672, 3-35.	2.5	43
624	Search for resonance decays to lepton+jet at DESY HERA and limits on leptoquarks. Physical Review D, 2003, 68, .	4.7	37
625	ZEUS next-to-leading-order QCD analysis of data on deep inelastic scattering. Physical Review D, 2003, 67, .	4.7	139
626	Leading neutron production in e+p collisions at HERA. Nuclear Physics B, 2002, 637, 3-56.	2.5	80
627	Measurement of high-Q <sup>2</sup> charged current cross sections in e $\gamma$ p deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 539, 197-217.	4.1	45
628	Measurement of diffractive production of $D^{\pm}-\bar{D}^{\mp}(2010)$ mesons in deep-inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 545, 244-260.	4.1	10
629	Inclusive jet cross sections in the Breit frame in neutral current deep inelastic scattering at HERA and determination of $\bar{K}^0 S$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 547, 164-180.	4.1	83