

Lin Schwarzkopf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2878514/publications.pdf>

Version: 2024-02-01

175
papers

5,391
citations

87888

38
h-index

118850

62
g-index

177
all docs

177
docs citations

177
times ranked

5671
citing authors

#	ARTICLE	IF	CITATIONS
1	Using a Novel Visualization Tool for Rapid Survey of Long-Duration Acoustic Recordings for Ecological Studies of Frog Chorus. <i>Frontiers in Ecology and Evolution</i> , 2022, 9, .	2.2	2
2	Variation in density, but not morphology, of cutaneous sensilla among body regions in nine species of Australian geckos. <i>Journal of Morphology</i> , 2022, 283, 637-652.	1.2	3
3	Using citizen science to test for acoustic niche partitioning in frogs. <i>Scientific Reports</i> , 2022, 12, 2447.	3.3	10
4	Afraid of the Dark? The Influence of Natural and Artificial Light at Night on the Behavioral Activity of a Nocturnal Gecko. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .	2.2	3
5	Homage to Reptiles and Amphibians as Model Systems: One Ecologist's View. <i>Journal of Herpetology</i> , 2022, 56, .	0.5	1
6	Sharing land with giants: Habitat preferences of Galapagos tortoises on farms. <i>Global Ecology and Conservation</i> , 2022, 37, e02171.	2.1	3
7	The interplay of fungal and bacterial microbiomes on rainforest frogs following a disease outbreak. <i>Ecosphere</i> , 2022, 13, .	2.2	4
8	Acoustic monitoring reveals year-round calling by invasive toads in tropical Australia. <i>Bioacoustics</i> , 2021, 30, 125-141.	1.7	15
9	An endangered bird calls less when invasive birds are calling. <i>Journal of Avian Biology</i> , 2021, 52, .	1.2	4
10	Parallel evolution of toepads in rock-dwelling lineages of a terrestrial gecko (<i>Gekkota</i>): Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50 382 Td (Gel	2.3	5
11	Population growth lags in introduced species. <i>Ecology and Evolution</i> , 2021, 11, 4577-4587.	1.9	9
12	Testing measures of boldness and exploratory activity in native versus invasive species: geckos as a model system. <i>Animal Behaviour</i> , 2021, 177, 215-222.	1.9	6
13	The Australian Acoustic Observatory. <i>Methods in Ecology and Evolution</i> , 2021, 12, 1802-1808.	5.2	32
14	Leech removal is not the primary driver of basking behavior in a freshwater turtle. <i>Ecology and Evolution</i> , 2021, 11, 10936-10946.	1.9	6
15	Spectral overlap and temporal avoidance in a tropical savannah frog community. <i>Animal Behaviour</i> , 2021, 180, 1-11.	1.9	6
16	Designing solar farms for synergistic commercial and conservation outcomes. <i>Solar Energy</i> , 2021, 228, 586-593.	6.1	22
17	Increased rates of dispersal of free-ranging cane toads (<i>Rhinella marina</i>) during their global invasion. <i>Scientific Reports</i> , 2021, 11, 23574.	3.3	9
18	Assessing the value of acoustic indices to distinguish species and quantify activity: A case study using frogs. <i>Freshwater Biology</i> , 2020, 65, 142-152.	2.4	16

#	ARTICLE	IF	CITATIONS
19	Do morphological adaptations for gliding in frogs influence clinging and jumping?. <i>Journal of Zoology</i> , 2020, 310, 55-63.	1.7	2
20	Social context alters retreat- and nest-site selection in a globally invasive gecko, <i>Hemidactylus frenatus</i> . <i>Biological Journal of the Linnean Society</i> , 2020, 129, 388-397.	1.6	2
21	Ants drive invertebrate community response to cattle grazing. <i>Agriculture, Ecosystems and Environment</i> , 2020, 290, 106742.	5.3	8
22	Automated species identification of frog choruses in environmental recordings using acoustic indices. <i>Ecological Indicators</i> , 2020, 119, 106852.	6.3	23
23	Disease surveillance of the amphibian chytrid fungus <i>Batrachochytrium dendrobatidis</i> in Papua New Guinea. <i>Conservation Science and Practice</i> , 2020, 2, e256.	2.0	6
24	Can environmental DNA be used to detect first arrivals of the cane toad, <i>Rhinella marina</i> , into novel locations?. <i>Environmental DNA</i> , 2020, 2, 635-646.	5.8	20
25	Geckos cling best to, and prefer to use, rough surfaces. <i>Frontiers in Zoology</i> , 2020, 17, 32.	2.0	8
26	Infection dynamics, dispersal, and adaptation: understanding the lack of recovery in a remnant frog population following a disease outbreak. <i>Heredity</i> , 2020, 125, 110-123.	2.6	9
27	Skin hydrophobicity as an adaptation for self-cleaning in geckos. <i>Ecology and Evolution</i> , 2020, 10, 4640-4651.	1.9	12
28	Nonlinear variation in clinging performance with surface roughness in geckos. <i>Ecology and Evolution</i> , 2020, 10, 2597-2607.	1.9	14
29	Impacts of artificial light on food intake in invasive toads. <i>Scientific Reports</i> , 2020, 10, 6527.	3.3	12
30	Ecological niche and microhabitat use of Australian geckos. <i>Israel Journal of Ecology and Evolution</i> , 2020, 66, 209-222.	0.6	10
31	Can Geckos Increase Shedding Rate to Remove Fouling?. <i>Herpetologica</i> , 2020, 76, 22.	0.4	3
32	Conserving the endangered Black-throated Finch southern subspecies: what do we need to know?. <i>Emu</i> , 2019, 119, 331-345.	0.6	3
33	Spinal arthritis in invasive cane toads is linked to rate of dispersal as well as to latitude. <i>Scientific Reports</i> , 2019, 9, 13965.	3.3	1
34	Predation risk is a function of alternative prey availability rather than predator abundance in a tropical savanna woodland ecosystem. <i>Scientific Reports</i> , 2019, 9, 7718.	3.3	25
35	microDecon: A highly accurate read-subtraction tool for the post-sequencing removal of contamination in metabarcoding studies. <i>Environmental DNA</i> , 2019, 1, 14-25.	5.8	115
36	Island of opportunity: can New Guinea protect amphibians from a globally emerging pathogen?. <i>Frontiers in Ecology and the Environment</i> , 2019, 17, 348-354.	4.0	10

#	ARTICLE	IF	CITATIONS
37	The return of the frogs: The importance of habitat refugia in maintaining diversity during a disease outbreak. <i>Molecular Ecology</i> , 2019, 28, 2731-2745.	3.9	8
38	Ecological associations among epidermal microstructure and scale characteristics of Australian geckos (Squamata: Carphodactylidae and Diplodactylidae). <i>Journal of Anatomy</i> , 2019, 234, 853-874.	1.5	15
39	Heat seekers: A tropical nocturnal lizard uses behavioral thermoregulation to exploit rare microclimates at night. <i>Journal of Thermal Biology</i> , 2019, 82, 107-114.	2.5	29
40	Australian house geckos are more aggressive than a globally successful invasive Asian house gecko. <i>Behavioral Ecology</i> , 2019, 30, 107-113.	2.2	6
41	Methods for normalizing microbiome data: An ecological perspective. <i>Methods in Ecology and Evolution</i> , 2019, 10, 389-400.	5.2	225
42	Reduced competition may allow generalist species to benefit from habitat homogenization. <i>Journal of Applied Ecology</i> , 2019, 56, 305-318.	4.0	26
43	Antipredator behaviour of invasive geckos in response to chemical cues from snakes. <i>Ethology</i> , 2019, 125, 57-63.	1.1	7
44	The impact of cattle grazing regimes on tropical savanna bird assemblages. <i>Austral Ecology</i> , 2019, 44, 187-198.	1.5	12
45	Dose-dependent morbidity of freshwater turtle hatchlings, <i>Emydura macquarii krefftii</i> , inoculated with <i>Ranavirus</i> isolate (Bohle iridovirus, Iridoviridae). <i>Journal of General Virology</i> , 2019, 100, 1431-1441.	2.9	9
46	Behavioural responses of an Australian colubrid snake (<i>Dendrelaphis punctulatus</i>) to a novel toxic prey item (the Cane Toad <i>Rhinella marina</i>). <i>Biological Invasions</i> , 2018, 20, 2507-2516.	2.4	2
47	Terrestrial invertebrates: An underestimated predator guild for small vertebrate groups. <i>Food Webs</i> , 2018, 15, e00080.	1.2	26
48	Heavy livestock grazing negatively impacts a marsupial ecosystem engineer. <i>Journal of Zoology</i> , 2018, 305, 35-42.	1.7	9
49	Effects of environmental variables on invasive amphibian activity: using model selection on quantiles for counts. <i>Ecosphere</i> , 2018, 9, e02067.	2.2	13
50	Profitable and Sustainable Cattle Grazing Strategies Support Reptiles in Tropical Savanna Rangeland. <i>Rangeland Ecology and Management</i> , 2018, 71, 205-212.	2.3	18
51	Abundance, diet and prey selection of arboreal lizards in a grazed tropical woodland. <i>Austral Ecology</i> , 2018, 43, 328-338.	1.5	11
52	Acoustic classification of frog within-species and species-specific calls. <i>Applied Acoustics</i> , 2018, 131, 79-86.	3.3	15
53	Relative effectiveness of trapping and hand-capture for controlling invasive cane toads (<i>Rhinella</i>)	1.8	12
54	Catching Toad Calls in the Cloud: Commodity Edge Computing for Flexible Analysis of Big Sound Data. , 2018, , .		6

#	ARTICLE	IF	CITATIONS
55	Ranaviruses and reptiles. PeerJ, 2018, 6, e6083.	2.0	16
56	Spinal arthritis in cane toads across the Australian landscape. Scientific Reports, 2018, 8, 12458.	3.3	3
57	Speciation in the mountains and dispersal by rivers: Molecular phylogeny of <i>Eulamprus</i> water skinks and the biogeography of Eastern Australia. Journal of Biogeography, 2018, 45, 2040-2052.	3.0	7
58	In Situ Cane Toad Recognition. , 2018, , .		6
59	Arboreality increases reptile community resistance to disturbance from livestock grazing. Journal of Applied Ecology, 2018, 55, 786-799.	4.0	29
60	Disentangling causes of seasonal infection prevalence patterns: tropical tadpoles and chytridiomycosis as a model system. Diseases of Aquatic Organisms, 2018, 130, 83-93.	1.0	7
61	Exploring relationships between native vertebrate biodiversity and grazing land condition. Rangeland Journal, 2017, 39, 25.	0.9	4
62	Effects of emerging infectious diseases on host population genetics: a review. Conservation Genetics, 2017, 18, 1235-1245.	1.5	39
63	New Weapons in the Toad Toolkit: A Review of Methods to Control and Mitigate the Biodiversity Impacts of Invasive Cane Toads (<i>Rhinella Marina</i>). Quarterly Review of Biology, 2017, 92, 123-149.	0.1	74
64	Using a Bayesian network to clarify areas requiring research in a host-pathogen system. Conservation Biology, 2017, 31, 1373-1382.	4.7	4
65	Correction: The nanotipped hairs of gecko skin and biotemplated replicas impair and/or kill pathogenic bacteria with high efficiency. Nanoscale, 2017, 9, 464-464.	5.6	2
66	Infection increases vulnerability to climate change via effects on host thermal tolerance. Scientific Reports, 2017, 7, 9349.	3.3	84
67	White blood cell profiles in amphibians help to explain disease susceptibility following temperature shifts. Developmental and Comparative Immunology, 2017, 77, 280-286.	2.3	31
68	Realistic heat pulses protect frogs from disease under simulated rainforest frog thermal regimes. Functional Ecology, 2017, 31, 2274-2286.	3.6	30
69	Success of capture of toads improved by manipulating acoustic characteristics of lures. Pest Management Science, 2017, 73, 2372-2378.	3.4	18
70	Amphibians on the brink. Science, 2017, 357, 454-455.	12.6	45
71	Fighting an uphill battle: the recovery of frogs in Australia's Wet Tropics. Ecology, 2017, 98, 3221-3223.	3.2	25
72	The response of an arboreal mammal to livestock grazing is habitat dependant. Scientific Reports, 2017, 7, 17382.	3.3	9

#	ARTICLE	IF	CITATIONS
73	There's more than one way to climb a tree: Limb length and microhabitat use in lizards with toe pads. PLoS ONE, 2017, 12, e0184641.	2.5	14
74	Defining the active space of cane toad (<i>Rhinella marina</i>) advertisement calls: males respond from further than females. Behaviour, 2016, 153, 1951-1969.	0.8	10
75	Extensive Acclimation in Ectotherms Conceals Interspecific Variation in Thermal Tolerance Limits. PLoS ONE, 2016, 11, e0150408.	2.5	49
76	Hydroregulation in a tropical dry-skinned ectotherm. Oecologia, 2016, 182, 925-931.	2.0	26
77	Robust calling performance in frogs infected by a deadly fungal pathogen. Ecology and Evolution, 2016, 6, 5964-5972.	1.9	10
78	Seasonal Reproductive Cycles of Cane Toads and Their Implications for Control. Herpetologica, 2016, 72, 288-292.	0.4	11
79	Differential behavioural flexibility in response to predation risk in native and introduced tropical savannah rodents. Animal Behaviour, 2016, 122, 117-124.	1.9	7
80	Low-cost fluctuating-temperature chamber for experimental ecology. Methods in Ecology and Evolution, 2016, 7, 1567-1574.	5.2	28
81	Short-term responses of reptile assemblages to fire in native and weedy tropical savannah. Global Ecology and Conservation, 2016, 6, 58-66.	2.1	16
82	Balancing Biodiversity and Food Production: a Better Understanding of Wildlife Response to Grazing Will Inform Off-Reserve Conservation on Rangelands. Rangeland Ecology and Management, 2016, 69, 430-436.	2.3	38
83	A Random Walk in the Park: An Individual-Based Null Model for Behavioral Thermoregulation. American Naturalist, 2016, 187, 481-490.	2.1	14
84	Complex mammal species responses to fire in a native tropical savannah invaded by non-native grader grass (<i>Themeda quadrivalvis</i>). Biological Invasions, 2016, 18, 3319-3332.	2.4	7
85	Mixed population genomics support for the central marginal hypothesis across the invasive range of the cane toad (<i>Rhinella marina</i>) in Australia. Molecular Ecology, 2016, 25, 4161-4176.	3.9	38
86	The nanotipped hairs of gecko skin and biotemplated replicas impair and/or kill pathogenic bacteria with high efficiency. Nanoscale, 2016, 8, 18860-18869.	5.6	89
87	Rapid differentiation of sexual signals in invasive toads: call variation among populations. Scientific Reports, 2016, 6, 28158.	3.3	6
88	A simple method to predict body temperature of small reptiles from environmental temperature. Ecology and Evolution, 2016, 6, 3059-3066.	1.9	20
89	One lump or two? Explaining a major latitudinal transition in reproductive allocation in a viviparous lizard. Functional Ecology, 2016, 30, 1373-1383.	3.6	14
90	Multiple-Instance Multiple-Label Learning for the Classification of Frog Calls with Acoustic Event Detection. Lecture Notes in Computer Science, 2016, , 222-230.	1.3	4

#	ARTICLE	IF	CITATIONS
91	Natural disturbance reduces disease risk in endangered rainforest frog populations. <i>Scientific Reports</i> , 2015, 5, 13472.	3.3	40
92	Invasive house geckos are more willing to use artificial lights than are native geckos. <i>Austral Ecology</i> , 2015, 40, 982-987.	1.5	27
93	Contaminant adhesion (aerial/ground biofouling) on the skin of a gecko. <i>Journal of the Royal Society Interface</i> , 2015, 12, 20150318.	3.4	18
94	Rapoport's Rule: Do climatic variability gradients shape range extent?. <i>Ecological Monographs</i> , 2015, 85, 643-659.	5.4	55
95	Infection dynamics in frog populations with different histories of decline caused by a deadly disease. <i>Oecologia</i> , 2015, 179, 1099-1110.	2.0	26
96	A gecko skin micro/nano structure "A low adhesion, superhydrophobic, anti-wetting, self-cleaning, biocompatible, antibacterial surface. <i>Acta Biomaterialia</i> , 2015, 21, 109-122.	8.3	278
97	Mechanisms of the impact of a weed (grader grass, <i>Themeda quadrivalvis</i>) on reptile assemblage structure in a tropical savannah. <i>Biological Conservation</i> , 2015, 191, 75-82.	4.1	16
98	Visible Implant Elastomer as a Viable Marking Technique for Common Mistfrogs (<i>Litoria rheocola</i>). <i>Herpetologica</i> , 2015, 71, 96-101.	0.4	9
99	Condition-dependent reproductive effort in frogs infected by a widespread pathogen. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20150694.	2.6	26
100	Removal mechanisms of dew via self-propulsion off the gecko skin. <i>Journal of the Royal Society Interface</i> , 2015, 12, 20141396.	3.4	60
101	Why do male and female cane toads, <i>Rhinella marina</i> , respond differently to advertisement calls?. <i>Animal Behaviour</i> , 2015, 109, 141-147.	1.9	14
102	Arboreal Cover Boards: Using Artificial Bark to Sample Cryptic Arboreal Lizards. <i>Herpetologica</i> , 2015, 71, 268-273.	0.4	16
103	Some lights repel amphibians: implications for improving trap lures for invasive species. <i>International Journal of Pest Management</i> , 2015, 61, 305-311.	1.8	7
104	Cool Temperatures Reduce Antifungal Activity of Symbiotic Bacteria of Threatened Amphibians "Implications for Disease Management and Patterns of Decline. <i>PLoS ONE</i> , 2014, 9, e100378.	2.5	76
105	Visible Implant Elastomer Marking Does Not Affect Short-term Movements or Survival Rates of the Treefrog <i>Litoria rheocola</i> . <i>Herpetologica</i> , 2014, 70, 23.	0.4	20
106	Sex, light, and sound: location and combination of multiple attractants affect probability of cane toad (<i>Rhinella marina</i>) capture. <i>Journal of Pest Science</i> , 2014, 87, 323-329.	3.7	19
107	Mechanisms causing variation in sexual size dimorphism in three sympatric, congeneric lizards. <i>Ecology</i> , 2014, 95, 1531-1544.	3.2	10
108	A trade-off in conservation: Weed management decreases the abundance of common reptile and frog species while restoring an invaded floodplain. <i>Biological Conservation</i> , 2014, 179, 123-128.	4.1	6

#	ARTICLE	IF	CITATIONS
109	Why do lizards avoid weeds?. <i>Biological Invasions</i> , 2014, 16, 935-947.	2.4	26
110	Wary invaders and clever natives: sympatric house geckos show disparate responses to predator scent. <i>Behavioral Ecology</i> , 2014, 25, 604-611.	2.2	18
111	After the crash: How do predators adjust following the invasion of a novel toxic prey type?. <i>Austral Ecology</i> , 2014, 39, 190-197.	1.5	24
112	Phenotypic Integration in Response to Incubation Environment Adaptively Influences Habitat Choice in a Tropical Lizard. <i>American Naturalist</i> , 2013, 182, 666-673.	2.1	7
113	Foraging behaviour of the Peaceful Dove (<i>Geopelia striata</i>) in relation to predation risk: group size and predator cues in a natural environment. <i>Emu</i> , 2013, 113, 1-7.	0.6	3
114	Detrimental influence on performance of high temperature incubation in a tropical reptile: is cooler better in the tropics?. <i>Oecologia</i> , 2013, 171, 83-91.	2.0	12
115	Elevation, Temperature, and Aquatic Connectivity All Influence the Infection Dynamics of the Amphibian Chytrid Fungus in Adult Frogs. <i>PLoS ONE</i> , 2013, 8, e82425.	2.5	53
116	“Selfish Mothers” Use “Maternal Manipulation” To Maximize Lifetime Reproductive Success. <i>Herpetologica</i> , 2012, 68, 308-311.	0.4	9
117	High survivorship of an annually decreasing aggregation of hawksbill turtles, <i>Eretmochelys imbricata</i> , found foraging in the northern Great Barrier Reef. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2012, 22, 673-682.	2.0	12
118	Are Moms Manipulative Or Just Selfish? Evaluating the “Maternal Manipulation Hypothesis” and Implications For Life-History Studies of Reptiles. <i>Herpetologica</i> , 2012, 68, 147-159.	0.4	40
119	Ontogenetic shifts in a prey’s chemical defences influence feeding responses of a snake predator. <i>Oecologia</i> , 2012, 169, 965-973.	2.0	22
120	Effects of a short fire return interval on resources and assemblage structure of birds in a tropical savanna. <i>Austral Ecology</i> , 2012, 37, 23-34.	1.5	29
121	Moving Day and Night: Highly Labile Diel Activity Patterns in a Tropical Snake. <i>Biotropica</i> , 2012, 44, 554-559.	1.6	11
122	Thermal performance of squamate embryos with respect to climate, adult life history, and phylogeny. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 851-864.	1.6	41
123	Extending the Cost-Benefit Model of Thermoregulation: High-Temperature Environments. <i>American Naturalist</i> , 2011, 177, 452-461.	2.1	92
124	The 10 Australian ecosystems most vulnerable to tipping points. <i>Biological Conservation</i> , 2011, 144, 1472-1480.	4.1	158
125	Diet and prey selection of sympatric tropical skinks. <i>Austral Ecology</i> , 2011, 36, 485-496.	1.5	14
126	Adaptation or preadaptation: why are keelback snakes (<i>Tropidonophis mairii</i>) less vulnerable to invasive cane toads (<i>Bufo marinus</i>) than are other Australian snakes?. <i>Evolutionary Ecology</i> , 2011, 25, 13-24.	1.2	34

#	ARTICLE	IF	CITATIONS
127	Behavioural responses of carnivorous marsupials (<i>Planigale maculata</i>) to toxic invasive cane toads (<i>Bufo marinus</i>). <i>Austral Ecology</i> , 2010, 35, 560-567.	1.5	23
128	Locomotor performance in an invasive species: cane toads from the invasion front have greater endurance, but not speed, compared to conspecifics from a long-colonised area. <i>Oecologia</i> , 2010, 162, 343-348.	2.0	125
129	Something different for dinner? Responses of a native Australian predator (the keelback snake) to an invasive prey species (the cane toad). <i>Biological Invasions</i> , 2010, 12, 1045-1051.	2.4	26
130	Belly up: Reduced crevice accessibility as a cost of reproduction caused by increased girth in a rock-dwelling lizard. <i>Austral Ecology</i> , 2010, 35, 82-86.	1.5	6
131	Experimental manipulation reveals the importance of refuge habitat temperature selected by lizards. <i>Austral Ecology</i> , 2010, 35, 294-299.	1.5	19
132	Tropical reptiles in pine forests: Assemblage responses to plantations and plantation management by burning. <i>Forest Ecology and Management</i> , 2010, 259, 916-925.	3.2	20
133	Comparisons through time and space suggest rapid evolution of dispersal behaviour in an invasive species. <i>Wildlife Research</i> , 2009, 36, 23.	1.4	127
134	THE EVOLUTION OF BODY SHAPE IN RESPONSE TO HABITAT: IS REPRODUCTIVE OUTPUT REDUCED IN FLAT LIZARDS?. <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 1279-1291.	2.3	28
135	Chemical discrimination among predators by lizards: Responses of three skink species to the odours of high- and low-threat varanid predators. <i>Austral Ecology</i> , 2009, 34, 50-54.	1.5	29
136	Evaluation of offspring size-number invariants in 12 species of lizard. <i>Journal of Evolutionary Biology</i> , 2009, 22, 143-151.	1.7	11
137	Effects of Weed-Management Burning on Reptile Assemblages in Australian Tropical Savannas. <i>Conservation Biology</i> , 2009, 23, 103-113.	4.7	34
138	Parasite loads are higher in the tropics: temperate to tropical variation in a single host-parasite system. <i>Ecography</i> , 2008, 31, 538-544.	4.5	27
139	LIFE ON THE ROCKS: HABITAT USE DRIVES MORPHOLOGICAL AND PERFORMANCE EVOLUTION IN LIZARDS. <i>Ecology</i> , 2008, 89, 3462-3471.	3.2	116
140	A New Method to Examine the Oberhautchen of Lizard Skin. <i>Copeia</i> , 2008, 2008, 868-871.	1.3	6
141	Self-made shelters protect spiders from predation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 14903-14907.	7.1	37
142	Acoustic attractants enhance trapping success for cane toads. <i>Wildlife Research</i> , 2007, 34, 366.	1.4	22
143	Burning season influences the response of bird assemblages to fire in tropical savannas. <i>Biological Conservation</i> , 2007, 137, 90-101.	4.1	28
144	Functional morphology of scale hinges used to transport water: convergent drinking adaptations in desert lizards (<i>Moloch horridus</i> and <i>Phrynosoma cornutum</i>). <i>Zoomorphology</i> , 2007, 126, 89-102.	0.8	72

#	ARTICLE	IF	CITATIONS
145	Mechanisms driving avoidance of non-native plants by lizards. <i>Journal of Applied Ecology</i> , 2006, 44, 228-237.	4.0	62
146	Multiple mate choice criteria and the importance of age for male mating success in the microhylid frog, <i>Cophixalus ornatus</i> . <i>Behavioral Ecology and Sociobiology</i> , 2006, 59, 786-795.	1.4	48
147	Giant snakes in tropical forests: a field study of the Australian scrub python, <i>Morelia kinghorni</i> . <i>Wildlife Research</i> , 2005, 32, 193.	1.4	43
148	No behavioural compensation for fitness costs of autotomy in a lizard. <i>Austral Ecology</i> , 2005, 30, 713-718.	1.5	11
149	Epizootiology of blood parasites in an Australian lizard: a mark-recapture study of a natural population. <i>International Journal for Parasitology</i> , 2005, 35, 11-18.	3.1	34
150	The Function of Tail Displays in Male Rainbow Skinks (<i>Carlia jarnoldae</i>). <i>Journal of Herpetology</i> , 2005, 39, 325-328.	0.5	12
151	SEXUAL DIMORPHISM IN BODY SHAPE WITHOUT SEXUAL DIMORPHISM IN BODY SIZE IN WATER SKINKS (<i>EULAMPRUS QUOYII</i>). <i>Herpetologica</i> , 2005, 61, 116-123.	0.4	55
152	COMPLEX GROWTH RATE EVOLUTION IN A LATITUDINALLY WIDESPREAD SPECIES. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 862.	2.3	3
153	COMPLEX GROWTH RATE EVOLUTION IN A LATITUDINALLY WIDESPREAD SPECIES. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 862-869.	2.3	41
154	Nomadic movement in tropical toads. <i>Oikos</i> , 2002, 96, 492-506.	2.7	76
155	DOES TOTAL REPRODUCTIVE EFFORT EVOLVE INDEPENDENTLY OF OFFSPRING SIZE?. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 1245-1248.	2.3	50
156	DOES TOTAL REPRODUCTIVE EFFORT EVOLVE INDEPENDENTLY OF OFFSPRING SIZE?. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 1245.	2.3	5
157	Environmental and social factors influence chorusing behaviour in a tropical frog: examining various temporal and spatial scales. <i>Behavioral Ecology and Sociobiology</i> , 2000, 49, 79-87.	1.4	78
158	Life-History Consequences of Divergent Selection on Egg Size in <i>Drosophila melanogaster</i> . <i>American Naturalist</i> , 1999, 154, 333-340.	2.1	61
159	Evidence of Geographic Variation in Lethal Temperature but Not Activity Temperature of a Lizard. <i>Journal of Herpetology</i> , 1998, 32, 102.	0.5	9
160	Energy, Risk, and Reptilian Reproductive Effort: A Reply to Niewiarowski and Dunham. <i>Evolution; International Journal of Organic Evolution</i> , 1996, 50, 2111.	2.3	6
161	Desiccation and Shelter-Site Use in a Tropical Amphibian: Comparing Toads with Physical Models. <i>Functional Ecology</i> , 1996, 10, 193.	3.6	112
162	ENERGY, RISK, AND REPTILIAN REPRODUCTIVE EFFORT: A REPLY TO NIEWIAROWSKI AND DUNHAM. <i>Evolution; International Journal of Organic Evolution</i> , 1996, 50, 2111-2114.	2.3	5

#	ARTICLE	IF	CITATIONS
163	Decreased food intake in reproducing lizards: A fecundity-dependent cost of reproduction?. <i>Austral Ecology</i> , 1996, 21, 355-362.	1.5	22
164	Chapter 1. Measuring Trade-offs: A Review of Studies of Costs of Reproduction in Lizards. , 1994, , 7-30.		29
165	Costs of Reproduction in Water Skinks. <i>Ecology</i> , 1993, 74, 1970-1981.	3.2	63
166	THE EVOLUTION OF REPRODUCTIVE EFFORT IN LIZARDS AND SNAKES. <i>Evolution; International Journal of Organic Evolution</i> , 1992, 46, 62-75.	2.3	88
167	Costs of reproduction in lizards: escape tactics and susceptibility to predation. <i>Behavioral Ecology and Sociobiology</i> , 1992, 31, 17-25.	1.4	165
168	Thermal biology of reproduction in viviparous skinks, <i>Eulamprus tympanum</i> : why do gravid females bask more?. <i>Oecologia</i> , 1991, 88, 562-569.	2.0	127
169	Primate species richness in relation to habitat structure in Amazonian rainforest fragments. <i>Biological Conservation</i> , 1989, 48, 1-12.	4.1	107
170	Nest-Site Selection and Offspring Sex Ratio in Painted Turtles, <i>Chrysemys picta</i> . <i>Copeia</i> , 1987, 1987, 53.	1.3	103
171	Annual variations in reproductive characteristics of painted turtles (<i>Chrysemys picta</i>). <i>Canadian Journal of Zoology</i> , 1986, 64, 1148-1151.	1.0	26
172	Failure of strange females to cause pregnancy block in collared lemmings, <i>Dicrostonyx groenlandicus</i> . <i>Behavioral and Neural Biology</i> , 1985, 44, 485-491.	2.2	4
173	Sex determination in northern painted turtles: effect of incubation at constant and fluctuating temperatures. <i>Canadian Journal of Zoology</i> , 1985, 63, 2543-2547.	1.0	88
174	Factors affecting incidence of infanticide and discrimination of related and unrelated neonates in male <i>Mus musculus</i> . <i>Behavioral and Neural Biology</i> , 1983, 37, 149-161.	2.2	48
175	Body size, sex and high philopatry influence the use of agricultural land by Galapagos giant tortoises. <i>Oryx</i> , 0, , 1-10.	1.0	3