
Hassan Karimi-Maleh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2887022/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Nanomolar and Selective Determination of Epinephrine in the Presence of Norepinephrine Using Carbon Paste Electrode Modified with Carbon Nanotubes and Novel 2-(4-Oxo-3-phenyl-3,4-dihydro-quinazolinyl)- <i>N</i> ′-phenyl-hydrazinecarbothioamide. Analytical Chemistry, 2008, 80, 9848-9851.	6.5	468
2	A Novel DNA Biosensor Based on a Pencil Graphite Electrode Modified with Polypyrrole/Functionalized Multiwalled Carbon Nanotubes for Determination of 6-Mercaptopurine Anticancer Drug. Industrial & Engineering Chemistry Research, 2015, 54, 3634-3639.	3.7	395
3	Recent advances in using of chitosan-based adsorbents for removal of pharmaceutical contaminants: A review. Journal of Cleaner Production, 2021, 291, 125880.	9.3	373
4	Simultaneous determination of cholesterol, ascorbic acid and uric acid as three essential biological compounds at a carbon paste electrode modified with copper oxide decorated reduced graphene oxide nanocomposite and ionic liquid. Journal of Colloid and Interface Science, 2020, 560, 208-212.	9.4	364
5	Guanine-Based DNA Biosensor Amplified with Pt/SWCNTs Nanocomposite as Analytical Tool for Nanomolar Determination of Daunorubicin as an Anticancer Drug: A Docking/Experimental Investigation. Industrial & Engineering Chemistry Research, 2021, 60, 816-823.	3.7	358
6	A critical review on the use of potentiometric based biosensors for biomarkers detection. Biosensors and Bioelectronics, 2021, 184, 113252.	10.1	343
7	Electrochemical Sensors, a Bright Future in the Fabrication of Portable Kits in Analytical Systems. Chemical Record, 2020, 20, 682-692.	5.8	340
8	Recent advances in removal techniques of Cr(VI) toxic ion from aqueous solution: A comprehensive review. Journal of Molecular Liquids, 2021, 329, 115062.	4.9	332
9	Tuning of metal oxides photocatalytic performance using Ag nanoparticles integration. Journal of Molecular Liquids, 2020, 314, 113588.	4.9	323
10	The role of magnetite/graphene oxide nano-composite as a high-efficiency adsorbent for removal of phenazopyridine residues from water samples, an experimental/theoretical investigation. Journal of Molecular Liquids, 2020, 298, 112040.	4.9	319
11	A novel detection method for organophosphorus insecticide fenamiphos: Molecularly imprinted electrochemical sensor based on core-shell Co3O4@MOF-74 nanocomposite. Journal of Colloid and Interface Science, 2021, 592, 174-185.	9.4	307
12	3D reduced graphene oxide/FeNi3-ionic liquid nanocomposite modified sensor; an electrical synergic effect for development of tert-butylhydroquinone and folic acid sensor. Composites Part B: Engineering, 2019, 172, 666-670.	12.0	305
13	Cyanazine herbicide monitoring as a hazardous substance by a DNA nanostructure biosensor. Journal of Hazardous Materials, 2022, 423, 127058.	12.4	294
14	A novel modified carbon paste electrode based on NiO/CNTs nanocomposite and (9, 10-dihydro-9,) Tj ETQq0 0 determination of cysteamine, nicotinamide adenine dinucleotide and folic acid. Biosensors and Bioelectronics, 2013, 48, 270-275.	0 rgBT /Ove 10.1	erlock 10 Tf 5 287
15	A high sensitive biosensor based on FePt/CNTs nanocomposite/N-(4-hydroxyphenyl)-3,5-dinitrobenzamide modified carbon paste electrode for simultaneous determination of glutathione and piroxicam. Biosensors and Bioelectronics, 2014, 60, 1-7.	10.1	283
16	Modified multiwall carbon nanotubes paste electrode as a sensor for simultaneous determination of 6-thioguanine and folic acid using ferrocenedicarboxylic acid as a mediator. Journal of Electroanalytical Chemistry, 2010, 640, 75-83.	3.8	282
17	Palladium–Nickel nanoparticles decorated on Functionalized-MWCNT for high precision non-enzymatic glucose sensing. Materials Chemistry and Physics, 2020, 250, 123042.	4.0	270
18	Simultaneous determination of 6-mercaptopruine, 6-thioguanine and dasatinib as three important anticancer drugs using nanostructure voltammetric sensor employing Pt/MWCNTs and 1-butyl-3-methylimidazolium hexafluoro phosphate. Biosensors and Bioelectronics, 2016, 86, 879-884.	10.1	264

#	Article	IF	CITATIONS
19	Simultaneous determination of doxorubicin and dasatinib as two breast anticancer drugs uses an amplified sensor with ionic liquid and ZnO nanoparticle. Journal of Electroanalytical Chemistry, 2018, 811, 84-88.	3.8	262
20	High sensitive voltammetric sensor based on Pt/CNTs nanocomposite modified ionic liquid carbon paste electrode for determination of Sudan I in food samples. Food Chemistry, 2013, 141, 4311-4317.	8.2	256
21	A new nickel-based co-crystal complex electrocatalyst amplified by NiO dope Pt nanostructure hybrid; a highly sensitive approach for determination of cysteamine in the presence of serotonin. Scientific Reports, 2020, 10, 11699.	3.3	250
22	An amplified voltammetric sensor based on platinum nanoparticle/polyoxometalate/two-dimensional hexagonal boron nitride nanosheets composite and ionic liquid for determination of N-hydroxysuccinimide in water samples. Journal of Molecular Liquids, 2020, 310, 113185.	4.9	248
23	A novel electrochemical epinine sensor using amplified CuO nanoparticles and a <i>n</i> -hexyl-3-methylimidazolium hexafluorophosphate electrode. New Journal of Chemistry, 2019, 43, 2362-2367.	2.8	246
24	A new epirubicin biosensor based on amplifying DNA interactions with polypyrrole and nitrogen-doped reduced graphene: Experimental and docking theoretical investigations. Sensors and Actuators B: Chemical, 2019, 284, 568-574.	7.8	246
25	The determination of 2-phenylphenol in the presence of 4-chlorophenol using nano-Fe3O4/ionic liquid paste electrode as an electrochemical sensor. Journal of Colloid and Interface Science, 2019, 554, 603-610.	9.4	242
26	Analysis of glutathione in the presence of acetaminophen and tyrosine via an amplified electrode with MgO/SWCNTs as a sensor in the hemolyzed erythrocyte. Talanta, 2018, 176, 208-213.	5.5	238
27	Voltammetric amplified platform based on ionic liquid/NiO nanocomposite for determination of benserazide and levodopa. Journal of Molecular Liquids, 2019, 278, 672-676.	4.9	237
28	Novel 1-butyl-3-methylimidazolium bromide impregnated chitosan hydrogel beads nanostructure as an efficient nanobio-adsorbent for cationic dye removal: Kinetic study. Environmental Research, 2021, 195, 110809.	7.5	234
29	Facile synthesis of paper based graphene electrodes for point of care devices: A double stranded DNA (dsDNA) biosensor. Journal of Colloid and Interface Science, 2020, 566, 463-472.	9.4	232
30	Recent advances in carbon nanomaterials-based electrochemical sensors for food azo dyes detection. Food and Chemical Toxicology, 2022, 164, 112961.	3.6	231
31	Determination of D&C Red 33 and Patent Blue V Azo dyes using an impressive electrochemical sensor based on carbon paste electrode modified with ZIF-8/g-C3N4/Co and ionic liquid in mouthwash and toothpaste as real samples. Food and Chemical Toxicology, 2022, 162, 112907.	3.6	231
32	A new strategy for determination of bisphenol A in the presence of Sudan I using a ZnO/CNTs/ionic liquid paste electrode in food samples. Food Chemistry, 2014, 158, 125-131.	8.2	230
33	Ethynylferrocene–NiO/MWCNT nanocomposite modified carbon paste electrode as a novel voltammetric sensor for simultaneous determination of glutathione and acetaminophen. Sensors and Actuators B: Chemical, 2013, 177, 70-77.	7.8	223
34	A sensitive molecularly imprinted polymer based quartz crystal microbalance nanosensor for selective determination of lovastatin in red yeast rice. Food Chemistry, 2015, 185, 430-436.	8.2	208
35	Sensitive voltammetric determination of epinephrine in the presence of acetaminophen at a novel ionic liquid modified carbon nanotubes paste electrode. Journal of Molecular Liquids, 2012, 168, 69-74.	4.9	198
36	Simultaneous determination of N-acetylcysteine and acetaminophen by voltammetric method using N-(3,4-dihydroxyphenethyl)-3,5-dinitrobenzamide modified multiwall carbon nanotubes paste electrode. Sensors and Actuators B: Chemical, 2011, 155, 464-472.	7.8	195

#	Article	IF	CITATIONS
37	A green and sensitive guanine-based DNA biosensor for idarubicin anticancer monitoring in biological samples: A simple and fast strategy for control of health quality in chemotherapy procedure confirmed by docking investigation. Chemosphere, 2022, 291, 132928.	8.2	194
38	Application of modified multiwall carbon nanotubes paste electrode for simultaneous voltammetric determination of morphine and diclofenac in biological and pharmaceutical samples. Sensors and Actuators B: Chemical, 2012, 169, 96-105.	7.8	193
39	A review on magnetic sensors for monitoring of hazardous pollutants in water resources. Science of the Total Environment, 2022, 824, 153844.	8.0	191
40	Highly sensitive square wave voltammetric sensor employing CdO/SWCNTs and room temperature ionic liquid for analysis of vanillin and folic acid in food samples. Journal of Food Composition and Analysis, 2017, 62, 254-259.	3.9	189
41	Removal of metal ions using a new magnetic chitosan nano-bio-adsorbent; A powerful approach in water treatment. Environmental Research, 2022, 203, 111753.	7.5	185
42	Heterogeneous UV-Switchable Au nanoparticles decorated tungstophosphoric acid/TiO2 for efficient photocatalytic degradation process. Chemosphere, 2021, 281, 130795.	8.2	178
43	A Voltammetric Sensor for Simultaneous Determination of Vitamin C and Vitamin B6 in Food Samples Using ZrO2 Nanoparticle/Ionic Liquids Carbon Paste Electrode. Food Analytical Methods, 2015, 8, 549-557.	2.6	176
44	An electrochemical-amplified-platform based on the nanostructure voltammetric sensor for the determination of carmoisine in the presence of tartrazine in dried fruit and soft drink samples. Journal of Food Measurement and Characterization, 2018, 12, 634-640.	3.2	175
45	Congo red dye removal from aqueous environment by cationic surfactant modified-biomass derived carbon: Equilibrium, kinetic, and thermodynamic modeling, and forecasting via artificial neural network approach. Chemosphere, 2022, 290, 133346.	8.2	175
46	Application of ZnO/CNTs Nanocomposite Ionic Liquid Paste Electrode as a Sensitive Voltammetric Sensor for Determination of Ascorbic Acid in Food Samples. Food Analytical Methods, 2013, 6, 1639-1647.	2.6	171
47	Nanochemistry approach for the fabrication of Fe and N co-decorated biomass-derived activated carbon frameworks: a promising oxygen reduction reaction electrocatalyst in neutral media. Journal of Nanostructure in Chemistry, 2022, 12, 429-439.	9.1	171
48	Sensitive and selective determination of aqueous triclosan based on gold nanoparticles on polyoxometalate/reduced graphene oxide nanohybrid. RSC Advances, 2015, 5, 65953-65962.	3.6	169
49	A nanostructure voltammetric platform amplified with ionic liquid for determination of tert-butylhydroxyanisole in the presence kojic acid. Journal of Food Measurement and Characterization, 2019, 13, 1781-1787.	3.2	168
50	Synthesis and application of FePt/CNTs nanocomposite as a sensor and novel amide ligand as a mediator for simultaneous determination of glutathione, nicotinamide adenine dinucleotide and tryptophan. Physical Chemistry Chemical Physics, 2013, 15, 5888.	2.8	166
51	CoFe2O4@TiO2 decorated reduced graphene oxide nanocomposite for photocatalytic degradation of chlorpyrifos. Journal of Molecular Liquids, 2015, 208, 122-129.	4.9	166
52	A novel nanosensor based on Pt:Co nanoalloy ionic liquid carbon paste electrode for voltammetric determination of vitamin B9 in food samples. LWT - Food Science and Technology, 2014, 57, 679-685.	5.2	163
53	Novel enzymatic graphene oxide based biosensor for the detection of glutathione in biological body fluids. Chemosphere, 2022, 287, 132187.	8.2	160
54	Magnetic iron oxide and iron oxide@gold nanoparticle anchored nitrogen and sulfur-functionalized reduced graphene oxide electrocatalyst for methanol oxidation. RSC Advances, 2015, 5, 26402-26409.	3.6	157

#	Article	IF	CITATIONS
55	An Overview on SARS-CoV-2 (COVID-19) and Other Human Coronaviruses and Their Detection Capability via Amplification Assay, Chemical Sensing, Biosensing, Immunosensing, and Clinical Assays. Nano-Micro Letters, 2021, 13, 18.	27.0	157
56	Formation and stabilization of colloidal ultra-small palladium nanoparticles on diamine-modified Cr-MIL-101: Synergic boost to hydrogen production from formic acid. Journal of Colloid and Interface Science, 2020, 567, 126-135.	9.4	153
57	Biodegradable polymers and their nano-composites for the removal of endocrine-disrupting chemicals (EDCs) from wastewater: A review. Environmental Research, 2021, 202, 111694.	7.5	152
58	MOF-Mediated Destruction of Cancer Using the Cell's Own Hydrogen Peroxide. ACS Applied Materials & Interfaces, 2017, 9, 33599-33608.	8.0	146
59	Electrochemical behaviors and determination of carbidopa on carbon nanotubes ionic liquid paste electrode. Journal of Molecular Liquids, 2012, 173, 137-143.	4.9	140
60	Carbon Paste Electrode Incorporating 1â€{4â€(Ferrocenyl Ethynyl) Phenyl]â€1â€Ethanone for Electrocatalytic and Voltammetric Determination of Tryptophan. Electroanalysis, 2008, 20, 1259-1262.	2.9	139
61	A voltammetric sensor based on NiO/CNTs ionic liquid carbon paste electrode for determination of morphine in the presence of diclofenac. Materials Science and Engineering C, 2014, 35, 379-385.	7.3	139
62	Highly sensitive voltammetric sensor based on catechol-derivative-multiwall carbon nanotubes for the catalytic determination of captopril in patient human urine samples. Colloids and Surfaces B: Biointerfaces, 2011, 87, 480-488.	5.0	127
63	Electrochemical quantification of mancozeb through tungsten oxide/reduced graphene oxide nanocomposite: A potential method for environmental remediation. Food and Chemical Toxicology, 2022, 161, 112843.	3.6	124
64	Electrochemical behavior of morphine at ZnO/CNT nanocomposite room temperature ionic liquid modified carbon paste electrode and its determination in real samples. Journal of Molecular Liquids, 2013, 181, 8-13.	4.9	123
65	Recent advances in Ponceau dyes monitoring as food colorant substances by electrochemical sensors and developed procedures for their removal from real samples. Food and Chemical Toxicology, 2022, 161, 112830.	3.6	117
66	An electrochemical nanocomposite modified carbon paste electrode as a sensor for simultaneous determination of hydrazine and phenol in water and wastewater samples. Environmental Science and Pollution Research, 2014, 21, 5879-5888.	5.3	113
67	Surface amplification of pencil graphite electrode with polypyrrole and reduced graphene oxide for fabrication of a guanine/adenine DNA based electrochemical biosensors for determination of didanosine anticancer drug. Applied Surface Science, 2018, 441, 55-60.	6.1	113
68	Three-dimensional porous reduced graphene oxide decorated with carbon quantum dots and platinum nanoparticles for highly selective determination of azo dye compound tartrazine. Food and Chemical Toxicology, 2021, 158, 112698.	3.6	110
69	Amplified nanostructure electrochemical sensor for simultaneous determination of captopril, acetaminophen, tyrosine and hydrochlorothiazide. Materials Science and Engineering C, 2017, 73, 472-477.	7.3	102
70	Determination of nifedipine using nanostructured electrochemical sensor based on simple synthesis of Ag nanoparticles at the surface of glassy carbon electrode: Application to the analysis of some real samples. Journal of Electroanalytical Chemistry, 2013, 697, 53-59.	3.8	101
71	An electrochemical strategy for toxic ractopamine sensing in pork samples; twofold amplified nano-based structure analytical tool. Journal of Food Measurement and Characterization, 2021, 15, 4098-4104.	3.2	101
72	Fabrication of a new electrocatalytic sensor for determination of diclofenac, morphine and mefenamic acid using synergic effect of NiO-SWCNT and 2, 4-dimethyl-N/-[1- (2, 3-dihydroxy phenyl) methylidenel aniline. Sensors and Actuators B: Chemical. 2018, 273, 228-233.	7.8	100

#	Article	IF	CITATIONS
73	Evaluation of ZnO nanoparticle ionic liquid composite as a voltammetric sensing of isoprenaline in the presence of aspirin for liquid phase determination. Journal of Molecular Liquids, 2015, 201, 102-107.	4.9	99
74	High performance of screen-printed graphite electrode modified with Ni–Mo-MOF for voltammetric determination of amaranth. Journal of Food Measurement and Characterization, 2021, 15, 4617-4622.	3.2	99
75	A novel biosensor for liquid phase determination of glutathione and amoxicillin in biological and pharmaceutical samples using a ZnO/CNTs nanocomposite/catechol derivative modified electrode. Journal of Molecular Liquids, 2014, 196, 258-263.	4.9	98
76	Characterization of Mn-nanoparticles decorated organo-functionalized SiO2–Al2O3 mixed-oxide as a novel electrochemical sensor: application for the voltammetric determination of captopril. Journal of Materials Chemistry, 2011, 21, 15022.	6.7	97
77	Synergic effect of Pt-Co nanoparticles and a dopamine derivative in a nanostructured electrochemical sensor for simultaneous determination of N-acetylcysteine, paracetamol and folic acid. Mikrochimica Acta, 2016, 183, 2957-2964.	5.0	97
78	Multi-walled carbon nanotubes decorated with palladium nanoparticles as a novel platform for electrocatalytic sensing applications. RSC Advances, 2014, 4, 49595-49604.	3.6	95
79	Nanomaterials modified electrodes for electrochemical detection of Sudan I in food. Journal of Food Measurement and Characterization, 2021, 15, 3837-3852.	3.2	95
80	ZnO nanoparticle-modified ionic liquid-carbon paste electrodefor voltammetric determination of folic acid in food and pharmaceutical samples. Ionics, 2014, 20, 421-429.	2.4	94
81	Fast and sensitive determination of captopril by voltammetric method using ferrocenedicarboxylic acid modified carbon paste electrode. Journal of Solid State Electrochemistry, 2010, 14, 9-15.	2.5	93
82	Voltammetric determination of norepinephrine in the presence of acetaminophen using a novel ionic liquid/multiwall carbon nanotubes paste electrode. Materials Science and Engineering C, 2012, 32, 1912-1918.	7.3	92
83	A voltammetric biosensor based on ionic liquid/NiO nanoparticle modified carbon paste electrode for the determination of nicotinamide adenine dinucleotide (NADH). Sensors and Actuators B: Chemical, 2014, 204, 647-654.	7.8	92
84	Liquid phase determination of adrenaline uses a voltammetric sensor employing CuFe2O4 nanoparticles and room temperature ionic liquids. Journal of Molecular Liquids, 2016, 213, 369-373.	4.9	90
85	Utilization of a double-cross-linked amino-functionalized three-dimensional graphene networks as a monolithic adsorbent for methyl orange removal: Equilibrium, kinetics, thermodynamics and artificial neural network modeling. Environmental Research, 2022, 207, 112156.	7.5	90
86	Highly selective and sensitive voltammetric sensor based on modified multiwall carbon nanotube paste electrode for simultaneous determination of ascorbic acid, acetaminophen and tryptophan. Materials Science and Engineering C, 2013, 33, 811-816.	7.3	89
87	Electrocatalytic Determination of 6â€Tioguanine at a <i>p</i> â€Aminophenol Modified Carbon Paste Electrode. Electroanalysis, 2008, 20, 1973-1979.	2.9	88
88	Fabrication of a sensor for simultaneous determination of norepinephrine, acetaminophen and tryptophan using a modified carbon nanotube paste electrode. Analytical Methods, 2012, 4, 259-264.	2.7	87
89	Simultaneous Determination of Ascorbic Acid, Acetaminophen, and Tryptophan by Square Wave Voltammetry Using <i>N</i> â€{3,4â€Đihydroxyphenethyl)â€3,5â€Đinitrobenzamideâ€Modified Carbon Nanotube Paste Electrode. Electroanalysis, 2012, 24, 666-675.	eQ.9	87
90	A new strategy for the selective determination of glutathione in the presence of nicotinamide adenine dinucleotide (NADH) using a novel modified carbon nanotube paste electrode. Colloids and Surfaces B: Biointerfaces, 2013, 104, 186-193.	5.0	87

#	Article	IF	CITATIONS
91	A Voltammetric Sensor Based on Modified Multiwall Carbon Nanotubes for Cysteamine Determination in the Presence of Tryptophan Using <i>p</i> â€Aminophenol as a Mediator. Electroanalysis, 2010, 22, 2558-2568.	2.9	85
92	p-Aminophenol–multiwall carbon nanotubes–TiO2 electrode as a sensor for simultaneous determination of penicillamine and uric acid. Colloids and Surfaces B: Biointerfaces, 2010, 81, 42-49.	5.0	85
93	Application of ionic liquid–TiO2 nanoparticle modified carbon paste electrode for the voltammetric determination of benserazide in biological samples. Materials Science and Engineering C, 2013, 33, 831-835.	7.3	85
94	A Voltammetric Sensor for the Simultaneous Determination of l-Cysteine and Tryptophan Using a p-Aminophenol-Multiwall Carbon Nanotube Paste Electrode. Analytical Sciences, 2011, 27, 409-414.	1.6	84
95	A sensitive nanocomposite-based electrochemical sensor for voltammetric simultaneous determination of isoproterenol, acetaminophen and tryptophan. Measurement: Journal of the International Measurement Confederation, 2014, 51, 91-99.	5.0	84
96	A novel voltammetric sensor employing zinc oxide nanoparticles and a new ferrocene-derivative modified carbon paste electrode for determination of captopril in drug samples. Analytical Methods, 2016, 8, 1780-1788.	2.7	84
97	A novel biosensor based on ZnO nanoparticle/1,3-dipropylimidazolium bromide ionic liquid-modified carbon paste electrode for square-wave voltammetric determination of epinephrine. Physics and Chemistry of Liquids, 2013, 51, 704-714.	1.2	83
98	Ionic liquid/multiwall carbon nanotubes paste electrode for square wave voltammetric determination of methyldopa. Ionics, 2013, 19, 1163-1170.	2.4	83
99	Electrocatalytic and Simultaneous Determination of Ascorbic Acid, Nicotinamide Adenine Dinucleotide and Folic Acid at Ruthenium(II) Complexâ€ZnO/CNTs Nanocomposite Modified Carbon Paste Electrode. Electroanalysis, 2014, 26, 962-970.	2.9	83
100	Electrochemical determination of vitamin C in the presence of NADH using a CdO nanoparticle/ionic liquid modified carbon paste electrode as a sensor. Journal of Molecular Liquids, 2016, 213, 312-316.	4.9	83
101	Magnetic-MXene-based nanocomposites for water and wastewater treatment: A review. Journal of Water Process Engineering, 2022, 47, 102696.	5.6	83
102	Multi-wall carbon nanotubes as a sensor and ferrocene dicarboxylic acid as a mediator for voltammetric determination of glutathione in hemolysed erythrocyte. Analytical Methods, 2011, 3, 2637.	2.7	82
103	ZnO/CNTs nanocomposite/ionic liquid carbon paste electrode for determination of noradrenaline in human samples. Electrochimica Acta, 2014, 123, 456-462.	5.2	82
104	Integrin Clustering Matters: A Review of Biomaterials Functionalized with Multivalent Integrinâ€Binding Ligands to Improve Cell Adhesion, Migration, Differentiation, Angiogenesis, and Biomedical Device Integration. Advanced Healthcare Materials, 2018, 7, e1701324.	7.6	81
105	Sensitive voltammetric determination of diclofenac using room-temperature ionic liquid-modified carbon nanotubes paste electrode. Ionics, 2013, 19, 137-144.	2.4	80
106	Determination of captopril in patient human urine using ferrocenemonocarboxylic acid modified carbon nanotubes paste electrode. Chinese Chemical Letters, 2010, 21, 1467-1470.	9.0	79
107	Optimization of an air drying process for Artemisia absinthium leaves using response surface and artificial neural network models. Journal of the Taiwan Institute of Chemical Engineers, 2012, 43, 29-39.	5.3	79
108	Electrocatalytic determination of sulfite using a modified carbon nanotubes paste electrode: application for determination of sulfite in real samples. Ionics, 2012, 18, 687-694.	2.4	79

#	Article	IF	CITATIONS
109	Identification of heavy metal ions from aqueous environment through gold, Silver and Copper Nanoparticles: An excellent colorimetric approach. Environmental Research, 2022, 205, 112475.	7.5	79
110	<i>N</i> â€(3,4â€Dihydroxyphenethyl)â€3,5â€dinitrobenzamideâ€Modified Multiwall Carbon Nanotubes Paste Electrode as a Novel Sensor for Simultaneous Determination of Penicillamine, Uric acid, and Tryptophan. Electroanalysis, 2011, 23, 1478-1487.	2.9	78
111	A novel 5-fluorouracile anticancer drug sensor based on ZnFe2O4 magnetic nanoparticles ionic liquids carbon paste electrode. Sensors and Actuators B: Chemical, 2016, 230, 607-614.	7.8	77
112	Electrocatalytic oxidation of glutathione at carbon paste electrode modified with 2,7-bis (ferrocenyl) Tj ETQq0 0 0 39, 1169-1175.) rgBT /Ov 2.9	verlock 10 Tf 76
113	Characterization of the Electrochemical Profiles of <i>Lycoris</i> Seeds for Species Identification and Infrageneric Relationships. Analytical Letters, 2020, 53, 2517-2528.	1.8	75
114	Voltammetric determination of isoproterenol using multiwall carbon nanotubesâ€ionic liquid paste electrode. Drug Testing and Analysis, 2011, 3, 325-330.	2.6	73
115	Sensitive and selective determination of phenylhydrazine in the presence of hydrazine at a ferrocene-modified carbon nanotube paste electrode. Environmental Chemistry Letters, 2011, 9, 375-381.	16.2	73
116	Valorisation of nuts biowaste: Prospects in sustainable bio(nano)catalysts and environmental applications. Journal of Cleaner Production, 2022, 347, 131220.	9.3	71
117	Electrochemical behavior of isoproterenol in the presence of uric acid and folic acid at a carbon paste electrode modified with 2,7-bis(ferrocenyl ethyl)fluoren-9-one and carbon nanotubes. Journal of Solid State Electrochemistry, 2012, 16, 1701-1707.	2.5	69
118	A Novel Strategy for Determination of Paracetamol in the Presence of Morphine Using a Carbon Paste Electrode Modified with CdO Nanoparticles and Ionic Liquids. Electroanalysis, 2016, 28, 366-371.	2.9	66
119	Development of an electrochemical biosensor for phylogenetic analysis of Amaryllidaceae based on the enhanced electrochemical fingerprint recorded from plant tissue. Biosensors and Bioelectronics, 2020, 159, 112212.	10.1	66
120	Ferrocenedicarboxylic acid modified carbon paste electrode: a sensor for electrocatalytic determination of hydrochlorothiazide. Journal of the Brazilian Chemical Society, 2009, 20, 880-887.	0.6	65
121	An amplified platform nanostructure sensor for the analysis of epirubicin in the presence of topotecan as two important chemotherapy drugs for breast cancer therapy. New Journal of Chemistry, 2018, 42, 3828-3832.	2.8	65
122	Amplified electrochemical sensor employing CuO/SWCNTs and 1-butyl-3-methylimidazolium hexafluorophosphate for selective analysis of sulfisoxazole in the presence of folic acid. Journal of Colloid and Interface Science, 2017, 495, 61-67.	9.4	63
123	Voltammetric amplified sensor employing RuO 2 nano-road and room temperature ionic liquid for amaranth analysis in food samples. Journal of Molecular Liquids, 2017, 229, 489-494.	4.9	62
124	Biocompatibility and mechanical properties of pigeon bone waste extracted natural nano-hydroxyapatite for bone tissue engineering. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2021, 264, 114950.	3.5	61
125	Recent Progress in Nanomaterials Modified Electrochemical Biosensors for the Detection of MicroRNA. Micromachines, 2021, 12, 1409.	2.9	61
126	Molecularly imprinted-multiwall carbon nanotube paste electrode as a biosensor for voltammetric detection of rutin. Analytical Methods, 2011, 3, 2510.	2.7	60

#	Article	IF	CITATIONS
127	Square wave voltammetric determination of diclofenac in liquid phase using a novel ionic liquid multiwall carbon nanotubes paste electrode. Journal of Molecular Liquids, 2014, 197, 114-119.	4.9	59
128	Voltammetric determination of 6-mercaptopurine using a multiwall carbon nanotubes paste electrode in the presence of isoprenaline as a mediator. Journal of Molecular Liquids, 2013, 177, 182-189.	4.9	57
129	A nanostructure label-free DNA biosensor for ciprofloxacin analysis as a chemotherapeutic agent: an experimental and theoretical investigation. New Journal of Chemistry, 2017, 41, 4985-4989.	2.8	57
130	Determination of isoproterenol and uric acid by voltammetric method using carbon nanotubes paste electrode and p-chloranil. Colloids and Surfaces B: Biointerfaces, 2011, 84, 148-154.	5.0	54
131	Effect of process parameters over carbon-based ZIF-62 nano-rooted membrane for environmental pollutants separation. Chemosphere, 2022, 291, 133006.	8.2	54
132	Simultaneous determination of cysteamine and folic acid in pharmaceutical and biological samples using modified multiwall carbon nanotube paste electrode. Chinese Chemical Letters, 2012, 23, 237-240.	9.0	53
133	Sensitive and Selective Electrochemical Detection of Epirubicin as Anticancer Drug Based on Nickel Ferrite Decorated with Gold Nanoparticles. Micromachines, 2021, 12, 1334.	2.9	53
134	Surface amplification of pencil graphite electrode using CuO nanoparticle/polypyrrole nanocomposite; a powerful electrochemical strategy for determination of tramadol. Microchemical Journal, 2020, 158, 105179.	4.5	52
135	Effects of surface treatment of TiO2 nanoparticles on the adhesion and anticorrosion properties of the epoxy coating on mild steel using electrochemical technique. Progress in Organic Coatings, 2018, 119, 99-108.	3.9	51
136	Fabrication of an Electroanalytical Sensor for Determination of Deoxyepinephrine in the Presence of Uric Acid Using CuFe ₂ O _{4Â} Nanoparticle/Ionic Liquid Amplified Sensor. Journal of the Electrochemical Society, 2019, 166, H218-H223.	2.9	50
137	Recent advantages in electrochemical monitoring for the analysis of amaranth and carminic acid as food color. Food and Chemical Toxicology, 2022, 163, 112929.	3.6	50
138	A fast and sensitive nanosensor based on MgO nanoparticle room-temperature ionic liquid carbon paste electrode for determination of methyldopa in pharmaceutical and patient human urine samples. Ionics, 2013, 19, 1907-1914.	2.4	49
139	An Electrochemical Nanosensor for Simultaneous Voltammetric Determination of Ascorbic Acid and Sudan I in Food Samples. Food Analytical Methods, 2014, 7, 2169-2176.	2.6	49
140	Preparation of Pd (0) and Pd (II) nanotubes and nanoparticles on modified bentonite and their catalytic activity in oxidation of ethyl benzene to acetophenone. Applied Catalysis A: General, 2010, 381, 121-131.	4.3	47
141	Simultaneous electrochemical determination of levodopa and piroxicam using a glassy carbon electrode modified with a ZnO–Pd/CNT nanocomposite. RSC Advances, 2018, 8, 26707-26712.	3.6	47
142	Nanomaterials: An alternative source for biodegradation of toxic dyes. Food and Chemical Toxicology, 2022, 164, 112996.	3.6	47
143	Carbon Paste Electrode Prepared from Chemically Modified Multiwall Carbon Nanotubes for the Voltammetric Determination of Isoprenaline in Pharmaceutical and Urine Samples. Chinese Journal of Catalysis, 2012, 33, 1919-1926.	14.0	46
144	A new voltammetric sensor for electrocatalytic determination of vitamin C in fruit juices and fresh vegetable juice using modified multi-wall carbon nanotubes paste electrode. Journal of Food Science and Technology, 2015, 52, 276-284.	2.8	46

#	Article	IF	CITATIONS
145	Determination of 6â€mercaptopurine in the presence of uric acid using modified multiwall carbon nanotubesâ€īiO ₂ as a voltammetric sensor. Drug Testing and Analysis, 2012, 4, 970-977.	2.6	45
146	A new strategy for determination of hydroxylamine and phenol in water and waste water samples using modified nanosensor. Environmental Science and Pollution Research, 2013, 20, 6584-6593.	5.3	45
147	Simultaneous Determination of Amaranth and Nitrite in Foodstuffs via Electrochemical Sensor Based on Carbon Paste Electrode Modified with CuO/SWCNTs and Room Temperature Ionic Liquid. Food Analytical Methods, 2017, 10, 3773-3780.	2.6	45
148	A sensitive amplified sensor based on improved carbon paste electrode with 1-methyl-3-octylimidazolium tetrafluoroborate and ZnO/CNTs nanocomposite for differential pulse voltammetric analysis of raloxifene. Applied Surface Science, 2017, 420, 882-885.	6.1	45
149	Voltammetric food analytical sensor for determining vanillin based on amplified NiFe2O4 nanoparticle/ionic liquid sensor. Journal of Food Measurement and Characterization, 2020, 14, 1039-1045.	3.2	45
150	Conductometric measurements of complexation study between 4-Isopropylcalix[4]arene and Cr3+ cation in THF–DMSO binary solvents. Measurement: Journal of the International Measurement Confederation, 2015, 70, 214-224.	5.0	44
151	Highly active PdPt bimetallic nanoparticles synthesized by one-step bioreduction method: Characterizations, anticancer, antibacterial activities and evaluation of their catalytic effect for hydrogen generation. International Journal of Hydrogen Energy, 2023, 48, 6666-6679.	7.1	44
152	A novel electrochemical sensor based on ZnO nanoparticle and ionic liquid binder for square wave voltammetric determination of droxidopa in pharmaceutical and urine samples. Sensors and Actuators B: Chemical, 2013, 186, 603-609.	7.8	43
153	Highly sensitive voltammetric sensor based on NiO nanoparticle room temperature ionic liquid modified carbon paste electrode for levodopa analysis. Journal of Molecular Liquids, 2015, 208, 78-83.	4.9	43
154	Voltammetric analysis of mycophenolate mofetil in pharmaceutical samples via electrochemical nanostructure based sensor modified with ionic liquid and MgO/SWCNTs. Journal of the Taiwan Institute of Chemical Engineers, 2017, 80, 989-996.	5.3	43
155	Sensitive and selective electrochemical detection of bisphenol A based on SBA-15 like Cu-PMO modified glassy carbon electrode. Food Chemistry, 2021, 358, 129763.	8.2	43
156	The potential of electrochemistry for one-pot and sensitive analysis of patent blue V, tartrazine, acid violet 7 and ponceau 4R in foodstuffs using IL/Cu-BTC MOF modified sensor. Food Chemistry, 2022, 368, 130811.	8.2	43
157	N-hexyl-3-methylimidazolium hexafluoro phosphate/multiwall carbon nanotubes paste electrode as a biosensor for voltammetric detection of morphine. Journal of Molecular Liquids, 2012, 174, 42-47.	4.9	42
158	A Nanostructure Based Electrochemical Sensor for Square Wave Voltammetric Determination of <scp>L</scp> ysteine in the Presence of High Concentration of Folic Acid. Electroanalysis, 2015, 27, 1766-1773.	2.9	42
159	Catalytic application of sulfonic acidâ€functionalized titanaâ€coated magnetic nanoparticles for the preparation of 1,8â€dioxodecahydroacridines and 2,4,6â€triarylpyridines via anomericâ€based oxidation. Applied Organometallic Chemistry, 2018, 32, e4063.	3.5	42
160	Gold nanoparticles and reduced graphene oxide-amplified label-free DNA biosensor for dasatinib detection. New Journal of Chemistry, 2018, 42, 16378-16383.	2.8	42
161	Effect of chemistry and geometry of GO nanochannels on the Li ion selectivity and recovery. Desalination, 2020, 496, 114729.	8.2	42
162	An electrochemical strategy to determine thiosulfate, 4-chlorophenol and nitrite as three important pollutants in water samples via a nanostructure modified sensor. Journal of Colloid and Interface Science, 2017, 507, 11-17.	9.4	41

#	Article	IF	CITATIONS
163	The surfactant-ionic liquid bi-functionalization of chitosan beads for their adsorption performance improvement toward Tartrazine. Environmental Research, 2022, 204, 111961.	7.5	41
164	CoFe 2 O 4 nanoparticle/ionic liquid modified carbon paste electrode as an amplified sensor for epirubicin analysis as an anticancer drug. Journal of Molecular Liquids, 2017, 242, 685-689.	4.9	40
165	NiO nanoparticle decorated on single-wall carbon nanotubes and 1-butyl-4-methylpyridinium tetrafluoroborate for sensitive raloxifene sensor. Journal of Molecular Liquids, 2018, 254, 255-259.	4.9	40
166	A voltammetric carbon paste sensor modified with NiO nanoparticle and ionic liquid for fast analysis of p-nitrophenol in water samples. Journal of Molecular Liquids, 2019, 285, 430-435.	4.9	40
167	Novel 8,9-dihydroxy-7-methyl-12H-benzothiazolo[2,3-b]quinazolin-12-one multiwalled carbon nanotubes paste electrode for simultaneous determination of ascorbic acid, acetaminophen and tryptophan. Analytical Methods, 2012, 4, 3275.	2.7	39
168	Synthesis of CdO nanoparticles using direct chemical precipitation method: Fabrication of novel voltammetric sensor for square wave voltammetry determination of chlorpromazine in pharmaceutical samples. Inorganic and Nano-Metal Chemistry, 2017, 47, 347-353.	1.6	39
169	Electrochemical Fingerprint Biosensor for Natural Indigo Dye Yielding Plants Analysis. Biosensors, 2021, 11, 155.	4.7	39
170	Nano-architectural design of TiO2 for high performance photocatalytic degradation of organic pollutant: A review. Environmental Research, 2022, 212, 113347.	7.5	39
171	Highly selective and sensitive voltammetric sensor for captopril determination based on modified multiwall carbon nanotubes paste electrode. Journal of the Brazilian Chemical Society, 2011, 22, 1315-1322.	0.6	38
172	Application of CdO nanoparticle ionic liquid modified carbon paste electrode as a high sensitive biosensor for square wave voltammetric determination of NADH. Materials Science and Engineering C, 2014, 45, 210-215.	7.3	38
173	Simultaneous Detection of Nalbuphine and Diclofenac as Important Analgesic Drugs in Biological and Pharmaceutical Samples Using a Pt:Co Nanostructure-Based Electrochemical Sensor. Journal of the Electrochemical Society, 2017, 164, B60-B65.	2.9	38
174	Sensitive and Selective Determination of Phenylhydrazine in the Presence of Hydrazine at a Ferrocene Monocarboxylic Acid Modified Carbon Nanotube Paste Electrode. Analytical Letters, 2009, 43, 186-196.	1.8	37
175	New Modified-Multiwall Carbon Nanotubes Paste Electrode for Electrocatalytic Oxidation and Determination of Hydrazine Using Square Wave Voltammetry. Chinese Journal of Catalysis, 2012, 33, 487-493.	14.0	37
176	Facile and green fabrication of silver nanoparticles on a polyoxometalate for Li-ion battery. Ionics, 2015, 21, 2193-2199.	2.4	37
177	An ultrasensitive electroanalytical sensor based on MgO/SWCNTs- 1-Butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide paste electrode for the determination of ferulic acid in the presence sulfite in food samples. Microchemical Journal, 2020, 154, 104572.	4.5	37
178	Carbon Paste Modified Electrode as Powerful Sensor Approach Determination of Food Contaminants, Drug Ingredients, and Environmental Pollutants: A Review. Current Analytical Chemistry, 2019, 15, 410-422.	1.2	37
179	Simultaneous Determination of Dopamine and Uric Acid by Electrocatalytic Oxidation on a Carbon Paste Electrode Using Pyrogallol Red as a Mediator. Analytical Letters, 2010, 43, 1976-1988.	1.8	36
180	Cerium functionalized graphene nano-structures and their applications; A review. Environmental Research, 2022, 208, 112685.	7.5	36

11

#	Article	IF	CITATIONS
181	Synergic effect of 2D nitrogen doped reduced graphene nano-sheet and ionic liquid as a new approach for fabrication of anticancer drug sensor in analysis of doxorubicin and topotecan. Journal of Molecular Liquids, 2018, 265, 727-732.	4.9	35
182	Plant extract-based green fabrication of nickel ferrite (NiFe2O4) nanoparticles: An operative platform for non-enzymatic determination of pentachlorophenol. Chemosphere, 2022, 294, 133760.	8.2	35
183	Incorporation of graphene oxide–NiO nanocomposite and n-hexyl-3-methylimidazolium hexafluoro phosphate into carbon paste electrode: application as an electrochemical sensor for simultaneous determination of benserazide, levodopa and tryptophan. Journal of the Iranian Chemical Society, 2017, 14. 955-961.	2.2	34
184	Square wave voltammetric determination of hydrazine and 4-chlorophenol as two important water pollutants using nanostructure-amplified sensor. Research on Chemical Intermediates, 2018, 44, 5389-5401.	2.7	34
185	A powerful DNA-based voltammetric biosensor modified with Au nanoparticles, for the determination of Temodal; an electrochemical and docking investigation. Journal of Electroanalytical Chemistry, 2019, 840, 313-318.	3.8	34
186	Electrochemical Platform Based on Synergic Effect of Fe ₃ O ₄ /SWCNTs and 1-ethyl-3-methyl Imidazolium Chloride as Sensor for Determination of Xanthine and Theophylline in Food Samples. Journal of the Electrochemical Society, 2018, 165, B762-B766.	2.9	33
187	Electrochemical detection of carbidopa using a ferrocene-modified carbon nanotube paste electrode. Journal of the Serbian Chemical Society, 2009, 74, 1443-1453.	0.8	32
188	Electrochemical detection of Sudan red series azo dyes: Bibliometrics based analysis. Food and Chemical Toxicology, 2022, 163, 112960.	3.6	32
189	Electrocatalytic Determination of Ampicillin Using Carbon-Paste Electrode Modified with Ferrocendicarboxylic Acid. Analytical Letters, 2009, 42, 584-599.	1.8	31
190	p-Chloranil modified carbon nanotubes paste electrode as a voltammetric sensor for the simultaneous determination of methyldopa and uric acid. Analytical Methods, 2012, 4, 2088.	2.7	31
191	New voltammetric strategy for simultaneous determination of norepinephrine, acetaminophen, and folic acid using a 5-amino-3′,4′-dimethoxy-biphenyl-2-ol/carbon nanotube paste electrode. Ionics, 2012, 18, 703-710.	2.4	31
192	Multiwall carbon nanotube paste electrode with 3,4-dihydroxy-cinnamic acid as mediator for the determination of glutathione in pharmaceutical and urine samples. Chinese Journal of Catalysis, 2013, 34, 1883-1889.	14.0	31
193	Electrocatalytic determination of captopril in real samples using NiO nanoparticle modified (9,10-dihydro-9,10-ethanoanthracene-11,12-dicarboximido)-4-ethylbenzene-1,2-diol carbon paste electrode. Sensors and Actuators B: Chemical, 2014, 199, 47-53.	7.8	31
194	Recent advances in developing optical and electrochemical sensors for analysis of methamphetamine: A review. Chemosphere, 2021, 278, 130393.	8.2	31
195	Production of bioethanol from carrot pulp in the presence of Saccharomyces cerevisiae and beet molasses inoculum; A biomass based investigation. Chemosphere, 2022, 286, 131688.	8.2	31
196	Nanotechnology-Abetted Astaxanthin Formulations in Multimodel Therapeutic and Biomedical Applications. Journal of Medicinal Chemistry, 2022, 65, 2-36.	6.4	31
197	A novel route to the synthesis of α-Fe2O3@C@SiO2/TiO2 nanocomposite from the metal-organic framework as a photocatalyst for water treatment. Chemosphere, 2022, 297, 133992.	8.2	31
198	An applicable method for extraction of whole seeds protein and its determination through Bradford's method. Food and Chemical Toxicology, 2022, 164, 113053.	3.6	31

#	Article	IF	CITATIONS
199	Selective oxidation of amaranth dye in soft drinks through tin oxide decorated reduced graphene oxide nanocomposite based electrochemical sensor. Food and Chemical Toxicology, 2022, 165, 113177.	3.6	31
200	Sequential determination of benserazide and levodopa by voltammetric method using chloranil as a mediator. Journal of the Brazilian Chemical Society, 2010, 21, 1572-1580.	0.6	30
201	A DNA Based Biosensor Amplified With ZIF-8/Ionic Liquid Composite for Determination of Mitoxantrone Anticancer Drug: An Experimental/Docking Investigation. Frontiers in Chemistry, 2020, 8, 814.	3.6	30
202	Synthesis and characterization of ES/Cu(OH)2 nanocomposite: A novel and high effective catalyst in the green synthesis of pyrano[4,3-b]pyrans. Materials Science and Engineering C, 2015, 46, 264-269.	7.3	29
203	Electrochemical Determination of Adrenaline Using Voltammetric Sensor Employing NiO/CNTs Based Carbon Paste Electrode. International Journal of Electrochemical Science, 2017, 12, 248-257.	1.3	29
204	A new electrochemical method for the detection of quercetin in onion, honey and green tea using Co3O4 modified GCE. Journal of Food Measurement and Characterization, 2021, 15, 3720-3730.	3.2	29
205	Developing a simple box–behnken experimental design on the removal of doxorubicin anticancer drug using Fe3O4/graphene nanoribbons adsorbent. Environmental Research, 2021, 200, 111522.	7.5	29
206	Polyaniline-Manganese Ferrite Supported Platinum–Ruthenium Nanohybrid Electrocatalyst: Synergizing Tailoring Toward Boosted Ethanol Oxidation Reaction. Topics in Catalysis, 2022, 65, 716-725.	2.8	29
207	Voltammetric determination of carbidopa in the presence of uric acid and folic acid using a modified carbon nanotube paste electrode. Journal of Molecular Liquids, 2012, 172, 66-70.	4.9	28
208	Process parameter impacts on adiponitrile current efficiency and cell voltage of an electromembrane reactor using emulsion-type catholyte. Chemical Engineering Journal, 2012, 183, 402-407.	12.7	28
209	Fabrication of Fast and Sensitive Nanostructure Voltammetric Sensor for Determination of Curcumin in the Presence of Vitamin B ₉ in Food Samples. Electroanalysis, 2016, 28, 2590-2597.	2.9	28
210	Fabrication of a Food Nano-Platform Sensor for Determination of Vanillin in Food Samples. Sensors, 2018, 18, 2817.	3.8	28
211	Electrocatalytic determination of cysteamine using multiwall carbon nanotube paste electrode in the presence of 3,4-dihydroxycinnamic acid as a homogeneous mediator. Journal of the Brazilian Chemical Society, 2013, 24, 32-39.	0.6	28
212	Highly efficient carbon hybrid supported catalysts using nano-architecture as anode catalysts for direct methanol fuel cells. International Journal of Hydrogen Energy, 2023, 48, 6657-6665.	7.1	28
213	Advanced integrated nanocatalytic routes for converting biomass to biofuels: A comprehensive review. Fuel, 2022, 314, 122762.	6.4	28
214	Voltammetric determination of glutathione in haemolysed erythrocyte and tablet samples using modifiedâ€multiwall carbon nanotubes paste electrode. Drug Testing and Analysis, 2012, 4, 978-985.	2.6	27
215	New voltammetric strategy for determination of dopamine in the presence of high concentrations of acetaminophen, folic acid and N-acetylcysteine. Journal of Molecular Liquids, 2012, 169, 130-135.	4.9	27
216	Square wave voltammetric determination of captopril in liquid phase using N-(4-hydroxyphenyl)-3,5-dinitrobenzamide modified ZnO/CNT carbon paste electrode as a novel electrochemical sensor. Journal of Molecular Liquids, 2014, 198, 193-199.	4.9	27

#	Article	IF	CITATIONS
217	Voltammetric determination of cysteamine at multiwalled carbon nanotubes paste electrode in the presence of isoproterenol as a mediator. Chinese Chemical Letters, 2014, 25, 1244-1246.	9.0	27
218	Advancement in electrochemical strategies for quantification of Brown HT and Carmoisine (Acid Red) Tj ETQq	000ggBT/(Overlock 10 Tf
219	Selective and sensitive voltammetric sensor based on modified multiwall carbon nanotubes paste electrode for simultaneous determination of l-cysteine and folic acid. lonics, 2013, 19, 933-940.	2.4	26
220	Nano-scale clustering of integrin-binding ligands regulates endothelial cell adhesion, migration, and endothelialization rate: novel materials for small diameter vascular graft applications. Journal of Materials Chemistry B, 2017, 5, 5942-5953.	5.8	26
221	An Electrochemical Sensitive Sensor for Determining Sulfamethoxazole Using a Modified Electrode Based on Biosynthesized NiO Nanoparticles Paste Electrode. International Journal of Electrochemical Science, 2019, 14, 9552-9561.	1.3	26
222	Evaluation of Pt,Pd-Doped, NiO-Decorated, Single-Wall Carbon Nanotube-Ionic Liquid Carbon Paste Chemically Modified Electrode: An Ultrasensitive Anticancer Drug Sensor for the Determination of Daunorubicin in the Presence of Tamoxifen. Frontiers in Chemistry, 2020, 8, 677.	3.6	26
223	Luminescent film: Biofouling investigation of tetraphenylethylene blended polyethersulfone ultrafiltration membrane. Chemosphere, 2021, 267, 128871.	8.2	26
224	Doxorubicin Anticancer Drug Monitoring by ds-DNA-Based Electrochemical Biosensor in Clinical Samples. Micromachines, 2021, 12, 808.	2.9	26
225	An improved non-enzymatic electrochemical sensor amplified with CuO nanostructures for sensitive determination of uric acid. Open Chemistry, 2021, 19, 481-491.	1.9	26
226	Electronic properties and reactivity trend for defect functionalization of single-walled carbon nanotube with B, Al, Ga atoms. Synthetic Metals, 2016, 221, 242-246.	3.9	25
227	Facile bio-fabrication of Pd-Ag bimetallic nanoparticles and its performance in catalytic and pharmaceutical applications: Hydrogen production and in-vitro antibacterial, anticancer activities, and model development. Chemical Engineering Research and Design, 2022, 180, 254-264.	5.6	25
228	Hydrogen generation from methanolysis of sodium borohydride using waste coffee oil modified zinc oxide nanoparticles and their photocatalytic activities. International Journal of Hydrogen Energy, 2023, 48, 6613-6623.	7.1	25
229	Electrochemical anticancer drug sensor for determination of raloxifene in the presence of tamoxifen using graphene-CuO-polypyrrole nanocomposite structure modified pencil graphite electrode: Theoretical and experimental investigation. Journal of Molecular Liquids, 2020, 311, 113314.	4.9	24
230	MnFe2O4/1-Butyl-3-methylimidazolium hexafluorophosphate modified carbon paste electrode: an amplified food sensor for determination of gallic acid in the presence of ferulic acid as two phenolic antioxidants. Eurasian Chemical Communications, 2020, 2, 362-373.	0.9	24
231	Enhanced methanol electrooxidation by electroactivated Pd/Ni(OH)2/N-rGO catalyst. International Journal of Hydrogen Energy, 2023, 48, 6680-6690.	7.1	24
232	Electrocatalytic oxidation of thiosulfate at 2,7-bis(ferrocenylethyl)-fluoren-9-one-modified carbon paste electrode (2,7-BFEFMCPE): Application to the catalytic determination of thiosulfate in real sample. Chinese Chemical Letters, 2010, 21, 1462-1466.	9.0	23
233	Novel nanostructured electrochemical sensor for voltammetric determination of N-acetylcysteine in the presence of high concentrations of tryptophan. Ionics, 2013, 19, 665-672.	2.4	23
234	A new voltammetric sensor for the determination of sulfite in water and wastewater using modified-multiwall carbon nanotubes paste electrode. International Journal of Environmental Analytical Chemistry, 2013, 93, 650-660.	3.3	23

#	Article	IF	CITATIONS
235	Simultaneous determination of norepinephrine, acetaminophen and tryptophan using a modified graphene nanosheets paste electrode. Research on Chemical Intermediates, 2015, 41, 6885-6896.	2.7	23
236	Analysis of Levodopa in the Presence of Vitamin B ₆ Using Carbon Paste Electrode Modified with 1â€Butylâ€3 methylimidazolium Hexafluorophosphate and CuO Nanoparticles. Electroanalysis, 2017, 29, 1854-1859.	2.9	23
237	Nanostructured polyethersulfone nanocomposite membranes for dual protein and dye separation: Lower antifouling with lanthanum (III) vanadate nanosheets as a novel nanofiller. Polymer Testing, 2021, 94, 107040.	4.8	23
238	Application of deep eutectic solvent and SWCNT-ZrO2 nanocomposite as conductive mediators for the fabrication of simple and rapid electrochemical sensor for determination of trace anti-migration drugs. Microchemical Journal, 2021, 165, 106141.	4.5	23
239	Electrochemical determination of cysteamine in the presence of guanine and adenine using a carbon paste electrode modified with N-(4-hydroxyphenyl)-3,5-dinitrobenzamide and magnesium oxide nanoparticles. Analytical Methods, 2016, 8, 5604-5610.	2.7	23
240	A new strategy for simultaneous determination of cysteamine in the presence of high concentration of tryptophan using vinylferrocene-modified multiwall carbon nanotubes paste electrode. Journal of Solid State Electrochemistry, 2012, 16, 2949-2955.	2.5	22
241	Dynamic Covalent Hydrogels for Triggered Cell Capture and Release. Bioconjugate Chemistry, 2017, 28, 2235-2240.	3.6	22
242	Fabrication of Amplified Nanostructure Based Sensor for Analysis of N-Acetylcysteine in Presence of High Concentration Folic Acid. International Journal of Electrochemical Science, 2017, 12, 8045-8058.	1.3	22
243	Beyond RGD; nanoclusters of syndecan- and integrin-binding ligands synergistically enhance cell/material interactions. Biomaterials, 2018, 187, 81-92.	11.4	22
244	Electrocatalytic oxidation of captopril on a vinylferrocene modified carbon nanotubes paste electrode. Analytical Methods, 2012, 4, 1332.	2.7	21
245	Highly sensitive determination of promazine in pharmaceutical and biological samples using a ZnO nanoparticle-modified ionic liquid carbon paste electrode. Chinese Chemical Letters, 2016, 27, 779-782.	9.0	21
246	Application of novel Ni(II) complex and ZrO 2 nanoparticle as mediators for electrocatalytic determination of N -acetylcysteine in drug samples. Journal of Food and Drug Analysis, 2017, 25, 1000-1007.	1.9	21
247	MnO ₂ â€TiO ₂ Nanocomposite and 2â€(3,4â€Dihydroxyphenethyl) Isoindolineâ€1,3â€E as an Electrochemical Platform for the Concurrent Determination of Cysteine, Tryptophan and Uric Acid. Electroanalysis, 2018, 30, 1767-1773.)ione 2.9	21
248	Simultaneous voltammetric determination of glutathione, doxorubicin and tyrosine based on the electrocatalytic effect of a nickel(II) complex and of Pt:Co nanoparticles as a conductive mediator. Mikrochimica Acta, 2019, 186, 493.	5.0	21
249	Simultaneous Determination of Epinephrine and Tyrosine Using a Glassy Carbon Electrode Amplified with ZnO-Pt/CNTs Nanocomposite. Current Analytical Chemistry, 2019, 15, 166-171.	1.2	21
250	Carbon Nanotubes for Amplification of Electrochemical Signal in Drug and Food Analysis; A Mini Review. Current Biochemical Engineering, 2020, 6, 114-119.	1.3	21
251	A zinc oxide nanorods/molybdenum disulfide nanosheets hybrid as a sensitive and reusable electrochemical sensor for determination of anti-retroviral agent indinavir. Chemosphere, 2022, 300, 134430.	8.2	21
252	Voltammetric determination of isoproterenol using a 5-amino-2′,4′-dimethoxybiphenyl-2-ol modified carbon nanotube paste electrode. Chinese Chemical Letters, 2012, 23, 719-722.	9.0	20

#	Article	IF	CITATIONS
253	Evaluation of Antioxidants Using Electrochemical Sensors: A Bibliometric Analysis. Sensors, 2022, 22, 3238.	3.8	20
254	Effects of α-thalassaemia mutations on the haematological parameters of β-thalassaemia carriers. Journal of Clinical Pathology, 2015, 68, 562-566.	2.0	19
255	Determination of ferulic acid in the presence of butylated hydroxytoluene as two phenolic antioxidants using a highly conductive food nanostructure electrochemical sensor. Chemical Papers, 2019, 73, 2441-2447.	2.2	19
256	Pt-Pd-doped NiO nanoparticle decorated at single-wall carbon nanotubes: An excellent, powerful electrocatalyst for the fabrication of An electrochemical sensor to determine nalbuphine in the presence of tramadol as two opioid analgesic drugs. Journal of Pharmaceutical and Biomedical Analysis, 2020, 189, 113397.	2.8	19
257	Determining Caffeic Acid in Food Samples Using a Voltammetric Sensor Amplified by Fe3O4 Nanoparticles and Room Temperature Ionic Liquid. International Journal of Electrochemical Science, 2020, 15, 2539-2548.	1.3	19
258	A Silver-Loaded Exfoliated Graphite Nanocomposite Anti-Fouling Electrochemical Sensor for Bisphenol A in Thermal Paper Samples. ACS Omega, 2021, 6, 9401-9409.	3.5	19
259	Enhanced electrochemical performance and stability of Pt/Ni electrocatalyst supported on SiO2-PANI nanocomposite: A combined experimental and theoretical study. Materials Chemistry and Physics, 2021, 262, 124290.	4.0	19
260	Spatial analysis and human health risk assessment of elements in ground water of District Hyderabad, Pakistan using ArcGIS and multivariate statistical analysis. Environmental Research, 2022, 210, 112915.	7.5	19
261	Magnetic nanoparticles based on cerium MOF supported on the MWCNT as a fluorescence quenching sensor for determination of 6-mercaptopurine. Environmental Pollution, 2022, 305, 119230.	7.5	19
262	Fabrication of sensor based on polyvinyl alcohol functionalized tungsten oxide/reduced graphene oxide nanocomposite for electrochemical monitoring of 4-aminophenol. Environmental Research, 2022, 212, 113372.	7.5	19
263	Modified Carbon Nanotube Paste Electrode for Voltammetric Determination of Carbidopa, Folic Acid, and Tryptophan. Journal of Analytical Methods in Chemistry, 2012, 2012, 1-8.	1.6	18
264	Electrocatalytic measurement of methionine concentration with a carbon nanotube paste electrode modified with benzoylferrocene. Chinese Journal of Catalysis, 2013, 34, 1333-1338.	14.0	18
265	Application of SBA-15/Diphenyl Carbazon/SDS Nanocomposite as Solid-Phase Extractor for Simultaneous Determination of Cu(II) and Zn(II) Ions. Arabian Journal for Science and Engineering, 2018, 43, 3547-3556.	3.0	18
266	Influence of doping Mg cation in Fe3O4 lattice on its oxygen storage capacity to use as a catalyst for reducing emissions of a compression ignition engine. Fuel, 2020, 272, 117728.	6.4	18
267	Photocatalytic degradation of organic pollutants, viral and bacterial pathogens using titania nanoparticles. Inorganic Chemistry Communication, 2021, 130, 108688.	3.9	18
268	Hydrogen production and photocatalytic activities from NaBH4 using trimetallic biogenic PdPtCo nanoparticles: Development of machine learning model. Chemical Engineering Research and Design, 2022, 184, 180-190.	5.6	18
269	Synthesis and characterization of novel dopamine-derivative: Application of modified multi-wall carbon nanotubes paste electrode for electrochemical investigation. Chinese Chemical Letters, 2011, 22, 185-188.	9.0	17
270	Synthesis, crystal structure and electrochemistry of cobalt(III) carboxamide complexes with amine and azide ancillary ligands. Polyhedron, 2014, 68, 60-69.	2.2	17

#	Article	IF	CITATIONS
271	An amplified sensor based on improved carbon paste electrode with 1,3-Dipropylimidazolium Bromide and MgO/SWCNTs Nanocomposite for tradamol determination. International Journal of Electrochemical Science, 2018, 13, 4923-4932.	1.3	17
272	NiO/SWCNTs coupled with an ionic liquid composite for amplified carbon paste electrode; A feasible approach for improving sensing ability of adrenalone and folic acid in dosage form. Journal of Pharmaceutical and Biomedical Analysis, 2020, 188, 113393.	2.8	17
273	A New Electrochemical Platform for Dasatinib Anticancer Drug Sensing Using Fe3O4-SWCNTs/Ionic Liquid Paste Sensor. Micromachines, 2021, 12, 437.	2.9	17
274	Mechanism of methanol decomposition on the Cu-Embedded graphene: A DFT study. International Journal of Hydrogen Energy, 2023, 48, 6624-6637.	7.1	17
275	Relationship between graphene and pedosphere: A scientometric analysis. Chemosphere, 2022, 300, 134599.	8.2	17
276	Silica-coated modified magnetic nanoparticles (Fe3O4@SiO2@(BuSO3H)3) as an efficient adsorbent for Pd2+ removal. Chemosphere, 2022, 307, 135622.	8.2	17
277	Voltammetric Determination of Homocysteine Using Multiwall Carbon Nanotube Paste Electrode in the Presence of Chlorpromazine as a Mediator. Journal of Analytical Methods in Chemistry, 2012, 2012, 1-7.	1.6	16
278	Voltammetric sensor for simultaneous determination of ascorbic acid, acetaminophen, and tryptophan in pharmaceutical products. Ionics, 2014, 20, 729-737.	2.4	16
279	Electrochemical nanostructure platform for the analysis of glutathione in the presence of uric acid and tryptophan. Analytical Methods, 2017, 9, 6228-6234.	2.7	16
280	Synthesis of new functionalized Calix[4]arene modified silica resin for the adsorption of metal ions: Equilibrium, thermodynamic and kinetic modeling studies. Journal of Molecular Liquids, 2021, 339, 116741.	4.9	16
281	A sensitive electroanalytical sensor amplified with Pd-ZnO nanoparticle for determination of Sunset Yellow in real samples. Eurasian Chemical Communications, 2020, 2, 760-770.	0.9	16
282	Surface modification of TiO2 by adding V2O5 nanocatalytic system for hydrogen generation. Chemical Engineering Research and Design, 2022, 182, 114-119.	5.6	16
283	Synthesis of Novel Chiral Ionic Liquid and Its Application in Reduction of Prochiral Ketones to the Corresponding Chiral Alcohols Using NaBH ₄ . Synthetic Communications, 2010, 40, 1784-1793.	2.1	15
284	Voltammetric determination of captopril using a novel ferrocene-based polyamide as a mediator and multi-wall carbon nanotubes as a sensor. Journal of Analytical Chemistry, 2014, 69, 162-168.	0.9	15
285	HSA loaded with CoFe ₂ O ₄ /MNPs as a highâ€efficiency carrier for epirubicin anticancer drug delivery. IET Nanobiotechnology, 2018, 12, 336-342.	3.8	15
286	Voltammetric determination of l-cysteic acid on a 1-[4-(ferrocenyl-ethynyl)phenyl]-1-ethanone modified carbon paste electrode . Bulletin of the Chemical Society of Ethiopia, 2008, 22, .	1.1	14
287	Application of 3,4-dihydroxycinnamic acid as a suitable mediator and multiwall carbon nanotubes as a sensor for the electrocatalytic determination of L-cysteine. Chinese Journal of Catalysis, 2014, 35, 1166-1172.	14.0	14
288	Improving of CI engine performance using three different types of biodiesel. Chemical Engineering Research and Design, 2021, 149, 977-993.	5.6	14

#	Article	IF	CITATIONS
289	Bioethanol production from pomegranate peel by simultaneous saccharification and fermentation process. Biomass Conversion and Biorefinery, 0, , 1.	4.6	14
290	A sensitive and fast approach for voltammetric analysis of bisphenol a as a toxic compound in food products using a Pt-SWCNTs/ionic liquid modified sensor. Food and Chemical Toxicology, 2021, 152, 112166.	3.6	14
291	Metal-based Nanoparticles as Conductive Mediators in Electrochemical Sensors: A Mini Review. Current Analytical Chemistry, 2019, 15, 136-142.	1.2	14
292	Simultaneous improvements in antibacterial and flame retardant properties of PET by use of bio-nanotechnology for fabrication of high performance PET bionanocomposites. Environmental Research, 2022, 206, 112281.	7.5	14
293	Ultrasensitive and highly selective "turn-on―fluorescent sensor for the detection and measurement of melatonin in juice samples. Chemosphere, 2022, 295, 133869.	8.2	14
294	Fabrication of activated carbon supported modified with bimetallic-platin ruthenium nano sorbent for removal of azo dye from aqueous media using enhanced ultrasonic wave. Environmental Pollution, 2022, 302, 119033.	7.5	14
295	Advances in Electrochemical Techniques for the Detection and Analysis of Genetically Modified Organisms: An Analysis Based on Bibliometrics. Chemosensors, 2022, 10, 194.	3.6	14
296	Direct utilization of radioactive irradiated graphite as a high-energy supercapacitor a promising electrode material. Fuel, 2022, 325, 124843.	6.4	14
297	Metal–Organic Framework Based Electrochemical Immunosensor for Label-Free Detection of Glial Fibrillary Acidic Protein as a Biomarker. Industrial & Engineering Chemistry Research, 2023, 62, 4532-4539.	3.7	14
298	A Voltammetric Sensor Based on NiO Nanoparticle-Modified Carbon-Paste Electrode for Determination of Cysteamine in the Presence of High Concentration of Tryptophan. Journal of Chemistry, 2013, 2013, 1-7.	1.9	13
299	An Electrochemical Fingerprint Approach for Direct Soy Sauce Authentic Identification Using a Glassy Carbon Electrode. International Journal of Electrochemical Science, 2020, 15, 10093-10103.	1.3	13
300	Analysis of coumarin in food and plant tissue without extraction based on voltammetry of microparticles. Journal of Food Measurement and Characterization, 2021, 15, 5439-5444.	3.2	13
301	Application of CdO/SWCNTs Nanocomposite Ionic Liquids Carbon Paste Electrode as a Voltammetric Sensor for Determination of Benserazide. Current Analytical Chemistry, 2016, 13, 46-51.	1.2	13
302	Pomegranate Punica granatum peel waste as a naked-eye natural colorimetric sensor for the detection and determination of Fe+3 and lâ ^{~2} ions in water. Chemosphere, 2022, 294, 133759.	8.2	13
303	Characterization and assessment of the photocatalytic activity of ZnO-Fe3O4/TiO2 nanocomposite based on MIL-125(Ti) synthesized by mixed solvo-hydrothermal and sol-gel methods. Journal of Water Process Engineering, 2022, 47, 102750.	5.6	13
304	Electrochemical oxidation of catechol in the presence of an aromatic amine in aqueous media. Journal of Applied Electrochemistry, 2009, 39, 1651-1654.	2.9	12
305	Oxidation of ethylbenzene using some recyclable cobalt nanocatalysts: The role of linker and electrochemical study. Journal of Molecular Catalysis A, 2011, , .	4.8	12
306	An Experimental Study of the Competing Cathodic Reactions in Electrohydrodimerization of Acrylonitrile. Journal of the Electrochemical Society, 2011, 158, E129.	2.9	12

#	Article	IF	CITATIONS
307	A nanostructure-based electrochemical sensor for square wave voltammetric determination of N-acetylcysteine in pharmaceutical and biological samples. Ionics, 2015, 21, 1153-1161.	2.4	12
308	Biosynthesis of Ag Nanoparticle by Peganum Harmala Extract; Antimicrobial Activity and Ability for Fabrication of Quercetin Food Electrochemical Sensor. International Journal of Electrochemical Science, 2020, 15, 2549-2560.	1.3	12
309	Numerical and experimental investigation of natural gas injection effects on NOx reburning at the rotary cement kiln exhaust. Chemical Engineering Research and Design, 2021, 151, 290-298.	5.6	12
310	Early sex determination of Ginkgo biloba based on the differences in the electrocatalytic performance of extracted peroxidase. Bioelectrochemistry, 2021, 140, 107829.	4.6	12
311	An improved electrochemical sensor based on triton X-100 functionalized SnO2 nanoparticles for ultrasensitive determination of cadmium. Chemosphere, 2022, 300, 134634.	8.2	12
312	A bibliometric analysis of graphene in acetaminophen detection: Current status, development, and future directions. Chemosphere, 2022, 306, 135517.	8.2	12
313	Modified multiwalled carbon nanotubes paste electrode as a sensor for the electrocatalytic determination of N-acetylcysteine in the presence of high concentrations of folic acid. Analytical Methods, 2012, 4, 3268.	2.7	11
314	Synthesis and characterization of ferrocenecarboxaldehyde immobilized on modified SiO2–Al2O3 in nanoscale, application for determination of penicillamine. Journal of Nanoparticle Research, 2013, 15, 1.	1.9	11
315	A voltammetric sensor with a multiwall carbon nanotube paste electrode and naphthol green as a mediator for the determination of N-actylcysteine in the presence of tryptophan. Chinese Journal of Catalysis, 2014, 35, 501-508.	14.0	11
316	Electrocatalytic Determination of L-cysteine in the Presence of Tryptophan Using Carbon Paste Electrode Modified with MgO Nanoparticles and Acetylferrocene. International Journal of Electrochemical Science, 2018, 13, 4309-4318.	1.3	11
317	Investigation of antibacterial, antifungal, antibiofilm, antioxidant and anticancer properties of methanol extracts of Salvia marashica İlçim, Celep & Doğan and Salvia caespitosa Montbret & Aucher ex Benth plants with medicinal importance. Chemosphere, 2022, 288, 132602.	8.2	11
318	Fe3O4@Au-rGO Nanocomposite/Ionic Liquid Modified Sensor for Ultrasensitive and Selective Sensing of Doxorubicin. Topics in Catalysis, 2022, 65, 633-642.	2.8	11
319	Properties and Recent Advantages of N,N'-dialkylimidazolium-ion Liquids Application in Electrochemistry. Current Analytical Chemistry, 2022, 18, 31-52.	1.2	11
320	A theoretical study of solvent effects on the characteristics of the intramolecular hydrogen bond in Droxidopa. Journal of Chemical Sciences, 2015, 127, 1007-1013.	1.5	10
321	Liquid phase determination of isuprel in pharmaceutical and biological samples using a nanostructure modified carbon paste electrode. Journal of Molecular Liquids, 2015, 201, 108-112.	4.9	10
322	Effects of silver nanoparticles added into polyurea coating on sulfate-reducing bacteria activity and electrochemical properties; an environmental nano-biotechnology investigation. Environmental Research, 2021, 198, 111251.	7.5	10
323	Determination of Bisphenol in Food Samples Using an Electrochemical Method Based on Modification of a Carbon Paste Electrode with CdO Nanoparticle/Ionic Liquid. International Journal of Electrochemical Science, 2020, 15, 1904-1914.	1.3	9
324	Electrochemical Determination of Mycophenolate Mofetil in Drug Samples Using Carbon Paste Electrode Modified with 1-methyl-3-butylimidazolium Bromide and NiO/SWCNTs Nanocomposite. Current Analytical Chemistry, 2019, 15, 177-182.	1.2	9

#	Article	IF	CITATIONS
325	An overview of the applications of ionic fluids and deep eutectic solvents enhanced by nanoparticles. Journal of Thermal Analysis and Calorimetry, 2022, 147, 7589-7601.	3.6	9
326	A reusable and sensitive electrochemical sensor for determination of idarubicin in environmental and biological samples based on NiFe2O4 nanospheres anchored N-doped graphene quantum dots composite; an electrochemical and molecular docking investigation. Environmental Research, 2022, 212, 113264.	7.5	9
327	A Facile Oneâ€Pot Synthesis of Substituted Quinolines via New Multicomponent Reaction. Journal of Heterocyclic Chemistry, 2012, 49, 789-791.	2.6	8
328	Structural, magnetic and electron transfer effect of Cr additive on Fe65Co35 nanopowder fabricated mechanical alloying. Powder Technology, 2015, 279, 262-268.	4.2	8
329	Simultaneous analysis of phenylhydrazine, phenol, and hydroxylamine as three water pollutants using a voltammetric-amplified sensor with CoFe2O4 nanoparticle and 1-methyl-3-butylimidazolium bromide ionic liquid. Ionics, 2018, 24, 1497-1503.	2.4	8
330	An Analytical Method Based on Electrochemical Sensor for the Assessment of Insect Infestation in Flour. Biosensors, 2021, 11, 325.	4.7	8
331	A New Nanostructure Square Wave Voltammetric Platform for Determination of Tert-butylhydroxyanisole in Food Samples. Current Analytical Chemistry, 2019, 15, 172-176.	1.2	8
332	Assessment of heavy metal contamination and its sources in urban soils of district Hyderabad, Pakistan using GIS and multivariate analysis. International Journal of Environmental Science and Technology, 2022, 19, 7901-7913.	3.5	8
333	Electrochemical monitoring of bisphenol-s through nanostructured tin oxide/Nafion/GCE: A solution to environmental pollution. Chemosphere, 2022, 303, 135170.	8.2	8
334	Facile Synthesis of NiO/ZnO nanocomposite as an effective platform for electrochemical determination of carbamazepine. Chemosphere, 2022, 303, 135270.	8.2	8
335	Graphdiyne applications in sensors: A bibliometric analysis and literature review. Chemosphere, 2022, 307, 135720.	8.2	8
336	Data compression for system-on-chip testing using ATE. , 0, , .		7
337	Voltammetric determination of hydroxylamine in water and waste water samples using a NiO nanoparticle/new catechol derivative modified carbon paste electrode. Journal of Electrochemical Science and Engineering, 2014, 4, .	3.5	7
338	Ptâ€doped NiO Nanoparticleâ€lonic Liquid Modified Electrochemical Sensor: A Powerful Approach for Determination of Epinine in the Presence of Phenylephrine as two Blood Pressure Raising Drugs. Electroanalysis, 2020, 32, 1828-1833.	2.9	7
339	A europium (III) complex tested for deoxyribonucleic acid-binding, bovine serum albumin binding, and antibacterial activity. Journal of Molecular Liquids, 2021, 335, 116323.	4.9	7
340	Solid-state fermentation as an alternative technology for cost-effective production of bioethanol as useful renewable energy: a review. Biomass Conversion and Biorefinery, 0, , 1.	4.6	7
341	Ultrasensitive electroanalytical sulfisoxazole sensors amplified with Pd-doped ZnO nanoparticles and modified with 1-hexyl-3-methyl imidazolium bis(trifluoromethylsulfonyl)imide. New Journal of Chemistry, 2020, 44, 11125-11130.	2.8	7
342	Voltammetric Determination of Penicillamine Using a Carbon Paste Electrode Modified with Multiwall Carbon Nanotubes In the Presence of Methyldopa as a Mediator. Iranian Journal of Pharmaceutical Research, 2017, 16, 1019-1029.	0.5	7

#	Article	IF	CITATIONS
343	Molecular docking and optical sensor studies based on 2,4-diamino pyrimidine-5-carbonitriles for detection of Hg2+. Environmental Research, 2022, 212, 113245.	7.5	7
344	Electrochemical study of the antiplatelet agent ticlopidine and its voltammetric determination in pharmaceutical and urine samples using a boron-doped diamond electrode. Analytical Methods, 2015, 7, 3750-3756.	2.7	6
345	Studies of mechanism, kinetic model and determination of bupivacaine and its application pharmaceutical forms. Microchemical Journal, 2020, 159, 105531.	4.5	6
346	Nanostructure-based electrochemical sensor for determination of glutathione in hemolysed erythrocytes and urine. Journal of Analytical Chemistry, 2014, 69, 892-898.	0.9	5
347	Comparison of EEG spatial filters for movement related cortical potential detection. , 2016, 2016, 1576-1579.		5
348	Recent Development of Renewable Diesel Production Using Bimetallic Catalysts. Frontiers in Energy Research, 2021, 9, .	2.3	5
349	A novel 2-dimensional nanocomposite as a mediator for the determination of doxorubicin in biological samples. Environmental Research, 2022, 213, 113590.	7.5	5
350	Parallel testing of multi-port static random access memories for BIST. , 0, , .		4
351	Locating service centers optimizing customers' perspective criteria. International Journal of Advanced Manufacturing Technology, 2011, 54, 811-819.	3.0	4
352	A first adrenalone electrochemical sensor using a gold-nanoparticle/poly(pyrrole) composite-modified graphite electrode. Analytical Methods, 2019, 11, 2658-2662.	2.7	4
353	Biomaterials functionalized with nanoclusters of integrin―and syndecanâ€binding ligands improve cell adhesion and mechanosensing under shear flow conditions. Journal of Biomedical Materials Research - Part A, 2021, 109, 313-325.	4.0	4
354	Electro-catalytic amplified sensor for determination of N-acetylcysteine in the presence of theophylline confirmed by experimental coupled theoretical investigation. Scientific Reports, 2021, 11, 1006.	3.3	4
355	Fabrication of Electrochemical Sensor for Epinine Determination Amplified with MgO/CNTs Nanocomposite and Ionic Liquid. Current Analytical Chemistry, 2022, 18, 125-132.	1.2	4
356	Pathogenic potential and phytotoxic effects of Coniolariella gamsii Iran 2506C on Iranian knapweed (Centaurea depressa). Chemosphere, 2022, 291, 133061.	8.2	4
357	Monitoring of Butylated Hydroxyanisole in Food and Wastewater Samples Using Electroanalytical Two-Fold Amplified Sensor. Sustainability, 2022, 14, 2169.	3.2	4
358	Fast and Unique Electrochemical Sensor Amplified with MgO/CNTs and Ionic Liquid for Monitoring of Isuprel in Pharmaceutical and Biological Fluid Samples. Topics in Catalysis, 2022, 65, 739-746.	2.8	4
359	A Quantum Mechanical Transport Approach to Simulation of Quadruple Gate Silicon Nanowire Transistor. Journal of Nanoscience and Nanotechnology, 2011, 11, 10476-10479.	0.9	3
360	Uncured Polydimethylsiloxane as Binder Agent for Carbon Paste Electrodes: Application to the Quantification of Propranolol. Journal of the Brazilian Chemical Society, 2019, , .	0.6	3

#	Article	IF	CITATIONS
361	Genotypic diversity of 17 cacti species and application to biosynthesis of gold nanoparticles. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 259, 119909.	3.9	3
362	Alginate-modified Cassava Fiber Loaded Palladium for Electochemical Paracetamol Analysis. International Journal of Electrochemical Science, 2021, 16, 21108.	1.3	3
363	A Review of Different Types of DOE Methods as a Useful Platform for Improving the Performance of Nano Adsorbents in Removal Systems of Pollutants. Nanoscience and Nanotechnology - Asia, 2020, 10, 219-227.	0.7	3
364	Study on particle radiative properties of lignite, hard coal and biomass fly ashes in the infrared wavelength range. Chemosphere, 2022, 291, 132719.	8.2	3
365	The synthesis of Pt doped WO3 nanosheets and application on colorimetric detection of cysteine by naked eye using response surface methodology for optimization. Environmental Research, 2022, 212, 113246.	7.5	3
366	A brief review on the recent achievements in electrochemical detection of folic acid. Journal of Food Measurement and Characterization, 2022, 16, 3423-3437.	3.2	3
367	Fault detection in a tristate system environment. IEEE Micro, 2001, 21, 77-85.	1.8	2
368	Solving multi-objective problems using SPEA2 and Tabu search. , 2014, , .		2
369	Multivalent Ligands: Integrin Clustering Matters: A Review of Biomaterials Functionalized with Multivalent Integrin-Binding Ligands to Improve Cell Adhesion, Migration, Differentiation,		

#	Article	IF	CITATIONS
379	A quantum mechanical transport approach to analyze of DG Silicon nanowire transistor. , 2010, , .		0
380	Meet Our Editor. Current Analytical Chemistry, 2016, 13, 1-2.	1.2	0
381	Electrochemical Modified Based Sensors: A New Approach for Analytical Chemistry. Current Analytical Chemistry, 2022, 18, 4-5.	1.2	Ο
382	Mapping and Scientometric Measures on Research Publications of Energy Storage and Conversion. Topics in Catalysis, 0, , 1.	2.8	0
383	Determination of active ingredients in antihypertensive drugs using a novel green HPLC method approach. Chemosphere, 2022, 303, 135053.	8.2	0
384	Spiroindeno-pyridineindoles (SIPIs) as new visible colorimetric pH indicators. Chemosphere, 2022, 306, 135630.	8.2	0