

Elly M Hol

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/289028/publications.pdf>

Version: 2024-02-01

167
papers

15,102
citations

20817

60
h-index

20961

115
g-index

180
all docs

180
docs citations

180
times ranked

19466
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Reactive astrocyte nomenclature, definitions, and future directions. <i>Nature Neuroscience</i> , 2021, 24, 312-325. | 14.8 | 1,098 |
| 2 | GFAP in health and disease. <i>Progress in Neurobiology</i> , 2011, 93, 421-443. | 5.7 | 824 |
| 3 | Effect of Bright Light and Melatonin on Cognitive and Noncognitive Function in Elderly Residents of Group Care Facilities. <i>JAMA - Journal of the American Medical Association</i> , 2008, 299, 2642. | 7.4 | 663 |
| 4 | Glial fibrillary acidic protein (GFAP) and the astrocyte intermediate filament system in diseases of the central nervous system. <i>Current Opinion in Cell Biology</i> , 2015, 32, 121-130. | 5.4 | 602 |
| 5 | Astrocytes: a central element in neurological diseases. <i>Acta Neuropathologica</i> , 2016, 131, 323-345. | 7.7 | 597 |
| 6 | Frameshift Mutants of β Amyloid Precursor Protein and Ubiquitin-B in Alzheimer's and Down Patients. <i>Science</i> , 1998, 279, 242-247. | 12.6 | 549 |
| 7 | Induction of a common microglia gene expression signature by aging and neurodegenerative conditions: a co-expression meta-analysis. <i>Acta Neuropathologica Communications</i> , 2015, 3, 31. | 5.2 | 473 |
| 8 | The Indispensable Roles of Microglia and Astrocytes during Brain Development. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 566. | 2.0 | 411 |
| 9 | Microglia innately develop within cerebral organoids. <i>Nature Communications</i> , 2018, 9, 4167. | 12.8 | 405 |
| 10 | Isolation of glia from Alzheimer's mice reveals inflammation and dysfunction. <i>Neurobiology of Aging</i> , 2014, 35, 2746-2760. | 3.1 | 317 |
| 11 | Human microglia regional heterogeneity and phenotypes determined by multiplexed single-cell mass cytometry. <i>Nature Neuroscience</i> , 2019, 22, 78-90. | 14.8 | 288 |
| 12 | Acute isolation and transcriptome characterization of cortical astrocytes and microglia from young and aged mice. <i>Neurobiology of Aging</i> , 2014, 35, 1-14. | 3.1 | 286 |
| 13 | Immune involvement in the pathogenesis of schizophrenia: a meta-analysis on postmortem brain studies. <i>Translational Psychiatry</i> , 2017, 7, e1075-e1075. | 4.8 | 268 |
| 14 | GFAP Isoforms in Adult Mouse Brain with a Focus on Neurogenic Astrocytes and Reactive Astroglia in Mouse Models of Alzheimer Disease. <i>PLoS ONE</i> , 2012, 7, e42823. | 2.5 | 246 |
| 15 | Astroglia: An integral player in the pathogenesis of Alzheimer's disease. <i>Progress in Neurobiology</i> , 2016, 144, 121-141. | 5.7 | 238 |
| 16 | hUPF2 Silencing Identifies Physiologic Substrates of Mammalian Nonsense-Mediated mRNA Decay. <i>Molecular and Cellular Biology</i> , 2006, 26, 1272-1287. | 2.3 | 212 |
| 17 | Immune hyperreactivity of $A\beta$ plaque-associated microglia in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017, 55, 115-122. | 3.1 | 205 |
| 18 | Mutant ubiquitin found in neurodegenerative disorders is a ubiquitin fusion degradation substrate that blocks proteasomal degradation. <i>Journal of Cell Biology</i> , 2002, 157, 417-427. | 5.2 | 197 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Glial fibrillary acidic protein isoform expression in plaque related astrogliosis in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014, 35, 492-510. | 3.1 | 190 |
| 20 | Transcriptional profiling of CD11c-positive microglia accumulating around amyloid plaques in a mouse model for Alzheimer's disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 1847-1860. | 3.8 | 158 |
| 21 | Glioblastoma-derived extracellular vesicles modify the phenotype of monocytic cells. <i>International Journal of Cancer</i> , 2015, 137, 1630-1642. | 5.1 | 154 |
| 22 | Enteric GFAP expression and phosphorylation in Parkinson's disease. <i>Journal of Neurochemistry</i> , 2014, 130, 805-815. | 3.9 | 148 |
| 23 | Clinical and immunological characteristics of the spectrum of GFAP autoimmunity: a case series of 22 patients. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 138-146. | 1.9 | 142 |
| 24 | Protein quality control in Alzheimer's disease by the ubiquitin proteasome system. <i>Progress in Neurobiology</i> , 2004, 74, 249-270. | 5.7 | 141 |
| 25 | Disease-specific accumulation of mutant ubiquitin as a marker for proteasomal dysfunction in the brain. <i>FASEB Journal</i> , 2003, 17, 2014-2024. | 0.5 | 140 |
| 26 | Adult human subventricular, subgranular, and subpial zones contain astrocytes with a specialized intermediate filament cytoskeleton. <i>Glia</i> , 2005, 52, 289-300. | 4.9 | 140 |
| 27 | Neuronal expression of GFAP in patients with Alzheimer pathology and identification of novel GFAP splice forms. <i>Molecular Psychiatry</i> , 2003, 8, 786-796. | 7.9 | 134 |
| 28 | GFAP and vimentin deficiency alters gene expression in astrocytes and microglia in wild-type mice and changes the transcriptional response of reactive glia in mouse model for Alzheimer's disease. <i>Glia</i> , 2015, 63, 1036-1056. | 4.9 | 134 |
| 29 | Reactive glia show increased immunoproteasome activity in Alzheimer's disease. <i>Brain</i> , 2013, 136, 1415-1431. | 7.6 | 130 |
| 30 | Long-term quiescent cells in the aged human subventricular neurogenic system specifically express GFAP. <i>Aging Cell</i> , 2010, 9, 313-326. | 6.7 | 126 |
| 31 | Mutant ubiquitin expressed in Alzheimer's disease causes neuronal death. <i>FASEB Journal</i> , 2001, 15, 2680-2688. | 0.5 | 121 |
| 32 | Differential cell proliferation in the cortex of the APP ^{Swe} Alzheimer's disease mouse model. <i>Glia</i> , 2012, 60, 615-629. | 4.9 | 114 |
| 33 | Defective Glial Maturation in Vanishing White Matter Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2011, 70, 69-82. | 1.7 | 111 |
| 34 | Colony-Stimulating Factor 1 Receptor (CSF1R) Regulates Microglia Density and Distribution, but Not Microglia Differentiation In Vivo. <i>Cell Reports</i> , 2018, 24, 1203-1217.e6. | 6.4 | 110 |
| 35 | Expression of Vitamin D Receptor and Metabolizing Enzymes in Multiple Sclerosis-Affected Brain Tissue. <i>Journal of Neuropathology and Experimental Neurology</i> , 2013, 72, 91-105. | 1.7 | 106 |
| 36 | The proliferative capacity of the subventricular zone is maintained in the parkinsonian brain. <i>Brain</i> , 2011, 134, 3249-3263. | 7.6 | 103 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Deep brain stimulation and the role of astrocytes. <i>Molecular Psychiatry</i> , 2012, 17, 124-131. | 7.9 | 102 |
| 38 | Mutations in RNA: a first example of molecular misreading in Alzheimer's disease. <i>Trends in Neurosciences</i> , 1998, 21, 331-335. | 8.6 | 99 |
| 39 | The ubiquitin proteasome system in glia and its role in neurodegenerative diseases. <i>Frontiers in Molecular Neuroscience</i> , 2014, 7, 73. | 2.9 | 99 |
| 40 | A direct androgenic involvement in the expression of human corticotropin-releasing hormone. <i>Molecular Psychiatry</i> , 2006, 11, 567-576. | 7.9 | 96 |
| 41 | Gene Expression Profiling of Multiple Sclerosis Pathology Identifies Early Patterns of Demyelination Surrounding Chronic Active Lesions. <i>Frontiers in Immunology</i> , 2017, 8, 1810. | 4.8 | 96 |
| 42 | Accumulation of aberrant ubiquitin induces aggregate formation and cell death in polyglutamine diseases. <i>Human Molecular Genetics</i> , 2004, 13, 1803-1813. | 2.9 | 93 |
| 43 | Developmental lineage of cell types in cortical dysplasia with balloon cells. <i>Brain</i> , 2007, 130, 2267-2276. | 7.6 | 93 |
| 44 | Glial Fibrillary Acidic Protein Filaments Can Tolerate the Incorporation of Assembly-compromised GFAP- β , but with Consequences for Filament Organization and I β B-Crystallin Association. <i>Molecular Biology of the Cell</i> , 2008, 19, 4521-4533. | 2.1 | 91 |
| 45 | Type III Intermediate Filaments Desmin, Glial Fibrillary Acidic Protein (GFAP), Vimentin, and Peripherin. <i>Cold Spring Harbor Perspectives in Biology</i> , 2017, 9, a021642. | 5.5 | 89 |
| 46 | Diminished aromatase immunoreactivity in the hypothalamus, but not in the basal forebrain nuclei in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2005, 26, 173-194. | 3.1 | 86 |
| 47 | Activation of the Notch pathway in Down syndrome: cross-talk of Notch and APP. <i>FASEB Journal</i> , 2005, 19, 1451-1458. | 0.5 | 85 |
| 48 | Dose-dependent inhibition of proteasome activity by a mutant ubiquitin associated with neurodegenerative disease. <i>Journal of Cell Science</i> , 2007, 120, 1615-1623. | 2.0 | 85 |
| 49 | A star is born: new insights into the mechanism of astrogenesis. <i>Cellular and Molecular Life Sciences</i> , 2014, 71, 433-447. | 5.4 | 84 |
| 50 | Frequency of nuclear mutant huntingtin inclusion formation in neurons and glia is cell-type-specific. <i>Glia</i> , 2017, 65, 50-61. | 4.9 | 84 |
| 51 | From Stroke to Dementia: a Comprehensive Review Exposing Tight Interactions Between Stroke and Amyloid- β Formation. <i>Translational Stroke Research</i> , 2020, 11, 601-614. | 4.2 | 82 |
| 52 | Regional variations in stiffness in live mouse brain tissue determined by depth-controlled indentation mapping. <i>Scientific Reports</i> , 2018, 8, 12517. | 3.3 | 81 |
| 53 | Cell adhesion and matricellular support by astrocytes of the tripartite synapse. <i>Progress in Neurobiology</i> , 2018, 165-167, 66-86. | 5.7 | 79 |
| 54 | Alzheimer's associated variant ubiquitin causes inhibition of the 26S proteasome and chaperone expression. <i>Journal of Neurochemistry</i> , 2003, 86, 394-404. | 3.9 | 78 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Mutant ubiquitin found in Alzheimer's disease causes neuritic beading of mitochondria in association with neuronal degeneration. <i>Cell Death and Differentiation</i> , 2007, 14, 1721-1732. | 11.2 | 77 |
| 56 | Synapse Pathology in Schizophrenia: A Meta-analysis of Postsynaptic Elements in Postmortem Brain Studies. <i>Schizophrenia Bulletin</i> , 2020, 46, 374-386. | 4.3 | 77 |
| 57 | Walking the line: a randomised trial on the effects of a short term walking programme on cognition in dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 802-804. | 1.9 | 75 |
| 58 | GFAP ⁺ in radial glia and subventricular zone progenitors in the developing human cortex. <i>Development (Cambridge)</i> , 2010, 137, 313-321. | 2.5 | 72 |
| 59 | Reducing hippocampal extracellular matrix reverses early memory deficits in a mouse model of Alzheimer's disease. <i>Acta Neuropathologica Communications</i> , 2014, 2, 76. | 5.2 | 70 |
| 60 | Reducing hippocampal extracellular matrix reverses early memory deficits in a mouse model of Alzheimer's disease. <i>Acta Neuropathologica Communications</i> , 2014, 2, 76. | 5.2 | 69 |
| 61 | Cortical beta amyloid protein triggers an immune response, but no synaptic changes in the APP ^{swe} /PS1 ^{dE9} Alzheimer's disease mouse model. <i>Neurobiology of Aging</i> , 2013, 34, 1328-1342. | 3.1 | 68 |
| 62 | Molecular misreading: a new type of transcript mutation expressed during aging. <i>Neurobiology of Aging</i> , 2000, 21, 879-891. | 3.1 | 62 |
| 63 | Importance of GFAP isoform-specific analyses in astrocytoma. <i>Glia</i> , 2019, 67, 1417-1433. | 4.9 | 62 |
| 64 | The expression of B-50/GAP-43 in Schwann cells is upregulated in degenerating peripheral nerve stumps following nerve injury. <i>Brain Research</i> , 1993, 602, 69-76. | 2.2 | 61 |
| 65 | ACTH-related peptides: Receptors and signal transduction systems involved in their neurotrophic and neuroprotective actions. <i>Peptides</i> , 1995, 16, 979-993. | 2.4 | 61 |
| 66 | Identification of regeneration-associated genes after central and peripheral nerve injury in the adult rat. <i>BMC Neuroscience</i> , 2003, 4, 8. | 1.9 | 61 |
| 67 | Expression patterns of glial fibrillary acidic protein (GFAP) ^Δ in epilepsy-associated lesional pathologies. <i>Neuropathology and Applied Neurobiology</i> , 2009, 35, 394-405. | 3.2 | 57 |
| 68 | Long-term proteasome dysfunction in the mouse brain by expression of aberrant ubiquitin. <i>Neurobiology of Aging</i> , 2009, 30, 847-863. | 3.1 | 57 |
| 69 | Cell-replacement and gene-therapy strategies for Parkinson's and Alzheimer's disease. <i>Regenerative Medicine</i> , 2007, 2, 425-446. | 1.7 | 55 |
| 70 | Reduced amyloid ^β degradation in early A ⁺ Alzheimer's disease but not in the APP ^{swe} /PS1 ^{dE9} and 3xT ⁻ /g ⁻ AD ⁻ mouse models. <i>Aging Cell</i> , 2013, 12, 499-507. | 6.7 | 53 |
| 71 | Loss of lamin ^β 1 and defective nuclear morphology are hallmarks of astrocyte senescence in vitro and in the aging human hippocampus. <i>Aging Cell</i> , 2022, 21, e13521. | 6.7 | 53 |
| 72 | Stimulation by melanocortins of neurite outgrowth from spinal and sensory neurons in vitro. <i>Peptides</i> , 1992, 13, 1109-1115. | 2.4 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Histone acetylation in astrocytes suppresses GFAP and stimulates a re-organization of the intermediate filament network. <i>Journal of Cell Science</i> , 2014, 127, 4368-80. | 2.0 | 51 |
| 74 | Profiling Microglia From Alzheimer's Disease Donors and Non-demented Elderly in Acute Human Postmortem Cortical Tissue. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 134. | 2.9 | 51 |
| 75 | The proteasome in Alzheimer's disease and Parkinson's disease: lessons from ubiquitin B+1. <i>Trends in Molecular Medicine</i> , 2005, 11, 488-495. | 6.7 | 49 |
| 76 | GFAP Expression in Glia of the Developmental and Adolescent Mouse Brain. <i>PLoS ONE</i> , 2012, 7, e52659. | 2.5 | 49 |
| 77 | Molecular misreading of the ubiquitin B gene and hepatic mallyory body formation. <i>Gastroenterology</i> , 2002, 122, 1878-1885. | 1.3 | 48 |
| 78 | GFAP isoforms control intermediate filament network dynamics, cell morphology, and focal adhesions. <i>Cellular and Molecular Life Sciences</i> , 2016, 73, 4101-4120. | 5.4 | 46 |
| 79 | Activation of the Notch pathway in Down syndrome: cross-talk of Notch and APP. <i>FASEB Journal</i> , 2005, 19, 1451-1458. | 0.5 | 45 |
| 80 | Microglia in post-mortem brain tissue of patients with bipolar disorder are not immune activated. <i>Translational Psychiatry</i> , 2019, 9, 153. | 4.8 | 45 |
| 81 | Hand motor activity, cognition, mood, and the rest-activity rhythm in dementia. <i>Behavioural Brain Research</i> , 2009, 196, 271-278. | 2.2 | 44 |
| 82 | Chronic exposure of astrocytes to interferon- γ reveals molecular changes related to Aicardi-Goutières syndrome. <i>Brain</i> , 2013, 136, 245-258. | 7.6 | 44 |
| 83 | A loss of mature microglial markers without immune activation in schizophrenia. <i>Glia</i> , 2021, 69, 1251-1267. | 4.9 | 43 |
| 84 | Subventricular zone neural progenitors from rapid brain autopsies of elderly subjects with and without neurodegenerative disease. <i>Journal of Comparative Neurology</i> , 2009, 515, 269-294. | 1.6 | 42 |
| 85 | Distinct non-inflammatory signature of microglia in post-mortem brain tissue of patients with major depressive disorder. <i>Molecular Psychiatry</i> , 2021, 26, 3336-3349. | 7.9 | 40 |
| 86 | Isolation of Neural Progenitor Cells From the Human Adult Subventricular Zone Based on Expression of the Cell Surface Marker CD271. <i>Stem Cells Translational Medicine</i> , 2014, 3, 470-480. | 3.3 | 38 |
| 87 | Glial cell response after aneurysmal subarachnoid hemorrhage – Functional consequences and clinical implications. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 492-505. | 3.8 | 38 |
| 88 | Silencing GFAP isoforms in astrocytoma cells disturbs laminin-dependent motility and cell adhesion. <i>FASEB Journal</i> , 2014, 28, 2942-2954. | 0.5 | 37 |
| 89 | Phenotypic Variation in Aicardi-Goutières Syndrome Explained by Cell-Specific IFN-Stimulated Gene Response and Cytokine Release. <i>Journal of Immunology</i> , 2015, 194, 3623-3633. | 0.8 | 37 |
| 90 | A characterization of the molecular phenotype and inflammatory response of schizophrenia patient-derived microglia-like cells. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 196-207. | 4.1 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Reactive astrocytes as treatment targets in Alzheimer's disease—Systematic review of studies using the <sc>APP</sc> mouse model. <i>Glia</i> , 2021, 69, 1852-1881. | 4.9 | 37 |
| 92 | Intermediate filament transcription in astrocytes is repressed by proteasome inhibition. <i>FASEB Journal</i> , 2009, 23, 2710-2726. | 0.5 | 36 |
| 93 | Aicardi—Goutières syndrome harbours abundant systemic and brain-reactive autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1931-1939. | 0.9 | 35 |
| 94 | Protection by an ACTH4-9analogue against the toxic effects of cisplatin and taxol on sensory neurons and glial cells in vitro. <i>Journal of Neuroscience Research</i> , 1994, 39, 178-185. | 2.9 | 34 |
| 95 | Presenilin mouse and zebrafish models for dementia: Focus on neurogenesis. <i>Progress in Neurobiology</i> , 2011, 93, 149-164. | 5.7 | 34 |
| 96 | Resident adult neural stem cells in Parkinson's disease—The brain's own repair system?. <i>European Journal of Pharmacology</i> , 2013, 719, 117-127. | 3.5 | 34 |
| 97 | Viscoelastic mapping of mouse brain tissue: Relation to structure and age. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 113, 104159. | 3.1 | 34 |
| 98 | The neuronal ubiquitin-proteasome system: Murine models and their neurological phenotype. <i>Progress in Neurobiology</i> , 2008, 85, 176-193. | 5.7 | 31 |
| 99 | Abundant kif21b is associated with accelerated progression in neurodegenerative diseases. <i>Acta Neuropathologica Communications</i> , 2014, 2, 144. | 5.2 | 30 |
| 100 | Microglial activation in schizophrenia: Is translocator 18 kDa protein (TSPO) the right marker?. <i>Schizophrenia Research</i> , 2020, 215, 167-172. | 2.0 | 30 |
| 101 | Physiological and Pathological Ageing of Astrocytes in the Human Brain. <i>Neurochemical Research</i> , 2021, 46, 2662-2675. | 3.3 | 30 |
| 102 | Migrating neuroblasts in the adult human brain: a stream reduced to a trickle. <i>Cell Research</i> , 2011, 21, 1523-1525. | 12.0 | 29 |
| 103 | Visualization of Active Glucocerebrosidase in Rodent Brain with High Spatial Resolution following In Situ Labeling with Fluorescent Activity Based Probes. <i>PLoS ONE</i> , 2015, 10, e0138107. | 2.5 | 28 |
| 104 | Transcriptome and proteome profiling of neural stem cells from the human subventricular zone in Parkinson's disease. <i>Acta Neuropathologica Communications</i> , 2019, 7, 84. | 5.2 | 28 |
| 105 | Proteasome subunit proteins and neuropathology in tauopathies and synucleinopathies: Consequences for proteomic analyses. <i>Proteomics</i> , 2008, 8, 1221-1236. | 2.2 | 27 |
| 106 | Regulation of the LIM-type homeobox gene islet-1 during neuronal regeneration. <i>Neuroscience</i> , 1999, 88, 917-925. | 2.3 | 26 |
| 107 | Ubiquitin proteasome system as a pharmacological target in neurodegeneration. <i>Expert Review of Neurotherapeutics</i> , 2006, 6, 1337-1347. | 2.8 | 26 |
| 108 | How the COVID-19 pandemic highlights the necessity of animal research. <i>Current Biology</i> , 2020, 30, R1014-R1018. | 3.9 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | GFAP ⁺ immunostaining improves visualization of normal and pathologic astrocytic heterogeneity. <i>Neuropathology</i> , 2009, 29, 31-39. | 1.2 | 25 |
| 110 | ADAM10 gene expression in the blood cells of Alzheimer's disease patients and mild cognitive impairment subjects. <i>Biomarkers</i> , 2015, 20, 196-201. | 1.9 | 25 |
| 111 | Molecular misreading: the frequency of dinucleotide deletions in neuronal mRNAs for β -amyloid precursor protein and ubiquitin B. <i>Neurobiology of Aging</i> , 2005, 26, 145-155. | 3.1 | 24 |
| 112 | Complement C5 Contributes to Brain Injury After Subarachnoid Hemorrhage. <i>Translational Stroke Research</i> , 2020, 11, 678-688. | 4.2 | 24 |
| 113 | Molecular misreading in non-neuronal cells. <i>FASEB Journal</i> , 2000, 14, 1595-1602. | 0.5 | 23 |
| 114 | Specific Human Astrocyte Subtype Revealed by Affinity Purified GFAP ⁺ 1 Antibody; Unpurified Serum Cross-React with Neurofilament-L in Alzheimer. <i>PLoS ONE</i> , 2009, 4, e7663. | 2.5 | 23 |
| 115 | Activation of endogenous neural stem cells for multiple sclerosis therapy. <i>Frontiers in Neuroscience</i> , 2015, 8, 454. | 2.8 | 21 |
| 116 | Nimodipine protects cultured spinal cord neurones from depolarization-induced inhibition of neurite outgrowth. <i>Cell Calcium</i> , 1993, 14, 293-299. | 2.4 | 20 |
| 117 | Shades of gray: The delineation of marker expression within the adult rodent subventricular zone. <i>Progress in Neurobiology</i> , 2013, 111, 1-16. | 5.7 | 20 |
| 118 | Denser brain capillary network with preserved pericytes in Alzheimer's disease. <i>Brain Pathology</i> , 2020, 30, 1071-1086. | 4.1 | 19 |
| 119 | GFAP ⁺ /GFAP [±] ratio directs astrocytoma gene expression towards a more malignant profile. <i>Oncotarget</i> , 2017, 8, 88104-88121. | 1.8 | 19 |
| 120 | Single-cell profiling of human subventricular zone progenitors identifies SFRP1 as a target to re-activate progenitors. <i>Nature Communications</i> , 2022, 13, 1036. | 12.8 | 19 |
| 121 | +1 Proteins and aging. <i>International Journal of Biochemistry and Cell Biology</i> , 2002, 34, 1502-1505. | 2.8 | 18 |
| 122 | Cells over-expressing EAAT2 protect motoneurons from excitotoxic death in vitro. <i>NeuroReport</i> , 2003, 14, 1967-1970. | 1.2 | 18 |
| 123 | Polyglutamine Expansion Accelerates the Dynamics of Ataxin-1 and Does Not Result in Aggregate Formation. <i>PLoS ONE</i> , 2008, 3, e1503. | 2.5 | 17 |
| 124 | GFAP splice variants fine-tune glioma cell invasion and tumour dynamics by modulating migration persistence. <i>Scientific Reports</i> , 2022, 12, 424. | 3.3 | 17 |
| 125 | Protein Quality Control in Neurodegeneration: Walking the Tight Rope Between Health and Disease. <i>Journal of Molecular Neuroscience</i> , 2008, 34, 23-33. | 2.3 | 16 |
| 126 | Translational Research in Genomics of Alzheimer's Disease: A Review of Current Practice and Future Perspectives. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 967-980. | 2.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | In vivo targeting of subventricular zone astrocytes. <i>Progress in Neurobiology</i> , 2010, 92, 19-32. | 5.7 | 16 |
| 128 | Characterization of macrophages from schizophrenia patients. <i>NPJ Schizophrenia</i> , 2017, 3, 41. | 3.6 | 16 |
| 129 | Molecular misreading in non-neuronal cells. <i>FASEB Journal</i> , 2000, 14, 1595-1602. | 0.5 | 16 |
| 130 | The Role of Astrocytes in Synapse Loss in Alzheimer's Disease: A Systematic Review. <i>Frontiers in Cellular Neuroscience</i> , 0, 16, . | 3.7 | 16 |
| 131 | Dementia in Parkinson's Disease Correlates with α -Synuclein Pathology but Not with Cortical Astroglia. <i>Parkinson's Disease</i> , 2012, 2012, 1-13. | 1.1 | 15 |
| 132 | GFAP alternative splicing regulates glioma cell-ECM interaction in a DUSP4-dependent manner. <i>FASEB Journal</i> , 2019, 33, 12941-12959. | 0.5 | 15 |
| 133 | The impact of antidiabetic treatment on human hypothalamic infundibular neurons and microglia. <i>JCI Insight</i> , 2020, 5, . | 5.0 | 15 |
| 134 | Chapter 27 Dinucleotide deletions in neuronal transcripts: A novel type of mutation in non-familial Alzheimer's disease and Down syndrome patients. <i>Progress in Brain Research</i> , 1998, 117, 379-395. | 1.4 | 14 |
| 135 | Molecular Misreading: A New Type of Transcript Mutation in Gerontology. <i>Annals of the New York Academy of Sciences</i> , 2000, 908, 267-281. | 3.8 | 14 |
| 136 | Immunohistochemical characterization of the out-of frame splice variants GFAP Δ 164/ Δ 169 exon 6 in focal lesions associated with chronic epilepsy. <i>Epilepsy Research</i> , 2010, 90, 99-109. | 1.6 | 14 |
| 137 | DNA methylation changes related to nutritional deprivation: a genome-wide analysis of population and in vitro data. <i>Clinical Epigenetics</i> , 2019, 11, 80. | 4.1 | 14 |
| 138 | Cannabinoids and psychotic symptoms: A potential role for a genetic variant in the P2X purinoceptor 7 (P2RX7) gene. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 573-581. | 4.1 | 14 |
| 139 | Regulation of stearoyl-CoA desaturase-1 after central and peripheral nerve lesions. <i>BMC Neuroscience</i> , 2004, 5, 15. | 1.9 | 13 |
| 140 | A Cyclic Undecamer Peptide Mimics a Turn in Folded Alzheimer Amyloid β and Elicits Antibodies against Oligomeric and Fibrillar Amyloid and Plaques. <i>PLoS ONE</i> , 2011, 6, e19110. | 2.5 | 13 |
| 141 | Investigation of glial fibrillary acidic protein (GFAP) in body fluids as a potential biomarker for glioma: a systematic review and meta-analysis. <i>Biomarkers</i> , 2022, 27, 1-12. | 1.9 | 13 |
| 142 | Both male and female APP ^{swe} /PSEN1 ^{dE9} mice are impaired in spatial memory and cognitive flexibility at 9 months of age. <i>Neurobiology of Aging</i> , 2022, 113, 28-38. | 3.1 | 13 |
| 143 | Frameshifted β -Amyloid Precursor Protein (APP+1) Is a Secretory Protein, and the Level of APP+1 in Cerebrospinal Fluid Is Linked to Alzheimer Pathology. <i>Journal of Biological Chemistry</i> , 2003, 278, 39637-39643. | 3.4 | 12 |
| 144 | Protein Quality Control in Alzheimers Disease: A Fatal Saviour. <i>CNS and Neurological Disorders</i> , 2005, 4, 283-292. | 4.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Frame-shifted amyloid precursor protein found in Alzheimer's disease and Down's syndrome increases levels of secreted amyloid β 40. <i>Journal of Neurochemistry</i> , 2004, 90, 712-723. | 3.9 | 11 |
| 146 | Co-Expression of Tyrosine Hydroxylase and GTP Cyclohydrolase I in Arginine Vasopressin-Synthesizing Neurons of the Human Supraoptic Nucleus Demonstrated by Laser Microdissection and Real-Time PCR. <i>Neuroendocrinology</i> , 2006, 84, 386-395. | 2.5 | 11 |
| 147 | The adult human subventricular zone: partial ependymal coverage and proliferative capacity of cerebrospinal fluid. <i>Brain Communications</i> , 2020, 2, fcaa150. | 3.3 | 10 |
| 148 | Amyloid β plaques affect astrocyte Kir4.1 protein expression but not function in the dentate gyrus of APP / PS1 mice. <i>Glia</i> , 2022, 70, 748-767. | 4.9 | 10 |
| 149 | Observation of Hand Movements by Older Persons with Dementia: Effects on Cognition. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 366-374. | 1.5 | 9 |
| 150 | Unravelling the actions of deep brain stimulation: potential role for astrocytes. <i>Molecular Psychiatry</i> , 2012, 17, 115-115. | 7.9 | 9 |
| 151 | GFAP Alternative Splicing and the Relevance for Disease – A Focus on Diffuse Gliomas. <i>ASN Neuro</i> , 2022, 14, 175909142211020. | 2.7 | 9 |
| 152 | Alzheimer-associated APP+1 transgenic mice: Frameshift β -amyloid precursor protein is secreted in cerebrospinal fluid without inducing neuropathology. <i>Neurobiology of Aging</i> , 2006, 27, 1445-1450. | 3.1 | 7 |
| 153 | New GFAP splice isoform (GFAP Δ) differentially expressed in glioma translates into 21 kDa N-terminal GFAP protein. <i>FASEB Journal</i> , 2021, 35, e21389. | 0.5 | 6 |
| 154 | Mechanical alterations of the hippocampus in the APP/PS1 Alzheimer's disease mouse model. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 122, 104697. | 3.1 | 6 |
| 155 | DNA methylation differences in cortical grey and white matter in schizophrenia. <i>Epigenomics</i> , 2021, 13, 1157-1169. | 2.1 | 5 |
| 156 | The neurovascular unit in leukodystrophies: towards solving the puzzle. <i>Fluids and Barriers of the CNS</i> , 2022, 19, 18. | 5.0 | 5 |
| 157 | Transcriptomic and functional analysis of $A\beta$ 1-42 oligomer-stimulated human monocyte-derived microglia-like cells. <i>Brain, Behavior, and Immunity</i> , 2022, 100, 219-230. | 4.1 | 4 |
| 158 | Liprin alpha 2 gene expression is increased by cannabis use and associated with neuropsychological function. <i>European Neuropsychopharmacology</i> , 2019, 29, 643-652. | 0.7 | 3 |
| 159 | Calcium signaling in individual APP/PS1 mouse dentate gyrus astrocytes increases <i>ex vivo</i> with $A\beta$ pathology and age without affecting astrocyte network activity. <i>Journal of Neuroscience Research</i> , 2022, 100, 1281-1295. | 2.9 | 3 |
| 160 | Reply: Quantitative evaluation of the human subventricular zone. <i>Brain</i> , 2012, 135, e222-e222. | 7.6 | 2 |
| 161 | Exposure to the Amino Acids Histidine, Lysine, and Threonine Reduces mTOR Activity and Affects Neurodevelopment in a Human Cerebral Organoid Model. <i>Nutrients</i> , 2022, 14, 2175. | 4.1 | 2 |
| 162 | Involvement of Calcium and cAMP in the Mechanism of Action of Two Melanocortins: α -MSH and an ACTH-(4-9) Analogue. <i>Annals of the New York Academy of Sciences</i> , 1994, 739, 324-327. | 3.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Differential effects of acth-related peptides and forskolin on rat schwann cell proliferation and low affinity NGF receptor expression. , 1996, 19, 37-45. | | 0 |
| 164 | Editorial overview: Cell architecture: Intermediate filaments â€” from molecules to patients. Current Opinion in Cell Biology, 2015, 32, v-vi. | 5.4 | 0 |
| 165 | S5â€™1â€™02: ASTROCYTES IN ALZHEIMER'S DISEASE: MOLECULAR CHANGES AND FUNCTIONAL CONSEQUENCES. Alzheimer's and Dementia, 2018, 14, P1624. | 0.8 | 0 |
| 166 | Cover Image, Volume 70, Issue 4. Glia, 2022, 70, . | 4.9 | 0 |
| 167 | Microglial transcriptomics meets genetics: new disease leads. Nature Reviews Neurology, 2022, 18, 191-192. | 10.1 | 0 |