Jaishri O Blakeley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2897413/publications.pdf

Version: 2024-02-01

81900 76900 6,212 133 39 74 citations g-index h-index papers 139 139 139 6899 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Differentiation between glioma and radiation necrosis using molecular magnetic resonance imaging of endogenous proteins and peptides. Nature Medicine, 2011, 17, 130-134.	30.7	448
2	Selumetinib in Children with Inoperable Plexiform Neurofibromas. New England Journal of Medicine, 2020, 382, 1430-1442.	27.0	360
3	Practical data acquisition method for human brain tumor amide proton transfer (APT) imaging. Magnetic Resonance in Medicine, 2008, 60, 842-849.	3.0	304
4	Revised diagnostic criteria for neurofibromatosis type 1 and Legius syndrome: an international consensus recommendation. Genetics in Medicine, 2021, 23, 1506-1513.	2.4	290
5	Germline loss-of-function mutations in LZTR1 predispose to an inherited disorder of multiple schwannomas. Nature Genetics, 2014, 46, 182-187.	21.4	242
6	First-in-Human Dose Study of the Novel Transforming Growth Factor-Î ² Receptor I Kinase Inhibitor LY2157299 Monohydrate in Patients with Advanced Cancer and Glioma. Clinical Cancer Research, 2015, 21, 553-560.	7.0	199
7	Quantitative description of the asymmetry in magnetization transfer effects around the water resonance in the human brain. Magnetic Resonance in Medicine, 2007, 58, 786-793.	3.0	196
8	Threeâ€dimensional amide proton transfer MR imaging of gliomas: Initial experience and comparison with gadolinium enhancement. Journal of Magnetic Resonance Imaging, 2013, 38, 1119-1128.	3.4	181
9	Genotype-Phenotype Correlation in NF1: Evidence for a More Severe Phenotype Associated with Missense Mutations Affecting NF1 Codons 844–848. American Journal of Human Genetics, 2018, 102, 69-87.	6.2	144
10	Applying amide proton transferâ€weighted MRI to distinguish pseudoprogression from true progression in malignant gliomas. Journal of Magnetic Resonance Imaging, 2016, 44, 456-462.	3.4	132
11	Tissue concentration of systemically administered antineoplastic agents in human brain tumors. Journal of Neuro-Oncology, 2011, 104, 629-638.	2.9	122
12	High-dose methotrexate with or without rituximab in newly diagnosed primary CNS lymphoma. Neurology, 2014, 83, 235-239.	1.1	120
13	The Diagnosis and Management of Neurofibromatosis Type 1. Medical Clinics of North America, 2019, 103, 1035-1054.	2.5	116
14	Proposed response assessment and endpoints for meningioma clinical trials: report from the Response Assessment in Neuro-Oncology Working Group. Neuro-Oncology, 2019, 21, 26-36.	1.2	114
15	Effect of blood brain barrier permeability in recurrent high grade gliomas on the intratumoral pharmacokinetics of methotrexate: a microdialysis study. Journal of Neuro-Oncology, 2009, 91, 51-58.	2.9	112
16	Identifying Recurrent Malignant Glioma after Treatment Using Amide Proton Transfer-Weighted MR Imaging: A Validation Study with Image-Guided Stereotactic Biopsy. Clinical Cancer Research, 2019, 25, 552-561.	7.0	104
17	Consensus recommendations for current treatments and accelerating clinical trials for patients with neurofibromatosis type 2. American Journal of Medical Genetics, Part A, 2012, 158A, 24-41.	1.2	101
18	Therapeutic advances for the tumors associated with neurofibromatosis type 1, type 2, and schwannomatosis. Neuro-Oncology, 2016, 18, 624-638.	1.2	94

#	Article	IF	CITATIONS
19	Efficacy and Biomarker Study of Bevacizumab for Hearing Loss Resulting From Neurofibromatosis Type 2–Associated Vestibular Schwannomas. Journal of Clinical Oncology, 2016, 34, 1669-1675.	1.6	92
20	Management of pineal region tumors. Current Treatment Options in Oncology, 2006, 7, 505-516.	3.0	85
21	Amide proton transfer-weighted magnetic resonance image-guided stereotactic biopsy in patients with newly diagnosed gliomas. European Journal of Cancer, 2017, 83, 9-18.	2.8	82
22	Cutaneous neurofibromas. Neurology, 2018, 91, S5-S13.	1.1	79
23	Review and consensus recommendations on clinical <scp>APT</scp> â€weighted imaging approaches at <scp>3T</scp> : Application to brain tumors. Magnetic Resonance in Medicine, 2022, 88, 546-574.	3.0	79
24	Optimizing biologically targeted clinical trials for neurofibromatosis. Expert Opinion on Investigational Drugs, 2013, 22, 443-462.	4.1	77
25	Drug delivery to brain tumors. Current Neurology and Neuroscience Reports, 2008, 8, 235-241.	4.2	75
26	Consensus Recommendations to Accelerate Clinical Trials for Neurofibromatosis Type 2. Clinical Cancer Research, 2009, 15, 5032-5039.	7.0	74
27	Multicenter, Prospective, Phase II and Biomarker Study of High-Dose Bevacizumab as Induction Therapy in Patients With Neurofibromatosis Type 2 and Progressive Vestibular Schwannoma. Journal of Clinical Oncology, 2019, 37, 3446-3454.	1.6	73
28	Current status and recommendations for imaging in neurofibromatosis type 1, neurofibromatosis type 2, and schwannomatosis. Skeletal Radiology, 2020, 49, 199-219.	2.0	69
29	Therapy for Diffuse Astrocytic and Oligodendroglial Tumors in Adults: ASCO-SNO Guideline. Journal of Clinical Oncology, 2022, 40, 403-426.	1.6	67
30	Current whole-body MRI applications in the neurofibromatoses. Neurology, 2016, 87, S31-9.	1.1	65
31	An update on the central nervous system manifestations of neurofibromatosis type 1. Acta Neuropathologica, 2020, 139, 625-641.	7.7	64
32	Achieving consensus for clinical trials. Neurology, 2013, 81, S1-5.	1.1	59
33	Urgent considerations for the neuro-oncologic treatment of patients with gliomas during the COVID-19 pandemic. Neuro-Oncology, 2020, 22, 912-917.	1.2	59
34	Thrombolytic therapy for acute ischemic stroke. Journal of the Neurological Sciences, 2007, 261, 55-62.	0.6	57
35	<sup>18F-FDG PET/CT Qualitative and Quantitative Evaluation in Neurofibromatosis Type 1 Patients for Detection of Malignant Transformation: Comparison of Early to Delayed Imaging With and Without Liver Activity Normalization. Journal of Nuclear Medicine, 2015, 56, 379-385.	5.0	54
36	NF106: A Neurofibromatosis Clinical Trials Consortium Phase II Trial of the MEK Inhibitor Mirdametinib (PD-0325901) in Adolescents and Adults With NF1-Related Plexiform Neurofibromas. Journal of Clinical Oncology, 2021, 39, 797-806.	1.6	54

#	Article	IF	Citations
37	Suggested response criteria for phase II antitumor drug studies for neurofibromatosis type 2 related vestibular schwannoma. Journal of Neuro-Oncology, 2009, 93, 61-77.	2.9	48
38	Cabozantinib for neurofibromatosis type 1–related plexiform neurofibromas: a phase 2 trial. Nature Medicine, 2021, 27, 165-173.	30.7	46
39	Histopathological correlates with survival in reoperated glioblastomas. Journal of Neuro-Oncology, 2013, 113, 485-493.	2.9	44
40	Implications of new understandings of gliomas in children and adults with NF1: report of a consensus conference. Neuro-Oncology, 2020, 22, 773-784.	1.2	44
41	Glycemic modulation in neuro-oncology: experience and future directions using a modified Atkins diet for high-grade brain tumors. Neuro-Oncology Practice, 2015, 2, 127-136.	1.6	41
42	Corticosteroid use endpoints in neuro-oncology: Response Assessment in Neuro-Oncology Working Group. Neuro-Oncology, 2018, 20, 897-906.	1.2	41
43	<scp>d</scp> â€glucose weighted chemical exchange saturation transfer (glucoCEST)â€based dynamic glucose enhanced (DGE) MRI at 3T: early experience in healthy volunteers and brain tumor patients. Magnetic Resonance in Medicine, 2020, 84, 247-262.	3.0	41
44	Longitudinal evaluation of peripheral nerve sheath tumors in neurofibromatosis type 1: growth analysis of plexiform neurofibromas and distinct nodular lesions. Neuro-Oncology, 2020, 22, 1368-1378.	1.2	37
45	Microdialysis for assessing intratumoral drug disposition in brain cancers: a tool for rational drug development. Expert Opinion on Drug Metabolism and Toxicology, 2010, 6, 1477-1491.	3.3	36
46	Clinical response to bevacizumab in schwannomatosis. Neurology, 2014, 83, 1986-1987.	1.1	33
47	Working plan for the use of patient-reported outcome measures in adults with brain tumours: a Response Assessment in Neuro-Oncology (RANO) initiative. Lancet Oncology, The, 2018, 19, e173-e180.	10.7	32
48	MEK inhibitors for neurofibromatosis type 1 manifestations: Clinical evidence and consensus. Neuro-Oncology, 2022, 24, 1845-1856.	1.2	30
49	Management of neurofibromatosis type 1-associated plexiform neurofibromas. Neuro-Oncology, 2022, 24, 1827-1844.	1.2	29
50	Clinical outcome assessment in malignant glioma trials: measuring signs, symptoms, and functional limitations. Neuro-Oncology, 2016, 18, ii13-ii20.	1.2	27
51	Radiation-Induced Myelitis: Initial and Follow-Up MRI and Clinical Features in Patients at a Single Tertiary Care Institution during 20 Years. American Journal of Neuroradiology, 2018, 39, 1576-1581.	2.4	27
52	The biology of cutaneous neurofibromas. Neurology, 2018, 91, S14-S20.	1.1	27
53	Epigenomic, genomic, and transcriptomic landscape of schwannomatosis. Acta Neuropathologica, 2021, 141, 101-116.	7.7	26
54	Combination of anti-VEGF therapy and temozolomide in two experimental human glioma models. Journal of Neuro-Oncology, 2014, 116, 59-65.	2.9	24

#	Article	IF	Citations
55	Whole Body MRI at 3T with Quantitative Diffusion Weighted Imaging and Contrast-Enhanced Sequences for the Characterization of Peripheral Lesions in Patients with Neurofibromatosis Type 2 and Schwannomatosis. ISRN Radiology, 2013, 2013, 1-9.	1.2	24
56	Schwannoma in neurofibromatosis type 1: a pitfall for detecting malignancy by metabolic imaging. Skeletal Radiology, 2013, 42, 1317-1322.	2.0	23
57	Current status and recommendations for biomarkers and biobanking in neurofibromatosis. Neurology, 2016, 87, S40-8.	1.1	23
58	Considerations for development of therapies for cutaneous neurofibroma. Neurology, 2018, 91, S21-S30.	1.1	23
59	Multiparametric wholeâ€body anatomic, functional, and metabolic imaging characteristics of peripheral lesions in patients with schwannomatosis. Journal of Magnetic Resonance Imaging, 2016, 44, 794-803.	3.4	22
60	Report of the Jumpstarting Brain Tumor Drug Development Coalition and FDA clinical trials clinical outcome assessment endpoints workshop (October 15, 2014, Bethesda MD). Neuro-Oncology, 2016, 18, ii26-ii36.	1.2	22
61	Breast cancer risk and germline genomic profiling of women with neurofibromatosis type $1\ \text{who}$ developed breast cancer. Genes Chromosomes and Cancer, 2018, 57, 19-27.	2.8	22
62	EPH receptor signaling as a novel therapeutic target in NF2-deficient meningioma. Neuro-Oncology, 2018, 20, 1185-1196.	1.2	22
63	Development of drug treatments for neurofibromatosis type 2-associated vestibular schwannoma. Current Opinion in Otolaryngology and Head and Neck Surgery, 2012, 20, 372-379.	1.8	21
64	Clinical Management of Seizures in Patients With Low-Grade Glioma. Seminars in Radiation Oncology, 2015, 25, 219-224.	2.2	21
65	Pharmacological and genomic profiling of neurofibromatosis type 1 plexiform neurofibroma-derived schwann cells. Scientific Data, 2018, 5, 180106.	5.3	20
66	Anaplastic oligodendroglioma. Current Treatment Options in Neurology, 2008, 10, 295-307.	1.8	19
67	A clinically and genomically annotated nerve sheath tumor biospecimen repository. Scientific Data, 2020, 7, 184.	5.3	19
68	Brigatinib causes tumor shrinkage in both NF2-deficient meningioma and schwannoma through inhibition of multiple tyrosine kinases but not ALK. PLoS ONE, 2021, 16, e0252048.	2.5	19
69	The Novel Glutamine Antagonist Prodrug JHU395 Has Antitumor Activity in Malignant Peripheral Nerve Sheath Tumor. Molecular Cancer Therapeutics, 2020, 19, 397-408.	4.1	18
70	Feasibility and Biological Activity of a Ketogenic/Intermittent-Fasting Diet in Patients With Glioma. Neurology, 2021, 97, e953-e963.	1.1	18
71	Traditional and systems biology based drug discovery for the rare tumor syndrome neurofibromatosis type 2. PLoS ONE, 2018, 13, e0197350.	2.5	17
72	Histologically benign, clinically aggressive: Progressive nonâ€optic pathway pilocytic astrocytomas in adults with NF1. American Journal of Medical Genetics, Part A, 2016, 170, 1455-1461.	1.2	16

#	Article	IF	CITATIONS
73	Moyamoya disease versus moyamoya syndrome: comparison of presentation and outcome in 338 hemispheres. Journal of Neurosurgery, 2020, 133, 1441-1449.	1.6	16
74	Microdialysis measurement of intratumoral temozolomide concentration after cediranib, a pan-VEGF receptor tyrosine kinase inhibitor, in a U87 glioma model. Cancer Chemotherapy and Pharmacology, 2013, 72, 93-100.	2.3	15
75	Sleep and pulmonary outcomes for clinical trials of airway plexiform neurofibromas in NF1. Neurology, 2016, 87, S13-20.	1.1	15
76	Improvement in Patient-reported Hearing After Treatment With Bevacizumab in People With Neurofibromatosis Type 2. Otology and Neurotology, 2018, 39, 632-638.	1.3	15
77	Familial unilateral vestibular schwannoma is rarely caused by inherited variants in the <i>NF2</i> gene. Laryngoscope, 2019, 129, 967-973.	2.0	15
78	The impact of bevacizumab on temozolomide concentrations in intracranial U87 gliomas. Cancer Chemotherapy and Pharmacology, 2012, 70, 129-139.	2.3	14
79	NFM-06. NF106: PHASE 2 TRIAL OF THE MEK INHIBITOR PD-0325901 IN ADOLESCENTS AND ADULTS WITH NF1-RELATED PLEXIFORM NEUROFIBROMAS: AN NF CLINICAL TRIALS CONSORTIUM STUDY. Neuro-Oncology, 2018, 20, i143-i143.	1.2	14
80	Selumetinib in children with neurofibromatosis type 1 and asymptomatic inoperable plexiform neurofibroma at risk for developing tumor-related morbidity. Neuro-Oncology, 2022, 24, 1978-1988.	1.2	14
81	Mebendazole and temozolomide in patients with newly diagnosed high-grade gliomas: results of a phase 1 clinical trial. Neuro-Oncology Advances, 2021, 3, vdaa154.	0.7	13
82	Phase II Study of Iniparib with Concurrent Chemoradiation in Patients with Newly Diagnosed Glioblastoma. Clinical Cancer Research, 2019, 25, 73-79.	7.0	12
83	Telomere alterations in neurofibromatosis type 1-associated solid tumors. Acta Neuropathologica Communications, 2019, 7, 139.	5.2	12
84	Effect of ketogenic diets on leukocyte counts in patients with epilepsy. Nutritional Neuroscience, 2019, 22, 522-527.	3.1	12
85	Creating a comprehensive research strategy for cutaneous neurofibromas. Neurology, 2018, 91, S1-S4.	1.1	11
86	Clinical trial design for cutaneous neurofibromas. Neurology, 2018, 91, S31-S37.	1.1	11
87	Integrative Analysis Identifies Candidate Tumor Microenvironment and Intracellular Signaling Pathways that Define Tumor Heterogeneity in NF1. Genes, 2020, 11, 226.	2.4	11
88	Phase 0 Clinical Trial of Everolimus in Patients with Vestibular Schwannoma or Meningioma. Molecular Cancer Therapeutics, 2021, 20, 1584-1591.	4.1	11
89	Immortalized Human Schwann Cell Lines Derived From Tumors of Schwannomatosis Patients. PLoS ONE, 2015, 10, e0144620.	2.5	10
90	The efficacy of lapatinib and nilotinib in combination with radiation therapy in a model of NF2 associated peripheral schwannoma. Journal of Neuro-Oncology, 2017, 135, 47-56.	2.9	10

#	Article	IF	Citations
91	Ketotifen Modulates Mast Cell Chemotaxis to Kit-Ligand, but Does Not Impact Mast Cell Numbers, Degranulation, or Tumor Behavior in Neurofibromas of <i>Nf1</i> -Deficient Mice. Molecular Cancer Therapeutics, 2019, 18, 2321-2330.	4.1	10
92	Chemotherapy with cytotoxic and cytostatic agents in brain cancer. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2012, 104, 229-254.	1.8	9
93	Voice and Swallowing Dysfunction in Neurofibromatosis 2. Otolaryngology - Head and Neck Surgery, 2018, 158, 505-510.	1.9	9
94	Systematic review on the use of patient-reported outcome measures in brain tumor studies: part of the Response Assessment in Neuro-Oncology Patient-Reported Outcome (RANO-PRO) initiative. Neuro-Oncology Practice, 2021, 8, 417-425.	1.6	9
95	NFB-17. MEK INHIBITOR BINIMETINIB SHOWS CLINICAL ACTIVITY IN CHILDREN WITH NEUROFIBROMATOSIS TYPE 1- ASSOCIATED PLEXIFORM NEUROFIBROMAS: A REPORT FROM PNOC AND THE NF CLINICAL TRIALS CONSORTIUM. Neuro-Oncology, 2020, 22, iii420-iii421.	1.2	9
96	Phase I study of iniparib concurrent with monthly or continuous temozolomide dosing schedules in patients with newly diagnosed malignant gliomas. Journal of Neuro-Oncology, 2015, 125, 123-131.	2.9	8
97	Cutaneous manifestations in neuro-oncology: clinically relevant tumor and treatment associated dermatologic findings. Seminars in Oncology, 2016, 43, 401-407.	2.2	8
98	Engaging a community to enable disease-centric data sharing with the NF Data Portal. Scientific Data, 2019, 6, 319.	5.3	8
99	Association between patient-reported outcomes and objective disease indices in people with NF2. Neurology: Clinical Practice, 2019, 9, 322-329.	1.6	7
100	Complete Radiologic Response and Long-Term Survival With Use of Systemic High-Dose Methotrexate for Breast Cancer〓Associated Leptomeningeal Disease. Clinical Breast Cancer, 2012, 12, 445-449.	2.4	6
101	Low-grade Schwann cell neoplasms with leptomeningeal dissemination: clinicopathologic and autopsy findings. Human Pathology, 2017, 60, 121-128.	2.0	6
102	Cerebral Ketones Detected by 3T MR Spectroscopy in Patients with High-Grade Glioma on an Atkins-Based Diet. American Journal of Neuroradiology, 2019, 40, 1908-1915.	2.4	6
103	Validating Techniques for Measurement of Cutaneous Neurofibromas. Neurology, 2021, 97, S32-S41.	1.1	6
104	Imaging Evaluation of Plexiform Neurofibromas in Neurofibromatosis Type 1. Neurology, 2021, 97, S111-S119.	1.1	6
105	Perspective of Adults With Neurofibromatosis 1 and Cutaneous Neurofibromas. Neurology, 2021, 97, S15-S24.	1.1	5
106	Clinical Reasoning: Multiple cranial neuropathies in a young man. Neurology, 2013, 80, e60-6.	1.1	4
107	How Critical Is the Blood-Brain Barrier to the Development of Neurotherapeutics?. JAMA Neurology, 2015, 72, 381.	9.0	4
108	Surgical Treatment for Patients with Moyamoya Syndrome and Type 1 Neurofibromatosis. World Neurosurgery, 2017, 99, 19-25.	1.3	4

#	Article	IF	CITATIONS
109	Germline and Somatic <i>NF1</i> Alterations Are Linked to Increased HER2 Expression in Breast Cancer. Cancer Prevention Research, 2018, 11, 655-664.	1.5	4
110	Brain Cancers in Genetic Syndromes. Current Neurology and Neuroscience Reports, 2021, 21, 64.	4.2	4
111	Detection of malignant peripheral nerve sheath tumors in patients with neurofibromatosis using aneuploidy and mutation identification in plasma. ELife, 2022, 11 , .	6.0	4
112	Understanding barriers to diagnosis in a rare, genetic disease: Delays and errors in diagnosing schwannomatosis. American Journal of Medical Genetics, Part A, 2022, 188, 2672-2683.	1.2	4
113	Learning-based analysis of amide proton transfer-weighted MRI to identify true progression in glioma patients. Neurolmage: Clinical, 2022, , 103121.	2.7	4
114	Assessing interobserver variability and accuracy in the histological diagnosis and classification of cutaneous neurofibromass. Neuro-Oncology Advances, 2020, 2, i117-i123.	0.7	3
115	The development of the PlexiQoL: A patientâ€reported outcome measure for adults with neurofibromatosis type 1â€associated plexiform neurofibromas. Molecular Genetics & amp; Genomic Medicine, 2020, 8, e1530.	1.2	3
116	Early administration of imatinib mesylate reduces plexiform neurofibroma tumor burden with durable results after drug discontinuation in a mouse model of neurofibromatosis type 1. Pediatric Blood and Cancer, 2020, 67, e28372.	1.5	3
117	RARE-54. MEK INHIBITION FOR AGGRESSIVE GLIOMAS IN ADULTS WITH NEUROFIBROMATOSIS TYPE 1. Neuro-Oncology, 2019, 21, vi233-vi233.	1.2	2
118	QOLP-20. IMPACT OF GLIOBLASTOMA ON PATIENT-REPORTED SYMPTOM BURDEN AND PHYSICAL ACTIVITY ASSESSED BY CONVENTIONAL INSTRUMENTS AND A NOVEL DEVICE–BASED TECHNOLOGY. Neuro-Oncology, 2019, 21, vi201-vi202.	1,2	2
119	Reliability of Handheld Dynamometry to Measure Focal Muscle Weakness in Neurofibromatosis Types 1 and 2. Neurology, 2021, 97, S99-S110.	1.1	2
120	Status and Recommendations for Incorporating Biomarkers for Cutaneous Neurofibromas Into Clinical Research. Neurology, 2021, 97, S42-S49.	1.1	2
121	Pineal Region Tumors. , 2011, , 435-455.		2
122	Case 5: altered mental status and fever after resection of glioblastoma multiforme. MedGenMed: Medscape General Medicine, 2004, 6, 49.	0.2	2
123	A High-Throughput Screening Platform Identifies Novel Combination Treatments for Malignant Peripheral Nerve Sheath Tumors. Molecular Cancer Therapeutics, 2022, 21, 1246-1258.	4.1	2
124	Neoplastic and Paraneoplastic Disorders. , 2009, , 233-247.		1
125	Therapy for Diffuse Astrocytic and Oligodendroglial Tumors in Adults: ASCO-SNO Guideline. Neuro-Oncology, 2022, 24, 358-383.	1.2	1
126	NFM-09. PRELIMINARY REPORT OF A MULTICENTER, PHASE 2 STUDY OF BEVACIZUMAB IN CHILDREN AND ADULTS WITH NEUROFIBROMATOSIS 2 AND PROGRESSIVE VESTIBULAR SCHWANNOMAS: AN NF CLINICAL TRIALS CONSORTIUM STUDY. Neuro-Oncology, 2018, 20, i144-i144.	1.2	O

#	Article	IF	CITATIONS
127	RARE-15. OUTCOMES OF TREATMENT OF GLIOMAS IN PATIENTS WITH NEUROFIBROMATOSIS TYPE I TREATED WITH RADIATION THERAPY. Neuro-Oncology, 2019, 21, vi224-vi224.	1.2	0
128	ACTR-44. FEASIBILITY, PHARMACODYNAMICS, AND BIOLOGIC ACTIVITY OF THE GLIOMA ATKINS-BASED DIET (GLAD) FOR PREVENTING TUMOR RECURRENCE IN GLIOMA PATIENTS. Neuro-Oncology, 2019, 21, vi23-vi23.	1.2	0
129	DDIS-21. IN VITRO MICRODIALYSIS RECOVERY OF TRAMETINIB. Neuro-Oncology, 2019, 21, vi67-vi67.	1.2	0
130	ACTR-09. A PHASE O PHARMACODYNAMIC AND PHARMACOKINETIC STUDY OF EVEROLIMUS IN VESTIBULAR SCHWANNOMA (VS) AND MENINGIOMA PATIENTS. Neuro-Oncology, 2019, 21, vi14-vi14.	1.2	0
131	QOLP-31. ASSESSING THE IMPACT OF GLIOBLASTOMA ON WORK PRODUCTIVITY IN PATIENTS AND THEIR CAREGIVERS. Neuro-Oncology, 2019, 21, vi204-vi204.	1.2	0
132	DDRE-31. FEASIBILITY AND BIOLOGIC ACTIVITY OF A KETOGENIC / INTERMITTENT FASTING DIET IN GLIOMA PATIENTS. Neuro-Oncology Advances, 2021, 3, i13-i13.	0.7	0
133	Approach to patients with the neoplasms associated with neurofibromatosis type 1, neurofibromatosis type 2, and schwannomatosis. , 2021, , 210-228.		0