
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2900289/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | DFT and TDDFT investigation of four triphenylamine/phenothiazine-based molecules as potential novel organic hole transport materials for perovskite solar cells. Materials Chemistry and Physics, 2022, 278, 125603. | 4.0  | 10        |
| 2  | Sustainable Pd-Catalyzed Direct Arylation of Thienyl Derivatives with (Hetero)aromatic Bromides<br>under Air in Deep Eutectic Solvents. ACS Sustainable Chemistry and Engineering, 2022, 10, 3037-3047.              | 6.7  | 12        |
| 3  | Process Engineering of Semitransparent DSSC Modules and Panel Incorporating an Organic Sensitizer.<br>Solar Rrl, 2022, 6, .  | 5.8  | 12        |
| 4  | In silico investigation of catechol-based sensitizers for type II dye sensitized solar cells (DSSCs).<br>Inorganica Chimica Acta, 2021, 518, 120233.   | 2.4  | 4         |
| 5  | Benzo[1,2-d:4,5-dâ€2]bisthiazole fluorophores for luminescent solar concentrators: synthesis, optical properties and effect of the polymer matrix on the device performances. Dyes and Pigments, 2021, 188, 109207.  | 3.7  | 17        |
| 6  | Donorâ€Acceptorâ€Donor Thienopyrazineâ€Based Dyes as NIRâ€Emitting AlEgens. European Journal of Organic<br>Chemistry, 2021, 2021, 2655-2664.   | 2.4  | 15        |
| 7  | Synthesis and Spectroscopic Characterization of Thienopyrazine-Based Fluorophores for Application in Luminescent Solar Concentrators (LSCs). Molecules, 2021, 26, 5428.  | 3.8  | 7         |
| 8  | D–A–π–A organic dyes with tailored green light absorption for potential application in<br>greenhouse-integrated dye-sensitized solar cells. Sustainable Energy and Fuels, 2021, 5, 1171-1183.                        | 4.9  | 28        |
| 9  | Luminescent solar concentrators with outstanding optical properties by employment of D–A–D<br>quinoxaline fluorophores. Journal of Materials Chemistry C, 2021, 9, 15608-15621.                                      | 5.5  | 16        |
| 10 | Dye‣ensitized Heterogeneous Photocatalysts for Green Redox Reactions. European Journal of<br>Inorganic Chemistry, 2020, 2020, 899-917.   | 2.0  | 37        |
| 11 | Synthesis and Characterization of New Organic Dyes Containing the Indigo Core. Molecules, 2020, 25, 3377.  | 3.8  | 11        |
| 12 | Tuning the Properties of Benzothiadiazole Dyes for Efficient Visible Light-Driven Photocatalytic<br>H <sub>2</sub> Production under Different Conditions. ACS Applied Energy Materials, 2020, 3,<br>8912-8928.       | 5.1  | 20        |
| 13 | Thiazolo[5,4- <i>d</i> ]thiazole-based organic sensitizers with improved spectral properties for application in greenhouse-integrated dye-sensitized solar cells. Sustainable Energy and Fuels, 2020, 4, 2309-2321.  | 4.9  | 42        |
| 14 | Combined LCA and Green Metrics Approach for the Sustainability Assessment of an Organic Dye<br>Synthesis on Lab Scale. Frontiers in Chemistry, 2020, 8, 214.   | 3.6  | 17        |
| 15 | Combining Dithienosilole-Based Organic Dyes with a Brookite/Platinum Photocatalyst toward<br>Enhanced Visible-Light-Driven Hydrogen Production. ACS Applied Energy Materials, 2019, 2, 5600-5612.                    | 5.1  | 30        |
| 16 | Transition metal-catalyzed cross-coupling methodologies for the engineering of small molecules<br>with applications in organic electronics and photovoltaics. Coordination Chemistry Reviews, 2019,<br>392, 177-236. | 18.8 | 35        |
| 17 | New Blue Donor–Acceptor Pechmann Dyes: Synthesis, Spectroscopic, Electrochemical, and<br>Computational Studies. ACS Omega, 2019, 4, 7614-7627.   | 3.5  | 8         |
| 18 | Tailoring the Optical Properties of Organic D-ï€-A Photosensitizers: Effect of Sulfur Introduction in the Acceptor Group, European Journal of Organic Chemistry, 2019, 2019, 812-825                                 | 2.4  | 3         |

| #  | Article   | lF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Organometallic Chemistry and Challenges in CO2 Activation and Utilization. Chemistry International, 2019, 41, 46-48.  | 0.3 | 0         |
| 20 | Design and synthesis of organic sensitizers with enhanced anchoring stability in dye-sensitized solar cells. Pure and Applied Chemistry, 2018, 90, 363-376.   | 1.9 | 15        |
| 21 | Extending the Conjugation of Pechmann Lactone Thienyl Derivatives: A New Class of Small Molecules for Organic Electronics Application. Synthesis, 2018, 50, 1284-1292.  | 2.3 | 7         |
| 22 | Green/Yellowâ€Emitting Conjugated Heterocyclic Fluorophores for Luminescent Solar Concentrators.<br>European Journal of Organic Chemistry, 2018, 2018, 2657-2666.   | 2.4 | 27        |
| 23 | Studies on the efficiency enhancement of co-sensitized, transparent DSSCs by employment of core-shell-shell gold nanorods. Inorganica Chimica Acta, 2018, 470, 407-415.   | 2.4 | 6         |
| 24 | Towards Sustainable H <sub>2</sub> Production: Rational Design of Hydrophobic Triphenylamineâ€based<br>Dyes for Sensitized Ethanol Photoreforming. ChemSusChem, 2018, 11, 793-805.  | 6.8 | 36        |
| 25 | Microwave-Assisted Isomerizations of Epoxides to Allylic Alcohols. Letters in Organic Chemistry, 2018, 15, 447-454.   | 0.5 | 0         |
| 26 | Synthesis and Investigation of Solarâ€Cell Photosensitizers Having a Fluorazone Backbone. European<br>Journal of Organic Chemistry, 2017, 2017, 1843-1854.  | 2.4 | 15        |
| 27 | Photoinduced excitation and charge transfer processes of organic dyes with siloxane anchoring<br>groups: a combined spectroscopic and computational study. Physical Chemistry Chemical Physics, 2017,<br>19, 15310-15323. | 2.8 | 11        |
| 28 | Synthesis of Silatrane-Containing Organic Sensitizers as Precursors for the Silyloxyl Anchoring<br>Group in Dye-Sensitized Solar Cells. Synthesis, 2017, 49, 3975-3984.   | 2.3 | 2         |
| 29 | The Stille Reaction: Applications in the Synthesis of Organic Dyes for DSSCs. Chimia, 2017, 71, 586.  | 0.6 | 2         |
| 30 | Photoactive Compounds Based on the Thiazolo[5,4â€ <i>d</i> ]thiazole Core and Their Application in<br>Organic and Hybrid Photovoltaics. European Journal of Organic Chemistry, 2016, 2016, 233-251.                       | 2.4 | 46        |
| 31 | Preparation of Reduced Pyrazino[2,1-a]isoquinoline Derivatives: Important Heterocycles in the Field of Bioactive Compounds. Synthesis, 2016, 48, 3646-3658.   | 2.3 | 6         |
| 32 | Thiazolo[5,4-d]thiazole-based organic sensitizers with strong visible light absorption for transparent, efficient and stable dye-sensitized solar cells. RSC Advances, 2015, 5, 32657-32668.                              | 3.6 | 42        |
| 33 | Two New Dyes with Carboxypyridinium Regioisomers as Anchoring Groups for Dye-Sensitized Solar<br>Cells. Synlett, 2015, 26, 2389-2394.   | 1.8 | 5         |
| 34 | Cluster Preface: In Memory of Professor Manfred Schlosser. Synlett, 2015, 26, 2351-2354.  | 1.8 | 0         |
| 35 | Stereoselective Synthesis of 3-Substituted Tetrahydropyrazinoisoquinolines via Intramolecular<br>Cyclization of Enantiomerically Enriched Dihydro-2 <i>H</i> -pyrazines. Organic Letters, 2015, 17,<br>398-401.           | 4.6 | 6         |
| 36 | Pyridineâ€ <i>N</i> â€Oxide 2â€Carboxylic Acid: An Acceptor Group for Organic Sensitizers with Enhanced<br>Anchoring Stability in Dye‧ensitized Solar Cells. Asian Journal of Organic Chemistry, 2014, 3, 140-152.        | 2.7 | 18        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Cross-coupling reactions: Some applications to the synthesis of thiazolothiazole- and<br>benzobisthiazole-based dyes for new generation solar cells (DSSC). Journal of Organometallic<br>Chemistry, 2014, 771, 117-123.                                       | 1.8  | 11        |
| 38 | An Integrated Experimental and Theoretical Approach to the Spectroscopy of Organicâ€Dyeâ€6ensitized<br>TiO <sub>2</sub> Heterointerfaces: Disentangling the Effects of Aggregation, Solvation, and Surface<br>Protonation. ChemPhysChem, 2014, 15, 1116-1125. | 2.1  | 26        |
| 39 | Excited State Geometries and Vertical Emission Energies of Solvated Dyes for DSSC: A PCM/TD-DFT Benchmark Study. Journal of Chemical Theory and Computation, 2014, 10, 3925-3933.   | 5.3  | 80        |
| 40 | Microwave-activated synthesis of thiazolo[5,4-d]thiazoles by a condensation/oxidation sequence. RSC Advances, 2014, 4, 1322-1328.   | 3.6  | 32        |
| 41 | Organic dyes with intense light absorption especially suitable for application in thin-layer dye-sensitized solar cells. Chemical Communications, 2014, 50, 13952-13955.  | 4.1  | 64        |
| 42 | A comparison of carboxypyridine isomers as sensitizers for dye-sensitized solar cells: assessment of device efficiency and stability. Tetrahedron, 2014, 70, 6285-6295.   | 1.9  | 27        |
| 43 | Stereoselective Synthesis of Polysubstituted Piperazines and Oxopiperazines. Useful Building Blocks<br>in Medicinal Chemistry. Current Topics in Medicinal Chemistry, 2014, 14, 1308-1316.  | 2.1  | 15        |
| 44 | Stereoselective cyclopropanation of chiral 5-substituted dihydro-2H-piperazines. Tetrahedron:<br>Asymmetry, 2013, 24, 75-79.  | 1.8  | 2         |
| 45 | Assessment of new gem-silanediols as suitable sensitizers for dye-sensitized solarÂcells. Journal of<br>Organometallic Chemistry, 2013, 723, 198-206.   | 1.8  | 11        |
| 46 | Organic Chromophores Based on a Fused Bisâ€Thiazole Core and Their Application in Dyeâ€ <del>S</del> ensitized<br>Solar Cells. European Journal of Organic Chemistry, 2013, 2013, 1916-1928.  | 2.4  | 48        |
| 47 | An unusual thiazolo[5,4-d]thiazole sensitizer for dye-sensitized solar cells. Tetrahedron Letters, 2013, 54, 3944-3948.   | 1.4  | 11        |
| 48 | Discovery of a New Class of Potent MMP Inhibitors by Structure-Based Optimization of the Arylsulfonamide Scaffold. ACS Medicinal Chemistry Letters, 2013, 4, 565-569.   | 2.8  | 18        |
| 49 | Novel stereoselective synthesis of 1,2,3-trisubstituted azetidines. Tetrahedron: Asymmetry, 2012, 23, 1607-1614.  | 1.8  | 11        |
| 50 | Synthesis of Enantiomerically Enriched Amino Sulfide Building Blocks from Acyclic Chiral Amino<br>Allylsilanes. Journal of Organic Chemistry, 2011, 76, 7415-7422.  | 3.2  | 6         |
| 51 | Acycloguanosyl 5′-thymidyltriphosphate, a Thymidine Analogue Prodrug Activated by Telomerase,<br>Reduces Pancreatic Tumor Growth in Mice. Gastroenterology, 2011, 140, 709-720.e9.  | 1.3  | 10        |
| 52 | Ph <sub>2</sub> P(BH <sub>3</sub> )Li: From Ditopicity to Dual Reactivity. Journal of the American<br>Chemical Society, 2011, 133, 6472-6480.   | 13.7 | 48        |
| 53 | A New Sequential Intramolecular Cyclization Based on the Boekelheide Rearrangement. European<br>Journal of Organic Chemistry, 2011, 2011, 271-279.  | 2.4  | 13        |
| 54 | Studies on the Lithiation of Hydroxypyrrolidines: Synthesis of PolyhydroxyÂłated Pyrrolidines via<br>Chiral Enecarbamates. Synlett, 2011, 2011, 235-240.  | 1.8  | 6         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Synthesis of a new family of 2-ethylidene-Î <sup>3</sup> -unsaturated δ-amino esters via microwave activated Stille<br>coupling. Amino Acids, 2010, 39, 175-180.  | 2.7 | 2         |
| 56 | Synthesis of new polysubstituted piperazines and dihydro-2H-pyrazines by selective reduction of 2-oxo-piperazines. Tetrahedron: Asymmetry, 2010, 21, 191-194.   | 1.8 | 5         |
| 57 | New enantiomerically enriched amino allyl- and allenylsilanes derived from naturally occurring amino acids. Tetrahedron: Asymmetry, 2008, 19, 2882-2886.  | 1.8 | 12        |
| 58 | Enantioselective Organocatalytic Conjugate Addition of Aldehydes to Nitrodienes. Organic Letters, 2008, 10, 4557-4560.  | 4.6 | 105       |
| 59 | Highly Selective Metalation Reactions. NATO Science Series Series II, Mathematics, Physics and Chemistry, 2008, , 317-337.  | 0.1 | 1         |
| 60 | Microwave-Assisted Transformation of Esters into Hydroxamic Acids. Synthesis, 2007, 2007, 3201-3204.  | 2.3 | 10        |
| 61 | New unsaturated amino acids containing an allylsilane moiety on the lateral chain. Tetrahedron:<br>Asymmetry, 2006, 17, 922-926.  | 1.8 | 10        |
| 62 | Superbase-promoted rearrangement of oxiranes to cyclopropanes. Tetrahedron, 2005, 61, 3349-3360.  | 1.9 | 23        |
| 63 | Stereoselective synthesis of dienylamines: from amino acids to E-alkene dipeptide isosters.<br>Tetrahedron, 2005, 61, 6791-6800.  | 1.9 | 10        |
| 64 | Superbase-Promoted Rearrangement of Oxiranes to Cyclopropanes ChemInform, 2005, 36, no.   | 0.0 | 0         |
| 65 | A General Access to 2-Silylthiazolidines and Their Reactions Under Fluoride Ion Conditions. Letters in<br>Organic Chemistry, 2004, 1, 55-58.  | 0.5 | 5         |
| 66 | A New Carbanionic One-Carbon Ring Enlargement—Alkylation of Lactams ChemInform, 2004, 35, no.   | 0.0 | 0         |
| 67 | Base-Promoted Elaboration of Aziridines ChemInform, 2003, 34, no.   | 0.0 | Ο         |
| 68 | A New Carbanionic One-Carbon Ring Enlargement-Alkylation of Lactams. Synlett, 2003, 2003, 2025-2028.  | 1.8 | 5         |
| 69 | Base promoted isomerization of aziridinyl ethers: a new access to α- and β-amino acidsElectronic supplementary information (ESI) available: experimental procedures and NMR data. See http://www.rsc.org/suppdata/cc/b2/b200708h/ Chemical Communications, 2002, , 778-779. | 4.1 | 16        |
| 70 | Resolution and enantioselective rearrangements of amino group-containing oxiranyl ethers.<br>Tetrahedron: Asymmetry, 2002, 13, 59-68.   | 1.8 | 16        |
| 71 | Synthesis of non-racemic β-branched α-(aminoalkyl)-acrylates from naturally occurring amino acids.<br>Tetrahedron: Asymmetry, 2002, 13, 595-600.  | 1.8 | 9         |
| 72 | Base-promoted elaboration of aziridines. Tetrahedron, 2002, 58, 7153-7163.  | 1.9 | 36        |

ALESSANDRO MORDINI

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Stereoselective Access to Hydroxy Oxetanes and Tetrahydrooxepines through Isomerization of Oxiranyl Ethers. Journal of Organic Chemistry, 2001, 66, 3201-3205.  | 3.2 | 30        |
| 74 | Useful base promoted elaborations of oxiranyl ethers. Tetrahedron, 2001, 57, 8173-8180.   | 1.9 | 26        |
| 75 | A new approach to non racemic saturated and unsaturated 5-aminoalkyl methyl ketones. Tetrahedron:<br>Asymmetry, 2000, 11, 3759-3768.  | 1.8 | 13        |
| 76 | The First Synthesis of α,β-Acetylenic Thioketones and Thioaldehydes. Synlett, 1999, 1999, 1739-1742.  | 1.8 | 12        |
| 77 | A General Access to α,β-Acetylenic Thiocarbonyl Compounds. Phosphorus, Sulfur and Silicon and the<br>Related Elements, 1999, 153, 321-322.  | 1.6 | 1         |
| 78 | Palladium-Catalyzed Allylic Alkylations via Titanated Nucleophiles:  A New Earlyâ^'Late Heterobimetallic<br>System. Journal of Organic Chemistry, 1999, 64, 2962-2965.  | 3.2 | 21        |
| 79 | Silylcupration of (R)-2,2-Dimethyl-3-(tert-butoxycarbonyl)-4-ethynyloxazolidine:Â A Stereoselective<br>Approach to the Synthesis of γ-Silylated Saturated and Unsaturated α-Amino Acids. Journal of Organic<br>Chemistry, 1999, 64, 9211-9216.      | 3.2 | 40        |
| 80 | Stereoselective synthesis of new enantiomerically enriched N-protected Î <sup>3</sup> -amino acetylenic esters.<br>Tetrahedron, 1998, 54, 10217-10226.  | 1.9 | 13        |
| 81 | Stannylcupration of chiral γ-amino acetylenic esters: Stereocontrolled synthesis of 3-tributylstannyl<br>γ-amino (E)-alkenoates a as precursors of 4-stannylated pyrrolinones. Tetrahedron, 1998, 54, 10227-10238.                                  | 1.9 | 18        |
| 82 | A stereoselective approach to the synthesis of Î <sup>3</sup> -silylated amino acids. Tetrahedron Letters, 1998, 39,<br>9545-9548.  | 1.4 | 15        |
| 83 | A short synthesis of rigid 2-alkylthio-2,2-diaryl substituted acetic acids. Tetrahedron, 1998, 54, 2251-2256.   | 1.9 | 7         |
| 84 | A new base promoted rearrangement of (E)-1-benzyloxy-2,3-epoxyalkanes. Tetrahedron, 1998, 54,<br>11597-11602.   | 1.9 | 18        |
| 85 | Kinetic resolution of racemic alkoxy oxiranes by chiral lithium amides. Tetrahedron: Asymmetry, 1998, 9, 2293-2299.   | 1.8 | 19        |
| 86 | Synthetic Elaboration of the Side Chain of<br>(R)-2,2-Dimethyl-3-(tert-butoxycarbonyl)-4-ethynyloxazolidine:Â A New Regio- and Stereoselective<br>Strategy to δ-Functionalized β-Amino Alcohols. Journal of Organic Chemistry, 1997, 62, 6187-6192. | 3.2 | 54        |
| 87 | A Selective Access to Amino Hydroxy Oxetanes. Journal of Organic Chemistry, 1997, 62, 8557-8559.  | 3.2 | 24        |
| 88 | Different Pathways in the Base-Promoted Isomerization of Benzyl Oxiranyl Ethers. Journal of Organic<br>Chemistry, 1996, 61, 4374-4378.  | 3.2 | 26        |
| 89 | A Selective and General Access to Trisubstituted Oxetanes. Journal of Organic Chemistry, 1996, 61, 4466-4468.   | 3.2 | 34        |
| 90 | A new stereoselective synthesis of chiral γ-functionalized (E)-allylic amines. Tetrahedron, 1996, 52,<br>10985-10996.   | 1.9 | 49        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | A stereoselective approach to the synthesis of aminoalcohols. Tetrahedron Letters, 1996, 37, 5209-5212.  | 1.4 | 17        |
| 92  | A Direct Metalation Approach to 2-Alkylthio-2,2-Diaryl Substituted Acetic Acids. Synlett, 1996, 1996, 447-448.   | 1.8 | 14        |
| 93  | Stannylcupration of γ-heterosubstituted acetylenic esters: A new route to 4-stannylated five membered<br>N- and O- heterocycles. Tetrahedron, 1995, 51, 2129-2136.   | 1.9 | 33        |
| 94  | Azide cyclizations with acetylenic silyl ketone: a general access to<br>functionalized-1,2,3-triazolylacylsilanes and aldehydes. Tetrahedron Letters, 1995, 36, 9031-9034.   | 1.4 | 18        |
| 95  | Sodium and Potassium. , 1995, , 93-128.  |     | 6         |
| 96  | Stereoselective Synthesis of (R)-(â^')-2,2-Dimethyl-3-t-butoxycarbonyl-4-ethynyl-oxazolidine: a Chiral<br>Building Block for the Synthesis of a New Class of Substituted Alkynes. Tetrahedron Letters, 1995, 36,<br>8275-8278. | 1.4 | 26        |
| 97  | Stereoselective synthesis of (R)-(â^')-2,2-dimethyl-3-t-butoxycarbonyl-4-ethynyl-oxazolidine: a chiral building block for the synthesis of a new class of substituted alkynes. Tetrahedron Letters, 1995, 36, 8275-8278.       | 1.4 | 9         |
| 98  | Regioselective Functionalization of Bis(trimethylsilyl)methylimines with Electrophiles. Synlett, 1994, 1994, 955-957.  | 1.8 | 12        |
| 99  | The synthesis of 4′-thia-α-santalene and 4′-thia-α-santalol through an organometallic approach.<br>Tetrahedron, 1994, 50, 6029-6036.   | 1.9 | 4         |
| 100 | 3-lodopropenoylsilane: a further step in the chemistry of unsaturated acylsilanes. Tetrahedron<br>Letters, 1994, 35, 2081-2082.  | 1.4 | 23        |
| 101 | Heteroatom-Assisted Isomerization of Oxiranes to Allylic Alcohols Promoted by Bases. Journal of Organic Chemistry, 1994, 59, 4784-4790.  | 3.2 | 34        |
| 102 | Bis(trimethylsilyl)sulfide based thionation of carbonyl compounds: Synthesis of thioketones<br>Tetrahedron Letters, 1993, 34, 873-876.   | 1.4 | 43        |
| 103 | Allylsilanes derived from aminoacids in the synthesis of piperidine and pyrrolidins derivatives.<br>Tetrahedron Letters, 1993, 34, 1355-1358.  | 1.4 | 26        |
| 104 | Thiosilanes Based Delivery of Sulfur Functionalities in Organic Synthesis. Phosphorus, Sulfur and<br>Silicon and the Related Elements, 1993, 74, 385-386.  | 1.6 | 3         |
| 105 | Metallocupration of Acetylenic Silyl Ketone: Synthesis and Reactivity of Polymetalated Functionalized<br>Building Blocks. Synlett, 1992, 1992, 332-334.  | 1.8 | 22        |
| 106 | Chiral Allylsilanes Derived from Naturally Occurring α-Amino Acids. Synlett, 1992, 1992, 137-138.  | 1.8 | 18        |
| 107 | Michael-Type Addition of Carbocuprates to Acetylenic Silyl Ketone: A New Entry to Stereodefined Polyenes. Synlett, 1992, 1992, 329-331.  | 1.8 | 20        |
| 108 | Thiosilanes in Organic Synthesis: A Novel Approach to Vinyl Sulphides. Synlett, 1992, 1992, 499-501.   | 1.8 | 20        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Reactivity of acetylenic silyl ketones: synthesis of functionalized propenoylsilanes. Tetrahedron<br>Letters, 1992, 33, 1507-1508.  | 1.4 | 22        |
| 110 | CoCl <sub>2</sub> .6H <sub>2</sub> O AND CF <sub>3</sub> SO <sub>3</sub> SiMe <sub>3</sub> INDUCED<br>THIONATION OF ALDEHYDES: A STEREOCONTROLLED ENTRY TO SUBSTITUTED DIHYDROTHIOPYRAN<br>DERIVATIVES. Phosphorus, Sulfur and Silicon and the Related Elements, 1991, 59, 117-120. | 1.6 | 7         |
| 111 | Silicon-assisted synthesis of thiocarbonyl derivatives and reactivity of dienophilic thioaldehydes.<br>Journal of Organic Chemistry, 1991, 56, 7323-7328.   | 3.2 | 50        |
| 112 | Synthesis and reactivity of propenoylstannanes. Tetrahedron Letters, 1991, 32, 1899-1900.   | 1.4 | 15        |
| 113 | [3 + n] Annulation Reactions by Means of 3-Trimethylstannyl-2-[(trimethylstannyl)methyl]propene, an<br>Isobutene Dianion Synthetic Equivalent. Synthesis, 1991, 1991, 267-269.  | 2.3 | 16        |
| 114 | Stannylcupration as a Highly Regio- and Stereoselective route to 2-Substituted Tributylstannyl Allylamines. Synthesis, 1991, 1991, 1201-1204.   | 2.3 | 36        |
| 115 | A New Approach to the Synthesis of 2-Aza-1,3-Dienes through a Novel 1,4-Rearrangement of a<br>Trimethylsilyl Group from Nitrogen to Carbon. Synlett, 1991, 1991, 712-714.   | 1.8 | 0         |
| 116 | Facile isomerization of oxiranes to allyl alcohols by mixed metal bases. Tetrahedron, 1990, 46, 2401-2410.  | 1.9 | 92        |
| 117 | Group 14 organometallic reagents. 8. Organotin-mediated synthesis of macrocyclic tetraesters: regio-<br>and stereochemistry. Journal of Organic Chemistry, 1989, 54, 2643-2645.   | 3.2 | 8         |
| 118 | A simple regio- and stereocontrolled synthesis of α-branched allylsilanes Tetrahedron Letters, 1988, 29, 4991-4994.   | 1.4 | 27        |
| 119 | C-centred optically active organosilanes,2. Application to enantioselective allylation of carbonyl compounds Tetrahedron Letters, 1987, 28, 969-972.  | 1.4 | 26        |
| 120 | Fluoride ion induced reactions of organosilanes: the preparation of mono and dicarbonyl compounds from β-ketosilanes. Tetrahedron Letters, 1985, 26, 787-788.   | 1.4 | 25        |
| 121 | The mechanism of solvolysis of β-ketosilanes. Journal of Organometallic Chemistry, 1985, 280, 177-182.  | 1.8 | 7         |