

# Alexandre Harari

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2900339/publications.pdf>

Version: 2024-02-01

75  
papers

5,850  
citations

94433

37  
h-index

85541

71  
g-index

80  
all docs

80  
docs citations

80  
times ranked

8067  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sensitive identification of neoantigens and cognate TCRs in human solid tumors. <i>Nature Biotechnology</i> , 2022, 40, 656-660.	17.5	41
2	High levels of monocytic myeloid-derived suppressor cells are associated with favorable outcome in patients with pneumonia and sepsis with multi-organ failure. <i>Intensive Care Medicine Experimental</i> , 2022, 10, 5.	1.9	13
3	Immune pressure sculps tumor cells and trims high-quality mutations. <i>Cancer Cell</i> , 2022, 40, 717-719.	16.8	1
4	Prediction of neo-epitope immunogenicity reveals TCR recognition determinants and provides insight into immunoediting. <i>Cell Reports Medicine</i> , 2021, 2, 100194.	6.5	77
5	Tumor-specific cytolytic CD4 T cells mediate immunity against human cancer. <i>Science Advances</i> , 2021, 7, .	10.3	157
6	Personalized cancer vaccine strategy elicits polyfunctional T cells and demonstrates clinical benefits in ovarian cancer. <i>Npj Vaccines</i> , 2021, 6, 36.	6.0	27
7	Unsupervised Analysis of Flow Cytometry Data in a Clinical Setting Captures Cell Diversity and Allows Population Discovery. <i>Frontiers in Immunology</i> , 2021, 12, 633910.	4.8	8
8	The Promise of Personalized TCR-Based Cellular Immunotherapy for Cancer Patients. <i>Frontiers in Immunology</i> , 2021, 12, 701636.	4.8	6
9	Cell-autonomous inflammation of BRCA1-deficient ovarian cancers drives both tumor-intrinsic immunoreactivity and immune resistance via STING. <i>Cell Reports</i> , 2021, 36, 109412.	6.4	60
10	Microfluidic Device for Droplet Pairing by Combining Droplet Railing and Floating Trap Arrays. <i>Micromachines</i> , 2021, 12, 1076.	2.9	5
11	A Personalized Neoantigen Vaccine in Combination with Platinum-Based Chemotherapy Induces a T-Cell Response Coinciding with a Complete Response in Endometrial Carcinoma. <i>Cancers</i> , 2021, 13, 5801.	3.7	2
12	Vaccines as Priming Tools for T Cell Therapy for Epithelial Cancers. <i>Cancers</i> , 2021, 13, 5819.	3.7	4
13	A new workflow combining magnetic cell separation and impedance-based cell dispensing for gentle, simple and reliable cloning of specific CD8+ T cells. <i>SLAS Technology</i> , 2021, , .	1.9	1
14	High-throughput identification of human antigen-specific CD8+ and CD4+ T cells using soluble pMHC multimers. <i>Methods in Enzymology</i> , 2020, 631, 21-42.	1.0	3
15	Development of an optimized closed and semi-automatic protocol for Good Manufacturing Practice manufacturing of tumor-infiltrating lymphocytes in a hospital environment. <i>Cytotherapy</i> , 2020, 22, 780-791.	0.7	9
16	T-cell repertoire analysis and metrics of diversity and clonality. <i>Current Opinion in Biotechnology</i> , 2020, 65, 284-295.	6.6	79
17	Antitumour dendritic cell vaccination in a priming and boosting approach. <i>Nature Reviews Drug Discovery</i> , 2020, 19, 635-652.	46.4	148
18	Structural dissimilarity from self drives neoepitope escape from immune tolerance. <i>Nature Chemical Biology</i> , 2020, 16, 1269-1276.	8.0	53

#	ARTICLE	IF	CITATIONS
19	Deciphering the Mechanisms of Improved Immunogenicity of Hypochlorous Acid-Treated Antigens in Anti-Cancer Dendritic Cell-Based Vaccines. <i>Vaccines</i> , 2020, 8, 271.	4.4	13
20	Integrated proteogenomic deep sequencing and analytics accurately identify non-canonical peptides in tumor immunopeptidomes. <i>Nature Communications</i> , 2020, 11, 1293.	12.8	196
21	Neoantigen-Specific Adoptive Cell Therapies for Cancer: Making T-Cell Products More Personal. <i>Frontiers in Immunology</i> , 2020, 11, 1215.	4.8	32
22	Cancer and HIV-1 Infection: Patterns of Chronic Antigen Exposure. <i>Frontiers in Immunology</i> , 2020, 11, 1350.	4.8	13
23	Quantitative and qualitative impairments in dendritic cell subsets of patients with ovarian or prostate cancer. <i>European Journal of Cancer</i> , 2020, 135, 173-182.	2.8	32
24	Biotechnologies to tackle the challenge of neoantigen identification. <i>Current Opinion in Biotechnology</i> , 2020, 65, 52-59.	6.6	25
25	Development and Optimization of a GMP-Compliant Manufacturing Process for a Personalized Tumor Lysate Dendritic Cell Vaccine. <i>Vaccines</i> , 2020, 8, 25.	4.4	13
26	Optimized combinatorial pMHC class II multimer labeling for precision immune monitoring of tumor-specific CD4 T cells in patients. , 2020, 8, e000435.		4
27	Robust prediction of HLA class II epitopes by deep motif deconvolution of immunopeptidomes. <i>Nature Biotechnology</i> , 2019, 37, 1283-1286.	17.5	208
28	Adenosine mediates functional and metabolic suppression of peripheral and tumor-infiltrating CD8+ T cells. , 2019, 7, 257.		120
29	A Phase Ib Study of the Combination of Personalized Autologous Dendritic Cell Vaccine, Aspirin, and Standard of Care Adjuvant Chemotherapy Followed by Nivolumab for Resected Pancreatic Adenocarcinomaâ€”A Proof of Antigen Discovery Feasibility in Three Patients. <i>Frontiers in Immunology</i> , 2019, 10, 1832.	4.8	73
30	High-throughput Screening of Human Tumor Antigenâ€”specific CD4 T Cells, Including Neoantigen-reactive T Cells. <i>Clinical Cancer Research</i> , 2019, 25, 4320-4331.	7.0	15
31	Tumor-associated factors are enriched in lymphatic exudate compared to plasma in metastatic melanoma patients. <i>Journal of Experimental Medicine</i> , 2019, 216, 1091-1107.	8.5	102
32	Microfluidic device performing on flow study of serial cellâ€”cell interactions of two cell populations. <i>RSC Advances</i> , 2019, 9, 41066-41073.	3.6	6
33	A Phase I/II trial comparing autologous dendritic cell vaccine pulsed either with personalized peptides (PEP-DC) or with tumor lysate (OC-DC) in patients with advanced high-grade ovarian serous carcinoma. <i>Journal of Translational Medicine</i> , 2019, 17, 391.	4.4	42
34	Measurement of Mitochondrial Mass and Membrane Potential in Hematopoietic Stem Cells and T-cells by Flow Cytometry. <i>Journal of Visualized Experiments</i> , 2019, , .	0.3	4
35	50-Gy Stereotactic Body Radiation Therapy to the Dominant Intraprostatic Nodule: Results From a Phase 1a/b Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 320-334.	0.8	28
36	Personalized cancer vaccine effectively mobilizes antitumor T cell immunity in ovarian cancer. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	326

#	ARTICLE	IF	CITATIONS
37	Sensitive and frequent identification of high avidity neo-epitope-specific CD8 + T cells in immunotherapy-naïve ovarian cancer. <i>Nature Communications</i> , 2018, 9, 1092.	12.8	122
38	Label-free identification of activated T lymphocytes through tridimensional microsensors on chip. <i>Biosensors and Bioelectronics</i> , 2017, 94, 193-199.	10.1	36
39	Neoantigen-based cancer immunotherapy. <i>Annals of Translational Medicine</i> , 2016, 4, 262-262.	1.7	63
40	Cancer Vaccines in Ovarian Cancer: How Can We Improve?. <i>Biomedicines</i> , 2016, 4, 10.	3.2	47
41	Novel technologies and emerging biomarkers for personalized cancer immunotherapy. , 2016, 4, 3.		183
42	Personalized approaches to active immunotherapy in cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2016, 1865, 72-82.	7.4	41
43	Immune monitoring technology primer: flow and mass cytometry. , 2015, 3, 44.		27
44	Interleukin-1- and Type I Interferon-Dependent Enhanced Immunogenicity of an NYVAC-HIV-1 Env-Gag-Pol-Nef Vaccine Vector with Dual Deletions of Type I and Type II Interferon-Binding Proteins. <i>Journal of Virology</i> , 2015, 89, 3819-3832.	3.4	10
45	Combined Use of Mycobacterium tuberculosis-specific CD4 and CD8 T-Cell Responses Is a Powerful Diagnostic Tool of Active Tuberculosis. <i>Clinical Infectious Diseases</i> , 2015, 60, 432-437.	5.8	75
46	High-throughput monitoring of human tumor-specific T-cell responses with large peptide pools. <i>Onc Immunology</i> , 2015, 4, e1029702.	4.6	17
47	CD160-Associated CD8 T-Cell Functional Impairment Is Independent of PD-1 Expression. <i>PLoS Pathogens</i> , 2014, 10, e1004380.	4.7	69
48	MART-1 peptide vaccination plus IMP321 (LAG-3Ig fusion protein) in patients receiving autologous PBMCs after lymphodepletion: results of a Phase I trial. <i>Journal of Translational Medicine</i> , 2014, 12, 97.	4.4	69
49	<i>Mycobacterium tuberculosis</i> -specific CD8 <sup>+</sup> T cells are functionally and phenotypically different between latent infection and active disease. <i>European Journal of Immunology</i> , 2013, 43, 1568-1577.	2.9	172
50	Lack of <i>Mycobacterium tuberculosis</i> -specific interleukin-17A-producing CD4 <sup>+</sup> T cells in active disease. <i>European Journal of Immunology</i> , 2013, 43, 939-948.	2.9	60
51	Rapid Perturbation in Viremia Levels Drives Increases in Functional Avidity of HIV-specific CD8 T Cells. <i>PLoS Pathogens</i> , 2013, 9, e1003423.	4.7	25
52	NYVAC immunization induces polyfunctional HIV-specific T cell responses in chronically infected, ART-treated HIV patients. <i>European Journal of Immunology</i> , 2012, 42, 3038-3048.	2.9	30
53	Large TCR Diversity of Virus-Specific CD8 T Cells Provides the Mechanistic Basis for Massive TCR Renewal after Antigen Exposure. <i>Journal of Immunology</i> , 2011, 186, 7039-7049.	0.8	57
54	Dominant TNF- $\alpha$ Mycobacterium tuberculosis-specific CD4 <sup>+</sup> T cell responses discriminate between latent infection and active disease. <i>Nature Medicine</i> , 2011, 17, 372-376.	30.7	380

#	ARTICLE	IF	CITATIONS
55	DNA/NYVAC Vaccine Regimen Induces HIV-Specific CD4 and CD8 T-Cell Responses in Intestinal Mucosa. <i>Journal of Virology</i> , 2011, 85, 9854-9862.	3.4	35
56	Early and Prolonged Antiretroviral Therapy Is Associated with an HIV-1-Specific T-Cell Profile Comparable to That of Long-Term Non-Progressors. <i>PLoS ONE</i> , 2011, 6, e18164.	2.5	46
57	Proliferation Capacity and Cytotoxic Activity Are Mediated by Functionally and Phenotypically Distinct Virus-Specific CD8 T Cells Defined by Interleukin-7R $\pm$ (CD127) and Perforin Expression. <i>Journal of Virology</i> , 2010, 84, 3868-3878.	3.4	46
58	Distinct Profiles of Cytotoxic Granules in Memory CD8 T Cells Correlate with Function, Differentiation Stage, and Antigen Exposure. <i>Journal of Virology</i> , 2009, 83, 2862-2871.	3.4	104
59	HIV-Specific Immune Response. <i>Advances in Pharmacology</i> , 2008, 56, 75-92.	2.0	10
60	An HIV-1 clade C DNA prime, NYVAC boost vaccine regimen induces reliable, polyfunctional, and long-lasting T cell responses. <i>Journal of Experimental Medicine</i> , 2008, 205, 63-77.	8.5	273
61	Skewed association of polyfunctional antigen-specific CD8 T cell populations with HLA-B genotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 16233-16238.	7.1	118
62	Role of HIV-1-specific CD4 T cells. <i>Current Opinion in HIV and AIDS</i> , 2006, 1, 22-27.	3.8	6
63	Functional signatures of protective antiviral T cell immunity in human virus infections. <i>Immunological Reviews</i> , 2006, 211, 236-254.	6.0	256
64	Understanding what makes a good versus a bad vaccine. <i>European Journal of Immunology</i> , 2005, 35, 2528-2531.	2.9	2
65	HIV-1-specific IFN- $\gamma$ /IL-2-secreting CD8 T cells support CD4-independent proliferation of HIV-1-specific CD8 T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 7239-7244.	7.1	277
66	Functional Heterogeneity of Memory CD4 T Cell Responses in Different Conditions of Antigen Exposure and Persistence. <i>Journal of Immunology</i> , 2005, 174, 1037-1045.	0.8	271
67	Phenotypic heterogeneity of antigen-specific CD4 T cells under different conditions of antigen persistence and antigen load. <i>European Journal of Immunology</i> , 2004, 34, 3525-3533.	2.9	169
68	Cytomegalovirus (CMV)-Specific cellular immune responses. <i>Human Immunology</i> , 2004, 65, 500-506.	2.4	86
69	Skewed representation of functionally distinct populations of virus-specific CD4 T cells in HIV-1-infected subjects with progressive disease: changes after antiretroviral therapy. <i>Blood</i> , 2004, 103, 966-972.	1.4	345
70	Feasibility of a Stem Cell Gene Therapy Approach with Nonmyeloablative Conditioning in Patients with HIV-1 Infection. <i>Blood</i> , 2004, 104, 412-412.	1.4	1
71	Analysis of HIV-1 and CMV-specific memory CD4 T-cell responses during primary and chronic infection. <i>Blood</i> , 2002, 100, 1381-1387.	1.4	97
72	Distribution and functional analysis of memory antiviral CD8 T cell responses in HIV-1 and cytomegalovirus infections. <i>European Journal of Immunology</i> , 2002, 32, 3756-3764.	2.9	79

#	ARTICLE	IF	CITATIONS
73	Treatment of primary HIV-1 infection with cyclosporin A coupled with highly active antiretroviral therapy. <i>Journal of Clinical Investigation</i> , 2002, 109, 681-688.	8.2	109
74	Treatment of primary HIV-1 infection with cyclosporin A coupled with highly active antiretroviral therapy. <i>Journal of Clinical Investigation</i> , 2002, 109, 681-688.	8.2	65
75	Antiviral memory T cell responses: correlation with protective immunity and implication for vaccine development. <i>Advances in Experimental Medicine and Biology</i> , 2002, 512, 155-64.	1.6	0