

# Jun Soo Kwon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2902697/publications.pdf>

Version: 2024-02-01

402  
papers

17,383  
citations

13865

67  
h-index

25787

108  
g-index

413  
all docs

413  
docs citations

413  
times ranked

17009  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	1.3	627
2	Gamma Frequency-Range Abnormalities to Auditory Stimulation in Schizophrenia. <i>Archives of General Psychiatry</i> , 1999, 56, 1001.	12.3	584
3	Clinical and empirical applications of the Rey-Osterrieth Complex Figure Test. <i>Nature Protocols</i> , 2006, 1, 892-899.	12.0	447
4	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	11.0	354
5	Lower Left Temporal Lobe MRI Volumes in Patients With First-Episode Schizophrenia Compared With Psychotic Patients With First-Episode Affective Disorder and Normal Subjects. <i>American Journal of Psychiatry</i> , 1998, 155, 1384-1391.	7.2	302
6	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.	7.1	299
7	Gender difference analysis of cortical thickness in healthy young adults with surface-based methods. <i>NeuroImage</i> , 2006, 31, 31-38.	4.2	282
8	Distinct Subcortical Volume Alterations in Pediatric and Adult OCD: A Worldwide Meta- and Mega-Analysis. <i>American Journal of Psychiatry</i> , 2017, 174, 60-69.	7.2	268
9	Multicenter Voxel-Based Morphometry Mega-Analysis of Structural Brain Scans in Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2014, 171, 340-349.	7.2	227
10	Neural correlates of cognitive inflexibility during task-switching in obsessive-compulsive disorder. <i>Brain</i> , 2007, 131, 155-164.	7.6	221
11	Grey matter abnormalities in obsessive-compulsive disorder. <i>British Journal of Psychiatry</i> , 2001, 179, 330-334.	2.8	212
12	Increased default mode network connectivity associated with meditation. <i>Neuroscience Letters</i> , 2011, 487, 358-362.	2.1	211
13	Impulsivity in Internet Addiction: A Comparison with Pathological Gambling. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2012, 15, 373-377.	3.9	203
14	Cortical Abnormalities Associated With Pediatric and Adult Obsessive-Compulsive Disorder: Findings From the ENIGMA Obsessive-Compulsive Disorder Working Group. <i>American Journal of Psychiatry</i> , 2018, 175, 453-462.	7.2	197
15	Fractal dimension in human cortical surface: Multiple regression analysis with cortical thickness, sulcal depth, and folding area. <i>Human Brain Mapping</i> , 2006, 27, 994-1003.	3.6	175
16	Neural correlates of clinical symptoms and cognitive dysfunctions in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2003, 122, 37-47.	1.8	173
17	Left Planum Temporale Volume Reduction in Schizophrenia. <i>Archives of General Psychiatry</i> , 1999, 56, 142.	12.3	172
18	The effect of meditation on brain structure: cortical thickness mapping and diffusion tensor imaging. <i>Social Cognitive and Affective Neuroscience</i> , 2013, 8, 27-33.	3.0	171

#	ARTICLE	IF	CITATIONS
19	MRI Study of Cavum Septi Pellucidi in Schizophrenia, Affective Disorder, and Schizotypal Personality Disorder. <i>American Journal of Psychiatry</i> , 1998, 155, 509-515.	7.2	146
20	Social cognition and neurocognition as predictors of conversion to psychosis in individuals at ultra-high risk. <i>Schizophrenia Research</i> , 2011, 130, 170-175.	2.0	145
21	White matter abnormalities associated with auditory hallucinations in schizophrenia: A combined study of voxel-based analyses of diffusion tensor imaging and structural magnetic resonance imaging. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 93-104.	1.8	144
22	Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. <i>Brain Imaging and Behavior</i> , 2017, 11, 1497-1514.	2.1	144
23	The Effects of Pharmacological Treatment on Functional Brain Connectome in Obsessive-Compulsive Disorder. <i>Biological Psychiatry</i> , 2014, 75, 606-614.	1.3	139
24	Deficit of theory of mind in individuals at ultra-high-risk for schizophrenia. <i>Schizophrenia Research</i> , 2008, 99, 111-118.	2.0	138
25	Functional Disconnection Between the Prefrontal and Parietal Cortices During Working Memory Processing in Schizophrenia: A [ <sup>15</sup> O]H <sub>2</sub> O PET Study. <i>American Journal of Psychiatry</i> , 2003, 160, 919-923.	7.2	137
26	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47.	11.0	136
27	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020, 218, 116956.	4.2	135
28	Sex differences in the human corpus callosum: diffusion tensor imaging study. <i>NeuroReport</i> , 2005, 16, 795-798.	1.2	127
29	Cortical Thickness Reduction in Individuals at Ultra-High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 839-849.	4.3	127
30	Social cognitive functioning in prodromal psychosis: A meta-analysis. <i>Schizophrenia Research</i> , 2015, 164, 28-34.	2.0	126
31	Altered resting-state connectivity in subjects at ultra-high risk for psychosis: an fMRI study. <i>Behavioral and Brain Functions</i> , 2010, 6, 58.	3.3	123
32	Weight Management Program for Treatment-Emergent Weight Gain in Olanzapine-Treated Patients With Schizophrenia or Schizoaffective Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 547-553.	2.2	123
33	Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020, 177, 834-843.	7.2	120
34	The crisis of minimal self-awareness in schizophrenia: A meta-analytic review. <i>Schizophrenia Research</i> , 2014, 152, 58-64.	2.0	119
35	Auditory Mismatch Negativity in Schizophrenia: Topographic Evaluation With a High-Density Recording Montage. <i>American Journal of Psychiatry</i> , 1998, 155, 1281-1284.	7.2	114
36	Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. <i>Journal of Affective Disorders</i> , 2011, 131, 59-67.	4.1	113

#	ARTICLE	IF	CITATIONS
37	Left anterior subregion of orbitofrontal cortex volume reduction and impaired organizational strategies in obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2004, 38, 193-199.	3.1	106
38	Reduced prefrontal functional connectivity in the default mode network is related to greater psychopathology in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2011, 127, 58-65.	2.0	105
39	Functional connectivity in fronto-subcortical circuitry during the resting state in obsessive-compulsive disorder. <i>Neuroscience Letters</i> , 2010, 474, 158-162.	2.1	104
40	Right hemisphere abnormalities in major depression: Quantitative electroencephalographic findings before and after treatment. <i>Journal of Affective Disorders</i> , 1996, 40, 169-173.	4.1	103
41	Abnormal corticostriatal-limbic functional connectivity in obsessive-compulsive disorder during reward processing and resting-state. <i>NeuroImage: Clinical</i> , 2013, 3, 27-38.	2.7	103
42	Integration of cross-modal emotional information in the human brain: An fMRI study. <i>Cortex</i> , 2010, 46, 161-169.	2.4	102
43	Statistical parametric mapping of LORETA using high density EEG and individual MRI: Application to mismatch negativities in Schizophrenia. <i>Human Brain Mapping</i> , 2002, 17, 168-178.	3.6	99
44	Presynaptic Dopamine Capacity in Patients with Treatment-Resistant Schizophrenia Taking Clozapine: An [18F]DOPA PET Study. <i>Neuropsychopharmacology</i> , 2017, 42, 941-950.	5.4	98
45	Altered hemispheric asymmetry and positive symptoms in schizophrenia: equivalent current dipole of auditory mismatch negativity. <i>Schizophrenia Research</i> , 2003, 59, 253-260.	2.0	97
46	Neuropsychological profile in patients with obsessive-compulsive disorder over a period of 4-month treatment. <i>Journal of Psychiatric Research</i> , 2002, 36, 257-265.	3.1	94
47	Altered Brain Activity during Reward Anticipation in Pathological Gambling and Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2012, 7, e45938.	2.5	94
48	Altered Thalamo-Cortical White Matter Connectivity: Probabilistic Tractography Study in Clinical-High Risk for Psychosis and First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 723-731.	4.3	93
49	Pattern classification using principal components of cortical thickness and its discriminative pattern in schizophrenia. <i>NeuroImage</i> , 2007, 34, 1405-1415.	4.2	91
50	Neuroimaging in obsessive-compulsive disorder. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 255-269.	2.8	91
51	Association of the Glutamate Transporter Gene SLC1A1 With Atypical Antipsychotics-Induced Obsessive-compulsive Symptoms. <i>Archives of General Psychiatry</i> , 2009, 66, 1233.	12.3	91
52	Fractal dimension of cerebral cortical surface in schizophrenia and obsessive-compulsive disorder. <i>Neuroscience Letters</i> , 2005, 384, 172-176.	2.1	90
53	Voxel-Based Morphometry Study of Gray Matter Abnormalities in Obsessive-Compulsive Disorder. <i>Journal of Korean Medical Science</i> , 2008, 23, 24.	2.5	90
54	Pre-Attentive Auditory Processing in Ultra-High-Risk for Schizophrenia with Magnetoencephalography. <i>Biological Psychiatry</i> , 2009, 65, 1071-1078.	1.3	88

#	ARTICLE	IF	CITATIONS
55	Cortical thickness in obsessive-compulsive disorder: Multisite mega-analysis of 780 brain scans from six centres. <i>British Journal of Psychiatry</i> , 2017, 210, 67-74.	2.8	88
56	Unravelling the Intrinsic Functional Organization of the Human Striatum: A Parcellation and Connectivity Study Based on Resting-State fMRI. <i>PLoS ONE</i> , 2014, 9, e106768.	2.5	87
57	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	4.3	85
58	Adjunctive use of anti-inflammatory drugs for schizophrenia: A meta-analytic investigation of randomized controlled trials. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 742-759.	2.3	84
59	Electrocardiographic Abnormalities in Patients Treated With Clozapine. <i>Journal of Clinical Psychiatry</i> , 2000, 61, 441-446.	2.2	84
60	Neural correlates of altered response inhibition and dysfunctional connectivity at rest in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 40, 340-346.	4.8	82
61	Volumetric Investigation of the Frontal-Subcortical Circuitry in Patients With Obsessive-Compulsive Disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2004, 16, 342-349.	1.8	80
62	Spatial accuracy of fMRI activation influenced by volume- and surface-based spatial smoothing techniques. <i>NeuroImage</i> , 2007, 34, 550-564.	4.2	80
63	White matter neuroplastic changes in long-term trained players of the game of "Baduk" (GO): A voxel-based diffusion-tensor imaging study. <i>NeuroImage</i> , 2010, 52, 9-19.	4.2	80
64	The Role of Estrogen Receptors and Their Signaling across Psychiatric Disorders. <i>International Journal of Molecular Sciences</i> , 2021, 22, 373.	4.1	77
65	Brain single photon emission computed tomography findings in depressive pseudodementia patients. <i>Journal of Affective Disorders</i> , 2002, 69, 159-166.	4.1	76
66	Persistent cognitive dysfunction in patients with obsessive-compulsive disorder: A naturalistic study. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 539-545.	1.8	74
67	The relationship between psychosocial functioning and resilience and negative symptoms in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 762-771.	2.3	74
68	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	11.0	74
69	Mapping Cortical and Subcortical Asymmetry in Obsessive-Compulsive Disorder: Findings From the ENIGMA Consortium. <i>Biological Psychiatry</i> , 2020, 87, 1022-1034.	1.3	73
70	A Proton MRSI Study of Brain N-Acetylaspartate Level After 12 Weeks of Citalopram Treatment in Drug-Naive Patients With Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 1202-1207.	7.2	71
71	Proton magnetic resonance spectroscopy in subjects with high genetic risk of schizophrenia: Investigation of anterior cingulate, dorsolateral prefrontal cortex and thalamus. <i>Schizophrenia Research</i> , 2009, 111, 86-93.	2.0	70
72	Patterns of Temperament and Character in Subjects With Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 637-641.	2.2	70

#	ARTICLE	IF	CITATIONS
73	Neuropsychological correlates of P300 abnormalities in patients with schizophrenia and obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2003, 123, 109-123.	1.8	69
74	Frontal P300 decrement and executive dysfunction in adolescents with conduct problems. <i>Child Psychiatry and Human Development</i> , 2001, 32, 93-106.	1.9	67
75	Electrophysiological correlates of behavioral response inhibition in patients with obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2007, 24, 22-31.	4.1	66
76	Development of Korean Standard Brain Templates. <i>Journal of Korean Medical Science</i> , 2005, 20, 483.	2.5	65
77	An MEG study of alpha modulation in patients with schizophrenia and in subjects at high risk of developing psychosis. <i>Schizophrenia Research</i> , 2011, 126, 36-42.	2.0	63
78	Increased water diffusivity in the frontal and temporal cortices of schizophrenic patients. <i>NeuroImage</i> , 2006, 30, 1285-1291.	4.2	62
79	Phase-Specific Brain Change of Spatial Working Memory Processing in Genetic and Ultra-High Risk Groups of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1189-1199.	4.3	61
80	Morphometric abnormality of the insula in schizophrenia: a comparison with obsessive-compulsive disorder and normal control using MRI. <i>Schizophrenia Research</i> , 2003, 60, 191-198.	2.0	59
81	Dysfunction in Configural Face Processing in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 34, 538-543.	4.3	59
82	Relationship between personality trait and regional cerebral glucose metabolism assessed with positron emission tomography. <i>Biological Psychology</i> , 2002, 60, 109-120.	2.2	58
83	Testing the autogenous-reactive model of obsessions. <i>Depression and Anxiety</i> , 2005, 21, 118-129.	4.1	58
84	Multi-level comparison of empathy in schizophrenia: An fMRI study of a cartoon task. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 121-129.	1.8	58
85	Altered functional network architecture in orbitofronto-striato-thalamic circuit of unmedicated patients with obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2017, 38, 109-119.	3.6	58
86	Effects of Oxytocin on Neural Response to Facial Expressions in Patients with Schizophrenia. <i>Neuropsychopharmacology</i> , 2015, 40, 1919-1927.	5.4	57
87	The Reliability and Validity of the Korean Version of the Structured Interview for Prodromal Syndrome. <i>Psychiatry Investigation</i> , 2010, 7, 257.	1.6	57
88	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020, 46, 432-441.	4.3	56
89	Cortical thinning in obsessive compulsive disorder. <i>Human Brain Mapping</i> , 2007, 28, 1128-1135.	3.6	55
90	The effects of mind-body training on stress reduction, positive affect, and plasma catecholamines. <i>Neuroscience Letters</i> , 2010, 479, 138-142.	2.1	54

#	ARTICLE	IF	CITATIONS
91	Changes in Twinning Rates in South Korea: 1981â€“2002. <i>Twin Research and Human Genetics</i> , 2005, 8, 76-79.	0.6	53
92	OUP accepted manuscript. <i>Brain</i> , 2020, 143, 684-700.	7.6	53
93	Effect of cognitive training focusing on organizational strategies in patients with obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 718-726.	1.8	51
94	Power spectral aspects of the default mode network in schizophrenia: an MEG study. <i>BMC Neuroscience</i> , 2014, 15, 104.	1.9	51
95	An overview of the first 5â€™years of the ENIGMA obsessiveâ€™compulsive disorder working group: The power of worldwide collaboration. <i>Human Brain Mapping</i> , 2022, 43, 23-36.	3.6	51
96	Decreased caudal anterior cingulate gyrus volume and positive symptoms in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 239-247.	1.8	50
97	Taq1A polymorphism in the dopamine D2 receptor gene as a predictor of clinical response to aripiprazole. <i>European Neuropsychopharmacology</i> , 2008, 18, 897-907.	0.7	50
98	Parental socioeconomic status and prognosis in individuals with ultra-high risk for psychosis: A 2-year follow-up study. <i>Schizophrenia Research</i> , 2015, 168, 56-61.	2.0	50
99	The relationship between antipsychotic D2 occupancy and change in frontal metabolism and working memory. <i>Psychopharmacology</i> , 2013, 227, 221-229.	3.1	49
100	A Proton MRSI Study of Brain &lt;char aid="99804048" id="ital"&gt;N&lt;/char&gt;-Acetylaspartate Level After 12 Weeks of Citalopram Treatment in Drug-Naive Patients With Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 1202.	7.2	49
101	LORETA imaging of P300 in schizophrenia with individual MRI and 128-channel EEG. <i>NeuroImage</i> , 2003, 20, 1552-1560.	4.2	48
102	Structural Brain Alterations in Individuals at Ultra-high Risk for Psychosis: A Review of Magnetic Resonance Imaging Studies and Future Directions. <i>Journal of Korean Medical Science</i> , 2010, 25, 1700.	2.5	48
103	Dissociation of Working Memory Processing Associated with Native and Second Languages: PET Investigation. <i>NeuroImage</i> , 2002, 15, 879-891.	4.2	47
104	Social Functioning Deficits in Young People at Risk for Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 678-685.	2.3	47
105	Neuropsychological correlates of error negativity and positivity in schizophrenia patients. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 303-311.	1.8	46
106	Thalamus surface shape deformity in obsessive-compulsive disorder and schizophrenia. <i>NeuroReport</i> , 2008, 19, 609-613.	1.2	46
107	Early intervention in psychosis: Insights from Korea. <i>Asian Journal of Psychiatry</i> , 2012, 5, 98-105.	2.0	46
108	Symptomatic and functional remission of subjects at clinical high risk for psychosis: A 2-year naturalistic observational study. <i>Schizophrenia Research</i> , 2014, 156, 266-271.	2.0	46



#	ARTICLE	IF	CITATIONS
109	Neural Correlates of Response to Pharmacotherapy in Obsessive-Compulsive Disorder: Individualized Cortical Morphology-Based Structural Covariance. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 63, 126-133.	4.8	46
110	Can We Predict Psychosis Outside the Clinical High-Risk State? A Systematic Review of Non-Psychotic Risk Syndromes for Mental Disorders. <i>Schizophrenia Bulletin</i> , 2018, 44, 276-285.	4.3	46
111	Association of mental disorders with SARS-CoV-2 infection and severe health outcomes: nationwide cohort study. <i>British Journal of Psychiatry</i> , 2021, 218, 344-351.	2.8	45
112	Gamma Oscillation in Schizophrenia. <i>Psychiatry Investigation</i> , 2011, 8, 288.	1.6	45
113	The effect of immediate and delayed word repetition on event-related potential in a continuous recognition task. <i>Cognitive Brain Research</i> , 2001, 11, 387-396.	3.0	44
114	White matter alterations in male patients with obsessive-compulsive disorder. <i>NeuroReport</i> , 2009, 20, 735-739.	1.2	44
115	Diagnostic stability of first-episode psychosis and predictors of diagnostic shift from non-affective psychosis to bipolar disorder: A retrospective evaluation after recurrence. <i>Psychiatry Research</i> , 2011, 188, 29-33.	3.3	44
116	Regional Brain Atrophy and Functional Disconnection in Broca's Area in Individuals at Ultra-High Risk for Psychosis and Schizophrenia. <i>PLoS ONE</i> , 2012, 7, e51975.	2.5	44
117	Analysis of the hemispheric asymmetry using fractal dimension of a skeletonized cerebral surface. <i>IEEE Transactions on Biomedical Engineering</i> , 2004, 51, 1494-1498.	4.2	43
118	Prevalence and Clinical Characteristics of Obsessive-Compulsive Symptoms Associated With Atypical Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 712-713.	1.4	43
119	Population pharmacokinetic modelling of aripiprazole and its active metabolite, dehydroaripiprazole, in psychiatric patients. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 802-810.	2.4	43
120	Structural neuroimaging biomarkers for obsessive-compulsive disorder in the ENIGMA-OCD consortium: medication matters. <i>Translational Psychiatry</i> , 2020, 10, 342.	4.8	43
121	Morphometric alterations of anterior superior temporal cortex in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2006, 23, 290-296.	4.1	42
122	Aberrant Auditory Processing in Schizophrenia and in Subjects at Ultra-High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1258-1267.	4.3	42
123	Regional cortical thinning in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 197-203.	2.0	42
124	Comparison of the Effectiveness of Virtual Cue Exposure Therapy and Cognitive Behavioral Therapy for Nicotine Dependence. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2014, 17, 262-267.	3.9	42
125	Brain Structural Networks Associated with Intelligence and Visuomotor Ability. <i>Scientific Reports</i> , 2017, 7, 2177.	3.3	42
126	Decrease in genu of the corpus callosum in medication-naïve, early-onset dysthymia and depressive personality disorder. <i>Biological Psychiatry</i> , 2002, 52, 1134-1143.	1.3	41



#	ARTICLE	IF	CITATIONS
127	Impulsivity and compulsivity in Internet gaming disorder: A comparison with obsessive-compulsive disorder and alcohol use disorder. <i>Journal of Behavioral Addictions</i> , 2017, 6, 545-553.	3.7	41
128	Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. <i>Journal of Affective Disorders</i> , 2011, 129, 313-316.	4.1	39
129	Multidimensional Comparison of Personality Characteristics of the Big Five Model, Impulsiveness, and Affect in Pathological Gambling and Obsessive-Compulsive Disorder. <i>Journal of Gambling Studies</i> , 2012, 28, 351-362.	1.6	38
130	Predicting Remission in Subjects at Clinical High Risk for Psychosis Using Mismatch Negativity. <i>Schizophrenia Bulletin</i> , 2018, 44, 575-583.	4.3	38
131	Spatial memory impairments in amnesic mild cognitive impairment in a virtual radial arm maze. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 653.	2.2	37
132	Tardive Dyskinesia and Tardive Dystonia With Second-Generation Antipsychotics in Non-Elderly Schizophrenic Patients Unexposed to First-Generation Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 13-21.	1.4	37
133	Microstructural Changes in Higher-Order Nuclei of the Thalamus in Patients With First-Episode Psychosis. <i>Biological Psychiatry</i> , 2019, 85, 70-78.	1.3	37
134	A Preliminary Validity Study of the Cambridge Neuropsychological Test Automated Battery for the Assessment of Executive Function in Schizophrenia and Bipolar Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 394.	1.6	37
135	BOLD response during visual perception of biological motion in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 46-54.	3.2	36
136	Processing of facial configuration in individuals at ultra-high risk for schizophrenia. <i>Schizophrenia Research</i> , 2010, 118, 81-87.	2.0	36
137	Diffusion tensor imaging of anterior commissural fibers in patients with schizophrenia. <i>Schizophrenia Research</i> , 2011, 130, 78-85.	2.0	36
138	Association between EEG alpha power and visuospatial function in obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 16-20.	1.8	35
139	Deformable model with surface registration for hippocampal shape deformity analysis in schizophrenia. <i>NeuroImage</i> , 2004, 22, 831-840.	4.2	35
140	Visual self-recognition in patients with schizophrenia. <i>Schizophrenia Research</i> , 2007, 94, 215-220.	2.0	34
141	Hippocampal shape deformity analysis in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 185-190.	3.2	34
142	Selective impairment in visual perception of biological motion in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2008, 25, E15-E25.	4.1	34
143	Clinical and neurocognitive profiles of subjects at high risk for psychosis with and without obsessive-compulsive symptoms. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 161-169.	2.3	34
144	The effects of four days of intensive mindfulness meditation training (Templestay program) on resilience to stress: a randomized controlled trial. <i>Psychology, Health and Medicine</i> , 2018, 23, 497-504.	2.4	34

#	ARTICLE	IF	CITATIONS
145	The Immediate and Sustained Positive Effects of Meditation on Resilience Are Mediated by Changes in the Resting Brain. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 101.	2.0	34
146	Increased Intra-Individual Variability of Cognitive Processing in Subjects at Risk Mental State and Schizophrenia Patients. <i>PLoS ONE</i> , 2013, 8, e78354.	2.5	34
147	Cavum septum pellucidum in subjects at ultra-high risk for psychosis: Compared with first-degree relatives of patients with schizophrenia and healthy volunteers. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1326-1330.	4.8	33
148	Longitudinal Patterns of Social Functioning and Conversion to Psychosis in Subjects at Ultra-High Risk. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 763-770.	2.3	33
149	Gray Matter Volumetric Abnormalities Associated with the Onset of Psychosis. <i>Frontiers in Psychiatry</i> , 2012, 3, 101.	2.6	33
150	Reduced Binding Potential of GABA-A/Benzodiazepine Receptors in Individuals at Ultra-high Risk for Psychosis: An [18F]-Fluorofluminazenil Positron Emission Tomography Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 548-557.	4.3	33
151	Altered Fronto-Temporal Functional Connectivity in Individuals at Ultra-High-Risk of Developing Psychosis. <i>PLoS ONE</i> , 2015, 10, e0135347.	2.5	33
152	White matter microstructure and its relation to clinical features of obsessive-compulsive disorder: findings from the ENIGMA OCD Working Group. <i>Translational Psychiatry</i> , 2021, 11, 173.	4.8	33
153	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	4.1	33
154	Coping Strategies and Their Relationship to Psychopathologies in People at Ultra High-Risk for Psychosis and With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 106-110.	1.0	32
155	Neuropsychological profiles of patients with obsessive-compulsive disorder: early onset versus late onset. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 30-7.	1.8	31
156	Generators of the gamma-band activities in response to rare and novel stimuli during the auditory oddball paradigm. <i>Neuroscience Letters</i> , 2007, 413, 210-215.	2.1	31
157	Artificial shifting of fMRI activation localized by volume- and surface-based analyses. <i>NeuroImage</i> , 2008, 40, 1077-1089.	4.2	31
158	Neurocognitive function as a possible marker for remission from clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 153, 48-53.	2.0	31
159	A Naturalistic Multicenter Trial of a 12-Week Weight Management Program for Overweight and Obese Patients With Schizophrenia or Schizoaffective Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 555-562.	2.2	31
160	Three-Year Follow-Up of Women With the Sole Diagnosis of Depressive Personality Disorder: Subsequent Development of Dysthymia and Major Depression. <i>American Journal of Psychiatry</i> , 2000, 157, 1966-1972.	7.2	30
161	Shape deformity of the corpus striatum in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2007, 155, 257-264.	1.8	30
162	Musical obsessions: A comprehensive review of neglected clinical phenomena. <i>Journal of Anxiety Disorders</i> , 2014, 28, 580-589.	3.2	30

#	ARTICLE	IF	CITATIONS
163	Impaired mismatch negativity is associated with current functional status rather than genetic vulnerability to schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 100-106.	1.8	30
164	Away from home: the brain of the wandering mind as a model for schizophrenia. <i>Schizophrenia Research</i> , 2015, 165, 83-89.	2.0	30
165	Pharmacokinetic-pharmacodynamic modeling of risperidone effects on electroencephalography in healthy volunteers. <i>Psychopharmacology</i> , 1999, 144, 272-278.	3.1	29
166	Gender Difference in the Prodromal Symptoms of First-episode Schizophrenia. <i>Journal of Korean Medical Science</i> , 2009, 24, 1083.	2.5	29
167	Comparison of serum protein profiles between major depressive disorder and bipolar disorder. <i>BMC Psychiatry</i> , 2020, 20, 145.	2.6	29
168	Reduced cortical folding of the anterior cingulate cortex in obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 443-9.	2.4	29
169	Nonverbal memory and organizational dysfunctions are related with distinct symptom dimensions in obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2010, 180, 93-98.	3.3	28
170	Predicting Brain Occupancy from Plasma Levels using PET: Superiority of Combining Pharmacokinetics with Pharmacodynamics while Modeling the Relationship. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 759-768.	4.3	28
171	Reduced frontoâ€callosal fiber integrity in unmedicated OCD patients: A diffusion tractography study. <i>Human Brain Mapping</i> , 2012, 33, 2441-2452.	3.6	28
172	General intellectual functioning as a buffer against theory-of-mind deficits in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 149, 83-87.	2.0	28
173	Renaming schizophrenia in South Korea. <i>Lancet, The</i> , 2013, 382, 683-684.	13.7	28
174	Alterations of Gray and White Matter Networks in Patients with Obsessive-Compulsive Disorder: A Multimodal Fusion Analysis of Structural MRI and DTI Using mCCA+jICA. <i>PLoS ONE</i> , 2015, 10, e0127118.	2.5	28
175	Structural covariance of neostriatal and limbic regions in patients with obsessiveâ€compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 115-123.	2.4	28
176	The relationship between dopamine receptor blockade and cognitive performance in schizophrenia: a [11C]-raclopride PET study with aripiprazole. <i>Translational Psychiatry</i> , 2018, 8, 87.	4.8	28
177	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.	2.0	28
178	How does distortion correction correlate with anisotropic indices? A diffusion tensor imaging study. <i>Magnetic Resonance Imaging</i> , 2006, 24, 1369-1376.	1.8	27
179	Disproportionate Alterations in the Anterior and Posterior Insular Cortices in Obsessiveâ€Compulsive Disorder. <i>PLoS ONE</i> , 2011, 6, e22361.	2.5	27
180	Psychosis research in Asia: advantage from low prevalence of cannabis use. <i>NPJ Schizophrenia</i> , 2016, 2, 1.	3.6	27

#	ARTICLE	IF	CITATIONS
181	Aberrant temporal behavior of mismatch negativity generators in schizophrenia patients and subjects at clinical high risk for psychosis. <i>Clinical Neurophysiology</i> , 2017, 128, 331-339.	1.5	27
182	Increased Attentional Bias Toward Visual Cues in Internet Gaming Disorder and Obsessive-Compulsive Disorder: An Event-Related Potential Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 315.	2.6	27
183	Prevalence of Metabolic Syndrome in Patients with Schizophrenia in Korea: A Multicenter Nationwide Cross-Sectional Study. <i>Psychiatry Investigation</i> , 2017, 14, 44.	1.6	27
184	Functional imaging evidence of the relationship between recurrent psychotic episodes and neurodegenerative course in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 219-228.	1.8	26
185	Exploring the brains of Baduk (Go) experts: gray matter morphometry, resting-state functional connectivity, and graph theoretical analysis. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 633.	2.0	26
186	Dysfunctional role of parietal lobe during self-face recognition in schizophrenia. <i>Schizophrenia Research</i> , 2014, 152, 81-88.	2.0	26
187	Resting-state EEG activity related to impulsivity in gambling disorder. <i>Journal of Behavioral Addictions</i> , 2017, 6, 387-395.	3.7	26
188	Impact of the BDNF Val66Met Polymorphism on Regional Brain Gray Matter Volumes: Relevance to the Stress Response. <i>Psychiatry Investigation</i> , 2013, 10, 173.	1.6	26
189	Internet-Based Cognitive Behavioral Therapy for Obsessive-Compulsive Disorder in Korea. <i>Psychiatry Investigation</i> , 2016, 13, 373.	1.6	26
190	Asymmetry analysis of deformable hippocampal model using the principal component in schizophrenia. <i>Human Brain Mapping</i> , 2005, 25, 361-369.	3.6	25
191	Distinct processing of facial emotion of own-race versus other-race. <i>NeuroReport</i> , 2008, 19, 1021-1025.	1.2	25
192	Long-term efficacy and safety of aripiprazole in patients with schizophrenia, schizophreniform disorder, or schizoaffective disorder: 26-week prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2009, 63, 73-81.	1.8	25
193	Neural correlate of impulsivity in subjects at ultra-high risk for psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 165-169.	4.8	25
194	Altered asymmetry of the anterior cingulate cortex in subjects at genetic high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 150, 512-518.	2.0	25
195	Associated Factors of Quality of Life in First-Episode Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2011, 8, 201.	1.6	25
196	Functional disconnection of the semantic networks in schizophrenia. <i>NeuroReport</i> , 2005, 16, 355-359.	1.2	24
197	Altered Brain Activation in Ventral Frontal-Striatal Regions Following a 16-week Pharmacotherapy in Unmedicated Obsessive-Compulsive Disorder. <i>Journal of Korean Medical Science</i> , 2011, 26, 665.	2.5	24
198	Auditory P300 as a predictor of short-term prognosis in subjects at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 165, 138-144.	2.0	24

#	ARTICLE	IF	CITATIONS
199	Symptom structure of antipsychotic-induced obsessive compulsive symptoms in schizophrenia patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 75-79.	4.8	23
200	Individualized covariance profile of cortical morphology for auditory hallucinations in first-episode psychosis. <i>Human Brain Mapping</i> , 2016, 37, 1051-1065.	3.6	23
201	Cerebellar Structural Abnormalities Associated With Cognitive Function in Patients With First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2018, 9, 286.	2.6	23
202	The relationship between grey matter volume and striatal dopamine function in psychosis: a multimodal 18F-DOPA PET and voxel-based morphometry study. <i>Molecular Psychiatry</i> , 2021, 26, 1332-1345.	7.9	23
203	Optimized individual mismatch negativity source localization using a realistic head model and the Talairach coordinate system. <i>Brain Topography</i> , 2003, 15, 233-238.	1.8	22
204	N-Methyl-d-aspartate receptor in working memory impairments in schizophrenia: event-related potential study of late stage of working memory process. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 993-999.	4.8	22
205	Sex differences in the temporal lobe white matter and the corpus callosum: a diffusion tensor tractography study. <i>NeuroReport</i> , 2010, 21, 73-77.	1.2	22
206	Enhanced Attentional Network by Short-Term Intensive Meditation. <i>Frontiers in Psychology</i> , 2019, 10, 3073.	2.1	22
207	Modified Magnetic Resonance Image Based Parcellation Method for Cerebral Cortex using Successive Fuzzy Clustering and Boundary Detection. <i>Annals of Biomedical Engineering</i> , 2003, 31, 441-447.	2.5	21
208	Gray matter volume reduction in obsessive-compulsive disorder with schizotypal personality trait. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1146-1149.	4.8	21
209	Clinical efficacy of individual cognitive therapy in reducing psychiatric symptoms in people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 174-178.	1.7	21
210	Functional connectivity of the raphe nucleus as a predictor of the response to selective serotonin reuptake inhibitors in obsessive-compulsive disorder. <i>Neuropsychopharmacology</i> , 2019, 44, 2073-2081.	5.4	21
211	Pharmacotherapy and clinical characteristics of ultra-high risk for psychosis according to conversion status: a naturalistic observational study. <i>Microbial Biotechnology</i> , 2012, 6, 30-37.	1.7	20
212	Decreased connectivity of the default mode network in pathological gambling: A resting state functional MRI study. <i>Neuroscience Letters</i> , 2014, 583, 120-125.	2.1	20
213	Abnormalities in brain white matter in adolescents with 22q11.2 deletion syndrome and psychotic symptoms. <i>Brain Imaging and Behavior</i> , 2017, 11, 1353-1364.	2.1	20
214	Aberrant within- and between-network connectivity of the mirror neuron system network and the mentalizing network in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 243-249.	2.0	20
215	A 12-week, naturalistic switch study of the efficacy and tolerability of aripiprazole in stable outpatients with schizophrenia or schizoaffective disorder. <i>International Clinical Psychopharmacology</i> , 2009, 24, 181-188.	1.7	19
216	Validation of the Korean version of the Eppendorf Schizophrenia Inventory as a screening measure to detect adolescents at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 71-79.	1.7	19

#	ARTICLE	IF	CITATIONS
217	The thalamus and its subnuclei—a gateway to obsessive-compulsive disorder. <i>Translational Psychiatry</i> , 2022, 12, 70.	4.8	19
218	Depressive Symptoms and Brain Metabolite Alterations in Subjects at Ultra-high Risk for Psychosis: A Preliminary Study. <i>Psychiatry Investigation</i> , 2009, 6, 264.	1.6	18
219	Partial Volume Correction using Structural—Functional Synergistic Resolution Recovery: Comparison with Geometric Transfer Matrix Method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 914-920.	4.3	18
220	Biological Motion Perception, Brain Responses, and Schizotypal Personality Disorder. <i>JAMA Psychiatry</i> , 2016, 73, 260.	11.0	18
221	Decomposing P300 into correlates of genetic risk and current symptoms in schizophrenia: An inter-trial variability analysis. <i>Schizophrenia Research</i> , 2018, 192, 232-239.	2.0	18
222	Thalamic Connectivity System Across Psychiatric Disorders: Current Status and Clinical Implications. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 332-340.	2.2	18
223	Impact of coexistent schizotypal personality traits on frontal lobe function in obsessive—compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 472-478.	4.8	17
224	MRI study of the cavum septum pellucidum in obsessive—compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 337-343.	3.2	17
225	Disparity between dorsal and ventral networks in patients with obsessive-compulsive disorder: evidence revealed by graph theoretical analysis based on cortical thickness from MRI. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 302.	2.0	17
226	Prediction of psychosis: model development and internal validation of a personalized risk calculator. <i>Psychological Medicine</i> , 2022, 52, 2632-2640.	4.5	17
227	Electrophysiological correlates of personality dimensions measured by Temperament and Character Inventory. <i>Psychiatry and Clinical Neurosciences</i> , 2002, 56, 631-635.	1.8	16
228	Dysfunctional attentional bias and inhibitory control during anti-saccade task in patients with internet gaming disorder: An eye tracking study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 95, 109717.	4.8	16
229	Reduced cortical thickness in subjects at clinical high risk for psychosis and clinical attributes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 219-227.	2.3	16
230	Independent component model for cognitive functions of multiple subjects using [15O]H2O PET images. <i>Human Brain Mapping</i> , 2003, 18, 284-295.	3.6	15
231	Structural abnormalities of the right inferior colliculus in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2008, 164, 160-165.	1.8	15
232	Midsagittal structural differences and sexual dimorphism of the corpus callosum in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2011, 192, 147-153.	1.8	15
233	Do pathological gambling and obsessive-compulsive disorder overlap? a neurocognitive perspective. <i>CNS Spectrums</i> , 2012, 17, 207-213.	1.2	15
234	Johyeonbyung (attunement disorder): Renaming mind splitting disorder as a way to reduce stigma of patients with schizophrenia in Korea. <i>Asian Journal of Psychiatry</i> , 2014, 8, 118-120.	2.0	15



#	ARTICLE	IF	CITATIONS
235	Satisfaction of immediate or delayed switch to paliperidone palmitate in patients unsatisfied with current oral atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2015, 30, 320-328.	1.7	15
236	Randomized, double-blind, placebo, and risperidone-controlled study of lurasidone in the treatment of schizophrenia: Results of an inconclusive 6-week trial. <i>Asia-Pacific Psychiatry</i> , 2019, 11, e12354.	2.2	15
237	Disturbed thalamocortical connectivity in unaffected relatives of schizophrenia patients with a high genetic loading. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 889-895.	2.3	15
238	Frontostriatal functional connectivity and striatal dopamine synthesis capacity in schizophrenia in terms of antipsychotic responsiveness: an [ <sup>18</sup> F]DOPA PET and fMRI study. <i>Psychological Medicine</i> , 2019, 49, 2533-2542.	4.5	15
239	Dopamine dysregulation in psychotic relapse after antipsychotic discontinuation: an [18F]DOPA and [11C]raclopride PET study in first-episode psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 3476-3488.	7.9	15
240	Quantitative analysis of ataxic gait in patients with schizophrenia: The influence of age and visual control. <i>Psychiatry Research</i> , 2007, 152, 155-164.	3.3	14
241	Prospective outcome of early intervention for individuals at ultra-high-risk for psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 277-284.	1.7	14
242	Volumetric differences in the pituitary between drug-naïve and medicated male patients with obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 605-609.	4.8	14
243	Do organizational strategies mediate nonverbal memory impairment in drug-naïve patients with obsessive-compulsive disorder?. <i>Neuropsychology</i> , 2010, 24, 527-533.	1.3	14
244	Increased white matter integrity in the corpus callosum in subjects with high genetic loading for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 37, 50-55.	4.8	14
245	Korean Self-Report Version of the Yale-Brown Obsessive-Compulsive Scale: Factor Structure, Reliability, and Validity. <i>Psychiatry Investigation</i> , 2013, 10, 17.	1.6	14
246	Longitudinal change in neurocognition and its relation to symptomatic and functional changes over 2 years in individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2016, 174, 50-57.	2.0	14
247	Functional and Structural Connectivity of the Cerebellar Nuclei With the Striatum and Cerebral Cortex in First-Episode Psychosis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019, 31, 143-151.	1.8	14
248	Resting-state functional connectivity of the striatum predicts improvement in negative symptoms and general functioning in patients with first-episode psychosis: A 1-year naturalistic follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 509-518.	2.3	14
249	Relationship between resting-state theta phase-gamma amplitude coupling and neurocognitive functioning in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2020, 216, 154-160.	2.0	14
250	Defining data-driven subgroups of obsessive-compulsive disorder with different treatment responses based on resting-state functional connectivity. <i>Translational Psychiatry</i> , 2020, 10, 359.	4.8	14
251	Impairment of recognition memory in schizophrenia: Event-related potential study using a continuous recognition task. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 465-472.	1.8	13
252	Neurological abnormalities in schizophrenia and obsessive-compulsive disorder. <i>Current Opinion in Psychiatry</i> , 2004, 17, 215-220.	6.3	13



#	ARTICLE	IF	CITATIONS
253	Implicit and explicit memory in patients with obsessive-compulsive disorder: An event-related potential study. <i>Journal of Psychiatric Research</i> , 2006, 40, 541-549.	3.1	13
254	Neuromagnetic auditory response and its relation to cortical thickness in ultra-high-risk for psychosis. <i>Schizophrenia Research</i> , 2012, 140, 93-98.	2.0	13
255	Effects of Intranasal Oxytocin on Emotion Recognition in Korean Male: A Dose-Response Study. <i>Psychiatry Investigation</i> , 2018, 15, 710-716.	1.6	13
256	Prediction of individual responses to electroconvulsive therapy in patients with schizophrenia: Machine learning analysis of resting-state electroencephalography. <i>Schizophrenia Research</i> , 2020, 216, 147-153.	2.0	13
257	A transdiagnostic perspective of constructs underlying obsessive-compulsive and related disorders: An international Delphi consensus study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 719-731.	2.3	13
258	Executive Dysfunction in Obsessive-Compulsive Disorder and Anterior Cingulate-Based Resting State Functional Connectivity. <i>Psychiatry Investigation</i> , 2017, 14, 333.	1.6	13
259	Neuropsychological correlates of N400 anomalies in patients with schizophrenia: A preliminary report. <i>Neuroscience Letters</i> , 2008, 448, 226-230.	2.1	12
260	Potential Vulnerability Markers within the Affective Domain in Subjects at Genetic and Clinical High Risk for Schizophrenia. <i>Psychopathology</i> , 2008, 41, 236-244.	1.5	12
261	The use of healthy volunteers instead of patients to inform drug dosing studies: a [ <sup>11</sup> C]raclopride PET study. <i>Psychopharmacology</i> , 2011, 217, 515-523.	3.1	12
262	Intraindividual neurophysiological variability in ultra-high-risk for psychosis and schizophrenia patients: single-trial analysis. <i>NPJ Schizophrenia</i> , 2015, 1, 15031.	3.6	12
263	Effects of genetic variations in NRG1 on cognitive domains in patients with schizophrenia and healthy individuals. <i>Psychiatric Genetics</i> , 2015, 25, 147-154.	1.1	12
264	Factors contributing to the duration of untreated prodromal positive symptoms in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 162, 64-66.	2.0	12
265	Decreased neural response for facial emotion processing in subjects with high genetic load for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 90-96.	4.8	12
266	The effect of tDCS on auditory hallucination and P50 sensory gating in patients with schizophrenia: A pilot study. <i>Schizophrenia Research</i> , 2018, 192, 469-470.	2.0	12
267	Neurophysiological Mechanisms of Resilience as a Protective Factor in Patients with Internet Gaming Disorder: A Resting-State EEG Coherence Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 49.	2.4	12
268	The effects of selective serotonin reuptake inhibitors on brain functional networks during goal-directed planning in obsessive-compulsive disorder. <i>Scientific Reports</i> , 2020, 10, 20619.	3.3	12
269	Systematic Review of the Neural Effect of Electroconvulsive Therapy in Patients with Schizophrenia: Hippocampus and Insula as the Key Regions of Modulation. <i>Psychiatry Investigation</i> , 2021, 18, 486-499.	1.6	12
270	Effects of Renaming Schizophrenia in Korea: from "Split-Mind Disorder" to "Attunement Disorder". <i>Psychiatry Investigation</i> , 2018, 15, 656-662.	1.6	12

#	ARTICLE	IF	CITATIONS
271	Functional Connectivity of the Striatum as a Neural Correlate of Symptom Severity in Patient with Obsessive-Compulsive Disorder. <i>Psychiatry Investigation</i> , 2020, 17, 87-95.	1.6	12
272	Self-initiated encoding facilitates object working memory in schizophrenia: Implications for the etiology of working memory deficit. <i>Schizophrenia Research</i> , 2006, 82, 65-74.	2.0	11
273	Effects of DRD2 and CYP2D6 genotypes on delta EEG power response to aripiprazole in healthy male volunteers: a preliminary study. <i>Human Psychopharmacology</i> , 2006, 21, 519-528.	1.5	11
274	Impairment of source memory in patients with obsessive-compulsive disorder: Equivalent current dipole analysis. <i>Psychiatry Research</i> , 2009, 165, 47-59.	3.3	11
275	Genome-wide linkage scan of quantitative traits representing symptom dimensions in multiplex schizophrenia families. <i>Psychiatry Research</i> , 2013, 210, 756-760.	3.3	11
276	Global and Specific Profiles of Executive Functioning in Prodromal and Early Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 356.	2.6	11
277	Neurophysiological Correlate of Emotion Regulation by Cognitive Reappraisal and Its Association With Psychotic Symptoms in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 87-96.	4.3	11
278	Quantitative analysis of group-specific brain tissue probability map for schizophrenic patients. <i>NeuroImage</i> , 2005, 26, 502-512.	4.2	10
279	Objects and their icons in the brain: The neural correlates of visual concept formation. <i>Neuroscience Letters</i> , 2008, 436, 300-304.	2.1	10
280	Taq1A polymorphism in the dopamine D2 receptor gene predicts brain metabolic response to aripiprazole in healthy male volunteers. <i>Pharmacogenetics and Genomics</i> , 2008, 18, 91-97.	1.5	10
281	Social functioning and quality of life as measures of effectiveness in the treatment of schizophrenia. <i>World Psychiatry</i> , 2009, 8, 35-36.	10.4	10
282	The efficacy and safety of 12 weeks of treatment with sertindole or olanzapine in patients with chronic schizophrenia who did not respond successfully to their previous treatments. <i>International Clinical Psychopharmacology</i> , 2012, 27, 1.	1.7	10
283	Progressive Impairment of Mismatch Negativity Is Reflective of Underlying Pathophysiological Changes in Patients With First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 587.	2.6	10
284	Identification of altered protein expression in major depressive disorder and bipolar disorder patients using liquid chromatography-tandem mass spectrometry. <i>Psychiatry Research</i> , 2021, 299, 113850.	3.3	10
285	Quantitative Proteomic Approach for Discriminating Major Depressive Disorder and Bipolar Disorder by Multiple Reaction Monitoring-Mass Spectrometry. <i>Journal of Proteome Research</i> , 2021, 20, 3188-3203.	3.7	10
286	Surface-based functional magnetic resonance imaging analysis of partial brain echo planar imaging data at 1.5 T. <i>Magnetic Resonance Imaging</i> , 2009, 27, 691-700.	1.8	9
287	What is the optimal dose of escitalopram for the treatment of obsessive-compulsive disorder? A naturalistic open-label study. <i>International Clinical Psychopharmacology</i> , 2011, 26, 284-290.	1.7	9
288	The impact of genetic variation in comt and bdnf on resting-state functional connectivity. <i>International Journal of Imaging Systems and Technology</i> , 2012, 22, 97-102.	4.1	9

#	ARTICLE	IF	CITATIONS
289	Eating-Behavior Changes Associated With Antipsychotic Medications in Patients With Schizophrenia as Measured by the Drug-Related Eating Behavior Questionnaire. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 120-122.	1.4	9
290	Baseline putamen volume as a predictor of positive symptom reduction in patients at clinical high risk for psychosis: A preliminary study. <i>Schizophrenia Research</i> , 2015, 169, 178-185.	2.0	9
291	Regional Differences in Serotonin Transporter Occupancy by Escitalopram: An [ <sup>11</sup> C]DASB PK-PD Study. <i>Clinical Pharmacokinetics</i> , 2017, 56, 371-381.	3.5	9
292	Higher serotonin transporter availability in early-onset obsessive-compulsive disorder patients undergoing escitalopram treatment: A [ <sup>11</sup> C]DASB PET study. <i>Human Psychopharmacology</i> , 2018, 33, e2642.	1.5	9
293	Modulation of Electrophysiology by Transcranial Direct Current Stimulation in Psychiatric Disorders: A Systematic Review. <i>Psychiatry Investigation</i> , 2018, 15, 434-444.	1.6	9
294	Neural bases of the clinical and neurocognitive differences between early and late-onset obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 234-242.	2.4	9
295	Smaller volume of posterior thalamic nuclei in patients with obsessive-compulsive disorder. <i>NeuroImage: Clinical</i> , 2021, 30, 102686.	2.7	9
296	Validation of the Korean Version of the Prodromal Questionnaire-Brief Version in Non-Help-Seeking Individuals. <i>Psychiatry Investigation</i> , 2019, 16, 109-114.	1.6	9
297	First-trimester exposure to benzodiazepines and risk of congenital malformations in offspring: A population-based cohort study in South Korea. <i>PLoS Medicine</i> , 2022, 19, e1003945.	8.4	9
298	Calculating Occupancy when One does not have Baseline: A Comparison of Different Options. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1760-1767.	4.3	8
299	Impaired body but not face perception in patients with obsessive-compulsive disorder. <i>Journal of Neuropsychology</i> , 2013, 7, 58-71.	1.4	8
300	Early referral and comorbidity as possible causes of the declining transition rate in subjects at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 596-604.	1.7	8
301	Predicting prognosis in patients with first-episode psychosis using auditory P300: A 1-year follow-up study. <i>Clinical Neurophysiology</i> , 2019, 130, 46-54.	1.5	8
302	Effectiveness of antipsychotic drugs in schizophrenia: a 10-year retrospective study in a Korean tertiary hospital. <i>NPJ Schizophrenia</i> , 2020, 6, 32.	3.6	8
303	Reduced cortical gyrification in the posteromedial cortex in unaffected relatives of schizophrenia patients with high genetic loading. <i>NPJ Schizophrenia</i> , 2021, 7, 17.	3.6	8
304	Prevalence of Possible Depression and Post-traumatic Stress Disorder among Community Dwelling Adult Refugees and Refugee Applicants in South Korea. <i>Journal of Korean Medical Science</i> , 2019, 34, e97.	2.5	8
305	Mediating Effect of Executive Function on Memory in Normal Aging Adults. <i>Psychiatry Investigation</i> , 2013, 10, 108.	1.6	8
306	Thalamocortical dysrhythmia in patients with schizophrenia spectrum disorder and individuals at clinical high risk for psychosis. <i>Neuropsychopharmacology</i> , 2022, 47, 673-680.	5.4	8

#	ARTICLE	IF	CITATIONS
307	Intrinsic cerebellar functional connectivity of social cognition and theory of mind in first-episode psychosis patients. <i>NPJ Schizophrenia</i> , 2021, 7, 59.	3.6	8
308	Volume deficits in hippocampal subfields in unaffected relatives of schizophrenia patients with high genetic loading but without any psychiatric symptoms. <i>Schizophrenia Research</i> , 2022, 240, 125-131.	2.0	8
309	High-Dose Escitalopram Treatment in Patients With Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 108-110.	1.4	7
310	Cortical network dynamics during source memory retrieval: Current density imaging with individual MRI. <i>Human Brain Mapping</i> , 2009, 30, 78-91.	3.6	7
311	Reduced volume in the anterior internal capsule but its maintained correlation with the frontal gray matter in subjects at ultra-high risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 82-90.	1.8	7
312	Predicting Symptomatic and Functional Improvements over 1 Year in Patients with First-Episode Psychosis Using Resting-State Electroencephalography. <i>Psychiatry Investigation</i> , 2019, 16, 695-703.	1.6	7
313	Glucagon-Like Peptide-1 Receptor Agonist Differentially Affects Brain Activation in Response to Visual Food Cues in Lean and Obese Individuals with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 248.	4.7	7
314	National Academy of Medicine of Korea (NAMOK) Key Statements on COVID-19. <i>Journal of Korean Medical Science</i> , 2021, 36, e287.	2.5	7
315	Mapping thalamocortical functional connectivity with large-scale brain networks in patients with first-episode psychosis. <i>Scientific Reports</i> , 2021, 11, 19815.	3.3	7
316	Activity of left inferior frontal gyrus related to word repetition effects: LORETA imaging with 128-channel EEG and individual MRI. <i>NeuroImage</i> , 2006, 29, 712-720.	4.2	6
317	Equivalent Current Dipole of Word Repetition Effects in Patients with Obsessive-Compulsive Disorder. <i>Brain Topography</i> , 2006, 18, 201-212.	1.8	6
318	An MRI study of structural variations in schizophrenia using deformation field morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2006, 146, 171-177.	1.8	6
319	Probable Case of Neuroleptic Malignant Syndrome Following Administration of Antituberculous Drugs in a Chlorpromazine-Treated Patient. <i>Journal of Korean Medical Science</i> , 2008, 23, 734.	2.5	6
320	Switching strategy underlies phonemic verbal fluency impairment in obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2012, 1, 221-227.	1.5	6
321	Brain network characteristics separating individuals at clinical high risk for psychosis into normality or psychosis. <i>Schizophrenia Research</i> , 2017, 190, 107-114.	2.0	6
322	Higher extrinsic and lower intrinsic connectivity in resting state networks for professional Baduk (Go) players. <i>Brain and Behavior</i> , 2017, 7, e00853.	2.2	6
323	The effect of transcranial direct current stimulation on auditory hallucination in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 489-490.	2.0	6
324	Genetic variation in cytokine genes and risk for transition to psychosis among individuals at ultra-high risk. <i>Schizophrenia Research</i> , 2018, 195, 589-590.	2.0	6

#	ARTICLE	IF	CITATIONS
325	Study Protocol for a Prospective Longitudinal Cohort Study to Identify Proteomic Predictors of Pluripotent Risk for Mental Illness: The Seoul Pluripotent Risk for Mental Illness Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 340.	2.6	6
326	Association between memory impairment and brain metabolite concentrations in North Korean refugees with posttraumatic stress disorder. <i>PLoS ONE</i> , 2017, 12, e0188953.	2.5	6
327	Effect of tDCS on Aberrant Functional Network Connectivity in Refractory Hallucinatory Schizophrenia: A Pilot Study. <i>Psychiatry Investigation</i> , 2019, 16, 244-248.	1.6	6
328	Impaired Performance on the Reading the Mind in the Eyes Test in First-Episode Psychosis and Clinical High Risk for Psychosis. <i>Psychiatry Investigation</i> , 2020, 17, 1200-1206.	1.6	6
329	Changes in Effective Connectivity According to Working Memory Load: An fMRI Study of Face and Location Working Memory Tasks. <i>Psychiatry Investigation</i> , 2012, 9, 283.	1.6	6
330	The Impact of Personality Traits on Ratings of Obsessive-Compulsive Symptoms. <i>Psychiatry Investigation</i> , 2013, 10, 259.	1.6	6
331	Unbalanced fronto-pallidal neurocircuit underlying set shifting in obsessive-compulsive disorder. <i>Brain</i> , 2022, 145, 979-990.	7.6	6
332	Classification of frequency distributions of diagnostic criteria scores in twelve personality disorders by the curve fitting method. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 417-423.	1.8	5
333	Differential Risk of Peptic Ulcer Among Users of Antidepressants Combined With Nonsteroidal Anti-inflammatory Drugs. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 239-245.	1.4	5
334	Altered Eye-Movement Patterns During Text Reading in Obsessive-Compulsive Disorder and Internet Gaming Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 248.	2.0	5
335	Forecasting prognostic trajectories with mismatch negativity in early psychosis. <i>Psychological Medicine</i> , 2023, 53, 1489-1499.	4.5	5
336	Predictive protein markers for depression severity in mood disorders: A preliminary trans-diagnostic approach study. <i>Journal of Psychiatric Research</i> , 2021, 142, 63-72.	3.1	5
337	Distinct neural networks associated with obsession and delusion: a connectome-wide association study. <i>Psychological Medicine</i> , 2021, 51, 1320-1328.	4.5	5
338	Management of Schizophrenia with: Obsessive-Disorder Compulsive. <i>Psychiatric Annals</i> , 2005, 35, 36-43.	0.1	5
339	Sex differences in the behavioral inhibition system and ventromedial prefrontal cortex connectivity. <i>Social Cognitive and Affective Neuroscience</i> , 2022, 17, 571-578.	3.0	5
340	Are Brain Responses to Emotion a Reliable Endophenotype of Schizophrenia? An Image-Based Functional Magnetic Resonance Imaging Meta-analysis. <i>Biological Psychiatry</i> , 2023, 93, 167-177.	1.3	5
341	Algorithm-driven treatment for bipolar disorder in Korea: Clinical feasibility, efficacy, and safety. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009, 13, 122-129.	2.4	4
342	Efficacy and Tolerability of Aripiprazole: A 26-Week Switching Study from Oral Antipsychotics. <i>Psychiatry Investigation</i> , 2010, 7, 189.	1.6	4

#	ARTICLE	IF	CITATIONS
343	Mutual information-based evolution of hypernetworks for brain data analysis. , 2011, , .		4
344	Is There an Association Between Mismatch Negativity and Cortical Thickness in Schizophrenia Patients?. Clinical EEG and Neuroscience, 2017, 48, 383-392.	1.7	4
345	Lower glutamate level in temporo-parietal junction may predict a better response to tDCS in schizophrenia. Schizophrenia Research, 2018, 201, 422-423.	2.0	4
346	Plastic Changes in the White Matter Induced by Templestay, a 4-Day Intensive Mindfulness Meditation Program. Mindfulness, 2019, 10, 2294-2301.	2.8	4
347	Public Attention to Crime of Schizophrenia and Its Correlation with Use of Mental Health Services in Patients with Schizophrenia. Korean Journal of Schizophrenia Research, 2019, 22, 34.	0.3	4
348	Auditory P300 as a Neurophysiological Correlate of Symptomatic Improvement by Transcranial Direct Current Stimulation in Patients With Schizophrenia: A Pilot Study. Clinical EEG and Neuroscience, 2020, 51, 252-258.	1.7	4
349	The Neurobehavioral Mechanisms Underlying Attitudes Toward People With Mental or Physical Illness. Frontiers in Behavioral Neuroscience, 2020, 14, 571225.	2.0	4
350	Intrinsic functional connectivity of blue and red brains: neurobiological evidence of different stress resilience between political attitudes. Scientific Reports, 2020, 10, 15877.	3.3	4
351	Impaired error-related processing in patients with first-episode psychosis and subjects at clinical high risk for psychosis: An event-related potential study. Psychiatry and Clinical Neurosciences, 2021, 75, 219-226.	1.8	4
352	Alterations in blood proteins in the prodromal stage of bipolar II disorders. Scientific Reports, 2022, 12, 3174.	3.3	4
353	Response to Rosburg: A voxel-based statistical parametric mapping of MMN current densities. Human Brain Mapping, 2004, 21, 46-48.	3.6	3
354	Attenuated Resting-State Functional Anticorrelation between Attention and Executive Control Networks in Schizotypal Personality Disorder. Journal of Clinical Medicine, 2021, 10, 312.	2.4	3
355	White Matter Correlates of Theory of Mind in Patients With First-Episode Psychosis. Frontiers in Psychiatry, 2021, 12, 617683.	2.6	3
356	Representative brain selection using a group-specific tissue probability map. Magnetic Resonance Imaging, 2005, 23, 809-815.	1.8	2
357	Beyond Domain-Specific Expertise: Neural Signatures of Face and Spatial Working Memory in Baduk (Go) Tj ETQq1_1_0.784314 rgBT / DV	2.0	2
358	Intact thalamic microstructure in asymptomatic relatives of schizophrenia patients with high genetic loading. Schizophrenia Research, 2020, 230, 111-113.	2.0	2
359	Reliability and validity of the Korean version of the comprehensive assessment of <sc>atâ€risk</sc> mental states. Microbial Biotechnology, 2021, 15, 1730-1737.	1.7	2
360	Necessity of Reorganization of Mental Health Welfare Act to Decrease in Social Anxiety Related to Patients with Schizophrenia and to Ensure Proper Human Rights for Mentally Ill Persons. Psychiatry Investigation, 2018, 15, 745-746.	1.6	2



#	ARTICLE	IF	CITATIONS
361	The Emotional Characteristics of Schizotypy. <i>Psychiatry Investigation</i> , 2008, 5, 148.	1.6	2
362	Research Trends in Individuals at High Risk for Psychosis: A Bibliometric Analysis. <i>Frontiers in Psychiatry</i> , 2022, 13, 853296.	2.6	2
363	Aberrant cortico-striatal white matter connectivity and associated subregional microstructure of the striatum in obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2022, 27, 3460-3467.	7.9	2
364	Impaired migration of autologous induced neural stem cells from patients with schizophrenia and implications for genetic risk for psychosis. <i>Schizophrenia Research</i> , 2022, 246, 225-234.	2.0	2
365	Temporal association of MMN multiple generators: high density recording (128 channels). <i>International Congress Series</i> , 2002, 1232, 335-338.	0.2	1
366	Gray matter abnormalities in paranoid schizophrenia and their clinical correlations. <i>Psychiatry Research - Neuroimaging</i> , 2004, 132, 251-251.	1.8	1
367	Gender classification with cortical thickness measurement from magnetic resonance imaging by using a feature selection method based on evolutionary hypernetworks. , 2009, , .		1
368	Effects of the functioning and antipsychotic use on clinical high risk for psychosis: A response to Yung et al.. <i>Schizophrenia Research</i> , 2014, 159, 254-255.	2.0	1
369	PT735. Multisensory integration of social interaction. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 67-68.	2.1	1
370	A pilot study investigating the effect of transcranial direct current stimulation on the electrophysiological correlates of working memory in patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2019, 284, 9-12.	1.8	1
371	A Prospective Study for Prediction of Psychotic Relapse Using the Korean Early Signs Scale in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2020, 40, 451-456.	1.4	1
372	Characteristics of Impulsive and Premeditated Aggression Subtypes in Patients with Schizophrenia in South Korea Who Committed a Crime. <i>Korean Journal of Schizophrenia Research</i> , 2021, 24, 8-16.	0.3	1
373	Brain Activation of Patients With Obsessive-Compulsive Disorder During a Mental Rotation Task: A Functional MRI Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 659121.	2.6	1
374	Effects of Oxytocin on Social Comparisons in Intergroup Situations. <i>Brain Sciences</i> , 2021, 11, 1227.	2.3	1
375	Reconsidering Clinical Staging Model: A Case of Genetic High Risk for Schizophrenia. <i>Psychiatry Investigation</i> , 2017, 14, 107.	1.6	1
376	Plasma proteomic data in bipolar II disorders and major depressive disorders. <i>Data in Brief</i> , 2021, 39, 107495.	1.0	1
377	Thalamo-cortical system involving higher-order nuclei in patients with first-episode psychosis. <i>BMB Reports</i> , 2018, 51, 427-428.	2.4	1
378	Early Identification of Psychiatric Disorders. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1192, 341-352.	1.6	1



#	ARTICLE	IF	CITATIONS
379	Functional imaging of obsessive-compulsive disorder. , 0, , 247-259.		0
380	A Preliminary Comparative Study of Cambridge Neuropsychological Test Automated Battery and Computerized Neuropsychological Test in Patients with Schizophrenia and Bipolar Disorder. Journal of Korean Neuropsychiatric Association, 2013, 52, 76.	0.5	0
381	PM526. Cognitive Distractions by Auditory Verbal Hallucinations: A Social Cognitive Approach. International Journal of Neuropsychopharmacology, 2016, 19, 91-91.	2.1	0
382	PM460. Association between increased resting-state functional connectivity and reduced symptoms of schizotypal personality disorder: neural evidence for compensatory brain responses. International Journal of Neuropsychopharmacology, 2016, 19, 67-67.	2.1	0
383	PM438. Functional connectivity and striatal dopamine synthesis in schizophrenia treated with antipsychotic drugs: multimodal imaging study using [18F]DOPA PET and resting MRI. International Journal of Neuropsychopharmacology, 2016, 19, 59-60.	2.1	0
384	PM458. Altered Frontal and Temporal Microstructure in Patients with First-Episode Psychosis: Diffusion Kurtosis Study. International Journal of Neuropsychopharmacology, 2016, 19, 66-66.	2.1	0
385	PM461. Inflammation in schizophrenia: Imaging genetics. International Journal of Neuropsychopharmacology, 2016, 19, 67-68.	2.1	0
386	PM466. Neuroanatomical implications of concomitant mood disorders in subjects at clinical high risk for psychosis. International Journal of Neuropsychopharmacology, 2016, 19, 69-70.	2.1	0
387	PM468. Alterations of structural connectivity in patients with schizophrenia: a systematic review. International Journal of Neuropsychopharmacology, 2016, 19, 70-70.	2.1	0
388	PM474. Brain metabolite differences in subjects with high genetic risk of schizophrenia using 1H magnetic resonance spectroscopy. International Journal of Neuropsychopharmacology, 2016, 19, 72-72.	2.1	0
389	Need for the complete revision of the Mental Health and Welfare Act. Journal of the Korean Medical Association, 2017, 60, 710.	0.3	0
390	The Development and Validation of a Personality Assessment Scale for Hospital Employees. Journal of Korean Neuropsychiatric Association, 2017, 56, 45.	0.5	0
391	Predicting Prognosis in Patients with First Episode Psychosis Using Mismatch Negativity : A 1 Year Follow-up Study. Korean Journal of Schizophrenia Research, 2017, 20, 15.	0.3	0
392	Correlation between in vivo GABA-A/benzodiazepine receptor availability and genetic liability in unaffected relatives of schizophrenia: A [11C]flumazenil PET study. IBRO Reports, 2019, 6, S352.	0.3	0
393	79. Association Between Illness Duration and Psychotropic Medication in Obsessive-Compulsive Disorder and Altered Brain Structural Covariance Networks: A Multi-Center Analysis. Biological Psychiatry, 2019, 85, S33.	1.3	0
394	Functional Magnetic Resonance Imaging Studies of Obsessive-Compulsive and Related Disorders. , 2019, , 85-112.		0
395	In vivo gamma-aminobutyric acid/benzodiazepine receptor availability and genetic liability in asymptomatic individuals with high genetic loading of schizophrenia: A [11C]flumazenil positron emission tomography study. Human Psychopharmacology, 2021, 36, e2766.	1.5	0
396	Eye movement as a biomarker of impaired organizational strategies during visual memory encoding in obsessive-compulsive disorder. Scientific Reports, 2021, 11, 18402.	3.3	0

#	ARTICLE	IF	CITATIONS
397	The Study on Classification Method of Obsessive-Compulsive Disorder with Schizotypal Trait using Frontal Lobe Function Test. Journal of Korean Society of Medical Informatics, 2006, 12, 141.	0.3	0
398	Factors Associated with the Compliance of Cognitive Behavioral Therapy for Obsessive Compulsive Disorder. Journal of Korean Neuropsychiatric Association, 2013, 52, 409.	0.5	0
399	The Role Transition and Development Direction of the Psychiatric Day Hospital in General Hospital : Introduction of Day Intensive Care Center. Journal of Korean Neuropsychiatric Association, 2013, 52, 17.	0.5	0
400	Comorbid Obsessive-Compulsive Symptoms in Schizophrenia: Neurocognitive Profile. Psychiatric Annals, 2018, 48, 557-560.	0.1	0
401	The Psychological Characteristics and Functional Magnetic Resonance Imaging Findings in Firefighters with Partial Posttraumatic Stress Disorder and the Effect of Treatment by Using Eye Movement Desensitization and Reprocessing. Journal of Korean Neuropsychiatric Association, 2014, 53, 122.	0.5	0
402	A robust multivariate structure of interindividual covariation between psychosocial characteristics and arousal responses to visual narratives. PLoS ONE, 2022, 17, e0263817.	2.5	0