

Jun Soo Kwon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2902697/publications.pdf>

Version: 2024-02-01

402
papers

17,383
citations

13865

67
h-index

25787

108
g-index

413
all docs

413
docs citations

413
times ranked

17009
citing authors

#	ARTICLE	IF	CITATIONS
1	Forecasting prognostic trajectories with mismatch negativity in early psychosis. <i>Psychological Medicine</i> , 2023, 53, 1489-1499.	4.5	5
2	Are Brain Responses to Emotion a Reliable Endophenotype of Schizophrenia? An Image-Based Functional Magnetic Resonance Imaging Meta-analysis. <i>Biological Psychiatry</i> , 2023, 93, 167-177.	1.3	5
3	Prediction of psychosis: model development and internal validation of a personalized risk calculator. <i>Psychological Medicine</i> , 2022, 52, 2632-2640.	4.5	17
4	An overview of the first 5 years of the ENIGMA obsessive-compulsive disorder working group: The power of worldwide collaboration. <i>Human Brain Mapping</i> , 2022, 43, 23-36.	3.6	51
5	Sex differences in the behavioral inhibition system and ventromedial prefrontal cortex connectivity. <i>Social Cognitive and Affective Neuroscience</i> , 2022, 17, 571-578.	3.0	5
6	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	4.1	33
7	Thalamic Connectivity System Across Psychiatric Disorders: Current Status and Clinical Implications. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 332-340.	2.2	18
8	Thalamocortical dysrhythmia in patients with schizophrenia spectrum disorder and individuals at clinical high risk for psychosis. <i>Neuropsychopharmacology</i> , 2022, 47, 673-680.	5.4	8
9	Unbalanced fronto-pallidal neurocircuit underlying set shifting in obsessive-compulsive disorder. <i>Brain</i> , 2022, 145, 979-990.	7.6	6
10	Volume deficits in hippocampal subfields in unaffected relatives of schizophrenia patients with high genetic loading but without any psychiatric symptoms. <i>Schizophrenia Research</i> , 2022, 240, 125-131.	2.0	8
11	The thalamus and its subnuclei a gateway to obsessive-compulsive disorder. <i>Translational Psychiatry</i> , 2022, 12, 70.	4.8	19
12	Alterations in blood proteins in the prodromal stage of bipolar II disorders. <i>Scientific Reports</i> , 2022, 12, 3174.	3.3	4
13	First-trimester exposure to benzodiazepines and risk of congenital malformations in offspring: A population-based cohort study in South Korea. <i>PLoS Medicine</i> , 2022, 19, e1003945.	8.4	9
14	A robust multivariate structure of interindividual covariation between psychosocial characteristics and arousal responses to visual narratives. <i>PLoS ONE</i> , 2022, 17, e0263817.	2.5	0
15	Research Trends in Individuals at High Risk for Psychosis: A Bibliometric Analysis. <i>Frontiers in Psychiatry</i> , 2022, 13, 853296.	2.6	2
16	Aberrant cortico-striatal white matter connectivity and associated subregional microstructure of the striatum in obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2022, 27, 3460-3467.	7.9	2
17	Impaired migration of autologous induced neural stem cells from patients with schizophrenia and implications for genetic risk for psychosis. <i>Schizophrenia Research</i> , 2022, 246, 225-234.	2.0	2
18	Dopamine dysregulation in psychotic relapse after antipsychotic discontinuation: an [18F]DOPA and [11C]raclopride PET study in first-episode psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 3476-3488.	7.9	15

#	ARTICLE	IF	CITATIONS
19	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.	2.0	28
20	Neurophysiological Correlate of Emotion Regulation by Cognitive Reappraisal and Its Association With Psychotic Symptoms in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 87-96.	4.3	11
21	In vivo gamma-aminobutyric acid/benzodiazepine receptor availability and genetic liability in asymptomatic individuals with high genetic loading of schizophrenia: A [11C]flumazenil positron emission tomography study. <i>Human Psychopharmacology</i> , 2021, 36, e2766.	1.5	0
22	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47.	11.0	136
23	The relationship between grey matter volume and striatal dopamine function in psychosis: a multimodal 18F-DOPA PET and voxel-based morphometry study. <i>Molecular Psychiatry</i> , 2021, 26, 1332-1345.	7.9	23
24	Attenuated Resting-State Functional Anticorrelation between Attention and Executive Control Networks in Schizotypal Personality Disorder. <i>Journal of Clinical Medicine</i> , 2021, 10, 312.	2.4	3
25	Association of mental disorders with SARS-CoV-2 infection and severe health outcomes: nationwide cohort study. <i>British Journal of Psychiatry</i> , 2021, 218, 344-351.	2.8	45
26	Reliability and validity of the Korean version of the comprehensive assessment of mental states. <i>Microbial Biotechnology</i> , 2021, 15, 1730-1737.	1.7	2
27	Reduced cortical gyrification in the posteromedial cortex in unaffected relatives of schizophrenia patients with high genetic loading. <i>NPJ Schizophrenia</i> , 2021, 7, 17.	3.6	8
28	White Matter Correlates of Theory of Mind in Patients With First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2021, 12, 617683.	2.6	3
29	White matter microstructure and its relation to clinical features of obsessive-compulsive disorder: findings from the ENIGMA OCD Working Group. <i>Translational Psychiatry</i> , 2021, 11, 173.	4.8	33
30	Characteristics of Impulsive and Premeditated Aggression Subtypes in Patients with Schizophrenia in South Korea Who Committed a Crime. <i>Korean Journal of Schizophrenia Research</i> , 2021, 24, 8-16.	0.3	1
31	Identification of altered protein expression in major depressive disorder and bipolar disorder patients using liquid chromatography-tandem mass spectrometry. <i>Psychiatry Research</i> , 2021, 299, 113850.	3.3	10
32	Quantitative Proteomic Approach for Discriminating Major Depressive Disorder and Bipolar Disorder by Multiple Reaction Monitoring-Mass Spectrometry. <i>Journal of Proteome Research</i> , 2021, 20, 3188-3203.	3.7	10
33	Impaired error-related processing in patients with first episode psychosis and subjects at clinical high risk for psychosis: An event-related potential study. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 219-226.	1.8	4
34	Brain Activation of Patients With Obsessive-Compulsive Disorder During a Mental Rotation Task: A Functional MRI Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 659121.	2.6	1
35	Systematic Review of the Neural Effect of Electroconvulsive Therapy in Patients with Schizophrenia: Hippocampus and Insula as the Key Regions of Modulation. <i>Psychiatry Investigation</i> , 2021, 18, 486-499.	1.6	12
36	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	11.0	74

#	ARTICLE	IF	CITATIONS
37	Effects of Oxytocin on Social Comparisons in Intergroup Situations. <i>Brain Sciences</i> , 2021, 11, 1227.	2.3	1
38	Eye movement as a biomarker of impaired organizational strategies during visual memory encoding in obsessive-compulsive disorder. <i>Scientific Reports</i> , 2021, 11, 18402.	3.3	0
39	Predictive protein markers for depression severity in mood disorders: A preliminary trans-diagnostic approach study. <i>Journal of Psychiatric Research</i> , 2021, 142, 63-72.	3.1	5
40	Smaller volume of posterior thalamic nuclei in patients with obsessive-compulsive disorder. <i>NeuroImage: Clinical</i> , 2021, 30, 102686.	2.7	9
41	Distinct neural networks associated with obsession and delusion: a connectome-wide association study. <i>Psychological Medicine</i> , 2021, 51, 1320-1328.	4.5	5
42	The Role of Estrogen Receptors and Their Signaling across Psychiatric Disorders. <i>International Journal of Molecular Sciences</i> , 2021, 22, 373.	4.1	77
43	National Academy of Medicine of Korea (NAMOK) Key Statements on COVID-19. <i>Journal of Korean Medical Science</i> , 2021, 36, e287.	2.5	7
44	Mapping thalamocortical functional connectivity with large-scale brain networks in patients with first-episode psychosis. <i>Scientific Reports</i> , 2021, 11, 19815.	3.3	7
45	Plasma proteomic data in bipolar II disorders and major depressive disorders. <i>Data in Brief</i> , 2021, 39, 107495.	1.0	1
46	Intrinsic cerebellar functional connectivity of social cognition and theory of mind in first-episode psychosis patients. <i>NPJ Schizophrenia</i> , 2021, 7, 59.	3.6	8
47	Auditory P300 as a Neurophysiological Correlate of Symptomatic Improvement by Transcranial Direct Current Stimulation in Patients With Schizophrenia: A Pilot Study. <i>Clinical EEG and Neuroscience</i> , 2020, 51, 252-258.	1.7	4
48	Mapping Cortical and Subcortical Asymmetry in Obsessive-Compulsive Disorder: Findings From the ENIGMA Consortium. <i>Biological Psychiatry</i> , 2020, 87, 1022-1034.	1.3	73
49	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies—PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020, 46, 432-441.	4.3	56
50	Resting-state functional connectivity of the striatum predicts improvement in negative symptoms and general functioning in patients with first-episode psychosis: A 1-year naturalistic follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 509-518.	2.3	14
51	Relationship between resting-state theta phase-gamma amplitude coupling and neurocognitive functioning in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2020, 216, 154-160.	2.0	14
52	Prediction of individual responses to electroconvulsive therapy in patients with schizophrenia: Machine learning analysis of resting-state electroencephalography. <i>Schizophrenia Research</i> , 2020, 216, 147-153.	2.0	13
53	Structural neuroimaging biomarkers for obsessive-compulsive disorder in the ENIGMA-OCD consortium: medication matters. <i>Translational Psychiatry</i> , 2020, 10, 342.	4.8	43
54	Effectiveness of antipsychotic drugs in schizophrenia: a 10-year retrospective study in a Korean tertiary hospital. <i>NPJ Schizophrenia</i> , 2020, 6, 32.	3.6	8

#	ARTICLE	IF	CITATIONS
55	The Neurobehavioral Mechanisms Underlying Attitudes Toward People With Mental or Physical Illness. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 571225.	2.0	4
56	The effects of selective serotonin reuptake inhibitors on brain functional networks during goal-directed planning in obsessive-compulsive disorder. <i>Scientific Reports</i> , 2020, 10, 20619.	3.3	12
57	Defining data-driven subgroups of obsessive-compulsive disorder with different treatment responses based on resting-state functional connectivity. <i>Translational Psychiatry</i> , 2020, 10, 359.	4.8	14
58	Intrinsic functional connectivity of blue and red brains: neurobiological evidence of different stress resilience between political attitudes. <i>Scientific Reports</i> , 2020, 10, 15877.	3.3	4
59	Intact thalamic microstructure in asymptomatic relatives of schizophrenia patients with high genetic loading. <i>Schizophrenia Research</i> , 2020, 230, 111-113.	2.0	2
60	A Prospective Study for Prediction of Psychotic Relapse Using the Korean Early Signs Scale in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2020, 40, 451-456.	1.4	1
61	Neural bases of the clinical and neurocognitive differences between early and late-onset obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 234-242.	2.4	9
62	A transdiagnostic perspective of constructs underlying obsessive-compulsive and related disorders: An international Delphi consensus study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 719-731.	2.3	13
63	Study Protocol for a Prospective Longitudinal Cohort Study to Identify Proteomic Predictors of Pluripotent Risk for Mental Illness: The Seoul Pluripotent Risk for Mental Illness Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 340.	2.6	6
64	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020, 218, 116956.	4.2	135
65	Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020, 177, 834-843.	7.2	120
66	Progressive Impairment of Mismatch Negativity Is Reflective of Underlying Pathophysiological Changes in Patients With First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 587.	2.6	10
67	Comparison of serum protein profiles between major depressive disorder and bipolar disorder. <i>BMC Psychiatry</i> , 2020, 20, 145.	2.6	29
68	OUP accepted manuscript. <i>Brain</i> , 2020, 143, 684-700.	7.6	53
69	Functional Connectivity of the Striatum as a Neural Correlate of Symptom Severity in Patient with Obsessive-Compulsive Disorder. <i>Psychiatry Investigation</i> , 2020, 17, 87-95.	1.6	12
70	Impaired Performance on the Reading the Mind in the Eyes Test in First-Episode Psychosis and Clinical High Risk for Psychosis. <i>Psychiatry Investigation</i> , 2020, 17, 1200-1206.	1.6	6
71	Glucagon-Like Peptide-1 Receptor Agonist Differentially Affects Brain Activation in Response to Visual Food Cues in Lean and Obese Individuals with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 248.	4.7	7
72	Microstructural Changes in Higher-Order Nuclei of the Thalamus in Patients With First-Episode Psychosis. <i>Biological Psychiatry</i> , 2019, 85, 70-78.	1.3	37

#	ARTICLE	IF	CITATIONS
73	Plastic Changes in the White Matter Induced by Templestay, a 4-Day Intensive Mindfulness Meditation Program. <i>Mindfulness</i> , 2019, 10, 2294-2301.	2.8	4
74	Dysfunctional attentional bias and inhibitory control during anti-saccade task in patients with internet gaming disorder: An eye tracking study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 95, 109717.	4.8	16
75	Global and Specific Profiles of Executive Functioning in Prodromal and Early Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 356.	2.6	11
76	Correlation between in vivo GABA-A/benzodiazepine receptor availability and genetic liability in unaffected relatives of schizophrenia: A [¹¹ C]flumazenil PET study. <i>IBRO Reports</i> , 2019, 6, S352.	0.3	0
77	Functional connectivity of the raphe nucleus as a predictor of the response to selective serotonin reuptake inhibitors in obsessive-compulsive disorder. <i>Neuropsychopharmacology</i> , 2019, 44, 2073-2081.	5.4	21
78	79. Association Between Illness Duration and Psychotropic Medication in Obsessive-Compulsive Disorder and Altered Brain Structural Covariance Networks: A Multi-Center Analysis. <i>Biological Psychiatry</i> , 2019, 85, S33.	1.3	0
79	Randomized, double-blind, placebo, and risperidone-controlled study of lurasidone in the treatment of schizophrenia: Results of an inconclusive 6-week trial. <i>Asia-Pacific Psychiatry</i> , 2019, 11, e12354.	2.2	15
80	Adjunctive use of anti-inflammatory drugs for schizophrenia: A meta-analytic investigation of randomized controlled trials. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 742-759.	2.3	84
81	The Immediate and Sustained Positive Effects of Meditation on Resilience Are Mediated by Changes in the Resting Brain. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 101.	2.0	34
82	Disturbed thalamocortical connectivity in unaffected relatives of schizophrenia patients with a high genetic loading. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 889-895.	2.3	15
83	Functional Magnetic Resonance Imaging Studies of Obsessive-Compulsive and Related Disorders. , 2019, , 85-112.		0
84	Public Attention to Crime of Schizophrenia and Its Correlation with Use of Mental Health Services in Patients with Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2019, 22, 34.	0.3	4
85	Functional and Structural Connectivity of the Cerebellar Nuclei With the Striatum and Cerebral Cortex in First-Episode Psychosis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019, 31, 143-151.	1.8	14
86	Frontostriatal functional connectivity and striatal dopamine synthesis capacity in schizophrenia in terms of antipsychotic responsiveness: an [¹⁸ F]DOPA PET and fMRI study. <i>Psychological Medicine</i> , 2019, 49, 2533-2542.	4.5	15
87	Neurophysiological Mechanisms of Resilience as a Protective Factor in Patients with Internet Gaming Disorder: A Resting-State EEG Coherence Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 49.	2.4	12
88	A pilot study investigating the effect of transcranial direct current stimulation on the electrophysiological correlates of working memory in patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2019, 284, 9-12.	1.8	1
89	Reduced cortical thickness in subjects at clinical high risk for psychosis and clinical attributes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 219-227.	2.3	16
90	Predicting prognosis in patients with first-episode psychosis using auditory P300: A 1-year follow-up study. <i>Clinical Neurophysiology</i> , 2019, 130, 46-54.	1.5	8

#	ARTICLE	IF	CITATIONS
91	Enhanced Attentional Network by Short-Term Intensive Meditation. <i>Frontiers in Psychology</i> , 2019, 10, 3073.	2.1	22
92	Validation of the Korean Version of the Prodromal Questionnaire-Brief Version in Non-Help-Seeking Individuals. <i>Psychiatry Investigation</i> , 2019, 16, 109-114.	1.6	9
93	Effect of tDCS on Aberrant Functional Network Connectivity in Refractory Hallucinatory Schizophrenia: A Pilot Study. <i>Psychiatry Investigation</i> , 2019, 16, 244-248.	1.6	6
94	Predicting Symptomatic and Functional Improvements over 1 Year in Patients with First-Episode Psychosis Using Resting-State Electroencephalography. <i>Psychiatry Investigation</i> , 2019, 16, 695-703.	1.6	7
95	Prevalence of Possible Depression and Post-traumatic Stress Disorder among Community Dwelling Adult Refugees and Refugee Applicants in South Korea. <i>Journal of Korean Medical Science</i> , 2019, 34, e97.	2.5	8
96	Early Identification of Psychiatric Disorders. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1192, 341-352.	1.6	1
97	The relationship between dopamine receptor blockade and cognitive performance in schizophrenia: a [¹¹ C]-raclopride PET study with aripiprazole. <i>Translational Psychiatry</i> , 2018, 8, 87.	4.8	28
98	Aberrant within- and between-network connectivity of the mirror neuron system network and the mentalizing network in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 243-249.	2.0	20
99	Can We Predict Psychosis Outside the Clinical High-Risk State? A Systematic Review of Non-Psychotic Risk Syndromes for Mental Disorders. <i>Schizophrenia Bulletin</i> , 2018, 44, 276-285.	4.3	46
100	Early referral and comorbidity as possible causes of the declining transition rate in subjects at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 596-604.	1.7	8
101	The effect of tDCS on auditory hallucination and P50 sensory gating in patients with schizophrenia: A pilot study. <i>Schizophrenia Research</i> , 2018, 192, 469-470.	2.0	12
102	Decomposing P300 into correlates of genetic risk and current symptoms in schizophrenia: An inter-trial variability analysis. <i>Schizophrenia Research</i> , 2018, 192, 232-239.	2.0	18
103	The effect of transcranial direct current stimulation on auditory hallucination in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 489-490.	2.0	6
104	The effects of four days of intensive mindfulness meditation training (Templestay program) on resilience to stress: a randomized controlled trial. <i>Psychology, Health and Medicine</i> , 2018, 23, 497-504.	2.4	34
105	Genetic variation in cytokine genes and risk for transition to psychosis among individuals at ultra-high risk. <i>Schizophrenia Research</i> , 2018, 195, 589-590.	2.0	6
106	Cortical Abnormalities Associated With Pediatric and Adult Obsessive-Compulsive Disorder: Findings From the ENIGMA Obsessive-Compulsive Disorder Working Group. <i>American Journal of Psychiatry</i> , 2018, 175, 453-462.	7.2	197
107	Higher serotonin transporter availability in early-onset obsessive-compulsive disorder patients undergoing escitalopram treatment: A [¹¹ C]DASB PET study. <i>Human Psychopharmacology</i> , 2018, 33, e2642.	1.5	9
108	Predicting Remission in Subjects at Clinical High Risk for Psychosis Using Mismatch Negativity. <i>Schizophrenia Bulletin</i> , 2018, 44, 575-583.	4.3	38

#	ARTICLE	IF	CITATIONS
109	Altered Eye-Movement Patterns During Text Reading in Obsessive-Compulsive Disorder and Internet Gaming Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 248.	2.0	5
110	Lower glutamate level in temporo-parietal junction may predict a better response to tDCS in schizophrenia. <i>Schizophrenia Research</i> , 2018, 201, 422-423.	2.0	4
111	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	1.3	627
112	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.	7.1	299
113	Cerebellar Structural Abnormalities Associated With Cognitive Function in Patients With First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2018, 9, 286.	2.6	23
114	Effects of Intranasal Oxytocin on Emotion Recognition in Korean Male: A Dose-Response Study. <i>Psychiatry Investigation</i> , 2018, 15, 710-716.	1.6	13
115	Modulation of Electrophysiology by Transcranial Direct Current Stimulation in Psychiatric Disorders: A Systematic Review. <i>Psychiatry Investigation</i> , 2018, 15, 434-444.	1.6	9
116	Beyond Domain-Specific Expertise: Neural Signatures of Face and Spatial Working Memory in Baduk (Go) Tj ETQq0,0 rgBT /Overlock 1	2.0	2
117	Increased Attentional Bias Toward Visual Cues in Internet Gaming Disorder and Obsessive-Compulsive Disorder: An Event-Related Potential Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 315.	2.6	27
118	Effects of Renaming Schizophrenia in Korea: from "Split-Mind Disorder" to "Attunement Disorder". <i>Psychiatry Investigation</i> , 2018, 15, 656-662.	1.6	12
119	Necessity of Reorganization of Mental Health Welfare Act to Decrease in Social Anxiety Related to Patients with Schizophrenia and to Ensure Proper Human Rights for Mentally Ill Persons. <i>Psychiatry Investigation</i> , 2018, 15, 745-746.	1.6	2
120	Thalamo-cortical system involving higher-order nuclei in patients with first-episode psychosis. <i>BMB Reports</i> , 2018, 51, 427-428.	2.4	1
121	Comorbid Obsessive-Compulsive Symptoms in Schizophrenia: Neurocognitive Profile. <i>Psychiatric Annals</i> , 2018, 48, 557-560.	0.1	0
122	Presynaptic Dopamine Capacity in Patients with Treatment-Resistant Schizophrenia Taking Clozapine: An [18F]DOPA PET Study. <i>Neuropsychopharmacology</i> , 2017, 42, 941-950.	5.4	98
123	Is There an Association Between Mismatch Negativity and Cortical Thickness in Schizophrenia Patients?. <i>Clinical EEG and Neuroscience</i> , 2017, 48, 383-392.	1.7	4
124	Brain Structural Networks Associated with Intelligence and Visuomotor Ability. <i>Scientific Reports</i> , 2017, 7, 2177.	3.3	42
125	Brain network characteristics separating individuals at clinical high risk for psychosis into normality or psychosis. <i>Schizophrenia Research</i> , 2017, 190, 107-114.	2.0	6
126	Aberrant temporal behavior of mismatch negativity generators in schizophrenia patients and subjects at clinical high risk for psychosis. <i>Clinical Neurophysiology</i> , 2017, 128, 331-339.	1.5	27

#	ARTICLE	IF	CITATIONS
127	Cortical thickness in obsessive-compulsive disorder: Multisite mega-analysis of 780 brain scans from six centres. <i>British Journal of Psychiatry</i> , 2017, 210, 67-74.	2.8	88
128	Resting-state EEG activity related to impulsivity in gambling disorder. <i>Journal of Behavioral Addictions</i> , 2017, 6, 387-395.	3.7	26
129	Impulsivity and compulsivity in Internet gaming disorder: A comparison with obsessive-compulsive disorder and alcohol use disorder. <i>Journal of Behavioral Addictions</i> , 2017, 6, 545-553.	3.7	41
130	Higher extrinsic and lower intrinsic connectivity in resting state networks for professional Baduk (Go) players. <i>Brain and Behavior</i> , 2017, 7, e00853.	2.2	6
131	Differential Risk of Peptic Ulcer Among Users of Antidepressants Combined With Nonsteroidal Anti-inflammatory Drugs. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 239-245.	1.4	5
132	Abnormalities in brain white matter in adolescents with 22q11.2 deletion syndrome and psychotic symptoms. <i>Brain Imaging and Behavior</i> , 2017, 11, 1353-1364.	2.1	20
133	Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. <i>Brain Imaging and Behavior</i> , 2017, 11, 1497-1514.	2.1	144
134	Altered functional network architecture in orbitofronto-striato-thalamic circuit of unmedicated patients with obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2017, 38, 109-119.	3.6	58
135	Regional Differences in Serotonin Transporter Occupancy by Escitalopram: An [11C]DASB PK-PD Study. <i>Clinical Pharmacokinetics</i> , 2017, 56, 371-381.	3.5	9
136	Distinct Subcortical Volume Alterations in Pediatric and Adult OCD: A Worldwide Meta- and Mega-Analysis. <i>American Journal of Psychiatry</i> , 2017, 174, 60-69.	7.2	268
137	Need for the complete revision of the Mental Health and Welfare Act. <i>Journal of the Korean Medical Association</i> , 2017, 60, 710.	0.3	0
138	The Development and Validation of a Personality Assessment Scale for Hospital Employees. <i>Journal of Korean Neuropsychiatric Association</i> , 2017, 56, 45.	0.5	0
139	Predicting Prognosis in Patients with First Episode Psychosis Using Mismatch Negativity : A 1 Year Follow-up Study. <i>Korean Journal of Schizophrenia Research</i> , 2017, 20, 15.	0.3	0
140	Association between memory impairment and brain metabolite concentrations in North Korean refugees with posttraumatic stress disorder. <i>PLoS ONE</i> , 2017, 12, e0188953.	2.5	6
141	Reconsidering Clinical Staging Model: A Case of Genetic High Risk for Schizophrenia. <i>Psychiatry Investigation</i> , 2017, 14, 107.	1.6	1
142	Prevalence of Metabolic Syndrome in Patients with Schizophrenia in Korea: A Multicenter Nationwide Cross-Sectional Study. <i>Psychiatry Investigation</i> , 2017, 14, 44.	1.6	27
143	Executive Dysfunction in Obsessive-Compulsive Disorder and Anterior Cingulate-Based Resting State Functional Connectivity. <i>Psychiatry Investigation</i> , 2017, 14, 333.	1.6	13
144	PM526. Cognitive Distractions by Auditory Verbal Hallucinations: A Social Cognitive Approach. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 91-91.	2.1	0

#	ARTICLE	IF	CITATIONS
145	PT735. Multisensory integration of social interaction. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 67-68.	2.1	1
146	PM460. Association between increased resting-state functional connectivity and reduced symptoms of schizotypal personality disorder: neural evidence for compensatory brain responses. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 67-67.	2.1	0
147	Structural covariance of neostriatal and limbic regions in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 115-123.	2.4	28
148	PM438. Functional connectivity and striatal dopamine synthesis in schizophrenia treated with antipsychotic drugs: multimodal imaging study using [18F]DOPA PET and resting MRI. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 59-60.	2.1	0
149	PM458. Altered Frontal and Temporal Microstructure in Patients with First-Episode Psychosis: Diffusion Kurtosis Study. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 66-66.	2.1	0
150	PM461. Inflammation in schizophrenia: Imaging genetics. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 67-68.	2.1	0
151	PM466. Neuroanatomical implications of concomitant mood disorders in subjects at clinical high risk for psychosis. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 69-70.	2.1	0
152	PM468. Alterations of structural connectivity in patients with schizophrenia: a systematic review. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 70-70.	2.1	0
153	PM474. Brain metabolite differences in subjects with high genetic risk of schizophrenia using 1H magnetic resonance spectroscopy. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 72-72.	2.1	0
154	Individualized covariance profile of cortical morphology for auditory hallucinations in first-episode psychosis. <i>Human Brain Mapping</i> , 2016, 37, 1051-1065.	3.6	23
155	Longitudinal change in neurocognition and its relation to symptomatic and functional changes over 2 years in individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2016, 174, 50-57.	2.0	14
156	Decreased neural response for facial emotion processing in subjects with high genetic load for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 90-96.	4.8	12
157	Psychosis research in Asia: advantage from low prevalence of cannabis use. <i>NPJ Schizophrenia</i> , 2016, 2, 1.	3.6	27
158	Altered Thalamo-Cortical White Matter Connectivity: Probabilistic Tractography Study in Clinical-High Risk for Psychosis and First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 723-731.	4.3	93
159	Biological Motion Perception, Brain Responses, and Schizotypal Personality Disorder. <i>JAMA Psychiatry</i> , 2016, 73, 260.	11.0	18
160	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	11.0	354
161	Internet-Based Cognitive Behavioral Therapy for Obsessive-Compulsive Disorder in Korea. <i>Psychiatry Investigation</i> , 2016, 13, 373.	1.6	26
162	Intraindividual neurophysiological variability in ultra-high-risk for psychosis and schizophrenia patients: single-trial analysis. <i>NPJ Schizophrenia</i> , 2015, 1, 15031.	3.6	12

#	ARTICLE	IF	CITATIONS
163	Satisfaction of immediate or delayed switch to paliperidone palmitate in patients unsatisfied with current oral atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2015, 30, 320-328.	1.7	15
164	Effects of genetic variations in NRG1 on cognitive domains in patients with schizophrenia and healthy individuals. <i>Psychiatric Genetics</i> , 2015, 25, 147-154.	1.1	12
165	Alterations of Gray and White Matter Networks in Patients with Obsessive-Compulsive Disorder: A Multimodal Fusion Analysis of Structural MRI and DTI Using mCCA+jICA. <i>PLoS ONE</i> , 2015, 10, e0127118.	2.5	28
166	Altered Fronto-Temporal Functional Connectivity in Individuals at Ultra-High-Risk of Developing Psychosis. <i>PLoS ONE</i> , 2015, 10, e0135347.	2.5	33
167	Social cognitive functioning in prodromal psychosis: A meta-analysis. <i>Schizophrenia Research</i> , 2015, 164, 28-34.	2.0	126
168	Baseline putamen volume as a predictor of positive symptom reduction in patients at clinical high risk for psychosis: A preliminary study. <i>Schizophrenia Research</i> , 2015, 169, 178-185.	2.0	9
169	Factors contributing to the duration of untreated prodromal positive symptoms in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 162, 64-66.	2.0	12
170	Auditory P300 as a predictor of short-term prognosis in subjects at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 165, 138-144.	2.0	24
171	Effects of Oxytocin on Neural Response to Facial Expressions in Patients with Schizophrenia. <i>Neuropsychopharmacology</i> , 2015, 40, 1919-1927.	5.4	57
172	Tardive Dyskinesia and Tardive Dystonia With Second-Generation Antipsychotics in Non-Elderly Schizophrenic Patients Unexposed to First-Generation Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 13-21.	1.4	37
173	Away from home: the brain of the wandering mind as a model for schizophrenia. <i>Schizophrenia Research</i> , 2015, 165, 83-89.	2.0	30
174	Parental socioeconomic status and prognosis in individuals with ultra-high risk for psychosis: A 2-year follow-up study. <i>Schizophrenia Research</i> , 2015, 168, 56-61.	2.0	50
175	Neural Correlates of Response to Pharmacotherapy in Obsessive-Compulsive Disorder: Individualized Cortical Morphology-Based Structural Covariance. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 63, 126-133.	4.8	46
176	Unravelling the Intrinsic Functional Organization of the Human Striatum: A Parcellation and Connectivity Study Based on Resting-State fMRI. <i>PLoS ONE</i> , 2014, 9, e106768.	2.5	87
177	Spatial memory impairments in amnesic mild cognitive impairment in a virtual radial arm maze. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 653.	2.2	37
178	Comparison of the Effectiveness of Virtual Cue Exposure Therapy and Cognitive Behavioral Therapy for Nicotine Dependence. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2014, 17, 262-267.	3.9	42
179	Power spectral aspects of the default mode network in schizophrenia: an MEG study. <i>BMC Neuroscience</i> , 2014, 15, 104.	1.9	51
180	Multicenter Voxel-Based Morphometry Mega-Analysis of Structural Brain Scans in Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2014, 171, 340-349.	7.2	227

#	ARTICLE	IF	CITATIONS
181	Dysfunctional role of parietal lobe during self-face recognition in schizophrenia. <i>Schizophrenia Research</i> , 2014, 152, 81-88.	2.0	26
182	The Effects of Pharmacological Treatment on Functional Brain Connectome in Obsessive-Compulsive Disorder. <i>Biological Psychiatry</i> , 2014, 75, 606-614.	1.3	139
183	The crisis of minimal self-awareness in schizophrenia: A meta-analytic review. <i>Schizophrenia Research</i> , 2014, 152, 58-64.	2.0	119
184	Decreased connectivity of the default mode network in pathological gambling: A resting state functional MRI study. <i>Neuroscience Letters</i> , 2014, 583, 120-125.	2.1	20
185	Musical obsessions: A comprehensive review of neglected clinical phenomena. <i>Journal of Anxiety Disorders</i> , 2014, 28, 580-589.	3.2	30
186	Reduced Binding Potential of GABA-A/Benzodiazepine Receptors in Individuals at Ultra-high Risk for Psychosis: An [18F]-Fluorofluminazenil Positron Emission Tomography Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 548-557.	4.3	33
187	Neurocognitive function as a possible marker for remission from clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 153, 48-53.	2.0	31
188	Effects of the functioning and antipsychotic use on clinical high risk for psychosis: A response to Yung et al.. <i>Schizophrenia Research</i> , 2014, 159, 254-255.	2.0	1
189	Impaired mismatch negativity is associated with current functional status rather than genetic vulnerability to schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 100-106.	1.8	30
190	Johyeonbyung (attunement disorder): Renaming mind splitting disorder as a way to reduce stigma of patients with schizophrenia in Korea. <i>Asian Journal of Psychiatry</i> , 2014, 8, 118-120.	2.0	15
191	Symptomatic and functional remission of subjects at clinical high risk for psychosis: A 2-year naturalistic observational study. <i>Schizophrenia Research</i> , 2014, 156, 266-271.	2.0	46
192	A Preliminary Validity Study of the Cambridge Neuropsychological Test Automated Battery for the Assessment of Executive Function in Schizophrenia and Bipolar Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 394.	1.6	37
193	The Psychological Characteristics and Functional Magnetic Resonance Imaging Findings in Firefighters with Partial Posttraumatic Stress Disorder and the Effect of Treatment by Using Eye Movement Desensitization and Reprocessing. <i>Journal of Korean Neuropsychiatric Association</i> , 2014, 53, 122.	0.5	0
194	The effect of meditation on brain structure: cortical thickness mapping and diffusion tensor imaging. <i>Social Cognitive and Affective Neuroscience</i> , 2013, 8, 27-33.	3.0	171
195	Impaired body but not face perception in patients with obsessive-compulsive disorder. <i>Journal of Neuropsychology</i> , 2013, 7, 58-71.	1.4	8
196	Validation of the Korean version of the Eppendorf Schizophrenia Inventory as a screening measure to detect adolescents at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 71-79.	1.7	19
197	The relationship between antipsychotic D2 occupancy and change in frontal metabolism and working memory. <i>Psychopharmacology</i> , 2013, 227, 221-229.	3.1	49
198	Neural correlate of impulsivity in subjects at ultra-high risk for psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 165-169.	4.8	25

#	ARTICLE	IF	CITATIONS
199	Genome-wide linkage scan of quantitative traits representing symptom dimensions in multiplex schizophrenia families. <i>Psychiatry Research</i> , 2013, 210, 756-760.	3.3	11
200	Neural correlates of altered response inhibition and dysfunctional connectivity at rest in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 40, 340-346.	4.8	82
201	Altered asymmetry of the anterior cingulate cortex in subjects at genetic high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 150, 512-518.	2.0	25
202	Abnormal corticostriatal-limbic functional connectivity in obsessive-compulsive disorder during reward processing and resting-state. <i>NeuroImage: Clinical</i> , 2013, 3, 27-38.	2.7	103
203	General intellectual functioning as a buffer against theory-of-mind deficits in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 149, 83-87.	2.0	28
204	Renaming schizophrenia in South Korea. <i>Lancet, The</i> , 2013, 382, 683-684.	13.7	28
205	Partial Volume Correction using Structural-Functional Synergistic Resolution Recovery: Comparison with Geometric Transfer Matrix Method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 914-920.	4.3	18
206	The relationship between psychosocial functioning and resilience and negative symptoms in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 762-771.	2.3	74
207	Eating-Behavior Changes Associated With Antipsychotic Medications in Patients With Schizophrenia as Measured by the Drug-Related Eating Behavior Questionnaire. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 120-122.	1.4	9
208	A Preliminary Comparative Study of Cambridge Neuropsychological Test Automated Battery and Computerized Neuropsychological Test in Patients with Schizophrenia and Bipolar Disorder. <i>Journal of Korean Neuropsychiatric Association</i> , 2013, 52, 76.	0.5	0
209	Disparity between dorsal and ventral networks in patients with obsessive-compulsive disorder: evidence revealed by graph theoretical analysis based on cortical thickness from MRI. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 302.	2.0	17
210	Exploring the brains of Baduk (Go) experts: gray matter morphometry, resting-state functional connectivity, and graph theoretical analysis. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 633.	2.0	26
211	Korean Self-Report Version of the Yale-Brown Obsessive-Compulsive Scale: Factor Structure, Reliability, and Validity. <i>Psychiatry Investigation</i> , 2013, 10, 17.	1.6	14
212	Increased Intra-Individual Variability of Cognitive Processing in Subjects at Risk Mental State and Schizophrenia Patients. <i>PLoS ONE</i> , 2013, 8, e78354.	2.5	34
213	Mediating Effect of Executive Function on Memory in Normal Aging Adults. <i>Psychiatry Investigation</i> , 2013, 10, 108.	1.6	8
214	Impact of the BDNF Val66Met Polymorphism on Regional Brain Gray Matter Volumes: Relevance to the Stress Response. <i>Psychiatry Investigation</i> , 2013, 10, 173.	1.6	26
215	The Impact of Personality Traits on Ratings of Obsessive-Compulsive Symptoms. <i>Psychiatry Investigation</i> , 2013, 10, 259.	1.6	6
216	Factors Associated with the Compliance of Cognitive Behavioral Therapy for Obsessive Compulsive Disorder. <i>Journal of Korean Neuropsychiatric Association</i> , 2013, 52, 409.	0.5	0

#	ARTICLE	IF	CITATIONS
217	The Role Transition and Development Direction of the Psychiatric Day Hospital in General Hospital : Introduction of Day Intensive Care Center. Journal of Korean Neuropsychiatric Association, 2013, 52, 17.	0.5	0
218	Aberrant Auditory Processing in Schizophrenia and in Subjects at Ultra-High-Risk for Psychosis. Schizophrenia Bulletin, 2012, 38, 1258-1267.	4.3	42
219	The efficacy and safety of 12 weeks of treatment with sertindole or olanzapine in patients with chronic schizophrenia who did not respond successfully to their previous treatments. International Clinical Psychopharmacology, 2012, 27, 1.	1.7	10
220	Phase-Specific Brain Change of Spatial Working Memory Processing in Genetic and Ultra-High Risk Groups of Schizophrenia. Schizophrenia Bulletin, 2012, 38, 1189-1199.	4.3	61
221	Impulsivity in Internet Addiction: A Comparison with Pathological Gambling. Cyberpsychology, Behavior, and Social Networking, 2012, 15, 373-377.	3.9	203
222	Clinical and neurocognitive profiles of subjects at high risk for psychosis with and without obsessive-compulsive symptoms. Australian and New Zealand Journal of Psychiatry, 2012, 46, 161-169.	2.3	34
223	Do pathological gambling and obsessive-compulsive disorder overlap? a neurocognitive perspective. CNS Spectrums, 2012, 17, 207-213.	1.2	15
224	Predicting Brain Occupancy from Plasma Levels using PET: Superiority of Combining Pharmacokinetics with Pharmacodynamics while Modeling the Relationship. Journal of Cerebral Blood Flow and Metabolism, 2012, 32, 759-768.	4.3	28
225	Multidimensional Comparison of Personality Characteristics of the Big Five Model, Impulsiveness, and Affect in Pathological Gambling and Obsessive-compulsive Disorder. Journal of Gambling Studies, 2012, 28, 351-362.	1.6	38
226	Reduced volume in the anterior internal capsule but its maintained correlation with the frontal gray matter in subjects at ultra-high risk for psychosis. Psychiatry Research - Neuroimaging, 2012, 204, 82-90.	1.8	7
227	Whither the Attenuated Psychosis Syndrome?. Schizophrenia Bulletin, 2012, 38, 1130-1134.	4.3	85
228	Increased white matter integrity in the corpus callosum in subjects with high genetic loading for schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 37, 50-55.	4.8	14
229	Early intervention in psychosis: Insights from Korea. Asian Journal of Psychiatry, 2012, 5, 98-105.	2.0	46
230	Symptom structure of antipsychotic-induced obsessive compulsive symptoms in schizophrenia patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 39, 75-79.	4.8	23
231	Neuromagnetic auditory response and its relation to cortical thickness in ultra-high-risk for psychosis. Schizophrenia Research, 2012, 140, 93-98.	2.0	13
232	Regional cortical thinning in subjects with high genetic loading for schizophrenia. Schizophrenia Research, 2012, 141, 197-203.	2.0	42
233	Switching strategy underlies phonemic verbal fluency impairment in obsessive-compulsive disorder. Journal of Obsessive-Compulsive and Related Disorders, 2012, 1, 221-227.	1.5	6
234	Regional Brain Atrophy and Functional Disconnection in Broca's Area in Individuals at Ultra-High Risk for Psychosis and Schizophrenia. PLoS ONE, 2012, 7, e51975.	2.5	44

#	ARTICLE	IF	CITATIONS
235	Gray Matter Volumetric Abnormalities Associated with the Onset of Psychosis. <i>Frontiers in Psychiatry</i> , 2012, 3, 101.	2.6	33
236	Reduced fronto-cingulate fiber integrity in unmedicated OCD patients: A diffusion tractography study. <i>Human Brain Mapping</i> , 2012, 33, 2441-2452.	3.6	28
237	Pharmacotherapy and clinical characteristics of ultra-high-risk for psychosis according to conversion status: a naturalistic observational study. <i>Microbial Biotechnology</i> , 2012, 6, 30-37.	1.7	20
238	The impact of genetic variation in comt and bdnf on resting-state functional connectivity. <i>International Journal of Imaging Systems and Technology</i> , 2012, 22, 97-102.	4.1	9
239	Altered Brain Activity during Reward Anticipation in Pathological Gambling and Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2012, 7, e45938.	2.5	94
240	Changes in Effective Connectivity According to Working Memory Load: An fMRI Study of Face and Location Working Memory Tasks. <i>Psychiatry Investigation</i> , 2012, 9, 283.	1.6	6
241	An MEG study of alpha modulation in patients with schizophrenia and in subjects at high risk of developing psychosis. <i>Schizophrenia Research</i> , 2011, 126, 36-42.	2.0	63
242	Reduced prefrontal functional connectivity in the default mode network is related to greater psychopathology in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2011, 127, 58-65.	2.0	105
243	Diffusion tensor imaging of anterior commissural fibers in patients with schizophrenia. <i>Schizophrenia Research</i> , 2011, 130, 78-85.	2.0	36
244	Social cognition and neurocognition as predictors of conversion to psychosis in individuals at ultra-high risk. <i>Schizophrenia Research</i> , 2011, 130, 170-175.	2.0	145
245	Increased default mode network connectivity associated with meditation. <i>Neuroscience Letters</i> , 2011, 487, 358-362.	2.1	211
246	Diagnostic stability of first-episode psychosis and predictors of diagnostic shift from non-affective psychosis to bipolar disorder: A retrospective evaluation after recurrence. <i>Psychiatry Research</i> , 2011, 188, 29-33.	3.3	44
247	Altered Brain Activation in Ventral Frontal-Striatal Regions Following a 16-week Pharmacotherapy in Unmedicated Obsessive-Compulsive Disorder. <i>Journal of Korean Medical Science</i> , 2011, 26, 665.	2.5	24
248	Disproportionate Alterations in the Anterior and Posterior Insular Cortices in Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2011, 6, e22361.	2.5	27
249	Coping Strategies and Their Relationship to Psychopathologies in People at Ultra High-Risk for Psychosis and With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 106-110.	1.0	32
250	What is the optimal dose of escitalopram for the treatment of obsessive-compulsive disorder? A naturalistic open-label study. <i>International Clinical Psychopharmacology</i> , 2011, 26, 284-290.	1.7	9
251	Calculating Occupancy when One does not have Baseline: A Comparison of Different Options. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1760-1767.	4.3	8
252	Clinical efficacy of individual cognitive therapy in reducing psychiatric symptoms in people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 174-178.	1.7	21

#	ARTICLE	IF	CITATIONS
253	Midsagittal structural differences and sexual dimorphism of the corpus callosum in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2011, 192, 147-153.	1.8	15
254	Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. <i>Journal of Affective Disorders</i> , 2011, 129, 313-316.	4.1	39
255	Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. <i>Journal of Affective Disorders</i> , 2011, 131, 59-67.	4.1	113
256	The use of healthy volunteers instead of patients to inform drug dosing studies: a [11C]raclopride PET study. <i>Psychopharmacology</i> , 2011, 217, 515-523.	3.1	12
257	Cortical Thickness Reduction in Individuals at Ultra-High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 839-849.	4.3	127
258	Longitudinal Patterns of Social Functioning and Conversion to Psychosis in Subjects at Ultra-High Risk. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 763-770.	2.3	33
259	Mutual information-based evolution of hypernetworks for brain data analysis. , 2011, , .		4
260	Associated Factors of Quality of Life in First-Episode Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2011, 8, 201.	1.6	25
261	Gamma Oscillation in Schizophrenia. <i>Psychiatry Investigation</i> , 2011, 8, 288.	1.6	45
262	Sex differences in the temporal lobe white matter and the corpus callosum: a diffusion tensor tractography study. <i>NeuroReport</i> , 2010, 21, 73-77.	1.2	22
263	Do organizational strategies mediate nonverbal memory impairment in drug-naïve patients with obsessive-compulsive disorder?. <i>Neuropsychology</i> , 2010, 24, 527-533.	1.3	14
264	MRI study of the cavum septum pellucidum in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 337-343.	3.2	17
265	Multi-level comparison of empathy in schizophrenia: An fMRI study of a cartoon task. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 121-129.	1.8	58
266	Efficacy and Tolerability of Aripiprazole: A 26-Week Switching Study from Oral Antipsychotics. <i>Psychiatry Investigation</i> , 2010, 7, 189.	1.6	4
267	Structural Brain Alterations in Individuals at Ultra-high Risk for Psychosis: A Review of Magnetic Resonance Imaging Studies and Future Directions. <i>Journal of Korean Medical Science</i> , 2010, 25, 1700.	2.5	48
268	Processing of facial configuration in individuals at ultra-high risk for schizophrenia. <i>Schizophrenia Research</i> , 2010, 118, 81-87.	2.0	36
269	White matter neuroplastic changes in long-term trained players of the game of "Baduk" (GO): A voxel-based diffusion-tensor imaging study. <i>NeuroImage</i> , 2010, 52, 9-19.	4.2	80
270	Altered resting-state connectivity in subjects at ultra-high risk for psychosis: an fMRI study. <i>Behavioral and Brain Functions</i> , 2010, 6, 58.	3.3	123

#	ARTICLE	IF	CITATIONS
271	Functional connectivity in fronto-subcortical circuitry during the resting state in obsessive-compulsive disorder. <i>Neuroscience Letters</i> , 2010, 474, 158-162.	2.1	104
272	The effects of mindâ€‘body training on stress reduction, positive affect, and plasma catecholamines. <i>Neuroscience Letters</i> , 2010, 479, 138-142.	2.1	54
273	Integration of cross-modal emotional information in the human brain: An fMRI study. <i>Cortex</i> , 2010, 46, 161-169.	2.4	102
274	Nonverbal memory and organizational dysfunctions are related with distinct symptom dimensions in obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2010, 180, 93-98.	3.3	28
275	The Reliability and Validity of the Korean Version of the Structured Interview for Prodromal Syndrome. <i>Psychiatry Investigation</i> , 2010, 7, 257.	1.6	57
276	Gender Difference in the Prodromal Symptoms of First-episode Schizophrenia. <i>Journal of Korean Medical Science</i> , 2009, 24, 1083.	2.5	29
277	Depressive Symptoms and Brain Metabolite Alterations in Subjects at Ultra-high Risk for Psychosis: A Preliminary Study. <i>Psychiatry Investigation</i> , 2009, 6, 264.	1.6	18
278	Social functioning and quality of life as measures of effectiveness in the treatment of schizophrenia. <i>World Psychiatry</i> , 2009, 8, 35-36.	10.4	10
279	Neuroimaging in obsessiveâ€‘compulsive disorder. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 255-269.	2.8	91
280	Algorithm-driven treatment for bipolar disorder in Korea: Clinical feasibility, efficacy, and safety. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009, 13, 122-129.	2.4	4
281	Association of the Glutamate Transporter Gene SLC1A1 With Atypical Antipsychoticsâ€‘Induced Obsessive-compulsive Symptoms. <i>Archives of General Psychiatry</i> , 2009, 66, 1233.	12.3	91
282	Cortical network dynamics during source memory retrieval: Current density imaging with individual MRI. <i>Human Brain Mapping</i> , 2009, 30, 78-91.	3.6	7
283	BOLD response during visual perception of biological motion in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 46-54.	3.2	36
284	Longâ€‘term efficacy and safety of aripiprazole in patients with schizophrenia, schizophreniform disorder, or schizoaffective disorder: 26â€‘week prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2009, 63, 73-81.	1.8	25
285	Surface-based functional magnetic resonance imaging analysis of partial brain echo planar imaging data at 1.5 T. <i>Magnetic Resonance Imaging</i> , 2009, 27, 691-700.	1.8	9
286	Impairment of source memory in patients with obsessiveâ€‘compulsive disorder: Equivalent current dipole analysis. <i>Psychiatry Research</i> , 2009, 165, 47-59.	3.3	11
287	Volumetric differences in the pituitary between drug-naïve and medicated male patients with obsessiveâ€‘compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 605-609.	4.8	14
288	Pre-Attentive Auditory Processing in Ultra-High-Risk for Schizophrenia with Magnetoencephalography. <i>Biological Psychiatry</i> , 2009, 65, 1071-1078.	1.3	88

#	ARTICLE	IF	CITATIONS
289	Proton magnetic resonance spectroscopy in subjects with high genetic risk of schizophrenia: Investigation of anterior cingulate, dorsolateral prefrontal cortex and thalamus. <i>Schizophrenia Research</i> , 2009, 111, 86-93.	2.0	70
290	Gender classification with cortical thickness measurement from magnetic resonance imaging by using a feature selection method based on evolutionary hypernetworks. , 2009, , .		1
291	White matter alterations in male patients with obsessive-compulsive disorder. <i>NeuroReport</i> , 2009, 20, 735-739.	1.2	44
292	A 12-week, naturalistic switch study of the efficacy and tolerability of aripiprazole in stable outpatients with schizophrenia or schizoaffective disorder. <i>International Clinical Psychopharmacology</i> , 2009, 24, 181-188.	1.7	19
293	Reduced cortical folding of the anterior cingulate cortex in obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 443-9.	2.4	29
294	Selective impairment in visual perception of biological motion in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2008, 25, E15-E25.	4.1	34
295	Prospective outcome of early intervention for individuals at ultra-high-risk for psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 277-284.	1.7	14
296	Population pharmacokinetic modelling of aripiprazole and its active metabolite, dehydroaripiprazole, in psychiatric patients. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 802-810.	2.4	43
297	Structural abnormalities of the right inferior colliculus in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2008, 164, 160-165.	1.8	15
298	Deficit of theory of mind in individuals at ultra-high-risk for schizophrenia. <i>Schizophrenia Research</i> , 2008, 99, 111-118.	2.0	138
299	Objects and their icons in the brain: The neural correlates of visual concept formation. <i>Neuroscience Letters</i> , 2008, 436, 300-304.	2.1	10
300	Neuropsychological correlates of N400 anomalies in patients with schizophrenia: A preliminary report. <i>Neuroscience Letters</i> , 2008, 448, 226-230.	2.1	12
301	Impact of coexistent schizotypal personality traits on frontal lobe function in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 472-478.	4.8	17
302	Cavum septum pellucidum in subjects at ultra-high risk for psychosis: Compared with first-degree relatives of patients with schizophrenia and healthy volunteers. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1326-1330.	4.8	33
303	Taq1A polymorphism in the dopamine D2 receptor gene as a predictor of clinical response to aripiprazole. <i>European Neuropsychopharmacology</i> , 2008, 18, 897-907.	0.7	50
304	Artificial shifting of fMRI activation localized by volume- and surface-based analyses. <i>NeuroImage</i> , 2008, 40, 1077-1089.	4.2	31
305	Social Functioning Deficits in Young People at Risk for Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 678-685.	2.3	47
306	Potential Vulnerability Markers within the Affective Domain in Subjects at Genetic and Clinical High Risk for Schizophrenia. <i>Psychopathology</i> , 2008, 41, 236-244.	1.5	12

#	ARTICLE	IF	CITATIONS
307	Thalamus surface shape deformity in obsessive-compulsive disorder and schizophrenia. <i>NeuroReport</i> , 2008, 19, 609-613.	1.2	46
308	Taq1A polymorphism in the dopamine D2 receptor gene predicts brain metabolic response to aripiprazole in healthy male volunteers. <i>Pharmacogenetics and Genomics</i> , 2008, 18, 91-97.	1.5	10
309	High-Dose Escitalopram Treatment in Patients With Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 108-110.	1.4	7
310	Distinct processing of facial emotion of own-race versus other-race. <i>NeuroReport</i> , 2008, 19, 1021-1025.	1.2	25
311	Probable Case of Neuroleptic Malignant Syndrome Following Administration of Antituberculous Drugs in a Chlorpromazine-Treated Patient. <i>Journal of Korean Medical Science</i> , 2008, 23, 734.	2.5	6
312	Voxel-Based Morphometry Study of Gray Matter Abnormalities in Obsessive-Compulsive Disorder. <i>Journal of Korean Medical Science</i> , 2008, 23, 24.	2.5	90
313	A Naturalistic Multicenter Trial of a 12-Week Weight Management Program for Overweight and Obese Patients With Schizophrenia or Schizoaffective Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 555-562.	2.2	31
314	The Emotional Characteristics of Schizotypy. <i>Psychiatry Investigation</i> , 2008, 5, 148.	1.6	2
315	Neural correlates of cognitive inflexibility during task-switching in obsessive-compulsive disorder. <i>Brain</i> , 2007, 131, 155-164.	7.6	221
316	Dysfunction in Configural Face Processing in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 34, 538-543.	4.3	59
317	Prevalence and Clinical Characteristics of Obsessive-Compulsive Symptoms Associated With Atypical Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 712-713.	1.4	43
318	Neuropsychological profiles of patients with obsessive-compulsive disorder: early onset versus late onset. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 30-7.	1.8	31
319	Quantitative analysis of ataxic gait in patients with schizophrenia: The influence of age and visual control. <i>Psychiatry Research</i> , 2007, 152, 155-164.	3.3	14
320	Generators of the gamma-band activities in response to rare and novel stimuli during the auditory oddball paradigm. <i>Neuroscience Letters</i> , 2007, 413, 210-215.	2.1	31
321	Spatial accuracy of fMRI activation influenced by volume- and surface-based spatial smoothing techniques. <i>NeuroImage</i> , 2007, 34, 550-564.	4.2	80
322	Pattern classification using principal components of cortical thickness and its discriminative pattern in schizophrenia. <i>NeuroImage</i> , 2007, 34, 1405-1415.	4.2	91
323	Visual self-recognition in patients with schizophrenia. <i>Schizophrenia Research</i> , 2007, 94, 215-220.	2.0	34
324	Electrophysiological correlates of behavioral response inhibition in patients with obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2007, 24, 22-31.	4.1	66

#	ARTICLE	IF	CITATIONS
325	Cortical thinning in obsessive compulsive disorder. <i>Human Brain Mapping</i> , 2007, 28, 1128-1135.	3.6	55
326	White matter abnormalities associated with auditory hallucinations in schizophrenia: A combined study of voxel-based analyses of diffusion tensor imaging and structural magnetic resonance imaging. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 93-104.	1.8	144
327	Shape deformity of the corpus striatum in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2007, 155, 257-264.	1.8	30
328	Hippocampal shape deformity analysis in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 185-190.	3.2	34
329	Activity of left inferior frontal gyrus related to word repetition effects: LORETA imaging with 128-channel EEG and individual MRI. <i>NeuroImage</i> , 2006, 29, 712-720.	4.2	6
330	Increased water diffusivity in the frontal and temporal cortices of schizophrenic patients. <i>NeuroImage</i> , 2006, 30, 1285-1291.	4.2	62
331	Gender difference analysis of cortical thickness in healthy young adults with surface-based methods. <i>NeuroImage</i> , 2006, 31, 31-38.	4.2	282
332	Self-initiated encoding facilitates object working memory in schizophrenia: Implications for the etiology of working memory deficit. <i>Schizophrenia Research</i> , 2006, 82, 65-74.	2.0	11
333	Gray matter volume reduction in obsessive-compulsive disorder with schizotypal personality trait. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1146-1149.	4.8	21
334	A Proton MRSI Study of Brain N-Acetylaspartate Level After 12 Weeks of Citalopram Treatment in Drug-Naive Patients With Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 1202-1207.	7.2	71
335	Neuropsychological correlates of error negativity and positivity in schizophrenia patients. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 303-311.	1.8	46
336	Effect of cognitive training focusing on organizational strategies in patients with obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 718-726.	1.8	51
337	Clinical and empirical applications of the Rey-Osterrieth Complex Figure Test. <i>Nature Protocols</i> , 2006, 1, 892-899.	12.0	447
338	Equivalent Current Dipole of Word Repetition Effects in Patients with Obsessive-Compulsive Disorder. <i>Brain Topography</i> , 2006, 18, 201-212.	1.8	6
339	How does distortion correction correlate with anisotropic indices? A diffusion tensor imaging study. <i>Magnetic Resonance Imaging</i> , 2006, 24, 1369-1376.	1.8	27
340	Implicit and explicit memory in patients with obsessive-compulsive disorder: An event-related potential study. <i>Journal of Psychiatric Research</i> , 2006, 40, 541-549.	3.1	13
341	An MRI study of structural variations in schizophrenia using deformation field morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2006, 146, 171-177.	1.8	6
342	Morphometric alterations of anterior superior temporal cortex in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2006, 23, 290-296.	4.1	42

#	ARTICLE	IF	CITATIONS
343	Fractal dimension in human cortical surface: Multiple regression analysis with cortical thickness, sulcal depth, and folding area. <i>Human Brain Mapping</i> , 2006, 27, 994-1003.	3.6	175
344	Effects of DRD2 and CYP2D6 genotypes on delta EEG power response to aripiprazole in healthy male volunteers: a preliminary study. <i>Human Psychopharmacology</i> , 2006, 21, 519-528.	1.5	11
345	A Proton MRSI Study of Brain γ -Acetylaspartate Level After 12 Weeks of Citalopram Treatment in Drug-Naive Patients With Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 1202.	7.2	49
346	Weight Management Program for Treatment-Emergent Weight Gain in Olanzapine-Treated Patients With Schizophrenia or Schizoaffective Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 547-553.	2.2	123
347	The Study on Classification Method of Obsessive-Compulsive Disorder with Schizotypal Trait using Frontal Lobe Function Test. <i>Journal of Korean Society of Medical Informatics</i> , 2006, 12, 141.	0.3	0
348	Functional disconnection of the semantic networks in schizophrenia. <i>NeuroReport</i> , 2005, 16, 355-359.	1.2	24
349	Sex differences in the human corpus callosum: diffusion tensor imaging study. <i>NeuroReport</i> , 2005, 16, 795-798.	1.2	127
350	Changes in Twinning Rates in South Korea: 1981-2002. <i>Twin Research and Human Genetics</i> , 2005, 8, 76-79.	0.6	53
351	Representative brain selection using a group-specific tissue probability map. <i>Magnetic Resonance Imaging</i> , 2005, 23, 809-815.	1.8	2
352	Persistent cognitive dysfunction in patients with obsessive-compulsive disorder: A naturalistic study. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 539-545.	1.8	74
353	Functional imaging evidence of the relationship between recurrent psychotic episodes and neurodegenerative course in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 219-228.	1.8	26
354	Decreased caudal anterior cingulate gyrus volume and positive symptoms in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 239-247.	1.8	50
355	Asymmetry analysis of deformable hippocampal model using the principal component in schizophrenia. <i>Human Brain Mapping</i> , 2005, 25, 361-369.	3.6	25
356	Testing the autogenous-reactive model of obsessions. <i>Depression and Anxiety</i> , 2005, 21, 118-129.	4.1	58
357	Development of Korean Standard Brain Templates. <i>Journal of Korean Medical Science</i> , 2005, 20, 483.	2.5	65
358	Quantitative analysis of group-specific brain tissue probability map for schizophrenic patients. <i>NeuroImage</i> , 2005, 26, 502-512.	4.2	10
359	Fractal dimension of cerebral cortical surface in schizophrenia and obsessive-compulsive disorder. <i>Neuroscience Letters</i> , 2005, 384, 172-176.	2.1	90
360	Management of Schizophrenia with: Obsessive-Disorder Compulsive. <i>Psychiatric Annals</i> , 2005, 35, 36-43.	0.1	5

#	ARTICLE	IF	CITATIONS
361	Association between EEG alpha power and visuospatial function in obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 16-20.	1.8	35
362	Impairment of recognition memory in schizophrenia: Event-related potential study using a continuous recognition task. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 465-472.	1.8	13
363	Left anterior subregion of orbitofrontal cortex volume reduction and impaired organizational strategies in obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2004, 38, 193-199.	3.1	106
364	Analysis of the hemispheric asymmetry using fractal dimension of a skeletonized cerebral surface. <i>IEEE Transactions on Biomedical Engineering</i> , 2004, 51, 1494-1498.	4.2	43
365	Response to Rosburg: A voxel-based statistical parametric mapping of MMN current densities. <i>Human Brain Mapping</i> , 2004, 21, 46-48.	3.6	3
366	Gray matter abnormalities in paranoid schizophrenia and their clinical correlations. <i>Psychiatry Research - Neuroimaging</i> , 2004, 132, 251-251.	1.8	1
367	Deformable model with surface registration for hippocampal shape deformity analysis in schizophrenia. <i>NeuroImage</i> , 2004, 22, 831-840.	4.2	35
368	Volumetric Investigation of the Frontal-Subcortical Circuitry in Patients With Obsessive-Compulsive Disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2004, 16, 342-349.	1.8	80
369	Neurological abnormalities in schizophrenia and obsessive-compulsive disorder. <i>Current Opinion in Psychiatry</i> , 2004, 17, 215-220.	6.3	13
370	Optimized individual mismatch negativity source localization using a realistic head model and the Talairach coordinate system. <i>Brain Topography</i> , 2003, 15, 233-238.	1.8	22
371	Neural correlates of clinical symptoms and cognitive dysfunctions in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2003, 122, 37-47.	1.8	173
372	Neuropsychological correlates of P300 abnormalities in patients with schizophrenia and obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2003, 123, 109-123.	1.8	69
373	Independent component model for cognitive functions of multiple subjects using [15O]H2O PET images. <i>Human Brain Mapping</i> , 2003, 18, 284-295.	3.6	15
374	Classification of frequency distributions of diagnostic criteria scores in twelve personality disorders by the curve fitting method. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 417-423.	1.8	5
375	Modified Magnetic Resonance Image Based Parcellation Method for Cerebral Cortex using Successive Fuzzy Clustering and Boundary Detection. <i>Annals of Biomedical Engineering</i> , 2003, 31, 441-447.	2.5	21
376	Altered hemispheric asymmetry and positive symptoms in schizophrenia: equivalent current dipole of auditory mismatch negativity. <i>Schizophrenia Research</i> , 2003, 59, 253-260.	2.0	97
377	Morphometric abnormality of the insula in schizophrenia: a comparison with obsessive-compulsive disorder and normal control using MRI. <i>Schizophrenia Research</i> , 2003, 60, 191-198.	2.0	59
378	LORETA imaging of P300 in schizophrenia with individual MRI and 128-channel EEG. <i>NeuroImage</i> , 2003, 20, 1552-1560.	4.2	48

#	ARTICLE	IF	CITATIONS
379	N-Methyl-d-aspartate receptor in working memory impairments in schizophrenia: event-related potential study of late stage of working memory process. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 993-999.	4.8	22
380	Functional Disconnection Between the Prefrontal and Parietal Cortices During Working Memory Processing in Schizophrenia: A [¹⁵ O]H ₂ O PET Study. <i>American Journal of Psychiatry</i> , 2003, 160, 919-923.	7.2	137
381	Decrease in genu of the corpus callosum in medication-naïve, early-onset dysthymia and depressive personality disorder. <i>Biological Psychiatry</i> , 2002, 52, 1134-1143.	1.3	41
382	Dissociation of Working Memory Processing Associated with Native and Second Languages: PET Investigation. <i>NeuroImage</i> , 2002, 15, 879-891.	4.2	47
383	Temporal association of MMN multiple generators: high density recording (128 channels). <i>International Congress Series</i> , 2002, 1232, 335-338.	0.2	1
384	Relationship between personality trait and regional cerebral glucose metabolism assessed with positron emission tomography. <i>Biological Psychology</i> , 2002, 60, 109-120.	2.2	58
385	Brain single photon emission computed tomography findings in depressive pseudodementia patients. <i>Journal of Affective Disorders</i> , 2002, 69, 159-166.	4.1	76
386	Neuropsychological profile in patients with obsessive-compulsive disorder over a period of 4-month treatment. <i>Journal of Psychiatric Research</i> , 2002, 36, 257-265.	3.1	94
387	Statistical parametric mapping of LORETA using high density EEG and individual MRI: Application to mismatch negativities in Schizophrenia. <i>Human Brain Mapping</i> , 2002, 17, 168-178.	3.6	99
388	Electrophysiological correlates of personality dimensions measured by Temperament and Character Inventory. <i>Psychiatry and Clinical Neurosciences</i> , 2002, 56, 631-635.	1.8	16
389	The effect of immediate and delayed word repetition on event-related potential in a continuous recognition task. <i>Cognitive Brain Research</i> , 2001, 11, 387-396.	3.0	44
390	Grey matter abnormalities in obsessive-compulsive disorder. <i>British Journal of Psychiatry</i> , 2001, 179, 330-334.	2.8	212
391	Frontal P300 decrement and executive dysfunction in adolescents with conduct problems. <i>Child Psychiatry and Human Development</i> , 2001, 32, 93-106.	1.9	67
392	Patterns of Temperament and Character in Subjects With Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 637-641.	2.2	70
393	Three-Year Follow-Up of Women With the Sole Diagnosis of Depressive Personality Disorder: Subsequent Development of Dysthymia and Major Depression. <i>American Journal of Psychiatry</i> , 2000, 157, 1966-1972.	7.2	30
394	Electrocardiographic Abnormalities in Patients Treated With Clozapine. <i>Journal of Clinical Psychiatry</i> , 2000, 61, 441-446.	2.2	84
395	Left Planum Temporale Volume Reduction in Schizophrenia. <i>Archives of General Psychiatry</i> , 1999, 56, 142.	12.3	172
396	Gamma Frequency Range Abnormalities to Auditory Stimulation in Schizophrenia. <i>Archives of General Psychiatry</i> , 1999, 56, 1001.	12.3	584

#	ARTICLE	IF	CITATIONS
397	Pharmacokinetic-pharmacodynamic modeling of risperidone effects on electroencephalography in healthy volunteers. <i>Psychopharmacology</i> , 1999, 144, 272-278.	3.1	29
398	Lower Left Temporal Lobe MRI Volumes in Patients With First-Episode Schizophrenia Compared With Psychotic Patients With First-Episode Affective Disorder and Normal Subjects. <i>American Journal of Psychiatry</i> , 1998, 155, 1384-1391.	7.2	302
399	MRI Study of Cavum Septi Pellucidi in Schizophrenia, Affective Disorder, and Schizotypal Personality Disorder. <i>American Journal of Psychiatry</i> , 1998, 155, 509-515.	7.2	146
400	Auditory Mismatch Negativity in Schizophrenia: Topographic Evaluation With a High-Density Recording Montage. <i>American Journal of Psychiatry</i> , 1998, 155, 1281-1284.	7.2	114
401	Right hemisphere abnormalities in major depression: Quantitative electroencephalographic findings before and after treatment. <i>Journal of Affective Disorders</i> , 1996, 40, 169-173.	4.1	103
402	Functional imaging of obsessive-compulsive disorder. , 0, , 247-259.		0