# Philippe Parola

List of Publications by Year
in descending order



| 586 | 27,717 | 10389 72 | 10158 140 |
|---|---|---|---|
| papers | citations | h-index | g-index |

| 612 | 612 | 612 | 24884 |
|---|---|---|---|
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Detection of Rickettsia raoultii in Dermacentor reticulatus and Haemaphysalis inermis ticks in Slovakia. Biologia (Poland), 2022, 77, 1611-1617. | 1.5 | 6 |
| 2 | Molecular and MALDI-TOF MS characterisation of Hyalomma aegyptium ticks collected from turtles and their associated microorganisms in Algeria. Ticks and Tick-borne Diseases, 2022, 13, 101858. | 2.7 | 4 |
| 3 | Microorganisms associated with the North African hedgehog Atelerix algirus and its parasitizing arthropods in Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2022, 80, 101726. | 1.6 | 3 |
| 4 | Microplastics in Asian freshwater ecosystems: Current knowledge and perspectives. Science of the Total Environment, 2022, 808, 151989. | 8.0 | 34 |
| 5 | Molecular characterization of some equine vector-borne diseases and associated arthropods in Egypt. Acta Tropica, 2022, 227, 106274. | 2.0 | 7 |
| 6 | Use of the proteomic tool MALDI-TOF MS in termite identification. Scientific Reports, 2022, 12, 718. | 3.3 | 3 |
| 7 | MALDI-TOF mass spectrometry identification of mosquitoes collected in Vietnam. Parasites and Vectors, 2022, 15, 39. | 2.5 | 6 |
| 8 | Herpetic encephalitis: which treatment for which body weight?. Journal of Neurology, 2022, 269, 3625-3635. | 3.6 | 1 |
| 9 | The emergence, dynamics and significance of SARS-CoV-2 variants. New Microbes and New Infections, 2022, 45, 100962. | 1.6 | 5 |
| 10 | Morphological, Molecular and MALDI-TOF MS Identification of Bedbugs and AssociatedWolbachiaSpecies in Rural Senegal. Journal of Medical Entomology, 2022, 59, 1019-1032. | 1.8 | 11 |
| 11 | Etiological spectrum of persistent fever in the tropics and predictors of ubiquitous infections: a prospective four-country study with pooled analysis. BMC Medicine, 2022, 20, 144. | 5.5 | 2 |
| 12 | COVID-19 in Africa: What else?. New Microbes and New Infections, 2022, 47, 100982. | 1.6 | 3 |
| 13 | Identification of ticks from an old collection by MALDI-TOF MS. Journal of Proteomics, 2022, 264, 104623. | 2.4 | 8 |
| 14 | Enhanced procedures for mosquito identification by MALDI-TOF MS. Parasites and Vectors, 2022, 15, . | 2.5 | 6 |
| 15 | Molecular detection of microorganisms in lice collected from farm animals in Northeastern Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2021, 74, 101569. | 1.6 | 6 |
| 16 | Acquisition of multidrug-resistant bacteria and colistin resistance genes in French medical students on internships abroad. Travel Medicine and Infectious Disease, 2021, 39, 101940. | 3.0 | 11 |
| 17 | Evaluating the serological status of COVID-19 patients using an indirect immunofluorescent assay, France. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 361-371. | 2.9 | 30 |
| 18 | Reply to Lebeaux D, Revest M. No evidence of clinical benefits of early treatment of COVID-19 patients with hydroxychloroquine and azithromycin. Travel Medicine and Infectious Disease, 2021, 39, 101954. | 3.0 | 1 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Asymptomatic hypoxia in COVID-19 is associated with poor outcome. International Journal of Infectious Diseases, 2021, 102, 233-238. | 3.3 | 94 |
| 20 | Gastrointestinal symptoms and the acquisition of enteric pathogens in Hajj pilgrims: a 3-year prospective cohort study. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 315-323. | 2.9 | 10 |
| 21 | Early combination therapy with hydroxychloroquine and azithromycin reduces mortality in 10,429 COVID-19 outpatients. Reviews in Cardiovascular Medicine, 2021, 22, 1063. | 1.4 | 21 |
| 22 | Acquisition of multidrug-resistant bacteria and encoding genes among French pilgrims during the 2017 and 2018 Hajj. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 1199-1207. | 2.9 | 8 |
| 23 | The Impact of Renewing Long-Lasting Insecticide-Treated Nets in the Event of Malaria Resurgence: Lessons from 10 Years of Net Use in Dielmo, Senegal. American Journal of Tropical Medicine and Hygiene, 2021, 104, 255-262. | 1.4 | 4 |
| 24 | Automated Western immunoblotting detection of anti-SARS-CoV-2 serum antibodies. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 1309-1317. | 2.9 | 23 |
| 25 | Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry: an emerging tool for studying the vectors of human infectious diseases. Future Microbiology, 2021, 16, 323-340. | 2.0 | 33 |
| 26 | COVIDâ€19 reâ€infection. European Journal of Clinical Investigation, 2021, 51, e13537. | 3.4 | 51 |
| 27 | Sputum proteomic analysis for distinguishing between pulmonary tuberculosis and non-tuberculosis using matrix-assisted laser desorption ionization time-of-flight mass spectrometry (MALDI-TOF MS): preliminary results. Clinical Microbiology and Infection, 2021, 27, 1694.e1-1694.e6. | 6.0 | 3 |
| 28 | The Grand Magal of Touba was spared by the COVID-19 pandemic. International Journal of Infectious Diseases, 2021, 105, 470-471. | 3.3 | 5 |
| 29 | Tick-borne relapsing fever Borreliosis, a major public health problem overlooked in Senegal. PLoS Neglected Tropical Diseases, 2021, 15, e0009184. | 3.0 | 15 |
| 30 | Virome Diversity among Mosquito Populations in a Sub-Urban Region of Marseille, France. Viruses, 2021, 13, 768. | 3.3 | 19 |
| 31 | Low Dose Chest CT and Lung Ultrasound for the Diagnosis and Management of COVID-19. Journal of Clinical Medicine, 2021, 10, 2196. | 2.4 | 9 |
| 32 | Performance of MALDI-TOF Mass Spectrometry to Determine the Sex of Mosquitoes and Identify Specific Colonies from French Polynesia. American Journal of Tropical Medicine and Hygiene, 2021, 104, 1907-1916. | 1.4 | 6 |
| 33 | SARS-CoV-2 Persistent Viral Shedding in the Context of Hydroxychloroquine-Azithromycin Treatment. Viruses, 2021, 13, 890. | 3.3 | 7 |
| 34 | New records of bacteria in different species of fleas from France and Spain. Comparative Immunology, Microbiology and Infectious Diseases, 2021, 76, 101648. | 1.6 | 11 |
| 35 | Using MALDI-TOF mass spectrometry to identify ticks collected on domestic and wild animals from the Democratic Republic of the Congo. Experimental and Applied Acarology, 2021, 84, 637-657. | 1.6 | 14 |
| 36 | Expression of ACE2, Soluble ACE2, Angiotensin I, Angiotensin II and Angiotensin-(1-7) Is Modulated in COVID-19 Patients. Frontiers in Immunology, 2021, 12, 625732. | 4.8 | 70 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | Bulinus senegalensis and Bulinus umbilicatus Snail Infestations by the Schistosoma haematobium Group in Niakhar, Senegal. Pathogens, 2021, 10, 860. | 2.8 | 4 |
| 38 | Imported scrub typhus in Europe: Report of three cases and a literature review. Travel Medicine and Infectious Disease, 2021, 42, 102062. | 3.0 | 12 |
| 39 | â€œChicleroâ€™s Ulcerâ€•Due to Leishmania mexicana in Travelers Returning from Central America: A Case Report and Review of the Literature. Pathogens, 2021, 10, 1112. | 2.8 | 3 |
| 40 | Evaluation of pain susceptibility by taking blood pressure in patients with infections. Medicine (United) Tj ETQq0 0 0 rgBT /Overlock 10 T | 1.0 | 0 |
| 41 | Respiratory infections among pilgrims at the Grand Magal of Touba: A comparative cohort controlled survey. Travel Medicine and Infectious Disease, 2021, 43, 102104. | 3.0 | 3 |
| 42 | Detection of Coxiella burnetii and Borrelia spp. DNA in Cutaneous Samples and in Household Dust in Rural Areas, Senegal. Vector-Borne and Zoonotic Diseases, 2021, 21, 659-666. | 1.5 | 3 |
| 43 | Morphological, molecular and MALDI-TOF MS identification of ticks and tick-associated pathogens in Vietnam. PLoS Neglected Tropical Diseases, 2021, 15, e0009813. | 3.0 | 9 |
| 44 | MALDI-TOF mass spectrometry for the identification of freshwater snails from Senegal, including intermediate hosts of schistosomes. PLoS Neglected Tropical Diseases, 2021, 15, e0009725. | 3.0 | 11 |
| 45 | Clinical outcomes in patients infected with different SARS-CoV-2 variants at one hospital during three phases of the COVID-19 epidemic in Marseille, France. Infection, Genetics and Evolution, 2021, 95, 105092. | 2.3 | 22 |
| 46 | Detection of emerging tick-borne disease agents in the Alpes-Maritimes region, southeastern France. Ticks and Tick-borne Diseases, 2021, 12, 101800. | 2.7 | 10 |
| 47 | Identification of Lice Stored in Alcohol Using MALDI-TOF MS. Journal of Medical Entomology, 2021, 58, 1126-1133. | 1.8 | 11 |
| 48 | Clinical Features and Mortality Associated with Severe Malaria in Adults in Southern Mauritania. Tropical Medicine and Infectious Disease, 2021, 6, 1. | 2.3 | 12 |
| 49 | An update on the mosquito fauna and mosquito-borne diseases distribution in Cameroon. Parasites and Vectors, 2021, 14, 527. | 2.5 | 20 |
| 50 | Schistosoma haematobium infection with pulmonary involvement in a traveller returning from Congo: A case report and systematic review of literature on nodular pulmonary schistosomiasis. Travel Medicine and Infectious Disease, 2021, 44, 102182. | 3.0 | 2 |
| 51 | Pneumococcal pneumonia among shipyard workers: Inside the features of disease onset. Travel Medicine and Infectious Disease, 2021, 44, 102183. | 3.0 | 1 |
| 52 | High influenza A prevalence but no SARS-CoV-2 among 2021 Grand Magal pilgrims in Touba, Senegal. Travel Medicine and Infectious Disease, 2021, 44, 102189. | 3.0 | 6 |
| 53 | Molecular and MALDI-TOF MS identification of swallow bugs Cimex hirundinis (Heteroptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T | 2.5 | 7 |
| 54 | Analysis of SARS-CoV-2 Variants From 24,181 Patients Exemplifies the Role of Globalization and Zoonosis in Pandemics. Frontiers in Microbiology, 2021, 12, 786233. | 3.5 | 46 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | Wolbachia Detection in Field-Collected Mosquitoes from Cameroon. Insects, 2021, 12, 1133. | 2.2 | 6 |
| 56 | Life-years lost by COVID-19 patients in public hospitals of Marseille (APHM-South-Eastern France): a limited death toll: a retrospective analysis. BMJ Open, 2021, 11, e049475. | 1.9 | 3 |
| 57 | Refractory giardiasis in medical students returning from humanitarian work abroad. Travel Medicine and Infectious Disease, 2020, 36, 101469. | 3.0 | 0 |
| 58 | Emergence of murine typhus in La RÃ©union, France, 2012â€“2017. MÃ©decine Et Maladies Infectieuses, 2020, 50, 22-27. | 5.0 | 6 |
| 59 | The Trick of the Hedgehog: Case Report and Short Review About Archaeopsylla erinacei (Siphonaptera:) Tj ETQq1 1 0.784314 rgBT /O | 1.8 | 8 |
| 60 | Environmental investigation of respiratory pathogens during the Hajj 2016 and 2018. Travel Medicine and Infectious Disease, 2020, 33, 101500. | 3.0 | 8 |
| 61 | Dengue fever type 1 in five travellers returning from the Comoros Islands to Marseille in August 2019 - The risk of importation and subsequent autochthonous dengue transmission in France. Travel Medicine and Infectious Disease, 2020, 33, 101507. | 3.0 | 1 |
| 62 | Complications of peripheral venous catheters: The need to propose an alternative route of administration. International Journal of Antimicrobial Agents, 2020, 55, 105875. | 2.5 | 6 |
| 63 | Molecular detection of avian spirochete Borrelia anserina in Argas persicus ticks in Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2020, 68, 101408. | 1.6 | 8 |
| 64 | Detection of Borrelia crocidurae in a vaginal swab after miscarriage, rural Senegal, Western Africa. International Journal of Infectious Diseases, 2020, 91, 261-263. | 3.3 | 2 |
| 65 | Infectious disease symptoms and microbial carriage among French medical students travelling abroad: A prospective study. Travel Medicine and Infectious Disease, 2020, 34, 101548. | 3.0 | 13 |
| 66 | Identification of mixed and successive blood meals of mosquitoes using MALDI-TOF MS protein profiling. Parasitology, 2020, 147, 329-339. | 1.5 | 5 |
| 67 | Lack of Vibrio cholerae among French pilgrims during the 2017 and 2018 Hajj. Travel Medicine and Infectious Disease, 2020, 36, 101506. | 3.0 | 3 |
| 68 | Molecular identification of protozoal and bacterial organisms in domestic animals and their infesting ticks from north-eastern Algeria. Ticks and Tick-borne Diseases, 2020, 11, 101330. | 2.7 | 30 |
| 69 | Bed bug bites. Dermatologic Therapy, 2020, 33, e14341. | 1.7 | 4 |
| 70 | Risk factors for symptoms of infection and microbial carriage among French medical students abroad. International Journal of Infectious Diseases, 2020, 100, 104-111. | 3.3 | 10 |
| 71 | Olfactory and gustative disorders for the diagnosis of COVID-19. Travel Medicine and Infectious Disease, 2020, 37, 101875. | 3.0 | 12 |
| 72 | Retrospective overview of a COVID-19 outbreak in Mauritania. New Microbes and New Infections, 2020, 38, 100788. | 1.6 | 7 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | Neurocysticercosis, re-infection or inflammation?. Travel Medicine and Infectious Disease, 2020, 37, 101866. | 3.0 | 0 |
| 74 | Autochthonous human and animal leptospirosis, Marseille, France. IDCases, 2020, 21, e00899. | 0.9 | 4 |
| 75 | MALDI-TOF MS identification of Cimex lectularius and Cimex hemipterus bedbugs. Infection, Genetics and Evolution, 2020, 85, 104536. | 2.3 | 25 |
| 76 | Pattern of SARS-CoV-2 infection among dependant elderly residents living in long-term care facilities in Marseille, France, Marchâ€“June 2020. International Journal of Antimicrobial Agents, 2020, 56, 106219. | 2.5 | 37 |
| 77 | Risk perceptions of infectious diseases at the Grand Magal of Touba. A pilot study in two senegalese villages. Travel Medicine and Infectious Disease, 2020, 38, 101767. | 3.0 | 0 |
| 78 | Pathogens associated with respiratory, gastrointestinal and febrile illness in patients consulting at Mbacke healthcare centre during the 2018 Grand Magal of Touba: A preliminary study. Travel Medicine and Infectious Disease, 2020, 37, 101820. | 3.0 | 3 |
| 79 | Epidemiology of human common coronavirus acquisition in pilgrims. Travel Medicine and Infectious Disease, 2020, 37, 101845. | 3.0 | 0 |
| 80 | Children account for a small proportion of diagnoses of SARS-CoV-2 infection and do not exhibit greater viral loads than adults. European Journal of Clinical Microbiology and Infectious Diseases, 2020, 39, 1983-1987. | 2.9 | 40 |
| 81 | Early treatment of COVID-19 patients with hydroxychloroquine and azithromycin: A retrospective analysis of 1061 cases in Marseille, France. Travel Medicine and Infectious Disease, 2020, 35, 101738. | 3.0 | 372 |
| 82 | A sporadic case of acute Q fever and identification of the animal source of the infection. Folia Microbiologica, 2020, 65, 797-800. | 2.3 | 3 |
| 83 | The impact of daily soap use in rural areas of Senegal on respiratory infectious diseases, fevers and skin microbiota. International Journal of Infectious Diseases, 2020, 96, 408-415. | 3.3 | 1 |
| 84 | Bedbugs. New England Journal of Medicine, 2020, 382, 2230-2237. | 27.0 | 34 |
| 85 | Does spitting in public play a role in transmitting SARS-CoV-2?. Travel Medicine and Infectious Disease, 2020, 36, 101759. | 3.0 | 5 |
| 86 | Molecular identification and evaluation of Coxiella-like endosymbionts genetic diversity carried by cattle ticks in Algeria. Ticks and Tick-borne Diseases, 2020, 11, 101493. | 2.7 | 15 |
| 87 | Prevalence of mutations in the Plasmodium falciparum chloroquine resistance transporter, PfCRT, and association with ex vivo susceptibility to common anti-malarial drugs against African Plasmodium falciparum isolates. Malaria Journal, 2020, 19, 201. | 2.3 | 11 |
| 88 | Clinical efficacy of chloroquine derivatives in COVID-19 infection: comparative meta-analysis between the big data and the real world. New Microbes and New Infections, 2020, 38, 100709. | 1.6 | 61 |
| 89 | Pattern of infections in French and migrant homeless hospitalised at Marseille infectious disease units, France: A retrospective study, 2017â€“2018. Travel Medicine and Infectious Disease, 2020, 36, 101768. | 3.0 | 8 |
| 90 | Testing the repatriated for SARS-Cov2: Should laboratory-based quarantine replace traditional quarantine?. Travel Medicine and Infectious Disease, 2020, 34, 101624. | 3.0 | 39 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | Zika, dengue, chikungunya and yellow fever infections in Europe? â€“ Winter is over, warm days are coming - So hedge your bets. Travel Medicine and Infectious Disease, 2020, 35, 101614. | 3.0 | 7 |
| 92 | Rapid viral diagnosis and ambulatory management of suspected COVID-19 cases presenting at the infectious diseases referral hospital in Marseille, France, - January 31st to March 1st, 2020: A respiratory virus snapshot. Travel Medicine and Infectious Disease, 2020, 36, 101632. | 3.0 | 109 |
| 93 | Anopheles arabiensis and Anopheles funestus biting patterns in Dielmo, an area of low level exposure to malaria vectors. Malaria Journal, 2020, 19, 230. | 2.3 | 20 |
| 94 | Fleas and flea-borne diseases of North Africa. Acta Tropica, 2020, 211, 105627. | 2.0 | 16 |
| 95 | Outcomes of 3,737 COVID-19 patients treated with hydroxychloroquine/azithromycin and other regimens in Marseille, France: A retrospective analysis. Travel Medicine and Infectious Disease, 2020, 36, 101791. | 3.0 | 209 |
| 96 | Chikungunya resurgence in the Maldives and risk for importation via tourists to Europe in 2019â€“2020: A GeoSentinel case series. Travel Medicine and Infectious Disease, 2020, 36, 101814. | 3.0 | 13 |
| 97 | Rickettsia mongolitimonae Encephalitis, Southern France, 2018. Emerging Infectious Diseases, 2020, 26, 362-364. | 4.3 | 7 |
| 98 | Development of MALDI-TOF mass spectrometry for the identification of lice isolated from farm animals. Parasite, 2020, 27, 28. | 2.0 | 23 |
| 99 | Clinical and microbiological effect of a combination of hydroxychloroquine and azithromycin in 80 COVID-19 patients with at least a six-day follow up: A pilot observational study. Travel Medicine and Infectious Disease, 2020, 34, 101663. | 3.0 | 605 |
| 100 | Lack of Neisseria meningitidis among pilgrims during the 2017, 2018 and 2019 Grand Magal of Touba, Senegal. Clinical Microbiology and Infection, 2020, 26, 1697-1698. | 6.0 | 4 |
| 101 | Hydroxychloroquine and azithromycin as a treatment of COVID-19: results of an open-label non-randomized clinical trial. International Journal of Antimicrobial Agents, 2020, 56, 105949. | 2.5 | 3,955 |
| 102 | Dynamics and genetic diversity of Haemophilus influenzae carriage among French pilgrims during the 2018 Hajj: A prospective cohort survey. Travel Medicine and Infectious Disease, 2020, 38, 101883. | 3.0 | 4 |
| 103 | Natural history of COVID-19 and therapeutic options. Expert Review of Clinical Immunology, 2020, 16, 1159-1184. | 3.0 | 101 |
| 104 | Prevalence and risk factors for lung involvement on low-dose chest CT (LDCT) in a paucisymptomatic population of 247 patients affected by COVID-19. Insights Into Imaging, 2020, 11, 117. | 3.4 | 11 |
| 105 | Malaria epidemiology in Kobeni department, southeastern Mauritania from 2015 to 2017. Infectious Diseases of Poverty, 2020, 9, 21. | 3.7 | 8 |
| 106 | Low-dose chest CT for diagnosing and assessing the extent of lung involvement of SARS-CoV-2 pneumonia using a semi quantitative score. PLoS ONE, 2020, 15, e0241407. | 2.5 | 10 |
| 107 | Outbreak of pneumococcal pneumonia among shipyard workers in Marseille, France, January to February 2020. Eurosurveillance, 2020, 25, . | 7.0 | 7 |
| 108 | Senegalâ€™s Grand Magal of Touba: Syndromic Surveillance during the 2016 Mass Gathering. American Journal of Tropical Medicine and Hygiene, 2020, 102, 476-482. | 1.4 | 16 |

| # | Article | IF | Citations |
|---|---|---|---|
| 109 | Molecular Detection of Microorganisms Associated with Small Mammals and Their Ectoparasites in Mali. American Journal of Tropical Medicine and Hygiene, 2020, 103, 2542-2551. | 1.4 | 18 |
| 110 | Case Report: Vibrio cholerae Biliary Tract Infections in Two North Africans in France. American Journal of Tropical Medicine and Hygiene, 2020, 102, 1306-1308. | 1.4 | 3 |
| 111 | Establishing Medical Coverage and Epidemiological Surveillance during the Grand Magal of Touba in Senegal: A Public Health Need. Journal of Epidemiology and Global Health, 2020, 10, 247. | 2.9 | 3 |
| 112 | Cutaneous and mucocutaneous leishmaniasis in travellers and migrants: a 20-year GeoSentinel Surveillance Network analysis. Journal of Travel Medicine, 2019, 26, . | 3.0 | 44 |
| 113 | Measles, the need for a paradigm shift. European Journal of Epidemiology, 2019, 34, 897-915. | 5.7 | 19 |
| 114 | Isolated renal echinococcosis presenting as a complex renal cyst with initial suspicion of malignancy. IDCases, 2019, 18, e00653. | 0.9 | 0 |
| 115 | West Nile virus outbreak in the South of France: Implications for travel medicine. Travel Medicine and Infectious Disease, 2019, 28, 100-101. | 3.0 | 4 |
| 116 | Low polymorphisms in pfact, pfugt and pfcarl genes in African Plasmodium falciparum isolates and absence of association with susceptibility to common anti-malarial drugs. Malaria Journal, 2019, 18, 293. | 2.3 | 1 |
| 117 | Limitations of diagnostic tests for bacterial infections. MÃ©decine Et Maladies Infectieuses, 2019, 49, 98-101. | 5.0 | 19 |
| 118 | Cellulitis of the face associated with SENLAT caused by Rickettsia slovaca detected by qPCR on scalp eschar swab sample: An unusual case report and review of literature. Ticks and Tick-borne Diseases, 2019, 10, 1142-1145. | 2.7 | 4 |
| 119 | Antibiotic use for respiratory infections among Hajj pilgrims: A cohort survey and review of the literature. Travel Medicine and Infectious Disease, 2019, 30, 39-45. | 3.0 | 21 |
| 120 | Cutaneous sporotrichoid leishmaniasis treated with oral fluconazole. Dermatologic Therapy, 2019, 32, e12976. | 1.7 | 1 |
| 121 | Co-infection of bacteria and protozoan parasites in Ixodes ricinus nymphs collected in the Alsace region, France. Ticks and Tick-borne Diseases, 2019, 10, 101241. | 2.7 | 15 |
| 122 | Molecular evidence of bacteria in Melophagus ovinus sheep keds and Hippobosca equina forest flies collected from sheep and horses in northeastern Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 65, 103-109. | 1.6 | 16 |
| 123 | Vaccination against the big three killers: an illusion?. Clinical Microbiology and Infection, 2019, 25, 654-655. | 6.0 | 0 |
| 124 | Respiratory and gastrointestinal infections at the 2017 Grand Magal de Touba, Senegal: A prospective cohort survey. Travel Medicine and Infectious Disease, 2019, 32, 101410. | 3.0 | 24 |
| 125 | Detection of Bartonella spp. in Cimex lectularius by MALDI-TOF MS. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 64, 130-137. | 1.6 | 11 |
| 126 | Prospective case-control analysis of the aetiologies of acute undifferentiated fever in Vietnam. Emerging Microbes and Infections, 2019, 8, 339-352. | 6.5 | 26 |

| # | Article | IF | Citations |
|---|---|---|---|
| 127 | Incidental mammary calcifications in a Cameroonian migrant: A diagnostic challenge. Travel Medicine and Infectious Disease, 2019, 28, 115. | 3.0 | 0 |
| 128 | Acquisition of respiratory viruses and presence of respiratory symptoms in French pilgrims during the 2016 Hajj: A prospective cohort study. Travel Medicine and Infectious Disease, 2019, 30, 32-38. | 3.0 | 15 |
| 129 | Epidemiologic Trends in Malaria Incidence Among Travelers Returning to Metropolitan France, 1996-2016. JAMA Network Open, 2019, 2, e191691. | 5.9 | 33 |
| 130 | The dynamics and interactions of respiratory pathogen carriage among French pilgrims during the 2018 Hajj. Emerging Microbes and Infections, 2019, 8, 1701-1710. | 6.5 | 25 |
| 131 | Respiratory tract infections among French Hajj pilgrims from 2014 to 2017. Scientific Reports, 2019, 9, 17771. | 3.3 | 28 |
| 132 | Post-malaria neurological syndrome: Imported case series and literature review to unscramble the auto-immune hypothesis. Travel Medicine and Infectious Disease, 2019, 29, 16-20. | 3.0 | 11 |
| 133 | Longitudinal monitoring of environmental factors at Culicidae larval habitats in urban areas and their association with various mosquito species using an innovative strategy. Pest Management Science, 2019, 75, 923-934. | 3.4 | 6 |
| 134 | Fever in Returned Travelers. , 2019, , 495-504. | | 5 |
| 135 | Bacterial respiratory carriage in French Hajj pilgrims and the effect of pneumococcal vaccine and other individual preventive measures: A prospective cohort survey. Travel Medicine and Infectious Disease, 2019, 31, 101343. | 3.0 | 17 |
| 136 | Review of European and American guidelines for the diagnosis of Lyme borreliosis. MÃ©decine Et Maladies Infectieuses, 2019, 49, 121-132. | 5.0 | 68 |
| 137 | Matrixâ€assisted laser desorption/ionization timeâ€ofâ€flight mass spectrometry as a useful tool forÂtheÂrapid identification of wild flea vectors preserved in alcohol. Medical and Veterinary Entomology, 2019, 33, 185-194. | 1.5 | 16 |
| 138 | Accurate identification of Australian mosquitoes using protein profiling. Parasitology, 2019, 146, 462-471. | 1.5 | 18 |
| 139 | Vector-borne nematode diseases in pets and humans in the Mediterranean Basin: An update. Veterinary World, 2019, 12, 1630-1643. | 1.7 | 28 |
| 140 | Use of MALDI-TOF MS for the Identification of Chad Mosquitoes and the Origin of Their Blood Meal. American Journal of Tropical Medicine and Hygiene, 2019, 100, 47-53. | 1.4 | 15 |
| 141 | Testing the Competence of Cimex lectularius Bed Bugs for the Transmission of Borrelia recurrentis, the Agent of Relapsing Fever. American Journal of Tropical Medicine and Hygiene, 2019, 100, 1407-1412. | 1.4 | 22 |
| 142 | Towards 21st century microbiology in Africa. Medecine Et Sante Tropicales, 2019, 29, 340-342. | 0.3 | 0 |
| 143 | The University Hospital Institute MediterrannÃ©e Infection from Marseille to Dakar. Medecine Et Sante Tropicales, 2019, 29, 354-360. | 0.3 | 1 |
| 144 | Great apes in the emergence of infectious diseases. Medecine Et Sante Tropicales, 2019, 29, 371-376. | 0.3 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 145 | Seek and Find! PCR analyses of skin infections in West-European travelers returning from abroad with an eschar. Travel Medicine and Infectious Disease, 2018, 26, 32-36. | 3.0 | 13 |
| 146 | Surveillance of travel-associated diseases at two referral centres in Marseille, France: a 12-year survey. Journal of Travel Medicine, 2018, 25, . | 3.0 | 13 |
| 147 | Using MALDI-TOF MS to identify mosquitoes collected in Mali and their blood meals. Parasitology, 2018, 145, 1170-1182. | 1.5 | 32 |
| 148 | Molecular Evidence of Rickettsia slovaca in Wild Boar Lice, in Northeastern Algeria. Vector-Borne and Zoonotic Diseases, 2018, 18, 114-116. | 1.5 | 7 |
| 149 | Accurate identification of Anopheles gambiae Giles trophic preferences by MALDI-TOF MS. Infection, Genetics and Evolution, 2018, 63, 410-419. | 2.3 | 14 |
| 150 | Escherichia coli spontaneous community-acquired meningitis in adults: A case report and literature review. International Journal of Infectious Diseases, 2018, 67, 70-74. | 3.3 | 23 |
| 151 | MALDI-TOF MS protein profiling for the rapid identification of Chagas disease triatomine vectors and application to the triatomine fauna of French Guiana. Parasitology, 2018, 145, 665-675. | 1.5 | 18 |
| 152 | Field application of MALDI-TOF MS on mosquito larvae identification. Parasitology, 2018, 145, 677-687. | 1.5 | 25 |
| 153 | Tick- and flea-borne rickettsioses in Tizi-Ouzou, Algeria: Implications for travel medicine. Travel Medicine and Infectious Disease, 2018, 26, 51-57. | 3.0 | 6 |
| 154 | Yellow fever: the Pacific should be prepared. Lancet, The, 2018, 392, 2347. | 13.7 | 12 |
| 155 | Travel and tick-borne diseases: Lyme disease and beyond. Travel Medicine and Infectious Disease, 2018, 26, 1-2. | 3.0 | 20 |
| 156 | Measles: is a new vaccine approach needed?. Lancet Infectious Diseases, The, 2018, 18, 1060-1061. | 9.1 | 13 |
| 157 | Another challenge in malaria elimination efforts: the increase of malaria among adults after the implementation of long-lasting insecticide-treated nets (LLINs) in Dielmo, Senegal. Malaria Journal, 2018, 17, 384. | 2.3 | 9 |
| 158 | Neglected vector-borne bacterial diseases and arboviruses in the Mediterranean area. New Microbes and New Infections, 2018, 26, S31-S36. | 1.6 | 14 |
| 159 | Insects and the Transmission of Bacterial Agents. Microbiology Spectrum, 2018, 6, . | 3.0 | 17 |
| 160 | Tick-borne pathogens in removed ticks Veneto, northeastern Italy: A cross-sectional investigation. Travel Medicine and Infectious Disease, 2018, 26, 58-61. | 3.0 | 14 |
| 161 | Malaria, tuberculosis and HIV: what's new? Contribution of the Institut Hospitalo-Universitaire MÃ©diterranÃ©e Infection in updated data. New Microbes and New Infections, 2018, 26, S23-S30. | 1.6 | 1 |
| 162 | MALDI-TOF MS identification of ticks of domestic and wild animals in Algeria and molecular detection of associated microorganisms. Comparative Immunology, Microbiology and Infectious Diseases, 2018, 57, 39-49. | 1.6 | 46 |

| # | Article | IF | Citations |
|---|---|---|---|
| 163 | Update on Tick-Borne Bacterial Diseases in Travelers. Current Infectious Disease Reports, 2018, 20, 17. | 3.0 | 25 |
| 164 | Body lice of homeless people reveal the presence of several emerging bacterial pathogens in northern Algeria. PLoS Neglected Tropical Diseases, 2018, 12, e0006397. | 3.0 | 32 |
| 165 | Mobile populations across the Mediterranean Sea and beyond: travel medicine, mass gathering medicine and homeless health. New Microbes and New Infections, 2018, 26, S96-S99. | 1.6 | 0 |
| 166 | Blood meal identification in the cryptic species Anopheles gambiae and Anopheles coluzzii using MALDI-TOF MS. Parasite, 2018, 25, 40. | 2.0 | 14 |
| 167 | Rickettsia sibirica mongolitimonae human infection: A diagnostic challenge. Travel Medicine and Infectious Disease, 2018, 26, 72-73. | 3.0 | 10 |
| 168 | The D113N mutation in the RING E3 ubiquitin protein ligase gene is not associated with ex vivo susceptibility to common anti-malarial drugs in African Plasmodium falciparum isolates. Malaria Journal, 2018, 17, 108. | 2.3 | 6 |
| 169 | Rickettsia massiliae infection after a tick bite on the eyelid. Travel Medicine and Infectious Disease, 2018, 26, 66-68. | 3.0 | 13 |
| 170 | Mosquitoes (Diptera: Culicidae) and mosquito-borne diseases in Mali, West Africa. Parasites and Vectors, 2018, 11, 467. | 2.5 | 61 |
| 171 | Molecular detection of Leishmania infantum DNA and host blood meal identification in Phlebotomus in a hypoendemic focus of human leishmaniasis in northern Algeria. PLoS Neglected Tropical Diseases, 2018, 12, e0006513. | 3.0 | 25 |
| 172 | Dual Genotype Orientia tsutsugamushi Infection in Patient with Rash and Eschar, Vietnam, 2016. Emerging Infectious Diseases, 2018, 24, 1520-1523. | 4.3 | 8 |
| 173 | Acquisition of enteric pathogens by pilgrims during the 2016 Hajj pilgrimage: A prospective cohort study. Travel Medicine and Infectious Disease, 2018, 25, 26-30. | 3.0 | 21 |
| 174 | Genotyping of Coxiella burnetii detected in placental tissues from aborted dairy cattle in the north of Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2018, 57, 50-54. | 1.6 | 16 |
| 175 | Detection of Bartonella spp. in fleas by MALDI-TOF MS. PLoS Neglected Tropical Diseases, 2018, 12, e0006189. | 3.0 | 30 |
| 176 | Acute Q Fever Case Detection among Acute Febrile Illness Patients, Thailand, 2002â€“2005. American Journal of Tropical Medicine and Hygiene, 2018, 98, 252-257. | 1.4 | 10 |
| 177 | Familial cluster of exposure to a confirmed rabid dog in travelers to Algeria. Travel Medicine and Infectious Disease, 2017, 16, 46-48. | 3.0 | 3 |
| 178 | MALDI-TOF MS as an innovative tool for detection of Plasmodium parasites in Anopheles mosquitoes. Malaria Journal, 2017, 16, 5. | 2.3 | 50 |
| 179 | Molecular survey of Dirofilaria immitis and Dirofilaria repens by new real-time TaqManÂ® PCR assay in dogs and mosquitoes (Diptera: Culicidae) in Corsica (France). Veterinary Parasitology, 2017, 235, 1-7. | 1.8 | 24 |
| 180 | First molecular detection of Dirofilaria immitis (Spirurida: Onchocercidae) infection in dogs from Northern Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2017, 51, 66-68. | 1.6 | 12 |

| # | Article | IF | Citations |
|---|---|---|---|
| 181 | Molecular evidence of tick-borne hemoprotozoan-parasites (Theileria ovis and Babesia ovis) and bacteria in ticks and blood from small ruminants in Northern Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2017, 50, 34-39. | 1.6 | 59 |
| 182 | Epidemiological profile of cutaneous larva migrans in travelers returning to France between 2003 and 2015. Travel Medicine and Infectious Disease, 2017, 20, 61-64. | 3.0 | 11 |
| 183 | Postmalaria Neurologic Syndromeâ€"Autoimmune Encephalitis With Antiâ€"Voltage-Gated Potassium-Channel Antibodies. Annals of Internal Medicine, 2017, 167, 70. | 3.9 | 5 |
| 184 | Detection of Rickettsia hoogstraalii , Rickettsia helvetica , Rickettsia massiliae , Rickettsia slovaca and Rickettsia aeschlimannii in ticks from Sardinia, Italy. Ticks and Tick-borne Diseases, 2017, 8, 347-352. | 2.7 | 50 |
| 185 | Antiâ€feeding and insecticidal efficacy of a topical administration of dinotefuranâ€"pyriproxyfenâ€"permethrin spotâ€on (<scp>V</scp>ectraÂ® <scp>3D</scp>) on mice against <scp>S</scp>tegomyia albopicta (=â€‰<scp>A</scp>edes albopictus). Medical and Veterinary Entomology, 2017, 31, 351-357. | 1.5 | 7 |
| 186 | Communicable and non-communicable disease risks at the Grand Magal of Touba: The largest mass gathering in Senegal. Travel Medicine and Infectious Disease, 2017, 19, 56-60. | 3.0 | 34 |
| 187 | Comparative analysis of storage conditions and homogenization methods for tick and flea species for identification by <scp>MALDIâ€TOF MS</scp>. Medical and Veterinary Entomology, 2017, 31, 438-448. | 1.5 | 44 |
| 188 | Medical Entomology: A Reemerging Field of Research to Better Understand Vector-Borne Infectious Diseases. Clinical Infectious Diseases, 2017, 65, S30-S38. | 5.8 | 22 |
| 189 | From Expert Protocols to Standardized Management of Infectious Diseases. Clinical Infectious Diseases, 2017, 65, S12-S19. | 5.8 | 8 |
| 190 | Human head lice and pubic lice reveal the presence of several Acinetobacter species in Algiers, Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2017, 53, 33-39. | 1.6 | 28 |
| 191 | Treating influenza with antibiotics. International Journal of Antimicrobial Agents, 2017, 50, 505-506. | 2.5 | 5 |
| 192 | Assessment of the antiâ€feeding and insecticidal effects of the combination of dinotefuran, permethrin and pyriproxyfen (<scp>V</scp>ectra<sup>Â®</sup><scp>3D</scp>) against <scp>T</scp>riatoma infestans on rats. Medical and Veterinary Entomology, 2017, 31, 132-139. | 1.5 | 6 |
| 193 | Arthropod Vectors of Medical Importance. , 2017, , 104-112.e1. | | 7 |
| 194 | Case report. Medicine (United States), 2017, 96, e9154. | 1.0 | 22 |
| 195 | Gut Bacteria Missing in Severe Acute Malnutrition, Can We Identify Potential Probiotics by Culturomics?. Frontiers in Microbiology, 2017, 8, 899. | 3.5 | 93 |
| 196 | Severe imported malaria in children in France. A national retrospective study from 1996 to 2005. PLoS ONE, 2017, 12, e0180758. | 2.5 | 15 |
| 197 | MALDI-TOF MS identification of Anopheles gambiae Giles blood meal crushed on Whatman filter papers. PLoS ONE, 2017, 12, e0183238. | 2.5 | 15 |
| 198 | Detection of a Potential New Bartonella Species â€œCandidatus Bartonella rondoniensisâ€•in Human Biting Kissing Bugs (Reduviidae; Triatominae). PLoS Neglected Tropical Diseases, 2017, 11, e0005297. | 3.0 | 26 |

| # | Article | IF | Citations |
|---|---|---|---|
| 199 | Use of eschar swabbing for the molecular diagnosis and genotyping of Orientia tsutsugamushi causing scrub typhus in Quang Nam province, Vietnam. PLoS Neglected Tropical Diseases, 2017, 11, e0005397. | 3.0 | 25 |
| 200 | Molecular and MALDI-TOF identification of ticks and tick-associated bacteria in Mali. PLoS Neglected Tropical Diseases, 2017, 11, e0005762. | 3.0 | 93 |
| 201 | Detection of relapsing fever Borrelia spp., Bartonella spp. and Anaplasmataceae bacteria in argasid ticks in Algeria. PLoS Neglected Tropical Diseases, 2017, 11, e0006064. | 3.0 | 26 |
| 202 | Assessment of MALDI-TOF mass spectrometry for filariae detection in Aedes aegypti mosquitoes. PLoS Neglected Tropical Diseases, 2017, 11, e0006093. | 3.0 | 16 |
| 203 | Performance of Real-Time Polymerase Chain Reaction Assays for the Detection of 20 Gastrointestinal Parasites in Clinical Samples from Senegal. American Journal of Tropical Medicine and Hygiene, 2017, 97, 173-182. | 1.4 | 23 |
| 204 | Global Warming and Global Decrease in Vector-Borne Disease Prevalence and Mortality. Journal of Infectious Diseases, 2017, 215, 660-661. | 4.0 | 0 |
| 205 | Emerging Tick-Borne Bacterial Pathogens. , 2016, , 295-310. | | 3 |
| 206 | Schistosomiasis Screening of Travelers to Corsica, France. Emerging Infectious Diseases, 2016, 22, 160-161. | 4.3 | 5 |
| 207 | CandidatusCoxiella massiliensis Infection. Emerging Infectious Diseases, 2016, 22, 285-288. | 4.3 | 47 |
| 208 | Thoracic damage control surgery. Revista Do Colegio Brasileiro De Cirurgioes, 2016, 43, 374-381. | 0.6 | 14 |
| 209 | Malaria: Massive open online courses MOOC. Travel Medicine and Infectious Disease, 2016, 14, 636. | 3.0 | 4 |
| 210 | Emerging Tick-Borne Bacterial Pathogens. Microbiology Spectrum, 2016, 4, . | 3.0 | 55 |
| 211 | Assessment of the anti-feeding and insecticidal effects of the combination of dinotefuran, permethrin and pyriproxyfen (VectraÂ® 3D) against Triatoma infestans on rats. International Journal of Infectious Diseases, 2016, 53, 152. | 3.3 | 0 |
| 212 | Acute polyarthritis in a young patient caused by meningococcal and parvovirus B19 infections: a case report and review of the literature. Journal of Medical Case Reports, 2016, 10, 362. | 0.8 | 2 |
| 213 | Infections in symptomatic travelers returning from the Arabian peninsula to France: A retrospective cross-sectional study. Travel Medicine and Infectious Disease, 2016, 14, 414-416. | 3.0 | 16 |
| 214 | Rickettsia felis : The Complex Journey of an Emergent Human Pathogen. Trends in Parasitology, 2016, 32, 554-564. | 3.3 | 102 |
| 215 | Absence of serological evidence of Rickettsia spp., Bartonella spp., Ehrlichia spp. and Coxiella burnetii infections in American Samoa. Ticks and Tick-borne Diseases, 2016, 7, 703-705. | 2.7 | 5 |
| 216 | Emerging tools for identification of arthropod vectors. Future Microbiology, 2016, 11, 549-566. | 2.0 | 120 |

| # | Article | IF | Citations |
|---|---|---|---|
| 217 | Rickettsioses and travel: Be alert to new vectors including mosquitoes. Travel Medicine and Infectious Disease, 2016, 14, 433. | 3.0 | 3 |
| 218 | Rickettsia felis: the next mosquito-borne outbreak?. Lancet Infectious Diseases, The, 2016, 16, 1112-1113. | 9.1 | 19 |
| 219 | First report of Rickettsia raoultii and Rickettsia helvetica in Dermacentor reticulatus ticks from the Czech Republic. Ticks and Tick-borne Diseases, 2016, 7, 1222-1224. | 2.7 | 13 |
| 220 | Morphological, molecular and MALDI-TOF mass spectrometry identification of ixodid tick species collected in Oromia, Ethiopia. Parasitology Research, 2016, 115, 4199-4210. | 1.6 | 47 |
| 221 | A novel ehrlichial agent detected in tick in French Polynesia. Ticks and Tick-borne Diseases, 2016, 7, 1203-1208. | 2.7 | 5 |
| 222 | New Rickettsia species in soft ticks Ornithodoros hasei collected from bats in French Guiana. Ticks and Tick-borne Diseases, 2016, 7, 1089-1096. | 2.7 | 52 |
| 223 | An Alternative Strategy of Preventive Control of Tick-Borne Relapsing Fever in Rural Areas of Sine-Saloum, Senegal. American Journal of Tropical Medicine and Hygiene, 2016, 95, 537-545. | 1.4 | 8 |
| 224 | Standardization of sample homogenization for mosquito identification using an innovative proteomic tool based on protein profiling. Proteomics, 2016, 16, 3148-3160. | 2.2 | 47 |
| 225 | Use of MALDI-TOF MS and culturomics to identify mosquitoes and their midgut microbiota. Parasites and Vectors, 2016, 9, 495. | 2.5 | 42 |
| 226 | Absence of convincing evidence of Coxiella burnetii infection in Chile: a cross-sectional serosurvey among healthy adults in four different regions. BMC Infectious Diseases, 2016, 16, 541. | 2.9 | 9 |
| 227 | Epidemiological, clinical, virological features of hepatitis B newly diagnosed in 2011 in Marseille University hospitals, southeastern France. Journal of Medical Virology, 2016, 88, 828-836. | 5.0 | 4 |
| 228 | Sennetsu Neorickettsiosis, Spotted Fever Group, and Typhus Group Rickettsioses in Three Provinces in Thailand. American Journal of Tropical Medicine and Hygiene, 2016, 95, 43-49. | 1.4 | 25 |
| 229 | Molecular evidence of vector-borne pathogens in dogs and cats and their ectoparasites in Algiers, Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2016, 45, 23-28. | 1.6 | 48 |
| 230 | Detection of Bartonella tamiae, Coxiella burnetii and rickettsiae in arthropods and tissues from wild and domestic animals in northeastern Algeria. Parasites and Vectors, 2016, 9, 27. | 2.5 | 94 |
| 231 | Rickettsia massiliae infection and SENLAT syndrome in Romania. Ticks and Tick-borne Diseases, 2016, 7, 759-762. | 2.7 | 29 |
| 232 | Bacterial agents in 248 ticks removed from people from 2002 to 2013. Ticks and Tick-borne Diseases, 2016, 7, 475-481. | 2.7 | 20 |
| 233 | Identification of blood meal sources in the main African malaria mosquito vector by MALDI-TOF MS. Malaria Journal, 2016, 15, 87. | 2.3 | 47 |
| 234 | Molecular characterization of hepatitis B virus from chronically-infected patients in Niamey, Niger. International Journal of Infectious Diseases, 2016, 45, 18-23. | 3.3 | 8 |

| # | Article | IF | Citations |
|---|---|---|---|
| 235 | Molecular detection of Rickettsia conorii and other zoonotic spotted fever group rickettsiae in ticks, Romania. Ticks and Tick-borne Diseases, 2016, 7, 150-153. | 2.7 | 23 |
| 236 | Identification of Algerian Field-Caught Phlebotomine Sand Fly Vectors by MALDI-TOF MS. PLoS Neglected Tropical Diseases, 2016, 10, e0004351. | 3.0 | 60 |
| 237 | Acute Uncomplicated Febrile Illness in Children Aged 2-59 months in Zanzibar â€“ Aetiologies, Antibiotic Treatment and Outcome. PLoS ONE, 2016, 11, e0146054. | 2.5 | 68 |
| 238 | Identification of dengue type 2 virus in febrile travellers returning from Burkina Faso to France, related to an ongoing outbreak, October to November 2016. Eurosurveillance, 2016, 21, . | 7.0 | 16 |
| 239 | Cutaneous and pulmonary dirofilariasis due to Dirofilaria repens. British Journal of Dermatology, 2015, 173, 788-791. | 1.5 | 18 |
| 240 | Causes of Fever in Rural Southern Laos. American Journal of Tropical Medicine and Hygiene, 2015, 93, 517-520. | 1.4 | 34 |
| 241 | Rabies Postexposure Prophylaxis for Travelers Injured by Nonhuman Primates, Marseille, France, 2001â€“2014. Emerging Infectious Diseases, 2015, 21, 1473-1476. | 4.3 | 13 |
| 242 | Local and International Implications of Schistosomiasis Acquired in Corsica, France. Emerging Infectious Diseases, 2015, 21, 1865-1868. | 4.3 | 30 |
| 243 | Leptospirosis presenting as honeymoon fever. International Journal of Infectious Diseases, 2015, 34, 102-104. | 3.3 | 3 |
| 244 | Acquisition of extended-spectrum cephalosporin- and colistin-resistant Salmonella enterica subsp. enterica serotype Newport by pilgrims during Hajj. International Journal of Antimicrobial Agents, 2015, 45, 600-604. | 2.5 | 52 |
| 245 | Transmission potential of Rickettsia felis infection by Anopheles gambiae mosquitoes. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 8088-8093. | 7.1 | 119 |
| 246 | Dramatic reduction in Clostridium difficile ribotype 027-associated mortality with early fecal transplantation by the nasogastric route: a preliminary report. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 1597-1601. | 2.9 | 63 |
| 247 | Identification of tick species and disseminate pathogen using hemolymph by MALDI-TOF MS. Ticks and Tick-borne Diseases, 2015, 6, 579-586. | 2.7 | 51 |
| 248 | Schistosomiasis in Corsica and the pivotal role of travellers. Lancet Infectious Diseases, The, 2015, 15, 1378-1379. | 9.1 | 5 |
| 249 | Travel-associated infections in Europe â€“ Authors' reply. Lancet Infectious Diseases, The, 2015, 15, 879-880. | 9.1 | 0 |
| 250 | Extended PerinealDermatobia hominisMyiasis in a Traveler Returning From South America. JAMA Dermatology, 2015, 151, 1389. | 4.1 | 3 |
| 251 | Foot ailments during Hajj: A short report. Journal of Epidemiology and Global Health, 2015, 5, 291. | 2.9 | 22 |
| 252 | Rickettsioses as causes of CNS infection in southeast Asia. The Lancet Global Health, 2015, 3, e67-e68. | 6.3 | 13 |

| # | Article | IF | Citations |
|---|---|---|---|
| 253 | Imported cases of Middle East respiratory syndrome: An update. Travel Medicine and Infectious Disease, 2015, 13, 106-109. | 3.0 | 28 |
| 254 | Action of ethanolic extract from aerial parts of Tagetes patula L. (Asteraceae) on hatchability and embryogenesis of Rhipicephalus sanguineus eggs (Acari: Ixodidae). Industrial Crops and Products, 2015, 67, 55-61. | 5.2 | 9 |
| 255 | Comparison of nasal swabs with throat swabs for the detection of respiratory viruses by real-time reverse transcriptase PCR in adult Hajj pilgrims. Journal of Infection, 2015, 70, 207-210. | 3.3 | 15 |
| 256 | French Hajj pilgrims' experience with pneumococcal infection and vaccination: A knowledge, attitudes and practice (KAP) evaluation. Travel Medicine and Infectious Disease, 2015, 13, 251-255. | 3.0 | 23 |
| 257 | Competence of Cimex lectularius Bed Bugs for the Transmission of Bartonella quintana, the Agent of Trench Fever. PLoS Neglected Tropical Diseases, 2015, 9, e0003789. | 3.0 | 73 |
| 258 | Detection of Rickettsia spp in Ticks by MALDI-TOF MS. PLoS Neglected Tropical Diseases, 2015, 9, e0003473. | 3.0 | 49 |
| 259 | Differential Diagnosis of Illness in Travelers Arriving From Sierra Leone, Liberia, or Guinea: A Cross-sectional Study From the GeoSentinel Surveillance Network. Annals of Internal Medicine, 2015, 162, 757-764. | 3.9 | 34 |
| 260 | New Borrelia species detected in ixodid ticks in Oromia, Ethiopia. Ticks and Tick-borne Diseases, 2015, 6, 401-407. | 2.7 | 19 |
| 261 | Occurrence and Genotyping of Coxiella burnetii in Ixodid Ticks in Oromia, Ethiopia. American Journal of Tropical Medicine and Hygiene, 2015, 93, 1074-1081. | 1.4 | 33 |
| 262 | Detection of a novel Rickettsia sp. in soft ticks (Acari: Argasidae) in Algeria. Microbes and Infection, 2015, 17, 859-861. | 1.9 | 19 |
| 263 | Melioidosis as a travel-associated infection: Case report and review of the literature. Travel Medicine and Infectious Disease, 2015, 13, 367-381. | 3.0 | 20 |
| 264 | A High-Performance Vacuum Cleaner for Bed Bug Sampling: A Useful Tool for Medical Entomology. Journal of Medical Entomology, 2015, 52, 513-515. | 1.8 | 5 |
| 265 | Murine Typhus, Reunion, France, 2011â€“2013. Emerging Infectious Diseases, 2015, 21, 316-319. | 4.3 | 11 |
| 266 | Animal-Associated Exposure to Rabies Virus among Travelers, 1997â€“2012. Emerging Infectious Diseases, 2015, 21, 569-577. | 4.3 | 48 |
| 267 | Responses of artificially reared cat fleas <scp>C</scp>tenocephalides felis felis (<scp>B</scp>ouchÃ©, 1835) to different mammalian bloods. Medical and Veterinary Entomology, 2015, 29, 171-177. | 1.5 | 11 |
| 268 | Reply to Slesak et al.: So much about Rickettsia felis infection to be discovered. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E6595-E6596. | 7.1 | 11 |
| 269 | Rickettsia and Bartonella Species in Fleas from Reunion Island. American Journal of Tropical Medicine and Hygiene, 2015, 92, 617-619. | 1.4 | 8 |
| 270 | Travel-associated infection presenting in Europe (2008â€“12): an analysis of EuroTravNet longitudinal, surveillance data, and evaluation of the effect of the pre-travel consultation. Lancet Infectious Diseases, The, 2015, 15, 55-64. | 9.1 | 206 |

| # | Article | IF | Citations |
|---|---|---|---|
| 271 | Comparison of Matrix-Assisted Laser Desorption Ionizationâ€“Time of Flight Mass Spectrometry and Molecular Biology Techniques for Identification of Culicoides (Diptera: Ceratopogonidae) Biting Midges in Senegal. Journal of Clinical Microbiology, 2015, 53, 410-418. | 3.9 | 38 |
| 272 | Spotted fever group rickettsiae in ixodid ticks in Oromia, Ethiopia. Ticks and Tick-borne Diseases, 2015, 6, 8-15. | 2.7 | 25 |
| 273 | Regional Variation in Travel-related Illness acquired in Africa, March 1997â€“May 2011. Emerging Infectious Diseases, 2014, 20, 532-541. | 4.3 | 37 |
| 274 | Respiratory Viruses and Bacteria among Pilgrims during the 2013 Hajj. Emerging Infectious Diseases, 2014, 20, 1821-1827. | 4.3 | 107 |
| 275 | Detection ofRickettsia sibirica mongolitimonaeby Using Cutaneous Swab Samples and Quantitative PCR. Emerging Infectious Diseases, 2014, 20, 716-718. | 4.3 | 19 |
| 276 | Lack of MERS Coronavirus but Prevalence of Influenza Virus in French Pilgrims after 2013 Hajj. Emerging Infectious Diseases, 2014, 20, 726-728. | 4.3 | 72 |
| 277 | Accurate identification of Culicidae at aquatic developmental stages by MALDI-TOF MS profiling. Parasites and Vectors, 2014, 7, 544. | 2.5 | 73 |
| 278 | Detection of Rickettsia felis, Rickettsia typhi, Bartonella Species and Yersinia pestis in Fleas (Siphonaptera) from Africa. PLoS Neglected Tropical Diseases, 2014, 8, e3152. | 3.0 | 76 |
| 279 | Rabies in Nonhuman Primates and Potential for Transmission to Humans: A Literature Review and Examination of Selected French National Data. PLoS Neglected Tropical Diseases, 2014, 8, e2863. | 3.0 | 34 |
| 280 | MALDI-TOF Mass Spectrometry Detection of Pathogens in Vectors: The Borrelia crocidurae/Ornithodoros sonrai Paradigm. PLoS Neglected Tropical Diseases, 2014, 8, e2984. | 3.0 | 47 |
| 281 | Two Human Cases ofRickettsia felisInfection, Thailand. Emerging Infectious Diseases, 2014, 20, 1780-1781. | 4.3 | 32 |
| 282 | Borrelia gariniiandRickettsia monacensisinIxodes ricinusTicks, Algeria. Emerging Infectious Diseases, 2014, 20, 1776-1777. | 4.3 | 22 |
| 283 | Genetic heterogeneity in malignant migrating partial seizures of infancy. Annals of Neurology, 2014, 75, 324-326. | 5.3 | 10 |
| 284 | Acquisition and excretion of <scp>B</scp>artonella quintana by the cat flea, <scp>C</scp>tenocephalides felis felis. Molecular Ecology, 2014, 23, 1204-1212. | 3.9 | 44 |
| 285 | Travelâ€Related Infection in European Travelers, EuroTravNet 2011. Journal of Travel Medicine, 2014, 21, 248-254. | 3.0 | 48 |
| 286 | From the Hajj: it's the flu, idiot. Clinical Microbiology and Infection, 2014, 20, O1. | 6.0 | 9 |
| 287 | First molecular detection of Rickettsia africae in ticks from the Union of the Comoros. Parasites and Vectors, 2014, 7, 444. | 2.5 | 26 |
| 288 | Update on Tick-Borne Rickettsioses around the World: a Geographic Approach. Clinical Microbiology Reviews, 2014, 27, 166-166. | 13.6 | 7 |

| # | Article | IF | Citations |
|---|---|---|---|
| 289 | Leishmaniasis acquired by travellers to endemic regions in Europe: A EuroTravNet multi-centre study. Travel Medicine and Infectious Disease, 2014, 12, 167-172. | 3.0 | 40 |
| 290 | Rabies in Travelers. Current Infectious Disease Reports, 2014, 16, 394. | 3.0 | 19 |
| 291 | Bartonella melophagi in Melophagus ovinus (sheep ked) collected from sheep in northern Oromia, Ethiopia. Comparative Immunology, Microbiology and Infectious Diseases, 2014, 37, 69-76. | 1.6 | 30 |
| 292 | Monitoring human tick-borne disease risk and tick bite exposure in Europe: Available tools and promising future methods. Ticks and Tick-borne Diseases, 2014, 5, 607-619. | 2.7 | 45 |
| 293 | Rickettsioses and Q fever in travelers (2004â€“2013). Travel Medicine and Infectious Disease, 2014, 12, 443-458. | 3.0 | 51 |
| 294 | Molecular Detection of Rickettsia felis and Bartonella henselae in Dog and Cat Fleas in Central Oromia, Ethiopia. American Journal of Tropical Medicine and Hygiene, 2014, 90, 457-462. | 1.4 | 28 |
| 295 | Identification of European mosquito species by MALDI-TOF MS. Parasitology Research, 2014, 113, 2375-2378. | 1.6 | 79 |
| 296 | Absence of antibodies to Rickettsia spp., Bartonella spp., Ehrlichia spp. and Coxiella burnetii in Tahiti, French Polynesia. BMC Infectious Diseases, 2014, 14, 255. | 2.9 | 18 |
| 297 | High Prevalence of Rickettsia typhi and Bartonella Species in Rats and Fleas, Kisangani, Democratic Republic of the Congo. American Journal of Tropical Medicine and Hygiene, 2014, 90, 463-468. | 1.4 | 16 |
| 298 | Occurrence of Tropheryma whipplei during diarrhea in Hajj pilgrims: A PCR analysis of paired rectal swabs. Travel Medicine and Infectious Disease, 2014, 12, 481-484. | 3.0 | 24 |
| 299 | Non-ophthalmological presentation of imported loiasis. Travel Medicine and Infectious Disease, 2014, 12, 406-409. | 3.0 | 6 |
| 300 | Spotted fever group, typhus group rickettsioses and sennetsu neorickettsiosis in rural Thailand. International Journal of Infectious Diseases, 2014, 21, 231. | 3.3 | 1 |
| 301 | Rickettsia conorii israelensis in Rhipicephalus sanguineus ticks, Sardinia, Italy. Ticks and Tick-borne Diseases, 2014, 5, 446-448. | 2.7 | 22 |
| 302 | Identification of flea species using MALDI-TOF/MS. Comparative Immunology, Microbiology and Infectious Diseases, 2014, 37, 153-157. | 1.6 | 90 |
| 303 | Emergence of murine typhus in Reunion Island, South West Ocean Indian Island: Epidemiological, clinical, laboratory features of 10 cases. International Journal of Infectious Diseases, 2014, 21, 223-224. | 3.3 | 0 |
| 304 | New Delhi Metallo-beta-lactamase around the world: An eReview using Google Maps. Eurosurveillance, 2014, 19, . | 7.0 | 119 |
| 305 | Longitudinal study assessing the return of chloroquine susceptibility of Plasmodium falciparum in isolates from travellers returning from West and Central Africa, 2000â€“2011. Malaria Journal, 2013, 12, 35. | 2.3 | 28 |
| 306 | Chemical characterization and acaricide potential of essential oil from aerial parts of Tagetes patula L. (Asteraceae) against engorged adult females of Rhipicephalus sanguineus (Latreille, 1806). Parasitology Research, 2013, 112, 2261-2268. | 1.6 | 14 |

| # | Article | IF | Citations |
|---|---|---|---|
| 307 | Preventive measures against MERS-CoV for Hajj pilgrims. Lancet Infectious Diseases, The, 2013, 13, 829-831. | 9.1 | 14 |
| 308 | Update on Tick-Borne Rickettsioses around the World: a Geographic Approach. Clinical Microbiology Reviews, 2013, 26, 657-702. | 13.6 | 1,033 |
| 309 | Immunoproteomic identification of antigenic salivary biomarkers detected by Ixodes ricinus-exposed rabbit sera. Ticks and Tick-borne Diseases, 2013, 4, 459-468. | 2.7 | 18 |
| 310 | Camel Milk-Associated Infection Risk Perception and Knowledge in French Hajj Pilgrims. Vector-Borne and Zoonotic Diseases, 2013, 13, 425-427. | 1.5 | 16 |
| 311 | The return of the big three killers. Clinical Microbiology and Infection, 2013, 19, 887-888. | 6.0 | 8 |
| 312 | Identification of salivary antigenic markers discriminating host exposition between two European ticks: Rhipicephalus sanguineus and Dermacentor reticulatus. Comparative Immunology, Microbiology and Infectious Diseases, 2013, 36, 39-53. | 1.6 | 7 |
| 313 | Matrix-Assisted Laser Desorption Ionizationâ€“Time of Flight Mass Spectrometry for Rapid Identification of Tick Vectors. Journal of Clinical Microbiology, 2013, 51, 522-528. | 3.9 | 111 |
| 314 | Tick-borne Spotted Fever Rickettsioses. , 2013, , 546-552. | | 3 |
| 315 | Overweight and Obesity in French Hajj Pilgrims. Journal of Immigrant and Minority Health, 2013, 15, 215-218. | 1.6 | 8 |
| 316 | Anti-hepatitis E virus antibody prevalence in French expatriate workers. International Journal of Infectious Diseases, 2013, 17, e1082-e1084. | 3.3 | 5 |
| 317 | Relative risk for influenza like illness in French Hajj pilgrims compared to non-Hajj attending controls during the 2009 influenza pandemic. Travel Medicine and Infectious Disease, 2013, 11, 95-97. | 3.0 | 11 |
| 318 | Travel-associated sexually transmitted infections: an observational cross-sectional study of the GeoSentinel surveillance database. Lancet Infectious Diseases, The, 2013, 13, 205-213. | 9.1 | 69 |
| 319 | Painful Sting After Exposure to Dendrocnide sp: Two Case Reports. Wilderness and Environmental Medicine, 2013, 24, 471-473. | 0.9 | 4 |
| 320 | Acute HIV infection at travel clinics â€“ Authors' reply. Lancet Infectious Diseases, The, 2013, 13, 651-652. | 9.1 | 0 |
| 321 | Epidemiology of urban dog-related injuries requiring rabies post-exposure prophylaxis in Marseille, France. International Journal of Infectious Diseases, 2013, 17, e164-e167. | 3.3 | 16 |
| 322 | Lack of nasal carriage of novel corona virus (HCoV-EMC) in French Hajj pilgrims returning from the Hajj 2012, despite a high rate of respiratory symptoms. Clinical Microbiology and Infection, 2013, 19, E315-E317. | 6.0 | 77 |
| 323 | Prospective European-wide multicentre study on a blood based real-time PCR for the diagnosis of acute schistosomiasis. BMC Infectious Diseases, 2013, 13, 55. | 2.9 | 65 |
| 324 | Subcutaneous Infection withDirofilariaspp. Nematode in Human, France. Emerging Infectious Diseases, 2013, 19, 1905. | 4.3 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 325 | Imported Human Rabies Cases Worldwide, 1990â€“2012. PLoS Neglected Tropical Diseases, 2013, 7, e2209. | 3.0 | 59 |
| 326 | Acute and Potentially Life-Threatening Tropical Diseases in Western Travelersâ€”A GeoSentinel Multicenter Study, 1996â€“2011. American Journal of Tropical Medicine and Hygiene, 2013, 88, 397-404. | 1.4 | 138 |
| 327 | Intradermal Route for Rabies Vaccination Should Be Generalized in Travelers. Clinical Infectious Diseases, 2013, 56, 1508-1509. | 5.8 | 3 |
| 328 | Circulation of Respiratory Viruses Among Pilgrims During the 2012 Hajj Pilgrimage. Clinical Infectious Diseases, 2013, 57, 992-1000. | 5.8 | 90 |
| 329 | Molecular detection ofRickettsia felis and CandidatusRickettsia Asemboensis in Fleas from Human Habitats, Asembo, Kenya. Vector-Borne and Zoonotic Diseases, 2013, 13, 550-558. | 1.5 | 94 |
| 330 | Family Compliance With Counseling for Children Traveling to the Tropics. Journal of Travel Medicine, 2013, 20, 171-176. | 3.0 | 15 |
| 331 | Common Epidemiology ofRickettsia felisInfection and Malaria, Africa. Emerging Infectious Diseases, 2013, 19, 1775-1783. | 4.3 | 103 |
| 332 | Short-term variability in respiratory impedance and effect of deep breath in asthmatic and healthy subjects with airway smooth muscle activation and unloading. Journal of Applied Physiology, 2013, 115, 708-715. | 2.5 | 16 |
| 333 | Subcutaneous Infection withDirofilaria immitisNematode in Human, France. Emerging Infectious Diseases, 2013, 19, 171-172. | 4.3 | 32 |
| 334 | Clustered Cases ofRickettsia sibirica mongolitimonaeInfection, France. Emerging Infectious Diseases, 2013, 19, 337-338. | 4.3 | 24 |
| 335 | Matrix-Assisted Laser Desorption Ionization - Time of Flight Mass Spectrometry: An Emerging Tool for the Rapid Identification of Mosquito Vectors. PLoS ONE, 2013, 8, e72380. | 2.5 | 105 |
| 336 | Hajj pilgrimsâ€™ knowledge about Middle East respiratory syndrome coronavirus, August to September 2013. Eurosurveillance, 2013, 18, 20604. | 7.0 | 40 |
| 337 | Fever in Returned Travelers. , 2013, , 475-485. | | 0 |
| 338 | EPIDEMIOLOGY OF IMPORTED MALARIA IN THE MEDITERRANEAN REGION. Mediterranean Journal of Hematology and Infectious Diseases, 2012, 4, e2012031. | 1.3 | 49 |
| 339 | Why Are There So Few Rickettsia conorii conorii-Infected Rhipicephalus sanguineus Ticks in the Wild?. PLoS Neglected Tropical Diseases, 2012, 6, e1697. | 3.0 | 30 |
| 340 | Borrelia,Rickettsia, andEhrlichiaSpecies in Bat Ticks, France, 2010. Emerging Infectious Diseases, 2012, 18, 1966-1975. | 4.3 | 107 |
| 341 | Rabies pretravel vaccination. Current Opinion in Infectious Diseases, 2012, 25, 500-506. | 3.1 | 18 |
| 342 | Murine Typhus in Returned Travelers: A Report of Thirty-Two Cases. American Journal of Tropical Medicine and Hygiene, 2012, 86, 1049-1053. | 1.4 | 79 |

| # | Article | IF | Citations |
|---|---|---|---|
| 343 | Detection of Rickettsioses and Q fever in Sri Lanka. American Journal of Tropical Medicine and Hygiene, 2012, 86, 711-712. | 1.4 | 25 |
| 344 | The spread of vaccine-preventable diseases by international travellers: a public-health concern. Clinical Microbiology and Infection, 2012, 18, 77-84. | 6.0 | 41 |
| 345 | Treatment ofRickettsiaspp. infections: a review. Expert Review of Anti-Infective Therapy, 2012, 10, 1425-1437. | 4.4 | 79 |
| 346 | Detection of Rickettsia helvetica in Ixodes ricinus ticks collected from Pyrenean chamois in France. Ticks and Tick-borne Diseases, 2012, 3, 387-388. | 2.7 | 7 |
| 347 | Spotted fever group rickettsiae identified in Dermacentor marginatus and Ixodes ricinus ticks in Algeria. Ticks and Tick-borne Diseases, 2012, 3, 380-381. | 2.7 | 17 |
| 348 | Rickettsiae of spotted fever group, Borrelia valaisiana, and Coxiella burnetii in ticks on passerine birds and mammals from the Camargue in the south of France. Ticks and Tick-borne Diseases, 2012, 3, 355-360. | 2.7 | 47 |
| 349 | First detection of Rickettsia aeschlimannii in Hyalomma dromedarii ticks from Tunisia. Ticks and Tick-borne Diseases, 2012, 3, 398-402. | 2.7 | 33 |
| 350 | Ehrlichia canis in Rhipicephalus sanguineus ticks in the Ivory Coast. Ticks and Tick-borne Diseases, 2012, 3, 411-413. | 2.7 | 21 |
| 351 | First detection of Ehrlichia canis in Rhipicephalus bursa ticks in Sardinia, Italy. Ticks and Tick-borne Diseases, 2012, 3, 396-397. | 2.7 | 20 |
| 352 | Rickettsia slovaca from Dermacentor marginatus ticks in Sardinia, Italy. Ticks and Tick-borne Diseases, 2012, 3, 393-395. | 2.7 | 27 |
| 353 | Urban family cluster of spotted fever rickettsiosis linked to Rhipicephalus sanguineus infected with Rickettsia conorii subsp. caspia and Rickettsia massiliae. Ticks and Tick-borne Diseases, 2012, 3, 389-392. | 2.7 | 36 |
| 354 | Rickettsia africae in Hyalomma dromedarii ticks from sub-Saharan Algeria. Ticks and Tick-borne Diseases, 2012, 3, 377-379. | 2.7 | 34 |
| 355 | The first molecular detection of Rickettsia aeschlimannii in the ticks of camels from southern Algeria. Ticks and Tick-borne Diseases, 2012, 3, 374-376. | 2.7 | 25 |
| 356 | Spotted fever group rickettsiae in ticks and fleas from the Democratic Republic of the Congo. Ticks and Tick-borne Diseases, 2012, 3, 371-373. | 2.7 | 26 |
| 357 | The use of eschar swabs for the diagnosis of African tick-bite fever. Ticks and Tick-borne Diseases, 2012, 3, 361-363. | 2.7 | 26 |
| 358 | Mediterranean spotted fever in the Trakya region of Turkey. Ticks and Tick-borne Diseases, 2012, 3, 298-304. | 2.7 | 21 |
| 359 | Editorial. Ticks and Tick-borne Diseases, 2012, 3, 269. | 2.7 | 1 |
| 360 | Insecticide resistance in mosquitoes and failure of malaria control. Expert Review of Anti-Infective Therapy, 2012, 10, 1379-1381. | 4.4 | 11 |

| # | Article | IF | Citations |
|---|---|---|---|
| 361 | Rabies vaccination for international travelers. Vaccine, 2012, 30, 126-133. | 3.8 | 89 |
| 362 | Travel-related imported infections in Europe, EuroTravNet 2009. Clinical Microbiology and Infection, 2012, 18, 468-474. | 6.0 | 60 |
| 363 | Interferon-gamma release assay: use and misuse. Clinical Microbiology and Infection, 2012, 18, 1053-1054. | 6.0 | 1 |
| 364 | Vector-Borne Rickettsioses in North Africa. Infectious Disease Clinics of North America, 2012, 26, 455-478. | 5.1 | 23 |
| 365 | Rabies Vaccination in Travelers: A Global Perspective. Journal of Travel Medicine, 2012, 19, 395.1-395. | 3.0 | 5 |
| 366 | Imported rickettsioses in Italy. Travel Medicine and Infectious Disease, 2012, 10, 201-204. | 3.0 | 9 |
| 367 | Demographics, health and travel characteristics of international travellers at a pre-travel clinic in Marseille, France. Travel Medicine and Infectious Disease, 2012, 10, 247-256. | 3.0 | 39 |
| 368 | Molecular Detection of Spotted Fever Group Rickettsiae Associated with Ixodid Ticks in Egypt. Vector-Borne and Zoonotic Diseases, 2012, 12, 346-359. | 1.5 | 66 |
| 369 | Therapy of uncomplicated falciparum malaria in Europe: MALTHER â€“ a prospective observational multicentre study. Malaria Journal, 2012, 11, 212. | 2.3 | 30 |
| 370 | Molecular Detection of Acinetobacter Species in Lice and Keds of Domestic Animals in Oromia Regional State, Ethiopia. PLoS ONE, 2012, 7, e52377. | 2.5 | 39 |
| 371 | Acanthamoeba polyphaga mimivirusVirophage Seroconversion in Travelers Returning from Laos. Emerging Infectious Diseases, 2012, 18, 1500-1502. | 4.3 | 21 |
| 372 | Rickettsiae in arthropods collected from red foxes (Vulpes vulpes) in France. Comparative Immunology, Microbiology and Infectious Diseases, 2012, 35, 59-62. | 1.6 | 21 |
| 373 | Bartonella and Rickettsia in arthropods from the Lao PDR and from Borneo, Malaysia. Comparative Immunology, Microbiology and Infectious Diseases, 2012, 35, 51-57. | 1.6 | 39 |
| 374 | A multi-gene analysis of diversity of bartonella detected in fleas from algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2012, 35, 71-76. | 1.6 | 21 |
| 375 | Molecular detection of rickettsial agents in ticks and fleas collected from a European hedgehog (Erinaceus europaeus) in Marseilles, France. Comparative Immunology, Microbiology and Infectious Diseases, 2012, 35, 77-79. | 1.6 | 25 |
| 376 | Rickettsiae in arthropods collected from the North African Hedgehog (Atelerix algirus) and the desert hedgehog (Paraechinus aethiopicus) in Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2012, 35, 117-122. | 1.6 | 51 |
| 377 | Travel Reported by Pilgrims From Marseille, France Before and After the 2010 Hajj: Table 1. Journal of Travel Medicine, 2012, 19, 130-132. | 3.0 | 7 |
| 378 | Travelâ€Associated Illness in Older Adults (>60 y). Journal of Travel Medicine, 2012, 19, 169-177. | 3.0 | 78 |

| # | Article | IF | Citations |
|---|---|---|---|
| 379 | Tickâ€Borne Relapsing Fever With Cutaneous Eschar andÂRadiculopathy, Ethiopia. Journal of Travel Medicine, 2012, 19, 261-263. | 3.0 | 7 |
| 380 | Ex vivo activity of the ACT new components pyronaridine and piperaquine in comparison with conventional ACT drugs against isolates of Plasmodium falciparum. Malaria Journal, 2012, 11, 45. | 2.3 | 26 |
| 381 | 2012 outbreak of acute haemorrhagic conjunctivitis in Indian Ocean Islands: identification of Coxsackievirus A24 in a returned traveller. Eurosurveillance, 2012, 17, . | 7.0 | 13 |
| 382 | Infectious diseases among travellers and migrants in Europe, EuroTravNet 2010. Eurosurveillance, 2012, 17, . | 7.0 | 61 |
| 383 | Ongoing outbreak of an acute muscular Sarcocystis-like illness among travellers returning from Tioman Island, Malaysia, 2011-2012. Eurosurveillance, 2012, 17, . | 7.0 | 35 |
| 384 | Pneumococcal vaccination and Hajj. International Journal of Infectious Diseases, 2011, 15, e730. | 3.3 | 13 |
| 385 | Bartonella clarridgeiaein Fleas, Tahiti, French Polynesia. Emerging Infectious Diseases, 2011, 17, 1773-1775. | 4.3 | 3 |
| 386 | Rickettsia honeiInfection in Human, Nepal, 2009. Emerging Infectious Diseases, 2011, 17, 1865-1867. | 4.3 | 22 |
| 387 | Tick-Borne Relapsing Fever Borreliosis, Rural Senegal. Emerging Infectious Diseases, 2011, 17, 883-885. | 4.3 | 106 |
| 388 | Diagnosis of Rickettsioses from Eschar Swab Samples, Algeria. Emerging Infectious Diseases, 2011, 17, 1968-1969. | 4.3 | 44 |
| 389 | Bartonella clarridgeiae,B. henselaeandRickettsia felisin fleas from Morocco. Annals of Tropical Medicine and Parasitology, 2011, 105, 493-498. | 1.6 | 23 |
| 390 | Rickettsia felis: from a rare disease in the USA to a common cause of fever in sub-Saharan Africa. Clinical Microbiology and Infection, 2011, 17, 996-1000. | 6.0 | 147 |
| 391 | Protective Measures Against Acute Respiratory Symptoms in French Pilgrims Participating in the Hajj of 2009: Table 1. Journal of Travel Medicine, 2011, 18, 53-55. | 3.0 | 61 |
| 392 | Vaccination Acceptability in Hajj Pilgrims. Journal of Travel Medicine, 2011, 18, 226-226. | 3.0 | 3 |
| 393 | Development of a one step real time RT-PCR assay to detect and quantify Dugbe virus. Journal of Virological Methods, 2011, 176, 74-77. | 2.1 | 6 |
| 394 | Emergence ofRickettsia africae, Oceania. Emerging Infectious Diseases, 2011, 17, 100-102. | 4.3 | 24 |
| 395 | Effect of Media Warnings on Rabies Postexposure Prophylaxis, France. Emerging Infectious Diseases, 2011, 17, 1131-1132. | 4.3 | 6 |
| 396 | Risk for Rabies Importation from North Africa. Emerging Infectious Diseases, 2011, 17, 2187-2193. | 4.3 | 36 |

| # | Article | IF | Citations |
|---|---|---|---|
| 397 | Rickettsia felis and Bartonella henselae in Fleas from Lebanon. Vector-Borne and Zoonotic Diseases, 2011, 11, 991-992. | 1.5 | 11 |
| 398 | Rickettsia felisandBartonella clarridgeiaein Fleas from New Caledonia. Vector-Borne and Zoonotic Diseases, 2011, 11, 181-183. | 1.5 | 17 |
| 399 | Relapsing fever Borrelia inOrnithodorosticks from Bolivia. Annals of Tropical Medicine and Parasitology, 2011, 105, 407-411. | 1.6 | 25 |
| 400 | EuroTravNet: imported Chagas disease in nine European countries, 2008 to 2009. Eurosurveillance, 2011, 16, . | 7.0 | 21 |
| 401 | Imported extensively drug-resistant Mycobacterium tuberculosis Beijing genotype, Marseilles, France, 2011. Eurosurveillance, 2011, 16, . | 7.0 | 7 |
| 402 | Plasmodium vivax malaria in a Romanian traveller returning from Greece, August 2011. Eurosurveillance, 2011, 16, . | 7.0 | 12 |
| 403 | The infective causes of hepatitis and jaundice amongst hospitalised patients in Vientiane, Laos. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2010, 104, 475-483. | 1.8 | 39 |
| 404 | Factors contributing to emergence of Ehrlichia and Anaplasma spp. as human pathogens. Veterinary Parasitology, 2010, 167, 149-154. | 1.8 | 56 |
| 405 | Travel and migration associated infectious diseases morbidity in Europe, 2008. BMC Infectious Diseases, 2010, 10, 330. | 2.9 | 122 |
| 406 | The past and present threat of vector-borne diseases in deployed troops. Clinical Microbiology and Infection, 2010, 16, 209-224. | 6.0 | 48 |
| 407 | The practice of travel medicine in Europe. Clinical Microbiology and Infection, 2010, 16, 203-208. | 6.0 | 28 |
| 408 | New Delhi metallo-beta-lactamase (NDM-1): towards a new pandemia?. Clinical Microbiology and Infection, 2010, 16, 1699-1701. | 6.0 | 202 |
| 409 | Travelâ€Related Influenza A/H1N1 Infection at a Rock Festival in Hungary: One Virus May Hide Another One. Journal of Travel Medicine, 2010, 17, 197-198. | 3.0 | 23 |
| 410 | Murine Typhus as a Cause of Fever in Travelers From Tunisia and Mediterranean Areas. Journal of Travel Medicine, 2010, 17, 310-315. | 3.0 | 33 |
| 411 | Illness in French Travelers to Senegal: Prospective Cohort Followâ€up and Sentinel Surveillance Data. Journal of Travel Medicine, 2010, 17, 296-302. | 3.0 | 19 |
| 412 | Houseâ€dust mites on wall surfaces of damp dwellings belong to storage mite genus. Allergy: European Journal of Allergy and Clinical Immunology, 2010, 65, 274-275. | 5.7 | 4 |
| 413 | Molecular Detection ofBartonella alsaticain Rabbit Fleas, France. Emerging Infectious Diseases, 2010, 16, 2013-2014. | 4.3 | 7 |
| 414 | LES ANIMAUX VERTÃ‰BRÃ‰S SONT-ILS RÃ‰SERVOIRS DE RICKETTSI. Bulletin De L'Academie Veterinaire De France, 2010, , 291. | 0.0 | 7 |

| # | Article | IF | Citations |
|---|---|---|---|
| 415 | Genetic Structure ofPlasmodium falciparumand Elimination of Malaria, Comoros Archipelago. Emerging Infectious Diseases, 2010, 16, 1686-1694. | 4.3 | 34 |
| 416 | Cardiac Hydatidosis. American Journal of Tropical Medicine and Hygiene, 2010, 83, 102-103. | 1.4 | 4 |
| 417 | Determinants of tetanus, diphtheria and poliomyelitis vaccinations among Hajj pilgrims, Marseille, France. European Journal of Public Health, 2010, 20, 438-442. | 0.3 | 16 |
| 418 | Rickettsia africae, Western Africa. Emerging Infectious Diseases, 2010, 16, 571-573. | 4.3 | 55 |
| 419 | Rickettsia sibirica mongolitimonaein Traveler from Egypt. Emerging Infectious Diseases, 2010, 16, 1495-1496. | 4.3 | 34 |
| 420 | Rabies exposure in international travelers: do we miss the target?. International Journal of Infectious Diseases, 2010, 14, e243-e246. | 3.3 | 26 |
| 421 | Fleas and flea-borne diseases. International Journal of Infectious Diseases, 2010, 14, e667-e676. | 3.3 | 312 |
| 422 | Risk factors for H1N1 influenza complications in 2009 Hajj pilgrims. Lancet, The, 2010, 375, 199-200. | 13.7 | 9 |
| 423 | Leptospirosis diagnosed by molecular DNA detection on skin biopsy. BMJ Case Reports, 2010, 2010, bcr0920092313-bcr0920092313. | 0.5 | 2 |
| 424 | Dengue type 3 virus infections in European travellers returning from the Comoros and Zanzibar, February-April 2010. Eurosurveillance, 2010, 15, . | 7.0 | 29 |
| 425 | Dengue virus infections in travellers returning from Benin to France, July-August 2010. Eurosurveillance, 2010, 15, . | 7.0 | 16 |
| 426 | Scrub typhus and other tropical rickettsioses. , 2010, , 1231-1237. | | 1 |
| 427 | Update on tick-borne bacterial diseases in Europe. Parasite, 2009, 16, 259-273. | 2.0 | 51 |
| 428 | Persisting Mixed Cryoglobulinemia in Chikungunya Infection. PLoS Neglected Tropical Diseases, 2009, 3, e374. | 3.0 | 42 |
| 429 | Massilia Virus, A Novel Phlebovirus (Bunyaviridae) Isolated from Sandflies in the Mediterranean. Vector-Borne and Zoonotic Diseases, 2009, 9, 519-530. | 1.5 | 94 |
| 430 | Multinormal In Vitro Distribution Model Suitable for the Distribution of Plasmodium falciparum Chemosusceptibility to Doxycycline. Antimicrobial Agents and Chemotherapy, 2009, 53, 688-695. | 3.2 | 28 |
| 431 | Rickettsia slovacaandR. raoultiiin Tick-borne Rickettsioses. Emerging Infectious Diseases, 2009, 15, 1105-1108. | 4.3 | 191 |
| 432 | Dengue Virus Type 3 Infection in Traveler Returning from West Africa. Emerging Infectious Diseases, 2009, 15, 1871-1872. | 4.3 | 30 |

| # | Article | IF | Citations |
|---|---|---|---|
| 433 | Multicenter GeoSentinel Analysis of Rickettsial Diseases in International Travelers, 1996â€“2008. Emerging Infectious Diseases, 2009, 15, 1791-1798. | 4.3 | 137 |
| 434 | Multicenter EuroTravNet/GeoSentinel Study of Travel-related Infectious Diseases in Europe. Emerging Infectious Diseases, 2009, 15, 1783-1790. | 4.3 | 109 |
| 435 | A Woman with a Skin Lesion. Clinical Infectious Diseases, 2009, 48, 1584-1584. | 5.8 | 1 |
| 436 | Analysis of the Rickettsia africae genome reveals that virulence acquisition in Rickettsia species may be explained by genome reduction. BMC Genomics, 2009, 10, 166. | 2.8 | 107 |
| 437 | Tick-borne rickettsioses in America: Unanswered questions and emerging diseases. Current Infectious Disease Reports, 2009, 11, 40-50. | 3.0 | 81 |
| 438 | Knowledge, Attitudes, and Practices of French Travelers from Marseille Regarding Rabies Risk and Prevention. Journal of Travel Medicine, 2009, 16, 107-111. | 3.0 | 55 |
| 439 | There is a Need for Regularly Updated Information on Rabies Immunoglobulin Availability in Rabies Endemic Countries. Journal of Travel Medicine, 2009, 16, 227.1-227. | 3.0 | 0 |
| 440 | Common Health Hazards in French Pilgrims During the Hajj of 2007: A Prospective Cohort Study. Journal of Travel Medicine, 2009, 16, 377-381. | 3.0 | 56 |
| 441 | Deciphering the Relationships between Rickettsia conorii conorii and Rhipicephalus sanguineus in the Ecology and Epidemiology of Mediterranean Spotted Fever. Annals of the New York Academy of Sciences, 2009, 1166, 49-54. | 3.8 | 40 |
| 442 | Bartonella species detected in rodents and hedgehogs from Algeria. Clinical Microbiology and Infection, 2009, 15, 102-103. | 6.0 | 20 |
| 443 | Molecular survey for spotted fever group rickettsiae in ticks from Morocco. Clinical Microbiology and Infection, 2009, 15, 259-260. | 6.0 | 12 |
| 444 | Molecular identification of spotted fever group Rickettsiae in ticks collected in central China. Clinical Microbiology and Infection, 2009, 15, 279-280. | 6.0 | 18 |
| 445 | Genotyping Rickettsia conorii detected in patients with Mediterranean spotted fever in Algeria using multispacer typing (MST). Clinical Microbiology and Infection, 2009, 15, 281-283. | 6.0 | 8 |
| 446 | Mediterranean spotted fever in Algerian children. Clinical Microbiology and Infection, 2009, 15, 290-291. | 6.0 | 10 |
| 447 | Detection of a new bacterium related to â€˜Candidatus Midichloria mitochondriiâ€™ in bed bugs. Clinical Microbiology and Infection, 2009, 15, 84-85. | 6.0 | 23 |
| 448 | Presence or absence of plasmid in Rickettsia felis depending on the source of fleas. Clinical Microbiology and Infection, 2009, 15, 296-297. | 6.0 | 18 |
| 449 | Detection of Anaplasmataceae in ticks collected in Morocco. Clinical Microbiology and Infection, 2009, 15, 86-87. | 6.0 | 11 |
| 450 | First molecular detection of R. conorii subsp. conorii 99 years after the Conor description of Mediterranean spotted fever, in Tunisia. Clinical Microbiology and Infection, 2009, 15, 309-310. | 6.0 | 7 |

| # | Article | IF | Citations |
|---|---|---|---|
| 451 | Transmission of Rickettsia conorii conorii in naturally infected Rhipicephalus sanguineus. Clinical Microbiology and Infection, 2009, 15, 319-321. | 6.0 | 26 |
| 452 | Transmission of Rickettsia sp. DmS1 in the tick, Dermacentor marginatus. Clinical Microbiology and Infection, 2009, 15, 322-323. | 6.0 | 2 |
| 453 | Experimental infection of Rhipicephalus sanguineus with Rickettsia conorii conorii. Clinical Microbiology and Infection, 2009, 15, 324-325. | 6.0 | 19 |
| 454 | Influence of temperature on the attachment of Rhipicephalus sanguineus ticks on rabbits. Clinical Microbiology and Infection, 2009, 15, 326-327. | 6.0 | 15 |
| 455 | First detection of Rickettsia felis and Bartonella clarridgeiae in fleas from Laos. Clinical Microbiology and Infection, 2009, 15, 334-335. | 6.0 | 33 |
| 456 | Rickettsia felis and Rickettsia massiliae in Ivory Coast, Africa. Clinical Microbiology and Infection, 2009, 15, 251-252. | 6.0 | 31 |
| 457 | First detection of Rickettsia aeschlimannii in Hyalomma aegyptium from Algeria. Clinical Microbiology and Infection, 2009, 15, 253-254. | 6.0 | 43 |
| 458 | Molecular detection of Rickettsia typhi and Rickettsia felis in fleas from Algeria. Clinical Microbiology and Infection, 2009, 15, 255-256. | 6.0 | 20 |
| 459 | Spotted fever group rickettsioses documented in Morocco. Clinical Microbiology and Infection, 2009, 15, 257-258. | 6.0 | 9 |
| 460 | First description of Rickettsia monacensis in Ixodes ricinus in Algeria. Clinical Microbiology and Infection, 2009, 15, 261-262. | 6.0 | 22 |
| 461 | Transovarial and trans-stadial transmission of Rickettsiae africae in Amblyomma variegatum ticks. Clinical Microbiology and Infection, 2009, 15, 317-318. | 6.0 | 64 |
| 462 | Incidence of Hajj-associated febrile cough episodes among French pilgrims: a prospective cohort study on the influence of statin use and risk factors. Clinical Microbiology and Infection, 2009, 15, 335-340. | 6.0 | 38 |
| 463 | ChikungunyaÂ: leÃ§ons dâ€™une Ã©pidÃ©mie et risques en mÃ©diterranÃ©e. Revue De Medecine Interne, 2009, 30, S29-S31. | 1.0 | 0 |
| 464 | Hajj Pilgrimsâ€™ Knowledge about Acute Respiratory Infections. Emerging Infectious Diseases, 2009, 15, 1861-1862. | 4.3 | 32 |
| 465 | Mediterranean spotted fever in Algeria â€" new trends. International Journal of Infectious Diseases, 2009, 13, 227-235. | 3.3 | 47 |
| 466 | The relationship between spotted fever groupRickettsiaeand Ixodid ticks. Veterinary Research, 2009, 40, 34. | 3.0 | 141 |
| 467 | Molecular identification of Borrelia crocidurae in a patient returning from Senegal. BMJ Case Reports, 2009, 2009, bcr0620080298-bcr0620080298. | 0.5 | 11 |
| 468 | Mycobacterium marinum infection. BMJ Case Reports, 2009, 2009, bcr1220081311-bcr1220081311. | 0.5 | 1 |

| # | Article | IF | Citations |
|---|---|---|---|
| 469 | Invitation to become part of the European Travel Medicine Inventory. Eurosurveillance, 2009, 14, . | 7.0 | 3 |
| 470 | Imported human African trypanosomiasis in Europe, 2005-2009. Eurosurveillance, 2009, 14, . | 7.0 | 29 |
| 471 | Molecular detection of spotted fever group rickettsiae in ticks from Ethiopia and Chad. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 945-949. | 1.8 | 42 |
| 472 | Rabies Postexposure Prophylaxis in Returned Injured Travelers From France, Australia, and New Zealand: A Retrospective Study. Journal of Travel Medicine, 2008, 15, 25-30. | 3.0 | 49 |
| 473 | Detection of new genotypes of Orientia tsutsugamushi infecting humans in Thailand. Clinical Microbiology and Infection, 2008, 14, 168-173. | 6.0 | 46 |
| 474 | First direct detection of rickettsial pathogens and a new rickettsia, 'Candidatus Rickettsia barbariae', in ticks from Sardinia, Italy. Clinical Microbiology and Infection, 2008, 14, 1028-1033. | 6.0 | 64 |
| 475 | Tick-borne Diseases: Tick-borne Spotted Fever Rickettsioses in Africa. Infectious Disease Clinics of North America, 2008, 22, 531-544. | 5.1 | 36 |
| 476 | Rocky Mountain spotted fever in the USA: a benign disease or a common diagnostic error?. Lancet Infectious Diseases, The, 2008, 8, 587-589. | 9.1 | 44 |
| 477 | Chikungunya: A Paradigm of Emergence and Globalization of Vector-Borne Diseases. Medical Clinics of North America, 2008, 92, 1323-1343. | 2.5 | 121 |
| 478 | First report ofRickettsia monacensisandRickettsia helveticafrom Tunisia. Annals of Tropical Medicine and Parasitology, 2008, 102, 561-564. | 1.6 | 23 |
| 479 | Fever and eosinophilia in a returned traveller. Postgraduate Medical Journal, 2008, 84, 613-614. | 1.8 | 3 |
| 480 | First Detection of <I>Wolbachia</I> spp., Including a New Genotype, in Sand Flies Collected in Marseille, France. Journal of Medical Entomology, 2008, 45, 466-469. | 1.8 | 9 |
| 481 | Spotted Fever Group Rickettsiae in Ticks, Morocco. Emerging Infectious Diseases, 2008, 14, 1067-1073. | 4.3 | 71 |
| 482 | Genotyping ofOrientia tsutsugamushifrom Humans with Scrub Typhus, Laos. Emerging Infectious Diseases, 2008, 14, 1483-1485. | 4.3 | 34 |
| 483 | Rickettsia aeschlimanniiInfection, Algeria. Emerging Infectious Diseases, 2008, 14, 1814-1815. | 4.3 | 30 |
| 484 | Rabies Postexposure Prophylaxis, Marseille, France, 1994â€“2005. Emerging Infectious Diseases, 2008, 14, 1452-1454. | 4.3 | 7 |
| 485 | Warmer Weather Linked to Tick Attack and Emergence of Severe Rickettsioses. PLoS Neglected Tropical Diseases, 2008, 2, e338. | 3.0 | 228 |
| 486 | Murine Typhus, Algeria. Emerging Infectious Diseases, 2008, 14, 676-678. | 4.3 | 15 |

| # | Article | IF | Citations |
|---|---|---|---|
| 487 | A tick-borne rickettsia of the spotted-fever group, similar toRickettsia amblyommii, in French Guyana. Annals of Tropical Medicine and Parasitology, 2007, 101, 185-188. | 1.6 | 32 |
| 488 | Chikungunya Infection. Medicine (United States), 2007, 86, 123-137. | 1.0 | 250 |
| 489 | Tenosynovitis and Vascular Disorders Associated with Chikungunya Virus-Related Rheumatism. Clinical Infectious Diseases, 2007, 45, 801-802. | 5.8 | 34 |
| 490 | Animal-associated injuries and related diseases among returned travellers: A review of the GeoSentinel Surveillance Network. Vaccine, 2007, 25, 2656-2663. | 3.8 | 95 |
| 491 | Influence of oxygen on asexual blood cycle and susceptibility of Plasmodium falciparum to chloroquine: requirement of a standardized in vitro assay. Malaria Journal, 2007, 6, 44. | 2.3 | 33 |
| 492 | Cutaneous leishmaniasis treatment. Travel Medicine and Infectious Disease, 2007, 5, 150-158. | 3.0 | 187 |
| 493 | Mefloquine versus 3-day oral quinineâ€“clindamycin in uncomplicated imported falciparum malaria. Travel Medicine and Infectious Disease, 2007, 5, 306-309. | 3.0 | 4 |
| 494 | Are There House-Dust Mites on Moldy Wall Surfaces?. Journal of Allergy and Clinical Immunology, 2007, 119, S187. | 2.9 | 0 |
| 495 | Possible Autochthonous Malaria from Marseille to Minneapolis. Emerging Infectious Diseases, 2007, 13, 1236-1238. | 4.3 | 36 |
| 496 | Identification of Rickettsiae, Uganda and Djibouti. Emerging Infectious Diseases, 2007, 13, 1508-1509. | 4.3 | 23 |
| 497 | Cocirculation of 2 Genotypes of Toscana Virus, Southeastern France. Emerging Infectious Diseases, 2007, 13, 465-468. | 4.3 | 81 |
| 498 | Rickettsia. Revue Francophone Des Laboratoires, 2007, 2007, 23-32. | 0.0 | 0 |
| 499 | Pilgrims From Marseille, France, to Mecca: Demographics and Vaccination Status. Journal of Travel Medicine, 2007, 14, 132-133. | 3.0 | 24 |
| 500 | Rabies Preexposure Vaccination in Travelers. Journal of Travel Medicine, 2007, 14, 136.1-136. | 3.0 | 3 |
| 501 | Spotted fever rickettsioses in southern and eastern Europe. FEMS Immunology and Medical Microbiology, 2007, 49, 2-12. | 2.7 | 141 |
| 502 | Detection of "Rickettsia sp. strain Uilenbergi" and "Rickettsia sp. strain Davousti" in Amblyomma tholloni ticks from elephants in Africa. BMC Microbiology, 2007, 7, 74. | 3.3 | 22 |
| 503 | Arthropods and Rickettsiae. Infectious Disease and Therapy, 2007, , 27-36. | 0.0 | 4 |
| 504 | Other Tick-Borne Rickettsioses. Infectious Disease and Therapy, 2007, , 139-162. | 0.0 | 9 |

| # | Article | IF | Citations |
|---|---|---|---|
| 505 | Other Rickettsiae of Possible or Undetermined Pathogenicity. Infectious Disease and Therapy, 2007, , 163-178. | 0.0 | 14 |
| 506 | Antimalarial Drug Susceptibility and Point Mutations Associated with Drug Resistance in 248 Plasmodium falciparum Isolates Imported from Comoros to Marseille, France in 2004â€“2006. American Journal of Tropical Medicine and Hygiene, 2007, 77, 431-437. | 1.4 | 40 |
| 507 | Antimalarial drug susceptibility and point mutations associated with drug resistance in 248 Plasmodium falciparum isolates imported from Comoros to Marseille, France in 2004 2006. American Journal of Tropical Medicine and Hygiene, 2007, 77, 431-7. | 1.4 | 31 |
| 508 | Threats to international travellers posed by tick-borne diseases. Travel Medicine and Infectious Disease, 2006, 4, 4-13. | 3.0 | 48 |
| 509 | Fever in travelers returning from tropical areas: prospective observational study of 613 cases hospitalised in Marseilles, France, 1999â€“2003. Travel Medicine and Infectious Disease, 2006, 4, 61-70. | 3.0 | 66 |
| 510 | Tropical rickettsioses. Clinics in Dermatology, 2006, 24, 191-200. | 1.6 | 77 |
| 511 | Rickettsial Infections and Fever, Vientiane, Laos. Emerging Infectious Diseases, 2006, 12, 256-262. | 4.3 | 197 |
| 512 | Novel Chikungunya Virus Variant in Travelers Returning from Indian Ocean Islands. Emerging Infectious Diseases, 2006, 12, 1493-1499. | 4.3 | 295 |
| 513 | Epidemiology of relapsing fever borreliosis in Europe. FEMS Immunology and Medical Microbiology, 2006, 48, 11-15. | 2.7 | 82 |
| 514 | Rickettsioses in Sub-Saharan Africa. Annals of the New York Academy of Sciences, 2006, 1078, 42-47. | 3.8 | 37 |
| 515 | Expression of rOmpA and rOmpB Protein in Rickettsia massiliae during the Rhipicephalus turanicus Life Cycle. Annals of the New York Academy of Sciences, 2006, 1078, 352-356. | 3.8 | 9 |
| 516 | First Molecular Detection of R. conorii, R. aeschlimannii, and R. massiliae in Ticks from Algeria. Annals of the New York Academy of Sciences, 2006, 1078, 368-372. | 3.8 | 63 |
| 517 | <I>Bartonella quintana</I>, Lice, and Molecular Tools. Journal of Medical Entomology, 2006, 43, 787-787. | 1.8 | 4 |
| 518 | Toscana Virus RNA inSergentomyia minutaFlies. Emerging Infectious Diseases, 2006, 12, 1299-1300. | 4.3 | 70 |
| 519 | FIRST MOLECULAR DETECTION OF RICKETTSIA FELIS IN FLEAS FROM ALGERIA. American Journal of Tropical Medicine and Hygiene, 2006, 74, 532-535. | 1.4 | 72 |
| 520 | GENETIC DIVERSITY AND STRUCTURE OF AFRICAN PLASMODIUM FALCIPARUM POPULATIONS IN URBAN AND RURAL AREAS. American Journal of Tropical Medicine and Hygiene, 2006, 74, 953-959. | 1.4 | 109 |
| 521 | First molecular detection of Rickettsia felis in fleas from Algeria. American Journal of Tropical Medicine and Hygiene, 2006, 74, 532-5. | 1.4 | 29 |
| 522 | Genetic diversity and structure of African Plasmodium falciparum populations in urban and rural areas. American Journal of Tropical Medicine and Hygiene, 2006, 74, 953-9. | 1.4 | 81 |

| # | Article | IF | Citations |
|---|---|---|---|
| 523 | Transmission of Rickettsia massiliae in the tick, Rhipicephalus turanicus. Medical and Veterinary Entomology, 2005, 19, 263-270. | 1.5 | 101 |
| 524 | Acute cytomegalovirus infection complicated by venous thrombosis: a case report. Annals of Clinical Microbiology and Antimicrobials, 2005, 4, 11. | 3.8 | 18 |
| 525 | Imported malaria in pregnancy: a retrospective study of 18 cases in Marseilles, France. Annals of Tropical Medicine and Parasitology, 2005, 99, 715-718. | 1.6 | 12 |
| 526 | Experimental Infection Models of Ticks of theRhipicephalus sanguineusGroup withRickettsia conorii. Vector-Borne and Zoonotic Diseases, 2005, 5, 363-372. | 1.5 | 43 |
| 527 | Tick-Borne Rickettsioses around the World: Emerging Diseases Challenging Old Concepts. Clinical Microbiology Reviews, 2005, 18, 719-756. | 13.6 | 920 |
| 528 | Transcriptional response of Rickettsia conorii exposed to temperature variation and stress starvation. Research in Microbiology, 2005, 156, 211-218. | 2.1 | 46 |
| 529 | Tick- and flea-borne rickettsial emerging zoonoses. Veterinary Research, 2005, 36, 469-492. | 3.0 | 248 |
| 530 | Eosinophilic Pleural Effusion in Gnathostomiasis. Emerging Infectious Diseases, 2004, 10, 1690-1691. | 4.3 | 12 |
| 531 | A Homeless Man with Maculopapular Rash Who Died in Marseille, France. Clinical Infectious Diseases, 2004, 38, 1412-1412. | 5.8 | 8 |
| 532 | Schistosomiasis as an unusual cause of appendicitis. Clinical Microbiology and Infection, 2004, 10, 89-91. | 6.0 | 22 |
| 533 | Guidelines for the diagnosis of tick-borne bacterial diseases in Europe. Clinical Microbiology and Infection, 2004, 10, 1108-1132. | 6.0 | 328 |
| 534 | Tick-borne rickettsial diseases: emerging risks in Europe. Comparative Immunology, Microbiology and Infectious Diseases, 2004, 27, 297-304. | 1.6 | 88 |
| 535 | Hypertriglyceridemia as an indicator of the severity of falciparum malaria in returned travelers: a clinical retrospective study. Parasitology Research, 2004, 92, 464-466. | 1.6 | 17 |
| 536 | Hydatidosis of the pelvis: a case report with a 25-year follow-up. Archives of Orthopaedic and Trauma Surgery, 2004, 124, 203-205. | 2.4 | 14 |
| 537 | Rickettsia aeschlimannii in Hyalomma ticks from Corsica. European Journal of Clinical Microbiology and Infectious Diseases, 2004, 23, 732-4. | 2.9 | 59 |
| 538 | Sandfly fever due to Toscana virus: an emerging infection in southern France. European Journal of Internal Medicine, 2004, 15, 316-317. | 2.2 | 57 |
| 539 | Schistosomal appendicitis. Lancet Infectious Diseases, The, 2004, 4, 498. | 9.1 | 10 |
| 540 | Marseilles: a Surveillance Site for Malaria from the Comoros Islands. Journal of Travel Medicine, 2004, 11, 184-186. | 3.0 | 13 |

| # | Article | IF | Citations |
|---|---|---|---|
| 541 | A study of'febrile illnesses on the Thai-Myanmar border: predictive factors of rickettsioses. Southeast Asian Journal of Tropical Medicine and Public Health, 2004, 35, 657-63. | 1.0 | 10 |
| 542 | Chlamydia pneumoniae, but not Bartonella quintana, is associated with coronary heart disease: results of a French case-control study. Clinical Microbiology and Infection, 2003, 9, 315-318. | 6.0 | 6 |
| 543 | Identification of Rickettsia spp. and Bartonella spp. in Fleas from the Thaiâ€Myanmar Border. Annals of the New York Academy of Sciences, 2003, 990, 173-181. | 3.8 | 120 |
| 544 | Genetic Diversity of Bacterial Agents Detected in Ticks Removed from Asymptomatic Patients in Northeastern Italy. Annals of the New York Academy of Sciences, 2003, 990, 182-190. | 3.8 | 69 |
| 545 | Prevalence of Rickettsia spp. in Dermacentor marginatus Ticks Removed from Game Pigs (Sus scrofa) in Southern France. Annals of the New York Academy of Sciences, 2003, 990, 191-195. | 3.8 | 25 |
| 546 | Detection of Ehrlichia spp., Anaplasma spp., Rickettsia spp., and Other Eubacteria in Ticks from the Thai-Myanmar Border and Vietnam. Journal of Clinical Microbiology, 2003, 41, 1600-1608. | 3.9 | 167 |
| 547 | Three-Day Quinine-Clindamycin Treatment of Uncomplicated Falciparum Malaria Imported from the Tropics. Antimicrobial Agents and Chemotherapy, 2003, 47, 1173-1173. | 3.2 | 13 |
| 548 | Efficacy of chloroquine in the treatment of uncomplicated,Plasmodium falciparummalaria in Niamey, Niger, in 2001. Annals of Tropical Medicine and Parasitology, 2003, 97, 83-86. | 1.6 | 8 |
| 549 | First detection ofRickettsia africaeon Martinique, in the French West Indies. Annals of Tropical Medicine and Parasitology, 2003, 97, 535-537. | 1.6 | 17 |
| 550 | Scrub typhus and tropical rickettsioses. Current Opinion in Infectious Diseases, 2003, 16, 429-436. | 3.1 | 338 |
| 551 | Emerging Rickettsioses of the Thai-Myanmar Border1. Emerging Infectious Diseases, 2003, 9, 592-595. | 4.3 | 151 |
| 552 | Febrile Broca's Aphasia: A Rare Presentation of Typhoid Fever. Journal of Travel Medicine, 2003, 10, 192-193. | 3.0 | 2 |
| 553 | A SURVEY FOR SPOTTED FEVER GROUP RICKETTSIAE AND EHRLICHIAE IN AMBLYOMMA VARIEGATUM FROM ST. KITTS AND NEVIS. American Journal of Tropical Medicine and Hygiene, 2003, 69, 58-59. | 1.4 | 17 |
| 554 | A survey for spotted fever group rickettsiae and ehrlichiae in Amblyomma variegatum from St. Kitts and Nevis. American Journal of Tropical Medicine and Hygiene, 2003, 69, 58-9. | 1.4 | 6 |
| 555 | Quinine in the modern treatment of falciparum malaria. Lancet Infectious Diseases, The, 2002, 2, 206-207. | 9.1 | 2 |
| 556 | Human Infection Caused byLeptospira fainei. Emerging Infectious Diseases, 2002, 8, 865-868. | 4.3 | 29 |
| 557 | Boutonneuse fever in Portugal: 1995â€“2000. Data of a state laboratory. European Journal of Epidemiology, 2002, 18, 275-277. | 5.7 | 24 |
| 558 | Contribution of Nonspecific Laboratory Test to the Diagnosis of Malaria in Febrile Travelers Returning from Endemic Areas: Value of Hypocholesterolemia. Journal of Travel Medicine, 2002, 9, 117-121. | 3.0 | 24 |

| # | Article | IF | Citations |
|---|---|---|---|
| 559 | First molecular evidence of new Bartonella spp. in fleas and a tick from Peru.. American Journal of Tropical Medicine and Hygiene, 2002, 67, 135-136. | 1.4 | 47 |
| 560 | Ticks and Tickborne Bacterial Diseases in Humans: An Emerging Infectious Threat. Clinical Infectious Diseases, 2001, 32, 897-928. | 5.8 | 941 |
| 561 | Gnathostomiasis. Lancet, The, 2001, 357, 1011. | 13.7 | 6 |
| 562 | Gnathostomiasis. Lancet, The, 2001, 358, 332. | 13.7 | 5 |
| 563 | First Documentation ofRickettsia conoriiInfection (Strain Indian Tick Typhus) in a Traveler. Emerging Infectious Diseases, 2001, 7, 909-910. | 4.3 | 41 |
| 564 | Detection and Identification of Spotted Fever Group Rickettsiae and Ehrlichiae in African Ticks. Emerging Infectious Diseases, 2001, 7, 1014-1017. | 4.3 | 161 |
| 565 | Detection and Identification of Spotted Fever Group Rickettsiae in Dermacentor Ticks from Russia and Central Kazakhstan. European Journal of Clinical Microbiology and Infectious Diseases, 2001, 20, 903-905. | 2.9 | 44 |
| 566 | Molecular survey of Ehrlichia infection in ticks from animals in Yamaguchi Prefecture, Japan. Veterinary Parasitology, 2001, 99, 335-339. | 1.8 | 34 |
| 567 | Tick-borne bacterial diseases emerging in Europe. Clinical Microbiology and Infection, 2001, 7, 80-83. | 6.0 | 214 |
| 568 | Clinical and Microbiological Efficacy of Adjunctive Salvage Therapy with Inhaled Aminoglycosides in a Patient with Refractory Cavitary Pulmonary Tuberculosis. Clinical Infectious Diseases, 2001, 33, 1439-1439. | 5.8 | 11 |
| 569 | Controlled Trial of 3-Day Quinine-Clindamycin Treatment versus 7-Day Quinine Treatment for Adult Travelers with Uncomplicated Falciparum Malaria Imported from the Tropics. Antimicrobial Agents and Chemotherapy, 2001, 45, 932-935. | 3.2 | 40 |
| 570 | Detection of ehrlichiae in African ticks by polymerase chain reaction. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2000, 94, 707-708. | 1.8 | 238 |
| 571 | Acute Q fever in a patient returning from the tropics. Postgraduate Medical Journal, 2000, 76, 113-114. | 1.8 | 6 |
| 572 | Paludisme dâ€™importation: vrai ou faux?. MÃ©decine Et Maladies Infectieuses, 1999, 29, 467-469. | 5.0 | 0 |
| 573 | RÃ©sistance de Plasmodium falciparum Ã l'association prophylactique chloroquine-proguanil au Niger: Ã€ propos d'un cas. MÃ©decine Et Maladies Infectieuses, 1999, 29, 537-538. | 5.0 | 1 |
| 574 | Tick-borne rickettiosis in Guadeloupe, the French West Indies: isolation of Rickettsia africae from Amblyomma variegatum ticks and serosurvey in humans, cattle, and goats.. American Journal of Tropical Medicine and Hygiene, 1999, 60, 888-893. | 1.4 | 62 |
| 575 | Prevalence of antibodies to Rickettsia conorii Ricketsia africae, Rickettsia typhi and Coxiella burnetii in Mauritania. European Journal of Epidemiology, 1998, 14, 817-818. | 5.7 | 21 |
| 576 | A new case ofStreptococcus equisimilis septic arthritis. Clinical Rheumatology, 1998, 17, 71-72. | 2.2 | 5 |

| # | Article | IF | Citations |
|---|---|---|---|
| 577 | Ehrlichial DNA Amplified from Ixodes ricinus (Acari: Ixodidae) in France. Journal of Medical Entomology, 1998, 35, 180-183. | 1.8 | 63 |
| 578 | Tick-Borne Infection Caused byRickettsia africaein the West Indies. New England Journal of Medicine, 1998, 338, 1391-1392. | 27.0 | 42 |
| 579 | Successful Treatment of Kaposi's Sarcoma with a Combination of Antiviral Drug Therapy and Chemotherapy: Two Case Reports. Clinical Infectious Diseases, 1998, 27, 1558-1558. | 5.8 | 9 |
| 580 | Murine Typhus in Travelers Returning from Indonesia. Emerging Infectious Diseases, 1998, 4, 677-680. | 4.3 | 46 |
| 581 | First Isolation of Rickettsia helvetica from Ixodes ricinus Ticks in France. European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 95-100. | 2.9 | 53 |
| 582 | Symptomatic leiomyoma of the adrenal gland in a woman with AIDS. Aids, 1996, 10, 340. | 2.2 | 12 |
| 583 | Efficacy and tolerance of amphotericin B in a lipid emulsion in the treatment of visceral leishmaniasis in AIDS patients. Journal of Antimicrobial Chemotherapy, 1996, 38, 154-157. | 3.0 | 12 |
| 584 | Rickettsial infections. , 0, , 322-329. | | 0 |
| 585 | Insects and the Transmission of Bacterial Agents. , 0, , 195-202. | | 2 |
| 586 | Outcomes of 2111 COVID-19 Hospitalized Patients Treated with Hydroxychloroquine/Azithromycin and Other Regimens in Marseille, France, 2020: A Monocentric Retrospective Analysis. Therapeutics and Clinical Risk Management, 0, Volume 18, 603-617. | 2.0 | 5 |