
## Vincenzo De Feo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2907586/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Two representatives of lamiaceae essential oils and their main components cause changes in glutathione related enzymatic activities. Natural Product Research, 2022, 36, 680-686.	1.8	1
2	Emetine, a potent alkaloid for the treatment of SARS-CoV-2 targeting papain-like protease and non-structural proteins: pharmacokinetics, molecular docking and dynamic studies. Journal of Biomolecular Structure and Dynamics, 2022, 40, 10122-10135.	3.5	16
3	Natural products can be used in therapeutic management of COVID-19: Probable mechanistic insights. Biomedicine and Pharmacotherapy, 2022, 147, 112658.	5.6	50
4	Phytochemical Profiling of Allium subhirsutum L. Aqueous Extract with Antioxidant, Antimicrobial, Antibiofilm, and Anti-Quorum Sensing Properties: In Vitro and In Silico Studies. Plants, 2022, 11, 495.	3.5	11
5	Chemical Composition, Antibacterial and Anti-Quorum Sensing Activities of Pimenta dioica L. Essential Oil and Its Major Compound (Eugenol) against Foodborne Pathogenic Bacteria. Plants, 2022, 11, 540.	3.5	10
6	Impact of drying methods on the yield and chemistry of Origanum vulgare L. essential oil. Scientific Reports, 2022, 12, 3845.	3.3	17
7	Chemical Composition and Agronomic Traits of Allium sativum and Allium ampeloprasum Leaves and Bulbs and Their Action against Listeria monocytogenes and Other Food Pathogens. Foods, 2022, 11, 995.	4.3	5
8	Postharvest Microwave Drying of Basil (Ocimum basilicum L.): The Influence of Treatments on the Quality of Dried Products. Foods, 2022, 11, 1029.	4.3	1
9	Exploring the Therapeutic Potential of Phytochemicals in Alzheimer's Disease: Focus on Polyphenols and Monoterpenes. Frontiers in Pharmacology, 2022, 13, .	3.5	18
10	Chemical Composition of Essential Oils of Bulbs and Aerial Parts of Two Cultivars of Allium sativum and Their Antibiofilm Activity against Food and Nosocomial Pathogens. Antibiotics, 2022, 11, 724.	3.7	6
11	Chemical composition, antibiofilm, cytotoxic, and anti-acetylcholinesterase activities of Myrtus communis L. leaves essential oil. BMC Complementary Medicine and Therapies, 2022, 22, .	2.7	15
12	Probiotics: Evolving as a Potential Therapeutic Option against Acetaminophen-Induced Hepatotoxicity. Biomedicines, 2022, 10, 1498.	3.2	7
13	Lavender and coriander essential oils and their main component linalool exert a protective effect against amyloidâ€Î² neurotoxicity. Phytotherapy Research, 2021, 35, 486-493.	5.8	32
14	Myricitrin, a Glycosyloxyflavone in Myrica esculenta Bark Ameliorates Diabetic Nephropathy via Improving Glycemic Status, Reducing Oxidative Stress, and Suppressing Inflammation. Molecules, 2021, 26, 258.	3.8	22
15	Basil Essential Oil: Composition, Antimicrobial Properties, and Microencapsulation to Produce Active Chitosan Films for Food Packaging. Foods, 2021, 10, 121.	4.3	73
16	Anti-Biofilm Properties Exhibited by Different Types of Monofloral Honey. Proceedings (mdpi), 2021, 66,	0.2	2
17	Antibiofilm Properties Exhibited by the Prickly Pear (Opuntia ficus-indica) Seed Oil. Proceedings (mdpi), 2021, 66, .	0.2	4
18	Phytochemistry, Bioactivities, Pharmacokinetics and Toxicity Prediction of Selaginella repanda with Its Anticancer Potential against Human Lung, Breast and Colorectal Carcinoma Cell Lines. Molecules, 2021, 26, 768.	3.8	24


#	Article	IF	CITATIONS
19	Mentha pulegium L.: A Plant Underestimated for Its Toxicity to Be Recovered from the Perspective of the Circular Economy. Molecules, 2021, 26, 2154.	3.8	12
20	The Emerging Role of HDACs: Pathology and Therapeutic Targets in Diabetes Mellitus. Cells, 2021, 10, 1340.	4.1	23
21	The Antioxidant Activity of Limonene Counteracts Neurotoxicity Triggered byAβ1-42 Oligomers in Primary Cortical Neurons. Antioxidants, 2021, 10, 937.	5.1	29
22	Polyphenols Content and In Vitro α-Glycosidase Activity of Different Italian Monofloral Honeys, and Their Effect on Selected Pathogenic and Probiotic Bacteria. Microorganisms, 2021, 9, 1694.	3.6	14
23	CD200 Baseline Serum Levels Predict Prognosis of Chronic Lymphocytic Leukemia. Cancers, 2021, 13, 4239.	3.7	1
24	Variations in composition and bioactivity of Ocimum basilicum cv â€~Aroma 2' essential oils. Industrial Crops and Products, 2021, 172, 114068.	5.2	8
25	Study of Bio-Pharmaceutical and Antimicrobial Properties of Pomegranate (Punica granatum L.) Leathery Exocarp Extract. Plants, 2021, 10, 153.	3.5	30
26	The Potential Role of Cytokines and Growth Factors in the Pathogenesis of Alzheimer's Disease. Cells, 2021, 10, 2790.	4.1	33
27	Eucalyptus gunnii and Eucalyptus pulverulenta â€~Baby Blue' Essential Oils as Potential Natural Herbicides. Molecules, 2021, 26, 6749.	3.8	14
28	Fatty Acid Composition, Antioxidant, and in vitro Anti-inflammatory Activity of Five Cold-Pressed Prunus Seed Oils, and Their Anti-biofilm Effect Against Pathogenic Bacteria. Frontiers in Nutrition, 2021, 8, 775751.	3.7	28
29	Counting on COVID-19 Vaccine: Insights into the Current Strategies, Progress and Future Challenges. Biomedicines, 2021, 9, 1740.	3.2	16
30	Cucumis sativus L. Seeds Ameliorate Muscular Spasm-Induced Gastrointestinal and Respiratory Disorders by Simultaneously Inhibiting Calcium Mediated Signaling Pathway. Pharmaceuticals, 2021, 14, 1197.	3.8	14
31	Influence of six essential oils on invasive Solidago canadensis L. seed germination. Natural Product Research, 2020, 34, 3231-3233.	1.8	13
32	Allium subhirsutum L. as a Potential Source of Antioxidant and Anticancer Bioactive Molecules: HR-LCMS Phytochemical Profiling, In Vitro and In Vivo Pharmacological Study. Antioxidants, 2020, 9, 1003.	5.1	32
33	Sage Species Case Study on a Spontaneous Mediterranean Plant to Control Phytopathogenic Fungi and Bacteria. Forests, 2020, 11, 704.	2.1	13
34	Essential oils from Mediterranean aromatic plants. , 2020, , 555-564.		2
35	CD200 and Chronic Lymphocytic Leukemia: Biological and Clinical Relevance. Frontiers in Oncology, 2020, 10, 584427.	2.8	14
36	Chemical Characterization and Antibiofilm Activities of Bulbs and Leaves of Two Aglione (Allium) Tj ETQq0 0 0 r	gBT /Overl 3.8	ock 10 Tf 50 6 11

5486.

#	Article	IF	CITATIONS
37	Polyphenols, the new frontiers of prebiotics. Advances in Food and Nutrition Research, 2020, 94, 35-89.	3.0	35
38	Phytochemical Screening, Antibacterial, Antifungal, Antiviral, Cytotoxic, and Anti-Quorum-Sensing Properties of Teucrium polium L. Aerial Parts Methanolic Extract. Plants, 2020, 9, 1418.	3.5	28
39	HR-LCMS-Based Metabolite Profiling, Antioxidant, and Anticancer Properties of Teucrium polium L. Methanolic Extract: Computational and In Vitro Study. Antioxidants, 2020, 9, 1089.	5.1	36
40	Effect of Adiantum philippense Extract on Biofilm Formation, Adhesion With Its Antibacterial Activities Against Foodborne Pathogens, and Characterization of Bioactive Metabolites: An in vitro-in silico Approach. Frontiers in Microbiology, 2020, 11, 823.	3.5	71
41	Chemical Composition and Biological Activities of the Essential Oils of Leptospermum petersonii and Eucalyptus gunnii. Frontiers in Microbiology, 2020, 11, 409.	3.5	27
42	Phenotypic and Genotypic Characterization with MALDI-TOF-MS Based Identification of Staphylococcus spp. Isolated from Mobile Phones with their Antibiotic Susceptibility, Biofilm Formation, and Adhesion Properties. International Journal of Environmental Research and Public Health, 2020, 17, 3761.	2.6	14
43	Plant-Based Antidiabetic Nanoformulations: The Emerging Paradigm for Effective Therapy. International Journal of Molecular Sciences, 2020, 21, 2217.	4.1	77
44	Thymol Chemotype Origanum vulgare L. Essential Oil as a Potential Selective Bio-Based Herbicide on Monocot Plant Species. Molecules, 2020, 25, 595.	3.8	58
45	Chemical Composition and Biological Activities of Essential Oils from Peels of Three Citrus Species. Molecules, 2020, 25, 1890.	3.8	30
46	Effect of thermally treated barley dietary fiber against hypercholesterolemia. Food Science and Nutrition, 2020, 8, 5259-5266.	3.4	3
47	Editorial: Mechanisms of Traditional Medicinal Plants Used to Control Type 2 Diabetes or Metabolic Syndrome. Frontiers in Pharmacology, 2020, 11, 617018.	3.5	3
48	Biological investigations of essential oils extracted from three <i>Juniperus</i> species and evaluation of their antimicrobial, antioxidant and cytotoxic activities. Journal of Applied Microbiology, 2020, 129, 1261-1271.	3.1	39
49	Depigmenting potential of lichen extracts evaluated by in vitro and in vivo tests. PeerJ, 2020, 8, e9150.	2.0	7
50	Characterization and Phytotoxicity Assessment of Essential Oils from Plant Byproducts. Molecules, 2019, 24, 2941.	3.8	24
51	Antimicrobial and Phytotoxic Activity of Origanum heracleoticum and O. majorana Essential Oils Growing in Cilento (Southern Italy). Molecules, 2019, 24, 2576.	3.8	62
52	Bacillus mojavensis: biofilm formation and biochemical investigation of its bioactive metabolites. Journal of Biological Research (Italy), 2019, 92, .	0.1	32
53	Biochemical composition and antioxidant activity of three extra virgin olive oils from the Irpinia Province, Southern Italy. Food Science and Nutrition, 2019, 7, 3233-3243.	3.4	9
54	Ethnobotanical research in Cava de' Tirreni area, Southern Italy. Journal of Ethnobiology and Ethnomedicine, 2019, 15, 50.	2.6	21

#	Article	IF	CITATIONS
55	Antibacterial Activity of Three Extra Virgin Olive Oils of the Campania Region, Southern Italy, Related to Their Polyphenol Content and Composition. Microorganisms, 2019, 7, 321.	3.6	38
56	Effect of Polyphenols on Microbial Cell-Cell Communications. , 2019, , 195-223.		10
57	Rosmarinic Acid Attenuates Cadmium-Induced Nephrotoxicity via Inhibition of Oxidative Stress, Apoptosis, Inflammation and Fibrosis. International Journal of Molecular Sciences, 2019, 20, 2027.	4.1	86
58	Antimicrobial Activity and Chemical Composition of Essential Oil Extracted from Solidago canadensis L. Growing Wild in Slovakia. Molecules, 2019, 24, 1206.	3.8	53
59	Ethnobotanical Study of Medicinal Plants Used in Central Macedonia, Greece. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-22.	1.2	44
60	Wheat phenolics suppress doxorubicin-induced cardiotoxicity via inhibition of oxidative stress, MAP kinase activation, NF-IºB pathway, PI3K/Akt/mTOR impairment, and cardiac apoptosis. Food and Chemical Toxicology, 2019, 125, 503-519.	3.6	77
61	Chemical Composition and Antimicrobial Activity of Artemisia herba-alba and Origanum majorana Essential Oils from Morocco. Molecules, 2019, 24, 4021.	3.8	52
62	Carnosic Acid Attenuates Cadmium Induced Nephrotoxicity by Inhibiting Oxidative Stress, Promoting Nrf2/HO-1 Signalling and Impairing TGF-β1/Smad/Collagen IV Signalling. Molecules, 2019, 24, 4176.	3.8	33
63	Polyphenols, Antioxidant, Antibacterial, and Biofilm Inhibitory Activities of Peel and Pulp of Citrus medica L., Citrus bergamia, and Citrus medica cv. Salò Cultivated in Southern Italy. Molecules, 2019, 24, 4577.	3.8	33
64	Anti-quorum Sensing and Antimicrobial Effect of Mediterranean Plant Essential Oils Against Phytopathogenic Bacteria. Frontiers in Microbiology, 2019, 10, 2619.	3.5	57
65	Oxidative stress in chronic lymphocytic leukemia: still a matter of debate. Leukemia and Lymphoma, 2019, 60, 867-875.	1.3	11
66	Influence of environmental factors on content and composition of essential oil from common juniper ripe berry cones ( <i>Juniperus communis</i> L.). Plant Biosystems, 2018, 152, 1227-1235.	1.6	18
67	Chemical composition and antimicrobial activity of chia (Salvia hispanica L.) essential oil. European Food Research and Technology, 2018, 244, 1675-1682.	3.3	47
68	Mentha ׆piperita L. nodal segments cultures and their essential oil production. Industrial Crops and Products, 2018, 112, 550-555.	5.2	9
69	Down regulation of pro-inflammatory pathways by tanshinone IIA and cryptotanshinone in a non-genetic mouse model of Alzheimer's disease. Pharmacological Research, 2018, 129, 482-490.	7.1	95
70	Chemical Composition and Phytotoxic Activity of Rosmarinus officinalis Essential Oil. Natural Product Communications, 2018, 13, 1934578X1801301.	0.5	4
71	Chemical and Biological Evaluation of Essential Oils from Cardamom Species. Molecules, 2018, 23, 2818.	3.8	63
72	Lavandula angustifolia Essential Oil and Linalool Counteract Social Aversion Induced by Social Defeat. Molecules, 2018, 23, 2694.	3.8	34

#	Article	IF	CITATIONS
73	Chromobacterium violaceum and Pseudomonas aeruginosa PAO1: Models for Evaluating Anti-Quorum Sensing Activity of Melaleuca alternifolia Essential Oil and Its Main Component Terpinen-4-ol. Molecules, 2018, 23, 2672.	3.8	48
74	Antioxidant properties and anti-quorum sensing potential of Carum copticum essential oil and phenolics against Chromobacterium violaceum. Journal of Food Science and Technology, 2018, 55, 2824-2832.	2.8	47
75	Carnosic Acid, a Natural Diterpene, Attenuates Arsenic-Induced Hepatotoxicity via Reducing Oxidative Stress, MAPK Activation, and Apoptotic Cell Death Pathway. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-24.	4.0	33
76	Tanshinones from Salvia miltiorrhiza Bunge revert chemotherapy-induced neuropathic pain and reduce glioblastoma cells malignancy. Biomedicine and Pharmacotherapy, 2018, 105, 1042-1049.	5.6	43
77	Effect of citral and citral related compounds on viability of pancreatic and human B-lymphoma cell lines. Medicinal Chemistry Research, 2017, 26, 631-639.	2.4	17
78	Adverse drug reactions after intravenous rituximab infusion are more common in hematologic malignancies than in autoimmune disorders and can be predicted by the combination of few clinical and laboratory parameters: results from a retrospective, multicenter study of 374 patients. Leukemia and Lymphoma, 2017, 58, 2633-2641.	1.3	19
79	Biomass production and essential oil in a new bred cultivar of peppermint (Mentha×piperita L.). Industrial Crops and Products, 2017, 109, 812-817.	5.2	14
80	Protocatechuic Acid, a Phenolic from Sansevieria roxburghiana Leaves, Suppresses Diabetic Cardiomyopathy via Stimulating Glucose Metabolism, Ameliorating Oxidative Stress, and Inhibiting Inflammation. Frontiers in Pharmacology, 2017, 8, 251.	3.5	73
81	Cytotoxic Activity of Origanum Vulgare L. on Hepatocellular Carcinoma cell Line HepG2 and Evaluation of its Biological Activity. Molecules, 2017, 22, 1435.	3.8	91
82	Natural Products as Alternative Choices for P-Glycoprotein (P-gp) Inhibition. Molecules, 2017, 22, 871.	3.8	124
83	Laurus nobilis: Composition of Essential Oil and Its Biological Activities. Molecules, 2017, 22, 930.	3.8	104
84	Essential Oils and Antifungal Activity. Pharmaceuticals, 2017, 10, 86.	3.8	394
85	Regulatory T Cells and Their Prognostic Relevance in Hematologic Malignancies. Journal of Immunology Research, 2017, 2017, 1-13.	2.2	29
86	Phytotoxic and Antibacterial Activity of Essential Oil of New Peppermint Cultivar. Natural Product Communications, 2016, 11, 1934578X1601101.	0.5	3
87	Circulating Regulatory T-Cells in Monoclonal Gammopathies of Uncertain Significance and Multiple Myeloma: In Search of a Role. Journal of Immunology Research, 2016, 2016, 1-7.	2.2	15
88	Evidence Based Alternative Medicines in Pain Management 2016. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-2.	1.2	0
89	Biological Evaluation and Docking Analysis of Daturaolone as Potential Cyclooxygenase Inhibitor. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-7.	1.2	11
90	Pereskia aculeata Muller (Cactaceae) Leaves: Chemical Composition and Biological Activities. International Journal of Molecular Sciences, 2016, 17, 1478.	4.1	35



#	Article	IF	CITATIONS
109	Phosphodiesterase-1 Inhibitory Activity of Two Flavonoids Isolated from <i>Pistacia integerrima</i> J. L. Stewart Galls. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-6.	1.2	23
110	Abroma augusta L. (Malvaceae) leaf extract attenuates diabetes induced nephropathy and cardiomyopathy via inhibition of oxidative stress and inflammatory response. Journal of Translational Medicine, 2015, 13, 6.	4.4	102
111	Pharmacological justification of use of Solena heterophylla Lour. in gastrointestinal, respiratory and vascular disorders. Journal of Translational Medicine, 2015, 13, 134.	4.4	12
112	Antifungal Activity of Some Constituents of <i>Origanum vulgare</i> L. Essential Oil Against Postharvest Disease of Peach Fruit. Journal of Medicinal Food, 2015, 18, 929-934.	1.5	59
113	First evidence of the analgesic activity of govaniadine, an alkaloid isolated from <i>Corydalis govaniana</i> Wall Natural Product Research, 2015, 29, 430-437.	1.8	31
114	Phenolic content, antimicrobial and antioxidant activities of Hypericum perfoliatum L Industrial Crops and Products, 2015, 74, 342-347.	5.2	25
115	Ameliorative effect of water spinach, Ipomea aquatica (Convolvulaceae), against experimentally induced arsenic toxicity. Journal of Translational Medicine, 2015, 13, 81.	4.4	48
116	Preventive role of green tea catechins from obesity and related disorders especially hypercholesterolemia and hyperglycemia. Journal of Translational Medicine, 2015, 13, 79.	4.4	60
117	Suppression of inflammatory response by chrysin, a flavone isolated from Potentilla evestita Th. Wolf. In silico predictive study on its mechanistic effect. Fìtoterapìâ, 2015, 103, 129-135.	2.2	70
118	Validation of ethnopharmacological uses of Heliotropium strigosum Willd. as spasmolytic, bronchodilator and vasorelaxant remedy. BMC Complementary and Alternative Medicine, 2015, 15, 169.	3.7	7
119	In vivo antifungal activity of two essential oils from Mediterranean plants against postharvest brown rot disease of peach fruit. Industrial Crops and Products, 2015, 66, 11-15.	5.2	101
120	Essential Oils from Mediterranean Aromatic Plants. , 2015, , 649-661.		8
121	Molecular mechanism of tanshinone IIA and cryptotanshinone in platelet anti-aggregating effects: an integrated study of pharmacology and computational analysis. FA¬toterapA¬A¢, 2015, 100, 174-178.	2.2	68
122	Seasonal variability of the main components in essential oil of <i>Mentha × piperita</i> L. Journal of the Science of Food and Agriculture, 2015, 95, 621-627.	3.5	47
123	<i>Nigella sativa</i> Fixed and Essential Oil Supplementation Modulates Hyperglycemia and Allied Complications in Streptozotocin-Induced Diabetes Mellitus. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-8.	1.2	37
124	Rubus Fruticosus L.: Constituents, Biological Activities and Health Related Uses. Molecules, 2014, 19, 10998-11029.	3.8	133
125	A New Urease Inhibitor from Viola betonicifolia. Molecules, 2014, 19, 16770-16778.	3.8	18
126	Chemical Composition and Biological Activities of the Essential Oil from Anredera cordifolia Grown in Brazil, Natural Product Communications, 2014, 9, 1934578X1400900	0.5	2

#	Article	IF	CITATIONS
127	Chemical Composition and Biological Activities of the Essential Oils from Two <i>Pereskia</i> Species Grown in Brazil. Natural Product Communications, 2014, 9, 1934578X1400901.	0.5	7
128	Medicinal Plants in the Prevention and Treatment of Chronic Diseases 2013. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-3.	1.2	29
129	Complementary and alternative medicine use in patients with chronic lymphocytic leukemia: an Italian multicentric survey. Leukemia and Lymphoma, 2014, 55, 841-847.	1.3	17
130	Chemical Composition and Biological Activities of Tunisian <i>Cupressus arizonica</i> <scp>Greene</scp> Essential Oils. Chemistry and Biodiversity, 2014, 11, 150-160.	2.1	17
131	Chemical Composition and Biological Activity of the Essential Oil of <i>Origanum vulgare</i> ssp. <i>hirtum</i> from Different Areas in the Southern Apennines (Italy). Chemistry and Biodiversity, 2014, 11, 639-651.	2.1	77
132	Effect of Nigella sativa fixed and essential oils on antioxidant status, hepatic enzymes, and immunity in streptozotocin induced diabetes mellitus. BMC Complementary and Alternative Medicine, 2014, 14, 193.	3.7	28
133	In-vitro and in-vivo validation of ethnopharmacological uses of methanol extract of Isodon rugosus Wall. ex Benth. (Lamiaceae). BMC Complementary and Alternative Medicine, 2014, 14, 71.	3.7	36
134	Tanshinone IIA, a major component of Salvia milthorriza Bunge, inhibits platelet activation via Erk-2 signaling pathway. Journal of Ethnopharmacology, 2014, 155, 1236-1242.	4.1	101
135	Bronchodilator, vasodilator and spasmolytic activities of Cymbopogon martinii. Journal of Physiology and Pharmacology, 2014, 65, 859-66.	1.1	9
136	Chemical composition and biological activities of the essential oils from two Pereskia species grown in Brazil. Natural Product Communications, 2014, 9, 1805-8.	0.5	1
137	Medicinal and useful plants in the tradition of Rotonda, Pollino National Park, Southern Italy. Journal of Ethnobiology and Ethnomedicine, 2013, 9, 19.	2.6	36
138	Antiproliferative activity of hexane extract from Tunisian Cistus libanotis, Cistus monspeliensis and Cistus villosus. Chemistry Central Journal, 2013, 7, 47.	2.6	24
139	Antinociceptive activity of cyclopeptide alkaloids isolated from Ziziphus oxyphylla Edgew (Rhamnaceae). FìtoterapA¬Ã¢, 2013, 91, 154-158.	2.2	28
140	Chemical Composition and Biological Activity of the Essential Oil from Leaves of Moringa oleifera Lam. Cultivated in Mozambique. Molecules, 2013, 18, 10989-11000.	3.8	99
141	Biochemical Composition, Antimicrobial Activities,and Anti–Quorum-Sensing Activities of Ethanol and Ethyl Acetate Extracts from Hypericum connatum Lam. (Guttiferae). Journal of Medicinal Food, 2013, 16, 454-459.	1.5	34
142	Traditional plant use in the National Park of Cilento and Vallo di Diano, Campania, Southern, Italy. Journal of Ethnopharmacology, 2013, 145, 328-342.	4.1	72
143	A Methanol Extract of <i>Brugmansia arborea</i> Affects the Reinforcing and Motor Effects of Morphine and Cocaine in Mice. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-7.	1.2	4
144	Effect of Essential Oils on Pathogenic Bacteria. Pharmaceuticals, 2013, 6, 1451-1474.	3.8	1,256

#	Article	IF	CITATIONS
145	Pharmacological Effects of <i>Lactuca serriola</i> L. in Experimental Model of Gastrointestinal, Respiratory, and Vascular Ailments. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-9.	1.2	20
146	Regulatory T-Cell Modulation by Green Tea in Chronic Lymphocytic Leukemia. International Journal of Immunopathology and Pharmacology, 2013, 26, 117-125.	2.1	35
147	Antioxidant Activity of the Extracts of Some Cowpea (Vigna unguiculata (L) Walp.) Cultivars Commonly Consumed in Pakistan. Molecules, 2013, 18, 2005-2017.	3.8	46
148	Phenols, Alkaloids and Terpenes from Medicinal Plants with Antihypertensive and Vasorelaxant Activities. A Review of Natural Products as Leads to Potential Therapeutic Agents. Natural Product Communications, 2013, 8, 1934578X1300800.	0.5	25
149	Chemical Composition and In vitro Cytotoxic Activity of the Essential Oils of Stachys rupestris and Salvia heldreichiana, Two Endemic Plants of Turkey. Natural Product Communications, 2013, 8, 1934578X1300801.	0.5	4
150	Chemical Composition and Biological Activities of the Essential Oil from <i>Artemisia herba-alba</i> Growing Wild in Tunisia. Natural Product Communications, 2013, 8, 1934578X1300800.	0.5	9
151	Grewia asiatica L., a Food Plant with Multiple Uses. Molecules, 2013, 18, 2663-2682.	3.8	49
152	Autoimmune Cytopenias in Chronic Lymphocytic Leukemia. Clinical and Developmental Immunology, 2013, 2013, 1-8.	3.3	12
153	Antioxidant Potential and Oil Composition of <i>Callistemon viminalis</i> Leaves. Scientific World Journal, The, 2013, 2013, 1-8.	2.1	19
154	Chemical Composition and Biological Activities of the Essential Oil from Calamintha nepeta Plants from the Wild in Southern Italy. Natural Product Communications, 2013, 8, 1934578X1300800.	0.5	9
155	Regulatory T-cells in chronic lymphocytic leukemia: actor or innocent bystander?. American Journal of Blood Research, 2013, 3, 52-7.	0.6	17
156	Phenols, alkaloids and terpenes from medicinal plants with antihypertensive and vasorelaxant activities. A review of natural products as leads to potential therapeutic agents. Natural Product Communications, 2013, 8, 539-44.	0.5	21
157	Medicinal Plants in the Prevention and Treatment of Chronic Diseases. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-2.	1.2	21
158	REGULATORY T-CELLS IN CHRONIC LYMPHOCYTIC LEUKEMIA. Mediterranean Journal of Hematology and Infectious Diseases, 2012, 4, e2012053.	1.3	12
159	Effects of <i>Brugmansia arborea</i> Extract and Its Secondary Metabolites on Morphine Tolerance and Dependence in Mice. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-10.	1.2	7
160	In Vitro Phytotoxicity and Antioxidant Activity of Selected Flavonoids. International Journal of Molecular Sciences, 2012, 13, 5406-5419.	4.1	61
161	Phytochemical and Biological Studies of Agave attenuata. International Journal of Molecular Sciences, 2012, 13, 6440-6451.	4.1	55
162	New 14-Membered Cyclopeptide Alkaloids from Zizyphus oxyphylla Edgew. International Journal of Molecular Sciences, 2012, 13, 11520-11529.	4.1	14

#	Article	IF	CITATIONS
163	Pharmacological Evaluation of <i>Prosopis cineraria</i> (L.) Druce in Gastrointestinal, Respiratory, and Vascular Disorders. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-7.	1.2	19
164	Editorial [ Hot Topic: Monoterpenoids in Plant-Plant Interactions (Guest Editor: Prof. Vincenzo De) Tj ETQq0 0 0	rgBT /Over 0.5	lock 10 Tf 50
165	Compositional Study and Antioxidant Potential of Ipomoea hederacea Jacq. and Lepidium sativum L. Seeds. Molecules, 2012, 17, 10306-10321.	3.8	76
166	1-Methoxy-Canthin-6-One and Related β-Carbolines: From Natural Compound to Synthesis and Biological Activities. Studies in Natural Products Chemistry, 2012, , 81-104.	1.8	3
167	In Vitro Control of Post-Harvest Fruit Rot Fungi by Some Plant Essential Oil Components. International Journal of Molecular Sciences, 2012, 13, 2290-2300.	4.1	81
168	Chemical Composition and Biological Activities of the Essential Oils from Three Melaleuca Species Grown in Tunisia. International Journal of Molecular Sciences, 2012, 13, 16580-16591.	4.1	44
169	Ipomea hederacea Jacq.: A Medicinal Herb with Promising Health Benefits. Molecules, 2012, 17, 13132-13145.	3.8	13
170	Diuretic Activity of Lophophytum leandri. Natural Product Communications, 2012, 7, 1934578X1200700.	0.5	2
171	A shorter time to the first treatment may be predicted by the absolute number of regulatory Tâ€cells in patients with Rai stage 0 chronic lymphocytic leukemia. American Journal of Hematology, 2012, 87, 628-631.	4.1	32
172	Castrointestial and respiratory activities of Acacia leucophloea. Journal of Ethnopharmacology, 2011, 138, 676-682.	4.1	20
173	Chemical Composition and Possible <i>in vitro</i> Antigermination Activity of Three <i>Hypericum</i> Essential Oils. Natural Product Communications, 2011, 6, 1934578X1100601.	0.5	2
174	Chemical Composition and Possible in Vitro Phytotoxic Activity of Helichrsyum italicum (Roth) Don ssp. italicum. Molecules, 2011, 16, 7725-7735.	3.8	38
175	Circulating Regulatory T Cells in "Clinical―Monoclonal B-Cell Lymphocytosis. International Journal of Immunopathology and Pharmacology, 2011, 24, 915-923.	2.1	22
176	Editorial [Hot Topic: Oncohematology: From Bench to Bedside (Guest Editor: Vincenzo De Feo)]. Mini-Reviews in Medicinal Chemistry, 2011, 11, 459-460.	2.4	0

177	Regulatory T-cell number is increased in chronic lymphocytic leukemia patients and correlates with progressive disease. Leukemia Research, 2011, 35, 363-368.	0.8	128
178	Targeting Regulatory T Cells for Anticancer Therapy. Mini-Reviews in Medicinal Chemistry, 2011, 11, 480-485.	2.4	7
179	Natural Compounds in Anti-Leukaemic Therapy: A Review. Mini-Reviews in Medicinal Chemistry, 2011, 11, 492-502.	2.4	14

180Synthesis and Cytotoxic Activity of New & amp;#946;-Carboline Derivatives. Mini-Reviews in Medicinal<br/>Chemistry, 2011, 11, 486-491.2.435

#	Article	IF	CITATIONS
181	Compositional Studies: Antioxidant and Antidiabetic Activities of Capparis decidua (Forsk.) Edgew. International Journal of Molecular Sciences, 2011, 12, 8846-8861.	4.1	75
182	Active caspase-3 detection to evaluate apoptosis induced by Verbena officinalis essential oil and citral in chronic lymphocytic leukaemia cells. Revista Brasileira De Farmacognosia, 2011, 21, 869-873.	1.4	12
183	Chemical composition and possible in vitro antigermination activity of three Hypericum essential oils. Natural Product Communications, 2011, 6, 1735-8.	0.5	5
184	Preservation of Chicken Breast Meat Treated with Thyme and Balm Essential Oils. Journal of Food Science, 2010, 75, M528-35.	3.1	157
185	Chemical Composition and Phytotoxic Effects of Essential Oils from Four <i>Teucrium</i> Species. Natural Product Communications, 2010, 5, 1934578X1000501.	0.5	19
186	Phytotoxic Activities of Mediterranean Essential Oils. Molecules, 2010, 15, 4309-4323.	3.8	123
187	The Antigerminative Activity of Twenty-Seven Monoterpenes. Molecules, 2010, 15, 6630-6637.	3.8	167
188	Changes in the composition of volatile compounds ofSpartium junceuminduced by the phytoplasmal disease, Spartium witches'â€broom. Plant Biosystems, 2010, 144, 568-572.	1.6	5
189	An Attempt of Postharvest Orange Fruit Rot Control Using Essential Oils from Mediterranean Plants. Journal of Medicinal Food, 2010, 13, 1515-1523.	1.5	43
190	Chemical Composition and Antigerminative Activity of the Essential Oils from Five Salvia Species. Molecules, 2010, 15, 735-746.	3.8	41
191	Chemistry, Antioxidant, Antibacterial and Antifungal Activities of Volatile Oils and their Components. Natural Product Communications, 2009, 4, 1934578X0900401.	0.5	29
192	Chemical Composition and Antimicrobial Activity of the Essential Oils from Two Species of Thymus Growing Wild in Southern Italy. Molecules, 2009, 14, 4614-4624.	3.8	58
193	Chemical Composition and Phytotoxic Effects of Essential Oils of Salvia hierosolymitana Boiss. and Salvia multicaulis Vahl. var. simplicifolia Boiss. Growing Wild in Lebanon. Molecules, 2009, 14, 4725-4736.	3.8	44
194	Bioassay-oriented isolation of an insecticide from Ailanthus altissima. Journal of Plant Interactions, 2009, 4, 119-123.	2.1	18
195	<i>Verbena Officinalis</i> Essential Oil and its Component Citral as Apoptotic-Inducing Agent in Chronic Lymphocytic Leukemia. International Journal of Immunopathology and Pharmacology, 2009, 22, 1097-1104.	2.1	37
196	Phytotoxic effects of essential oils ofNepeta curvifloraBoiss. andNepeta nudaL. subsp.albifloragrowing wild in Lebanon. Journal of Plant Interactions, 2009, 4, 253-259.	2.1	28
197	Chemical Composition and in Vitro Antimicrobial and Mutagenic Activities of Seven Lamiaceae Essential Oils. Molecules, 2009, 14, 4213-4230.	3.8	124
198	Chemical Composition and Antimicrobial Activity of the Essential Oils from Three Chemotypes of Origanum vulgare L. ssp. hirtum (Link) Ietswaart Growing Wild in Campania (Southern Italy). Molecules, 2009, 14, 2735-2746.	3.8	145

#	Article	IF	CITATIONS
199	Chemistry, antioxidant, antibacterial and antifungal activities of volatile oils and their components. Natural Product Communications, 2009, 4, 1741-50.	0.5	42
200	<i>In vitro</i> allelopathic potential of <i>Leonurus sibiricus</i> L. leaves. Journal of Plant Interactions, 2008, 3, 39-48.	2.1	21
201	Insecticide activity of Mediterranean essential oils. Journal of Plant Interactions, 2008, 3, 17-23.	2.1	62
202	Antibacterial Activity and Composition of the Essential Oil of Peperomia Galioides HBK (Piperaceae) from Peru. Natural Product Communications, 2008, 3, 1934578X0800300.	0.5	4
203	In vitroallelopathic effects of extracts and amenthoflavone fromByrsonima crassa(Malpighiaceae). Journal of Plant Interactions, 2007, 2, 121-124.	2.1	5
204	In Vitro Binding Receptors Study by Valeriana adscendens, Iresine herbstii and Brugmansia arborea Extracts. Medicinal Chemistry, 2007, 3, 599-604.	1.5	4
205	Composition and allelopathic effect of essential oils of two thistles: <i>Cirsium creticum</i> (Lam.) D.'Urv. ssp. <i>triumfetti</i> (Lacaita) Werner and <i>Carduus nutans</i> L. Journal of Plant Interactions, 2007, 2, 115-120.	2.1	15
206	Chemical Composition and Antibacterial Activity of <i>Senecio nutans</i> Essential Oil. Journal of Essential Oil-bearing Plants: JEOP, 2007, 10, 332-338.	1.9	17
207	Synthesis and characterization of polyurea microcapsules containing essential oils with antigerminative activity. Journal of Applied Polymer Science, 2007, 105, 3568-3577.	2.6	59
208	Differential effects of three species ofHypericum in an open field test. Phytotherapy Research, 2007, 21, 215-219.	5.8	6
209	Affinity of Iresine herbstii and Brugmansia arborea extracts on different cerebral receptors. Journal of Ethnopharmacology, 2006, 105, 352-357.	4.1	15
210	Proapoptotic effect of Uncaria tomentosa extracts. Journal of Ethnopharmacology, 2006, 107, 91-94.	4.1	34
211	Binding studies for serotoninergic, dopaminergic and noradrenergic receptors of Valeriana adscendens Trel. extracts. Journal of Ethnopharmacology, 2006, 108, 185-187.	4.1	8
212	FIRST OBSERVATION ON A COLLECTION OF AROMATIC PLANTS IN A PLAIN OF THE CAMPANIA REGION (SOUTHERN ITALY) Acta Horticulturae, 2006, , 441-446.	0.2	1
213	EFFECTS OF DIFFERENT VEGETAL MULCHING ON ROSMARINUS OFFICINALIS L.: FIRST RESULTS Acta Horticulturae, 2006, , 447-452.	0.2	2
214	ALLELOPATHIC ACTIVITY OF ESSENTIAL OILS FROM MEDITERRANEAN LABIATAE. Acta Horticulturae, 2006, , 347-356.	0.2	33
215	1,10-Dehydrosalviarin. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o559-o562.	0.2	0
216	Stability and antioxidant activity of polyphenols in extracts of Myrtus communis L. berries used for the preparation of myrtle liqueur. Journal of Pharmaceutical and Biomedical Analysis, 2006, 41, 1614-1619.	2.8	109

#	Article	IF	CITATIONS
217	1-Methoxy-Canthin-6-One Induces c-Jun NH2-Terminal Kinase–Dependent Apoptosis and Synergizes with Tumor Necrosis Factor–Related Apoptosis-Inducing Ligand Activity in Human Neoplastic Cells of Hematopoietic or Endodermal Origin. Cancer Research, 2006, 66, 4385-4393.	0.9	35
218	Composition andin vitro toxicity of the essential oil ofTagetes terni?ora HBK. (Asteraceae). Flavour and Fragrance Journal, 2005, 20, 89-92.	2.6	11
219	Antiproliferative effects of tree-of-heaven (Ailanthus altissima Swingle). Phytotherapy Research, 2005, 19, 226-230.	5.8	36
220	Neurophysiological studies of Heteropteris glabra Hok. & Arn. (Malpighiaceae) in DBA/2J mice. Journal of Ethnopharmacology, 2005, 97, 415-419.	4.1	9
221	Quassinoids can induce mitochondrial membrane depolarisation and caspase 3 activation in human cells. Cell Death and Differentiation, 2004, 11, S216-S218.	11.2	34
222	The Ritual Use of Brugmansia Species in Traditional Andean Medicine in Northern Peru. Economic Botany, 2004, 58, S221-S229.	1.7	30
223	Chemical composition of essential oils of Senecio nutans SchBip. (Asteraceae). Flavour and Fragrance Journal, 2003, 18, 234-236.	2.6	24
224	Alkaloids fromBrugmansia arborea (L.) Lagerhein reduce morphine withdrawalin vitro. Phytotherapy Research, 2003, 17, 826-829.	5.8	12
225	Pharmacological effects of extracts fromValeriana adscendens Trel. II. Effects on GABA uptake and amino acids. Phytotherapy Research, 2003, 17, 661-664.	5.8	19
226	Isolation of Phytotoxic Compounds from Tree-of-Heaven ( <i>Ailanthus altissima</i> Swingle). Journal of Agricultural and Food Chemistry, 2003, 51, 1177-1180.	5.2	80
227	Ethnomedical field study in northern Peruvian Andes with particular reference to divination practices. Journal of Ethnopharmacology, 2003, 85, 243-256.	4.1	65
228	Chemical Composition and Antibacterial Activity of Essential Oils fromThymus spinulosusTen. (Lamiaceae). Journal of Agricultural and Food Chemistry, 2003, 51, 3849-3853.	5.2	43
229	Central Nervous System Pharmacological Effects of Plants from Northern Peruvian Andes: Valeriana adscendens, Iresine herbstii and Brugmansia arborea. Pharmaceutical Biology, 2002, 40, 274-293.	2.9	8
230	Potential allelochemicals from the essential oil of Ruta graveolens. Phytochemistry, 2002, 61, 573-578.	2.9	136
231	The antiproliferative effects of Uncaria tomentosa extracts and fractions on the growth of breast cancer cell line. Anticancer Research, 2001, 21, 2457-61.	1.1	41
232	Flavonol Glycosides and p-Hydroxyacetophenone from Chuquiraga Spinosa. Pharmaceutical Biology, 1999, 37, 366-368.	2.9	10
233	In vitroinhibition of algal growth byrut a graveolensL. extracts: Biological and chemical aspects. Plant Biosystems, 1999, 133, 185-191.	1.6	5
234	Chemical composition of the essential oil fromTagetes mandonii Sch. Bip. (Asteraceae). Flavour and Fragrance Journal, 1999, 14, 32-34.	2.6	15

#	Article	IF	CITATIONS
235	Carica candicansGray (Mito), an Alimentary Resource from Peruvian Flora. Journal of Agricultural and Food Chemistry, 1999, 47, 3682-3684.	5.2	4
236	Saponins from Colignonia scandens Benth. (Nyctaginaceae). Biochemical Systematics and Ecology, 1998, 26, 251-253.	1.3	2
237	Essential oils from two PeruvianSatureja species. Flavour and Fragrance Journal, 1998, 13, 1-4.	2.6	38
238	Composition of the essential oil ofTagetes filifolia Lag Flavour and Fragrance Journal, 1998, 13, 145-147.	2.6	17
239	Essential Oils from <i>Salvia</i> spp. (Lamiaceae). II. Chemical Composition of the Essential Oil from <i>Salvia pratensis</i> L. subsp. <i>haematodes</i> (L.) Briq. Inflorescences. Journal of Essential Oil Research, 1998, 10, 135-137.	2.7	9
240	Croton ruizianus:Â Platelet Proaggregating Activity of Two New Pregnane Glycosides. Journal of Natural Products, 1998, 61, 318-322.	3.0	31
241	Chemical Composition and Antimicrobial Screening of the Essential Oil of <i>Minthostachys verticillata</i> (Griseb.) Epl. (Lamiaceae). Journal of Essential Oil Research, 1998, 10, 61-65.	2.7	31
242	Porrigenins A and B, Novel Cytotoxic and Antiproliferative Sapogenins Isolated from Allium porrum. Journal of Natural Products, 1997, 60, 1003-1007.	3.0	42
243	Activity-directed Isolation of Spasmolytic (anti-cholinergic) Alkaloids from Brugmansia arborea (L.) Lagerheim. International Journal of Pharmacognosy, 1997, 35, 43-48.	0.2	18
244	The flavonoids of Allium neapolitanum. Phytochemistry, 1997, 44, 949-957.	2.9	48
245	Essential oil ofEremocharis triradiata (Wolff.) Johnston (Apiaceae) growing wild in Perú. Flavour and Fragrance Journal, 1997, 12, 257-259.	2.6	5
246	Pharmacological Effects of Aqueous Extract fromValeriana adscendens. Phytotherapy Research, 1996, 10, 309-312.	5.8	28
247	The flavonoids of Allium ursinum. Phytochemistry, 1996, 41, 531-536.	2.9	69
248	CNS Pharmacological Effects of Aqueous Extract from Iresine herbstii. International Journal of Pharmacognosy, 1996, 34, 184-188.	0.2	6
249	Flavonoid glycosides from Minthostachys spicata (Lamiaceae). Biochemical Systematics and Ecology, 1995, 23, 573-574.	1.3	9
250	Chemical investigation of Polylepis incana (Rosaceae). Biochemical Systematics and Ecology, 1995, 23, 105-107.	1.3	5
251	Chemical Investigation of the Aerial Parts of Mutisia Acuminata. International Journal of Pharmacognosy, 1995, 33, 73-74.	0.2	6
252	Studies on the Inhibitory Effects of Caffeoylquinic Acids on Monocyte Migration and Superoxide Ion Production. Journal of Natural Products, 1995, 58, 639-646.	3.0	94

#	Article	IF	CITATIONS
253	Potential allelochemicals fromRuta graveolens L. and their action on radish seeds. Journal of Chemical Ecology, 1994, 20, 2761-2775.	1.8	33
254	Flavonoid glycosides from Cotoneaster thymaefolia. Phytochemistry, 1994, 35, 1381-1382.	2.9	21
255	Composition of the essential oil ofsantolina neapolitana jordan et fourr. Flavour and Fragrance Journal, 1994, 9, 77-79.	2.6	8
256	Essential oil of a possible new chemotype ofcrithmum maritimum L. growing in campania (Southern) Tj ETQq0 0	0 rgBT /O 2.6	verlock 10 Tf
257	Studies of migration of potentially genotoxic compounds into water stored in PET bottles. Food and Chemical Toxicology, 1994, 32, 783-788.	3.6	37
258	Medicinal plants and phytotherapy in the Amalfitan Coast, Salerno Province, Campania, Southern Italy. Journal of Ethnopharmacology, 1993, 39, 39-51.	4.1	106
259	Mutagenic and antimutagenic activities of Uncaria tomentosa and its extracts. Journal of Ethnopharmacology, 1993, 38, 63-77.	4.1	59
260	Kauranoid Diterpenes inGynoxys oleifolia. Planta Medica, 1993, 59, 278-279.	1.3	10
261	Traditional phytotherapy in the Peninsula Sorrentina, Campania, Southern Italy. Journal of Ethnopharmacology, 1992, 36, 113-125.	4.1	98
262	Three chalcones from Senecio pseudotites. Phytochemistry, 1991, 30, 2440-2441.	2.9	7
263	Quinovic acid glycosides from Uncaria guianensis. Phytochemistry, 1991, 30, 1635-1637.	2.9	43
264	Plant Metabolites. New Compounds and Anti-Inflammatory Activity of Uncaria tomentosa. Journal of Natural Products, 1991, 54, 453-459.	3.0	121
265	Phenylpropanoid Glycosides and Rosmarinic Acid fromMomordica balsamina. Planta Medica, 1991, 57, 201-201.	1.3	18
266	Polyhydroxylated Triterpenes fromEriobotrya japonica. Planta Medica, 1990, 56, 330-332.	1.3	44
267	Isolation of 8-Hydroxy-5,7,3′,4′-tetramethoxy-4-phenylcoumarin fromCoutarea hexandra. Planta Medica, 1989, 55, 578-578.	1.3	7
268	A 4-arylcoumarin from Coutarea hexandra. Phytochemistry, 1989, 28, 1773-1774.	2.9	10
269	Essential Oils and Microbial Communication 0		11 _