

Takeo Fujiwara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2909524/publications.pdf>

Version: 2024-02-01

245
papers

3,631
citations

159585

30
h-index

243625

44
g-index

256
all docs

256
docs citations

256
times ranked

3688
citing authors

#	ARTICLE	IF	CITATIONS
1	Do suicide rates in children and adolescents change during school closure in Japan? The acute effect of the first wave of COVID-19 pandemic on child and adolescent mental health. <i>Child Abuse and Neglect</i> , 2020, 110, 104680.	2.6	151
2	Do educational materials change knowledge and behaviour about crying and shaken baby syndrome? A randomized controlled trial. <i>Cmaj</i> , 2009, 180, 727-733.	2.0	134
3	Does Social Capital Promote Physical Activity? A Population-Based Study in Japan. <i>PLoS ONE</i> , 2010, 5, e12135.	2.5	90
4	Do bonding and bridging social capital have differential effects on self-rated health? A community based study in Japan. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 557-562.	3.7	87
5	Pre-pregnancy BMI-specific optimal gestational weight gain for women in Japan. <i>Journal of Epidemiology</i> , 2017, 27, 492-498.	2.4	79
6	Association Between Adverse Childhood Experiences and Dementia in Older Japanese Adults. <i>JAMA Network Open</i> , 2020, 3, e1920740.	5.9	73
7	Childhood Socioeconomic Status and Onset of Depression among Japanese Older Adults: The JAGES Prospective Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 717-726.	1.2	72
8	Infant Distress at Five Weeks of Age and Caregiver Frustration. <i>Journal of Pediatrics</i> , 2011, 159, 425-430.e2.	1.8	65
9	Income Inequality, Parental Socioeconomic Status, and Birth Outcomes in Japan. <i>American Journal of Epidemiology</i> , 2013, 177, 1042-1052.	3.4	57
10	Eight-year outcome of implementation of abusive head trauma prevention. <i>Child Abuse and Neglect</i> , 2018, 84, 106-114.	2.6	55
11	Effectiveness of educational materials designed to change knowledge and behavior about crying and shaken baby syndrome: A replication of a randomized controlled trial in Japan. <i>Child Abuse and Neglect</i> , 2012, 36, 613-620.	2.6	54
12	Association of childhood adversities with the first onset of mental disorders in Japan: Results from the World Mental Health Japan, 2002â€“2004. <i>Journal of Psychiatric Research</i> , 2011, 45, 481-487.	3.1	52
13	The Prevalence of COVID-19 Vaccination and Vaccine Hesitancy in Pregnant Women: An Internet-based Cross-sectional Study in Japan. <i>Journal of Epidemiology</i> , 2022, 32, 188-194.	2.4	47
14	Paternal involvement in childcare and unintentional injury of young children: a population-based cohort study in Japan. <i>International Journal of Epidemiology</i> , 2010, 39, 588-597.	1.9	46
15	Characteristics That Distinguish Abusive From Nonabusive Head Trauma Among Young Children Who Underwent Head Computed Tomography in Japan. <i>Pediatrics</i> , 2008, 122, e841-e847.	2.1	44
16	Multi-level, cross-sectional study of workplace social capital and smoking among Japanese employees. <i>BMC Public Health</i> , 2010, 10, 489.	2.9	43
17	Neighborhood social capital and infant physical abuse: a population-based study in Japan. <i>International Journal of Mental Health Systems</i> , 2016, 10, 13.	2.7	43
18	Clinically Significant Behavior Problems among Young Children 2 Years after the Great East Japan Earthquake. <i>PLoS ONE</i> , 2014, 9, e109342.	2.5	43

#	ARTICLE	IF	CITATIONS
19	Associations of Childhood Socioeconomic Status and Adulthood Height With Functional Limitations Among Japanese Older People: Results From the JAGES 2010 Project. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 852-859.	3.6	42
20	Experience of childhood abuse and later number of remaining teeth in older Japanese: a life-course study from Japan Gerontological Evaluation Study project. <i>Community Dentistry and Oral Epidemiology</i> , 2016, 44, 531-539.	1.9	40
21	Intimate Partner Violence during Pregnancy and Postpartum Depression in Japan: A Cross-sectional Study. <i>Frontiers in Public Health</i> , 2017, 5, 81.	2.7	39
22	Adverse Childhood Experiences and Higher-Level Functional Limitations Among Older Japanese People: Results From the JAGES Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 261-266.	3.6	39
23	Neighborhood Food Environment and Dementia Incidence: the Japan Gerontological Evaluation Study Cohort Survey. <i>American Journal of Preventive Medicine</i> , 2019, 56, 383-392.	3.0	39
24	Self-Reported Prevalence and Risk Factors for Shaking and Smothering Among Mothers of 4-Month-Old Infants in Japan. <i>Journal of Epidemiology</i> , 2016, 26, 4-13.	2.4	37
25	Using International Classification of Diseases, 10th Edition, Codes to Estimate Abusive Head Trauma in Children. <i>American Journal of Preventive Medicine</i> , 2012, 43, 215-220.	3.0	36
26	Is a hilly neighborhood environment associated with diabetes mellitus among older people? Results from the JAGES 2010 study. <i>Social Science and Medicine</i> , 2017, 182, 45-51.	3.8	36
27	Association of sleep habits with behavior problems and resilience of 6-7-year-old children: results from the A-CHILD study. <i>Sleep Medicine</i> , 2018, 45, 62-68.	1.6	36
28	Cooking skills related to potential benefits for dietary behaviors and weight status among older Japanese men and women: a cross-sectional study from the JAGES. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 82.	4.6	36
29	Childhood socioeconomic disadvantage is associated with lower mortality in older Japanese men: the JAGES cohort study. <i>International Journal of Epidemiology</i> , 2016, 45, 1226-1235.	1.9	35
30	Association between adverse childhood experiences and adult diseases in older adults: a comparative cross-sectional study in Japan and Finland. <i>BMJ Open</i> , 2019, 9, e024609.	1.9	33
31	Spanking and subsequent behavioral problems in toddlers: A propensity score-matched, prospective study in Japan. <i>Child Abuse and Neglect</i> , 2017, 69, 62-71.	2.6	32
32	Adachi Child Health Impact of Living Difficulty (A-CHILD) Study: Research Protocol and Profiles of Participants. <i>Journal of Epidemiology</i> , 2021, 31, 77-89.	2.4	32
33	Interplay between social isolation and loneliness and chronic systemic inflammation during the COVID-19 pandemic in Japan: Results from U-CORONA study. <i>Brain, Behavior, and Immunity</i> , 2021, 94, 51-59.	4.1	32
34	Neighborhood food environment and mortality among older Japanese adults: results from the JAGES cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 101.	4.6	31
35	Association between maternal adverse childhood experiences and mental health problems in offspring: An intergenerational study. <i>Development and Psychopathology</i> , 2021, 33, 1041-1058.	2.3	30
36	Do home-visit programs for mothers with infants reduce parenting stress and increase social capital in Japan?. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 1167-1176.	3.7	29

#	ARTICLE	IF	CITATIONS
37	One year into COVID-19: What have we learned about child maltreatment reports and child protective service responses?. <i>Child Abuse and Neglect</i> , 2022, 130, 105473.	2.6	29
38	Associations between Malocclusion and Oral Health-Related Quality of Life among Mongolian Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 902.	2.6	28
39	Workaholism, Work Engagement and Child Well-Being: A Test of the Spillover-Crossover Model. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6213.	2.6	26
40	Association Between Maternal Postpartum Depression and Unintentional Injury Among 4-Month-Old Infants in Japan. <i>Maternal and Child Health Journal</i> , 2016, 20, 326-336.	1.5	25
41	Validation of a food frequency questionnaire for Japanese pregnant women with and without nausea and vomiting in early pregnancy. <i>Journal of Epidemiology</i> , 2017, 27, 201-208.	2.4	25
42	Pathway of the Association Between Child Poverty and Low Self-Esteem: Results From a Population-Based Study of Adolescents in Japan. <i>Frontiers in Psychology</i> , 2019, 10, 937.	2.1	25
43	Perioperative complications of anterior decompression with fusion versus laminoplasty for the treatment of cervical ossification of the posterior longitudinal ligament: propensity score matching analysis using a nation-wide inpatient database. <i>Spine Journal</i> , 2019, 19, 610-616.	1.3	24
44	Association between Lack of Social Support from Partner or Others and Postpartum Depression among Japanese Mothers: A Population-Based Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4270.	2.6	24
45	Do income inequality and social capital associate with measles-containing vaccine coverage rate?. <i>Vaccine</i> , 2012, 30, 7481-7488.	3.8	23
46	Association of adverse childhood experiences with shaking and smothering behaviors among Japanese caregivers. <i>Child Abuse and Neglect</i> , 2016, 57, 12-20.	2.6	23
47	Genetic and peripheral markers of the oxytocin system and parental care jointly support the cross-generational transmission of bonding across three generations. <i>Psychoneuroendocrinology</i> , 2019, 102, 172-181.	2.7	23
48	Associations of Sedentary and Physically-Active Behaviors With Cognitive-Function Decline in Community-Dwelling Older Adults: Compositional Data Analysis From the NEIGE Study. <i>Journal of Epidemiology</i> , 2020, 30, 503-508.	2.4	23
49	Poor parenting behaviours and dental caries experience in 6â€•To 7â€•yearâ€•old children. <i>Community Dentistry and Oral Epidemiology</i> , 2020, 48, 493-500.	1.9	23
50	Ikigai and subsequent health and wellbeing among Japanese older adults: Longitudinal outcome-wide analysis. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 21, 100391.	2.9	23
51	Prevalence of Self-Reported Shaking and Smothering and Their Associations with Co-Sleeping among 4-Month-Old Infants in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 6485-6493.	2.6	22
52	Socioeconomic Status and the Risk of Suspected Autism Spectrum Disorders Among 18-Month-Old Toddlers in Japan: A Population-Based Study. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 1323-1331.	2.7	22
53	Suicide risk among young children after the Great East Japan Earthquake: A follow-up study. <i>Psychiatry Research</i> , 2017, 253, 318-324.	3.3	22
54	Community-level social capital, parental psychological distress, and child physical abuse: a multilevel mediation analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1221-1229.	3.1	22

#	ARTICLE	IF	CITATIONS
55	Incidence and Age Distribution of Hospitalized Presumptive and Possible Abusive Head Trauma of Children Under 12 Months Old in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 91-97.	2.4	21
56	Comparison of Perioperative Complications in Anterior Decompression With Fusion and Posterior Decompression With Fusion for Cervical Ossification of the Posterior Longitudinal Ligament. <i>Spine</i> , 2020, 45, E1006-E1012.	2.0	21
57	Association between maternal intimate partner violence victimization during pregnancy and maternal abusive behavior towards infants at 4 months of age in Japan. <i>Child Abuse and Neglect</i> , 2016, 55, 32-39.	2.6	20
58	Association between women's perceived ideal gestational weight gain during pregnancy and pregnancy outcomes. <i>Scientific Reports</i> , 2018, 8, 11574.	3.3	20
59	Relationship between medial meniscus extrusion and cartilage measurements in the knee by fully automatic three-dimensional MRI analysis. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 742.	1.9	20
60	Association of Birth Order With Mental Health Problems, Self-Esteem, Resilience, and Happiness Among Children: Results From A-CHILD Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 638088.	2.6	20
61	Phenotypic characteristics of pediatric inflammatory bowel disease in Japan: results from a multicenter registry. <i>Intestinal Research</i> , 2020, 18, 412-420.	2.6	20
62	Does social capital reduce child behavior problems? Results from the Great East Japan Earthquake follow-up for Children Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1117-1123.	3.1	19
63	Mediating effects of parental psychological distress and individual-level social capital on the association between child poverty and maltreatment in Japan. <i>Child Abuse and Neglect</i> , 2018, 83, 142-150.	2.6	19
64	Combined effect of adverse childhood experiences and young age on self-harm ideation among postpartum women in Japan. <i>Journal of Affective Disorders</i> , 2019, 253, 410-418.	4.1	19
65	Maternal and paternal indoor or outdoor smoking and the risk of asthma in their children: A nationwide prospective birth cohort study. <i>Drug and Alcohol Dependence</i> , 2015, 147, 103-108.	3.2	18
66	Association between maternal education and malocclusion in Mongolian adolescents: a cross-sectional study. <i>BMJ Open</i> , 2016, 6, e012283.	1.9	18
67	Association of Shorter Height with Increased Risk of Ischaemic Placental Disease. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 198-205.	1.7	18
68	Mac-2 binding protein glycosylation isomer as a novel predictive biomarker for patient survival after hepatitis C virus eradication by DAAs. <i>Journal of Gastroenterology</i> , 2020, 55, 990-999.	5.1	18
69	The Association between Oxytocin and Social Capital. <i>PLoS ONE</i> , 2012, 7, e52018.	2.5	18
70	Association between childhood socioeconomic status and fruit and vegetable intake among older Japanese: The JAGES 2010 study. <i>Preventive Medicine</i> , 2018, 106, 130-136.	3.4	17
71	Home Cooking and Child Obesity in Japan: Results from the A-CHILD Study. <i>Nutrients</i> , 2019, 11, 2859.	4.1	17
72	Neighborhood Sidewalk Environment and Incidence of Dementia in Older Japanese Adults. <i>American Journal of Epidemiology</i> , 2021, 190, 1270-1280.	3.4	17

#	ARTICLE	IF	CITATIONS
73	Association between malocclusion and headache among 12- to 15-year-old adolescents: a population-based study. <i>Community Dentistry and Oral Epidemiology</i> , 2014, 42, 572-580.	1.9	16
74	Validity of a food frequency questionnaire to estimate long-chain polyunsaturated fatty acid intake among Japanese women in early and late pregnancy. <i>Journal of Epidemiology</i> , 2017, 27, 30-35.	2.4	16
75	Relationship Between Leaving Children at Home Alone and Their Mental Health: Results From the A-CHILD Study in Japan. <i>Frontiers in Psychiatry</i> , 2018, 9, 192.	2.6	16
76	Adverse Childhood Experiences and Dementia: Interactions With Social Capital in the Japan Gerontological Evaluation Study Cohort. <i>American Journal of Preventive Medicine</i> , 2021, 61, 225-234.	3.0	16
77	Neighborhood Characteristics and Cardiovascular Risk among Older People in Japan: Findings from the JAGES Project. <i>PLoS ONE</i> , 2016, 11, e0164525.	2.5	15
78	Pet Ownership and Children's Emotional Expression: Propensity Score-Matched Analysis of Longitudinal Data from Japan. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 758.	2.6	15
79	Association between Childhood Maltreatment History and Premenstrual Syndrome. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 781.	2.6	15
80	Association of maternal developmental disorder traits with child mistreatment: A prospective study in Japan. <i>Child Abuse and Neglect</i> , 2014, 38, 1283-1289.	2.6	14
81	Parental Time of Returning Home From Work and Child Mental Health Among First-Year Primary School Students in Japan: Result From A-CHILD Study. <i>Frontiers in Pediatrics</i> , 2018, 6, 179.	1.9	14
82	Impact of Parenting Style on Clinically Significant Behavioral Problems Among Children Aged 4-11 Years Old After Disaster: A Follow-Up Study of the Great East Japan Earthquake. <i>Frontiers in Psychiatry</i> , 2019, 10, 45.	2.6	14
83	Development of the Intimate Partner Violence During Pregnancy Instrument (IPVPI). <i>Frontiers in Public Health</i> , 2019, 7, 43.	2.7	14
84	Cohort Profile of the NEIGE Study in Tokamachi City, Japan. <i>Journal of Epidemiology</i> , 2020, 30, 281-287.	2.4	14
85	Associations of older adults' physical activity and bout-specific sedentary time with frailty status: Compositional analyses from the NEIGE study. <i>Experimental Gerontology</i> , 2021, 143, 111149.	2.8	14
86	Association between economic status and body mass index among adolescents: a community-based cross-sectional study in Japan. <i>BMC Obesity</i> , 2016, 3, 47.	3.1	13
87	Trajectory of social inequalities in the treatment of dental caries among preschool children in Japan. <i>Community Dentistry and Oral Epidemiology</i> , 2017, 45, 407-412.	1.9	12
88	Symptoms of Post-Traumatic Stress Disorder Among Young Children 2 Years After the Great East Japan Earthquake. <i>Disaster Medicine and Public Health Preparedness</i> , 2017, 11, 207-215.	1.3	12
89	Feasibility and psychometric properties of the UCLA PTSD reaction index for DSM-5 in Japanese youth: A multi-site study. <i>Asian Journal of Psychiatry</i> , 2018, 33, 93-98.	2.0	12
90	Social participation and risk of influenza infection in older adults: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e016876.	1.9	12

#	ARTICLE	IF	CITATIONS
91	Self-control and dental caries among elementary school children in Japan. <i>Community Dentistry and Oral Epidemiology</i> , 2018, 46, 465-471.	1.9	12
92	Association of early social environment with the onset of pediatric Kawasaki disease. <i>Annals of Epidemiology</i> , 2019, 29, 74-80.	1.9	12
93	Association between social capital and second dose of measles vaccination in Japan: Results from the A-CHILD study. <i>Vaccine</i> , 2019, 37, 877-881.	3.8	12
94	Seasonal impact on surgical site infections in hip fracture surgery: Analysis of 330,803 cases using a nationwide inpatient database. <i>Injury</i> , 2021, 52, 898-904.	1.7	12
95	Dietary n-3 Polyunsaturated Fatty Acids in Late Pregnancy and Postpartum Depressive Symptom among Japanese Women. <i>Frontiers in Psychiatry</i> , 2017, 8, 241.	2.6	11
96	Synergistic Effects of Unintended Pregnancy and Young Motherhood on Shaking and Smothering of Infants among Caregivers in Nagoya City, Japan. <i>Frontiers in Public Health</i> , 2017, 5, 245.	2.7	11
97	Subjective social status and trajectories of self-rated health status: a comparative analysis of Japan and the United States. <i>Journal of Public Health</i> , 2018, 40, 713-720.	1.8	11
98	Assessment of Additional Medical Costs Among Older Adults in Japan With a History of Childhood Maltreatment. <i>JAMA Network Open</i> , 2020, 3, e1918681.	5.9	11
99	Association between Hemiarthroplasty vs. Total Hip Arthroplasty and Major Surgical Complications among Patients with Femoral Neck Fracture. <i>Journal of Clinical Medicine</i> , 2020, 9, 3203.	2.4	11
100	Association between maternal adverse childhood experiences and child's self-rated academic performance: Results from the K-CHILD study. <i>Child Abuse and Neglect</i> , 2020, 104, 104478.	2.6	11
101	Objectively Measured Intensity-specific Physical Activity and Hippocampal Volume Among Community-dwelling Older Adults. <i>Journal of Epidemiology</i> , 2022, 32, 489-495.	2.4	11
102	Differential Effects of Multiple Dimensions of Poverty on Child Behavioral Problems: Results from the A-CHILD Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11821.	2.6	11
103	Prenatal Alcohol Exposure and Child Psychosocial Behavior: A Sibling Fixed-Effects Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 570.	2.6	10
104	Sekentei and objectively-measured physical activity among older Japanese people: a cross-sectional analysis from the NEIGE study. <i>BMC Public Health</i> , 2019, 19, 1331.	2.9	10
105	Association between grandparent coresidence and weight change among first-grade Japanese children. <i>Pediatric Obesity</i> , 2019, 14, e12524.	2.8	10
106	Oxytocin Response Following Playful Mother-Child Interaction in Survivors of the Great East Japan Earthquake. <i>Frontiers in Psychiatry</i> , 2020, 11, 477.	2.6	10
107	The association of community and individual parental social capital with behavior problems among children in Japan: results from A-CHILD longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 119-127.	3.1	10
108	Prospective Study of Engagement in Leisure Activities and All-Cause Mortality Among Older Japanese Adults. <i>Journal of Epidemiology</i> , 2022, 32, 245-253.	2.4	10

#	ARTICLE	IF	CITATIONS
109	Comparison of Perioperative Complications Between Anterior Fusion and Posterior Fusion for Osteoporotic Vertebral Fractures in Elderly Patients. <i>Clinical Spine Surgery</i> , 2020, 33, E586-E592.	1.3	10
110	5-aminosalicylate-intolerant patients are at increased risk of colectomy for ulcerative colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 103-113.	3.7	10
111	Inverse Correlation of Parental Oxytocin Levels with Autonomy Support in Toddlers. <i>Journal of Child and Family Studies</i> , 2015, 24, 2620-2625.	1.3	9
112	Long-term Impact of Childhood Disadvantage on Late-Life Functional Decline Among Older Japanese: Results From the JAGES Prospective Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 973-979.	3.6	9
113	Association of Low Family Income With Lung Function Among Children and Adolescents: Results of the J-SHINE Study. <i>Journal of Epidemiology</i> , 2019, 29, 50-56.	2.4	9
114	Association between childhood socioeconomic status and subjective memory complaints among older adults: results from the Japan Gerontological Evaluation Study 2010. <i>International Psychogeriatrics</i> , 2019, 31, 1699-1707.	1.0	9
115	Validity of the Japanese Version of the Quick Mild Cognitive Impairment Screen. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 917.	2.6	9
116	The association between father involvement in caregiving and early childhood overweight or obesity. <i>Pediatric Obesity</i> , 2020, 15, e12652.	2.8	9
117	Comparison of Disease Patterns and Outcomes Between Non-Japanese and Japanese Patients at a Single Tertiary Emergency Care Center in Japan. <i>Journal of Epidemiology</i> , 2022, 32, 80-88.	2.4	9
118	Online Peer Support and Well-being of Mothers and Children: Systematic Scoping Review. <i>Journal of Epidemiology</i> , 2022, 32, 61-68.	2.4	9
119	Association between adverse childhood experiences and brain volumes among Japanese community-dwelling older people: Findings from the NEIGE study. <i>Child Abuse and Neglect</i> , 2022, 124, 105456.	2.6	9
120	Validation of a food-frequency questionnaire for assessing vitamin intake of Japanese women in early and late pregnancy with and without nausea and vomiting. <i>Journal of Nutritional Science</i> , 2016, 5, e27.	1.9	8
121	It takes a village: Fixed-effects analysis of neighborhood collective efficacy and children's development. <i>Journal of Epidemiology</i> , 2017, 27, 368-372.	2.4	8
122	Maternal vegetable intake in early pregnancy and wheeze in offspring at the age of 2 years. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 761-771.	2.9	8
123	Factors Associated With Family Members' Spanking of 3.5-year-old Children in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 464-473.	2.4	8
124	Gender Difference in the Association Between Subjective Socioeconomic Mobility Across Life Course and Mortality at Older Ages: Results From the JAGES Longitudinal Study. <i>Journal of Epidemiology</i> , 2020, 30, 497-502.	2.4	8
125	Adverse childhood experiences and fruit and vegetable intake among older adults in Japan. <i>Eating Behaviors</i> , 2020, 38, 101404.	2.0	8
126	Association between maternity harassment and depression during pregnancy amid the COVID-19 state of emergency. <i>Journal of Occupational Health</i> , 2021, 63, e12196.	2.1	8

#	ARTICLE	IF	CITATIONS
127	Seasonality of mortality and in-hospital complications in hip fracture surgery: Retrospective cohort research using a nationwide inpatient database. <i>Geriatrics and Gerontology International</i> , 2021, 21, 398-403.	1.5	8
128	Validation of the Japanese version of the Childhood Trauma Questionnaire-Short Form (CTQ-SF).. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2021, 13, 537-544.	2.1	8
129	Association of Existence of Third Places and Role Model on Suicide Risk Among Adolescent in Japan: Results From A-CHILD Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 529818.	2.6	8
130	Differences in Brain Volume by Tooth Loss and Cognitive Function in Older Japanese Adults. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 1271-1279.	1.2	8
131	Serum 25-hydroxyvitamin D levels showed strong seasonality but lacked association with vitamin D intake in 3-year-old Japanese children. <i>British Journal of Nutrition</i> , 2018, 120, 1034-1044.	2.3	7
132	Association between grandparent co-residence, socioeconomic status and dental caries among early school-aged children in Japan: A population-based prospective study. <i>Scientific Reports</i> , 2019, 9, 11345.	3.3	7
133	Changes in rural older adults' sedentary and physically-active behaviors between a non-snowfall and a snowfall season: compositional analysis from the NEIGE study. <i>BMC Public Health</i> , 2020, 20, 1248.	2.9	7
134	Home Cooking Is Related to Potential Reduction in Cardiovascular Disease Risk among Adolescents: Results from the A-CHILD Study. <i>Nutrients</i> , 2020, 12, 3845.	4.1	7
135	Change in Growth and Diet Quality Among Preschool Children in Tokyo, Japan. <i>Nutrients</i> , 2020, 12, 1290.	4.1	7
136	Associations between demographic factors and the academic trajectories of medical students in Japan. <i>PLoS ONE</i> , 2020, 15, e0233371.	2.5	7
137	Validity of Clinical Symptoms Score to Discriminate Patients with COVID-19 from Common Cold Out-Patients in General Practitioner Clinics in Japan. <i>Journal of Clinical Medicine</i> , 2021, 10, 854.	2.4	7
138	Association between Social Integration and Face Mask Use Behavior during the SARS-CoV-2 Pandemic in Japan: Results from U-CORONA Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4717.	2.6	7
139	Preoperative nutritional status is associated with the prognosis for lung cancer. <i>Asian Cardiovascular and Thoracic Annals</i> , 2021, 29, 021849232110140.	0.5	7
140	Seroprevalence of SARS-CoV-2 in Utsunomiya City, Greater Tokyo, after the first pandemic in 2020. <i>Journal of General and Family Medicine</i> , 2021, 22, 160-162.	0.8	7
141	Does Eating Vegetables at Start of Meal Prevent Childhood Overweight in Japan? A-CHILD Study. <i>Frontiers in Pediatrics</i> , 2018, 6, 134.	1.9	6
142	Does oral dryness influence pressure pain sensitivity in the oral mucosa of removable denture wearers?. <i>Clinical Oral Investigations</i> , 2020, 24, 2603-2609.	3.0	6
143	Is Japan's child allowance effective for the well-being of children? A statistical evaluation using data from K-CHILD study. <i>BMC Public Health</i> , 2020, 20, 1503.	2.9	6
144	Access to contraceptive services among Myanmar women living in Japan: A qualitative study. <i>Contraception</i> , 2021, 104, 538-546.	1.5	6

#	ARTICLE	IF	CITATIONS
145	The association between mobile devices use and behavior problems among fourth grade children in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 286-293.	1.8	6
146	Tracking Pattern of Total Cholesterol Levels from Childhood to Adolescence in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 38-49.	2.0	6
147	Association of Paternity Leave with Impaired Fatherâ€™Infant Bonding: Findings from a Nationwide Online Survey in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4251.	2.6	6
148	Association between Frequency of Conversations and Suicidal Ideation among Medical Students during COVID-19 Pandemic in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6385.	2.6	6
149	Association Between Parental Social Interaction and Behavior Problems in Offspring: a Population-Based Study in Japan. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 447-457.	1.7	5
150	Higher child-raising costs due to maternal social isolation: Large population-based study in Japan. <i>Social Science and Medicine</i> , 2019, 233, 71-77.	3.8	5
151	Disaster-related trauma and blood pressure among young children: a follow-up study after Great East Japan earthquake. <i>Hypertension Research</i> , 2019, 42, 1215-1222.	2.7	5
152	Multilevel analysis of the impact of neighborhood environment on postpartum depressive symptoms. <i>Journal of Affective Disorders</i> , 2020, 263, 593-597.	4.1	5
153	Degree of influence in class modifies the association between social network diversity and well-being: Results from a large population-based study in Japan. <i>Social Science and Medicine</i> , 2020, 260, 113170.	3.8	5
154	Toothbrushing and School Refusal in Elementary School: A Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7505.	2.6	5
155	Perinatal Determinants of Child Maltreatment in Japan. <i>Frontiers in Pediatrics</i> , 2020, 8, 143.	1.9	5
156	Differential Kinetics of Cycle Threshold Values during Admission by Symptoms among Patients with Mild COVID-19: A Prospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8181.	2.6	5
157	Leucine-rich alpha-2-glycoprotein 1 and angiotensinogen as diagnostic biomarkers for Kawasaki disease. <i>PLoS ONE</i> , 2021, 16, e0257138.	2.5	5
158	The Impact of Parental Personality on Birth Outcomes: A Prospective Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0157080.	2.5	5
159	Association of ambient temperature and sun exposure with hip fractures in Japan: A time-series analysis using nationwide inpatient database. <i>Science of the Total Environment</i> , 2022, 807, 150774.	8.0	5
160	Impact of Subsidies and Socioeconomic Status on Varicella Vaccination in Greater Tokyo, Japan. <i>Frontiers in Pediatrics</i> , 2016, 4, 19.	1.9	4
161	Association between Parental Workaholism and Body Mass Index of Offspring: A Prospective Study among Japanese Dual Workers. <i>Frontiers in Public Health</i> , 2016, 4, 41.	2.7	4
162	Postpartum Depressive Symptoms as a Mediator Between Intimate Partner Violence During Pregnancy and Maternal-Infant Bonding in Japan. <i>Journal of Interpersonal Violence</i> , 2021, 36, NP10545-NP10571.	2.0	4

#	ARTICLE	IF	CITATIONS
163	Association of parental social network diversity with behaviour problems and resilience of offspring in a large population-based study of Japanese children. <i>BMJ Open</i> , 2020, 10, e035100.	1.9	4
164	The Association between Parental Involvement Behavior and Self-Esteem among Adolescents Living in Poverty: Results from the K-CHILD Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6277.	2.6	4
165	The Consumption of Sweets and Academic Performance among Mongolian Children. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8912.	2.6	4
166	Quality of supervisor behaviour, workplace social capital and psychological well-being. <i>Occupational Medicine</i> , 2020, 70, 243-250.	1.4	4
167	Association Between Caregiver's Perception of "Good" Dietary Habits and Food Group Intake Among Preschool Children in Tokyo, Japan. <i>Frontiers in Pediatrics</i> , 2019, 7, 554.	1.9	4
168	Effectiveness of using an educational video simulating the anatomical mechanism of shaking and smothering in a home-visit program to prevent self-reported infant abuse: A population-based quasi-experimental study in Japan. <i>Child Abuse and Neglect</i> , 2020, 101, 104359.	2.6	4
169	The Association of Passive Smoking and Dyslipidemia Among Adolescence in Japan: Results From A-CHILD Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2738-e2748.	3.6	4
170	Does caregiver's social bonding enhance the health of their children?: the association between social capital and child behaviors. <i>Acta Medica Okayama</i> , 2012, 66, 343-50.	0.2	4
171	Associations of Caregiver Cooking Skills with Child Dietary Behaviors and Weight Status: Results from the A-CHILD Study. <i>Nutrients</i> , 2021, 13, 4549.	4.1	4
172	Association of type 2 diabetes with periodontitis and tooth loss in patients undergoing hemodialysis. <i>PLoS ONE</i> , 2022, 17, e0267494.	2.5	4
173	Association between heat exposure and hospitalization for diabetic ketoacidosis, hyperosmolar hyperglycemic state, and hypoglycemia in Japan. <i>Environment International</i> , 2022, 167, 107410.	10.0	4
174	Parental Socioeconomic Status and Weight Faltering in Infants in Japan. <i>Frontiers in Pediatrics</i> , 2018, 6, 127.	1.9	3
175	Combined Effect of Marriage and Education on Mortality: A Cross-national Study of Older Japanese and Finnish Men and Women. <i>Journal of Epidemiology</i> , 2020, 30, 442-449.	2.4	3
176	Effectiveness of an Educational Video in Maternity Wards to Prevent Self-Reported Shaking and Smothering during the First Week of Age: A Cluster Randomized Controlled Trial. <i>Prevention Science</i> , 2020, 21, 1028-1036.	2.6	3
177	Sekentei as a Socio-Cultural Determinant of Cognitive Function among Older Japanese People: Findings from the NEIGE Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4480.	2.6	3
178	Adverse childhood experiences and bullying behaviours at work among workers in Japan. <i>Occupational and Environmental Medicine</i> , 2020, 77, 9-14.	2.8	3
179	Association between childhood socioeconomic position and sports group participation among Japanese older adults: A cross-sectional study from the JAGES 2010 survey. <i>Preventive Medicine Reports</i> , 2020, 18, 101065.	1.8	3
180	Preventing postpartum depressive symptoms using an educational video on infant crying: A cluster randomized controlled trial. <i>Depression and Anxiety</i> , 2020, 37, 449-457.	4.1	3

#	ARTICLE	IF	CITATIONS
181	Association between Childhood Suicidal Ideation and Geriatric Depression in Japan: A Population-Based Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2257.	2.6	3
182	The impact of public assistance on child mental health in Japan: results from A-CHILD study. <i>Journal of Public Health Policy</i> , 2021, 42, 98-112.	2.0	3
183	Association Between Parenting and School Refusal Among Elementary School Children in Japan: Results From A-CHILD Longitudinal Study. <i>Frontiers in Pediatrics</i> , 2021, 9, 640780.	1.9	3
184	Association of Visual Display Terminal Usage with Self-Rated Health and Psychological Distress among Japanese Office Workers during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9406.	2.6	3
185	Association Between Procrastination in Childhood and the Number of Remaining Teeth in Japanese Older Adults. <i>Journal of Epidemiology</i> , 2022, 32, 464-468.	2.4	3
186	Do Social Ties Moderate the Association between Childhood Maltreatment and Gratitude in Older Adults? Results from the NEIGE Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11082.	2.6	3
187	Association between Adverse Childhood Experiences and Time Spent Playing Video Games in Adolescents: Results from A-CHILD Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10377.	2.6	3
188	Delay discounting in children exposed to disaster. <i>PLoS ONE</i> , 2020, 15, e0243994.	2.5	3
189	Child Maltreatment and Mental Health in Middle Childhood: A Longitudinal Study in Japan. <i>American Journal of Epidemiology</i> , 2021, , .	3.4	3
190	Leisure Activity Variety and Brain Volume Among Community-Dwelling Older Adults: Analysis of the Neuron to Environmental Impact Across Generations Study Data. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 758562.	3.4	3
191	Childhood socioeconomic status and social integration in later life: Results of the Japan Gerontological Evaluation Study. <i>SSM - Population Health</i> , 2022, 18, 101090.	2.7	3
192	Social media monitoring of suicidal content and change in trends of Japanese twitter content around the Zama suicide pact slayings. <i>Psychiatry Research</i> , 2022, 311, 114490.	3.3	3
193	Clinical Characteristics of Patients with SARS-CoV-2 N501Y Variants in General Practitioner Clinic in Japan. <i>Journal of Clinical Medicine</i> , 2021, 10, 5865.	2.4	3
194	Development of Social Life Impact for Mother (<scp>SLIM</scp>) scale at first trimester to identify mothers who need social support during postpartum: a hospital-based prospective study in Japan. <i>International Journal of Gynecology and Obstetrics</i> , 2022, , .	2.3	3
195	Association of Oxytocin and Parental Prefrontal Activation during Reunion with Infant: A Functional Near-Infrared Spectroscopy Study. <i>Frontiers in Pediatrics</i> , 2017, 5, 271.	1.9	2
196	Association between Maternal Smoking during Pregnancy and Missing Teeth in Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4536.	2.6	2
197	Impact of Alcohol Outlet Density on Reported Cases of Child Maltreatment in Japan: Fixed Effects Analysis. <i>Frontiers in Public Health</i> , 2019, 7, 265.	2.7	2
198	Differential effects of individual and school factors on the academic trajectories of Japanese dental students. <i>Journal of Dental Education</i> , 2020, 84, 792-798.	1.2	2

#	ARTICLE	IF	CITATIONS
199	Eating Vegetables First at Start of Meal and Food Intake among Preschool Children in Japan. <i>Nutrients</i> , 2020, 12, 1762.	4.1	2
200	Pulp survival after composite resin restoration of caries lesions in adults. <i>Journal of Oral Science</i> , 2021, 63, 27-30.	1.7	2
201	Association Between Serum Lipid Levels, Resilience, and Self-Esteem in Japanese Adolescents: Results From A-CHILD Study. <i>Frontiers in Psychology</i> , 2020, 11, 587164.	2.1	2
202	Prenatal Sociodemographic Factors Predicting Maltreatment of Children up to 3 Years Old: A Prospective Cohort Study Using Administrative Data in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2505.	2.6	2
203	Paternal childcare in early childhood and problematic behavior in children: a population-based prospective study in Japan. <i>BMC Pediatrics</i> , 2021, 21, 397.	1.7	2
204	Association between Immunoglobulin M and Steroid Resistance in Children with Nephrotic Syndrome: A Retrospective Multicenter Study in Japan. <i>Kidney360</i> , 2021, 2, 487-493.	2.1	2
205	Association of adverse childhood experiences with postpartum depression and anxiety in fathers: A prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2022, 76, 35-36.	1.8	2
206	Facilitators and barriers to implementing shared decision making: A cross-sectional study of physicians in Japan. <i>Patient Education and Counseling</i> , 2022, 105, 2546-2556.	2.2	2
207	Association of parental dissatisfaction and perceived inequality of post-disaster recovery process with child mental health. <i>Social Science and Medicine</i> , 2022, 296, 114723.	3.8	2
208	Association between gratitude, the brain and cognitive function in older adults: Results from the NEIGE study. <i>Archives of Gerontology and Geriatrics</i> , 2022, 100, 104645.	3.0	2
209	Longitudinal Analysis of Child Resilience Link to Dental Caries. <i>Pediatric Dentistry (discontinued)</i> , 2020, 42, 308-315.	0.4	2
210	Association between maternal adverse childhood experiences and child resilience and self-esteem: Results from the K-CHILD study. <i>Child Abuse and Neglect</i> , 2022, 127, 105590.	2.6	2
211	Association Between Paternal Separation During Early Childhood and Pubertal Timing Among Girls Using Longitudinal Birth Cohort in Japan. <i>Frontiers in Endocrinology</i> , 2021, 12, 766728.	3.5	2
212	New Policy of the Journal of Epidemiology Regarding the Relationship With the Tobacco Industry. <i>Journal of Epidemiology</i> , 2018, 28, 1-2.	2.4	1
213	Adult Attachment Patterns Modify the Association Between Social Support and Psychological Distress. <i>Frontiers in Public Health</i> , 2018, 6, 249.	2.7	1
214	Response to the Letter to Editor: "Do Inter-Country Differences in the Frequency of Abusive Head Trauma Reflect Different Proportions of Overdiagnosis of Abuse or True Differences in Abuse?" <i>Journal of Epidemiology</i> , 2020, 30, 278-279.	2.4	1
215	Association of Infertility Treatment with Perception of Infant Crying, Bonding Impairment and Abusive Behavior towards One's Infant: A Propensity-Score Matched Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6099.	2.6	1
216	Pitfalls and Tips for Statistical Methods in Epidemiology: A New Series of Special Articles Has Started. <i>Journal of Epidemiology</i> , 2020, 30, 151-152.	2.4	1

#	ARTICLE	IF	CITATIONS
217	Association between dietary intake and serum biomarkers of long-chain PUFA in Japanese preschool children. <i>Public Health Nutrition</i> , 2021, 24, 593-603.	2.2	1
218	Association Between Maternal Working Status and Unintentional Injuries Among 3 to 4-Month-Old Infants in Japan. <i>Maternal and Child Health Journal</i> , 2021, 25, 414-427.	1.5	1
219	Association Between Malocclusion and Academic Performance Among Mongolian Adolescents. <i>Frontiers in Dental Medicine</i> , 2021, 1, .	1.4	1
220	Association between positive grandparental involvement during childhood and generativity in late life among community-dwelling, cognitively intact, older adults in Japan. <i>Geriatrics and Gerontology International</i> , 2021, 21, 331-337.	1.5	1
221	Relative deprivation and educational aspirations of 15-year-old adolescents in Japan. <i>Social Psychology of Education</i> , 2021, 24, 573-588.	2.5	1
222	Association of home cooking with caregiver-child interaction and child mental health: results from the Adachi Child Health Impact of Living Difficulty (A-CHILD) study. <i>Public Health Nutrition</i> , 2021, 24, 4257-4267.	2.2	1
223	Incidence of hospitalization for abusive head trauma in Chiba City, Japan. <i>Pediatrics International</i> , 2022, 64, .	0.5	1
224	Association of Nursery School-Level Promotion of Vegetable Eating with Caregiver-Reported Vegetable Consumption Behaviours among Preschool Children: A Multilevel Analysis of Japanese Children. <i>Nutrients</i> , 2021, 13, 2236.	4.1	1
225	Role of Libraries in Human Flourishing: Adolescents' Motivational Orientation for Occupation. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11209.	2.6	1
226	Being left alone at home and dental caries of children aged 6-7 years. <i>Journal of Epidemiology</i> , 2021, , .	2.4	1
227	Association between Smoking during Pregnancy and Short Root Anomaly in Offspring. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11662.	2.6	1
228	Association Between Accumulation of Child Maltreatment and Salivary Oxytocin Level Among Japanese Adolescents. <i>Frontiers in Pediatrics</i> , 2021, 9, 710718.	1.9	1
229	Impact of orthogeriatric care management by orthopedic surgeons and physicians on in-hospital clinical outcomes: A difference-in-difference analysis. <i>Geriatrics and Gerontology International</i> , 2022, 22, 138-144.	1.5	1
230	Characteristics of SARS-CoV-2 super-spreaders in Japan. <i>Journal of Infection</i> , 2022, 84, e6-e9.	3.3	1
231	Association between nationwide introduction of public-access defibrillation and sudden cardiac death in Japan: An interrupted time-series analysis. <i>International Journal of Cardiology</i> , 2022, 351, 100-106.	1.7	1
232	The impact of interprofessional communication through ICT on health outcomes of older adults receiving home care in Japan - A retrospective cohort study. <i>Journal of General and Family Medicine</i> , 2022, 23, 233-240.	0.8	1
233	Association between Children's Engagement in Community Cultural Activities and Their Mental Health during the COVID-19 Pandemic: Results from A-CHILD Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13404.	2.6	1
234	Investigation of Age-Associated Cognitive Functional Homophily in Community-Dwelling Older Adults' Confidant Social Networks Using Exponential Random Graph Model. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4574.	2.6	1

#	ARTICLE	IF	CITATIONS
235	Association of Adverse Childhood Experiences Including Low Household Income and Peer Isolation With Obesity Among Japanese Adolescents: Results From A-CHILD Study. <i>Frontiers in Public Health</i> , 2022, 10, 754765.	2.7	1
236	School- and community-level protective factors for resilience among chronically maltreated children in Japan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2023, 58, 477-488.	3.1	1
237	Reply to Shakira et al.: Validation of a food frequency questionnaire for Japanese pregnant women in mid to late pregnancy. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 155-156.	2.9	0
238	Estimation of the Total Number of SARS-CoV-2-infected Individuals and the Necessary Tests and Cost During the First Wave of the COVID-19 Pandemic in Japan. <i>Journal of Epidemiology</i> , 2021, 31, 554-555.	2.4	0
239	Association between childhood parental involvement and late-life cognitive function: A population-based cross-sectional study among cognitively intact community-dwelling older adults in Japan. <i>Geriatrics and Gerontology International</i> , 2021, 21, 794-801.	1.5	0
240	513 Ophthalmic disease and older adults' sedentary and physically-active behaviors: Findings from the NEIGE study. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
241	Impact of a governmental intervention to improve access to child psychiatric services in Japan. <i>Annals of Clinical Epidemiology</i> , 2020, 2, 51-60.	1.2	0
242	Response to the Letter to the Editor on "Comparison of disease patterns and outcomes between non-Japanese and Japanese patients at a single tertiary emergency care center in Japan". <i>Journal of Epidemiology</i> , 2021, , .	2.4	0
243	Association of Paternal Workplace and Community Social Capital With Paternal Postnatal Depression and Anxiety: A Prospective Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 782939.	2.6	0
244	Optimism and Longevity Among Japanese Older Adults. <i>Journal of Happiness Studies</i> , 0, , 1.	3.2	0
245	Number of siblings and social capital among parents rearing schoolchildren: Results from the A-CHILD study. <i>Journal of Epidemiology</i> , 2022, , .	2.4	0