

Rihard TrebÅje

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2909970/publications.pdf>

Version: 2024-02-01

48
papers

1,125
citations

623734

14
h-index

395702

33
g-index

52
all docs

52
docs citations

52
times ranked

1338
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient-specific template and electromagnetic navigation assisted bilateral periacetabular osteotomy for staged correction of bilateral injury-induced hip dysplasia: a case report. <i>Journal of Hip Preservation Surgery</i> , 2022, 8, 192-196.	1.3	4
2	Acute Femoral Lengthening in Adults Using Step-Cut Osteotomy, Traction Table, and Proximal Femoral Locking Plate Fixation: Surgical Technique and Report of Three Cases. <i>Indian Journal of Orthopaedics</i> , 2022, 56, 559-565.	1.1	2
3	In Vitro Characterization of the Human Skeletal Stem Cell-like Properties of Primary Bone-Derived Mesenchymal Stem/Stromal Cells in Patients with Late and Early Hip Osteoarthritis. <i>Life</i> , 2022, 12, 899.	2.4	2
4	The Surgical Treatment of Osteoarthritis. <i>Life</i> , 2022, 12, 982.	2.4	6
5	A novel concept of cam-type femoroacetabular impingement treatment with patient-specific template guided osteochondral deformity ablation. <i>International Orthopaedics</i> , 2021, 45, 907-913.	1.9	2
6	Evaluation and interpretation of prosthetic joint infection diagnostic investigations. <i>International Orthopaedics</i> , 2021, 45, 847-855.	1.9	12
7	The efficacy of suppressive antibiotic treatment in patients managed non-operatively for periprosthetic joint infection and a draining sinus. <i>Journal of Bone and Joint Infection</i> , 2021, 6, 313-319.	1.5	2
8	Can Lateralization of Reverse Shoulder Arthroplasty Improve Active External Rotation in Patients with Preoperative Fatty Infiltration of the Infraspinatus and Teres Minor?. <i>Journal of Clinical Medicine</i> , 2021, 10, 4130.	2.4	13
9	Bernese peri-acetabular osteotomy performed with navigation and patient-specific templates is a reproducible and safe procedure. <i>International Orthopaedics</i> , 2021, 45, 883-889.	1.9	6
10	Metals for joint replacement. , 2021, , 65-122.		1
11	Radiological changes, infections and neurological complications after reverse shoulder arthroplasty related to different design types and their rates: Part II. <i>EFORT Open Reviews</i> , 2021, 6, 1109-1121.	4.1	6
12	Survival rate of total hip replacements with matched and with mixed components with 10.7 years mean follow-up. <i>HIP International</i> , 2020, , 112070002097271.	1.7	4
13	Reactive Arthritis Provoked by <i>Campylobacter jejuni</i> Enterocolitis Mimicking Prosthetic Joint Infection. <i>JBJS Case Connector</i> , 2020, 10, e20.00043-e20.00043.	0.3	3
14	Massive Heterotopic Ossification of the Tensor Fascia Lata in a Bodybuilder Leading to Severe Hip Dysfunction. <i>JBJS Case Connector</i> , 2020, 10, e19.00581-e19.00581.	0.3	2
15	Periprosthetic Infection: Revision Arthroplasty. , 2018, , 563-587.		0
16	The Not-So-Good Prognosis of Streptococcal Periprosthetic Joint Infection Managed by Implant Retention: The Results of a Large Multicenter Study. <i>Clinical Infectious Diseases</i> , 2017, 64, 1742-1752.	5.8	97
17	pH and metal concentration of synovial fluid of osteoarthritic joints and joints with metal replacements. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017, 105, 2507-2515.	3.4	19
18	Results of Revision of Total HIP Arthroplasty for Alumina Ceramic-on-Ceramic Bearing Fracture. <i>HIP International</i> , 2016, 26, 237-243.	1.7	11

#	ARTICLE	IF	CITATIONS
19	Detection of bacteria with molecular methods in prosthetic joint infection: sonication fluid better than periprosthetic tissue. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 339-345.	3.3	50
20	Does Preoperative Antimicrobial Prophylaxis Influence the Diagnostic Potential of Periprosthetic Tissues in Hip or Knee Infections?. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 258-264.	1.5	49
21	Identification of the same species in at least two intra-operative samples for prosthetic joint infection diagnostics yields the best results with broad-range polymerase chain reaction. <i>International Orthopaedics</i> , 2015, 39, 975-979.	1.9	11
22	Human beta-defensin-3 producing cells in septic implant loosening. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 98.	3.6	4
23	Irrigation and Debridement. <i>Journal of Orthopaedic Research</i> , 2014, 32, S130-5.	2.3	10
24	Irrigation and Debridement. <i>Journal of Arthroplasty</i> , 2014, 29, 100-103.	3.1	20
25	Comparison of molecular and culture method in diagnosis of prosthetic joint infection. <i>FEMS Microbiology Letters</i> , 2013, 343, 42-48.	1.8	47
26	Osteoarthritic versus osteoporotic bone and intra- μ skeletal variations in normal bone: Evaluation with μ CT and bone histomorphometry. <i>Journal of Orthopaedic Research</i> , 2013, 31, 1059-1066.	2.3	21
27	Comparison of Ten-Year Survivorship of Hip Prostheses with Use of Conventional Polyethylene, Metal-on-Metal, or Ceramic-on-Ceramic Bearings. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 1756-1763.	3.0	79
28	The Diagnostic Protocol for Evaluation of Periprosthetic Joint Infection. <i>HIP International</i> , 2012, 22, 25-35.	1.7	7
29	An assessment of in vivo failures of alumina ceramic total hip joint replacements. <i>Journal of the European Ceramic Society</i> , 2012, 32, 3073-3084.	5.7	12
30	Joint Replacement: Historical Overview. , 2012, , 7-11.		1
31	Current Treatment Strategies in Prosthetic Joint Infections. , 2012, , 215-247.		1
32	The Algorithm for Diagnostic Evaluation and Treatment. , 2012, , 269-290.		0
33	Biomaterials in Artificial Joint Replacements. , 2012, , 13-21.		0
34	Classification of Prosthetic Joint Infections. , 2012, , 31-34.		2
35	The Definition of Prosthetic Joint Infections (PJI). , 2012, , 23-30.		0
36	Pathogenesis of Prosthetic Joint Infections. , 2012, , 95-101.		1

#	ARTICLE	IF	CITATIONS
37	Diagnostic Evaluations. , 2012, , 143-150.		0
38	A microarray based identification of osteoporosis-related genes in primary culture of human osteoblasts. Bone, 2010, 46, 72-80.	2.9	66
39	Special modes of corrosion under physiological and simulated physiological conditions. Acta Biomaterialia, 2008, 4, 468-476.	8.3	267
40	Arthroscopic Removal of an Osteoid Osteoma in the Radial Head: A Case Report. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2007, 23, 1361.e1-1361.e3.	2.7	14
41	New paediatric urine collector. Acta Paediatrica, International Journal of Paediatrics, 2007, 87, 98-99.	1.5	7
42	Survivorship and Retrieval Analysis of Sikomet Metal-on-Metal Total Hip Replacements at a Mean of Seven Years. Journal of Bone and Joint Surgery - Series A, 2006, 88, 1173-1182.	3.0	155
43	SURVIVORSHIP AND RETRIEVAL ANALYSIS OF SIKOMET METAL-ON-METAL TOTAL HIP REPLACEMENTS AT A MEAN OF SEVEN YEARS. Journal of Bone and Joint Surgery - Series A, 2006, 88, 1173-1182.	3.0	32
44	Dissociation of the metal inlay from the polyethylene liner in an uncemented threaded cup. Archives of Orthopaedic and Trauma Surgery, 2005, 125, 134-141.	2.4	13
45	Poor results from the isoelastic total hip replacement. Monthly Notices of the Royal Astronomical Society: Letters, 2005, 76, 169-176.	3.3	45
46	Increased trochanteric bursitis. Journal of Arthroplasty, 2005, 20, 960.	3.1	2
47	Fifty-one-year survival of a Judet polymethylmethacrylate hip prosthesis. Journal of Arthroplasty, 2004, 19, 664-667.	3.1	8
48	Aseptic Loosening of Total Hip Arthroplasty as a Result of Local Failure of Tissue Homeostasis. , 0, , .		9