

Shilie Pan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2913567/publications.pdf>

Version: 2024-02-01

503
papers

24,233
citations

10351

72
h-index

12558

132
g-index

511
all docs

511
docs citations

511
times ranked

3303
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Inorganic nonlinear optical materials. , 2023, , 3-44. | | 3 |
| 2 | Sr ₅ (CO ₃) ₂ (BO ₃) ₂ : A new family member of isostructural mixed borate and carbonate Ba ₄ M(BO ₃) ₂ (CO ₃) ₂ (M=ABa, Sr) with isolated BO ₃ and CO ₃ groups. Journal of Molecular Structure, 2022, 1247, 131382. | 1.8 | 3 |
| 3 | Achieving Short-Wavelength Phase-Matching Second Harmonic Generation in Boron-Rich Borosulfate with Planar [BO ₃] Units. Angewandte Chemie - International Edition, 2022, 61, . | 7.2 | 50 |
| 4 | Achieving Short-Wavelength Phase-Matching Second Harmonic Generation in Boron-Rich Borosulfate with Planar [BO ₃] Units. Angewandte Chemie, 2022, 134, e202112844. | 1.6 | 3 |
| 5 | Polymorphic Pb ₁₄ O ₈ I ₁₂ and Pb ₇ O ₄ I ₆ oxyhalides featuring unprecedented [O ₈ Pb ₁₄] clusters with broad IR transparency. Science China Materials, 2022, 65, 773-779. | 3.5 | 7 |
| 6 | From Na ₂ B ₆ O ₁₀ to Na ₃ AlB ₈ O ₁₅ and Na ₃ Al ₂ B ₇ O ₁₅ : Structural Tuning of Anionic-Group Architectures by Substitution of [BO ₄] by [AlO ₄] Covalent Tetrahedra. Chemistry - A European Journal, 2022, 28, . | 1.7 | 7 |
| 7 | Enhancement of band gap and birefringence induced <i>via</i> π -conjugated chromophore with σ effect. Inorganic Chemistry Frontiers, 2022, 9, 1224-1232. | 3.0 | 11 |
| 8 | Ba ₂ B ₁₃ O ₁₉ (OH) ₅ ·5H ₂ O: A promising nonlinear optical material with a unique 2[B ₁₃ O ₁₉ (OH) ₅] two-dimensional layer. Journal of Alloys and Compounds, 2022, 897, 163194. | 2.8 | 3 |
| 9 | Na ⁺ /Ag ⁺ substitution induced birefringence enhancement from AgGaS ₂ to NaGaS ₂ . Journal of Alloys and Compounds, 2022, 896, 163093. | 2.8 | 10 |
| 10 | Rational combination of multiple structural groups on regulating nonlinear optical property in hexagonal Ln ₃ MGe ₇ polar crystals. Journal of Alloys and Compounds, 2022, 900, 163535. | 2.8 | 3 |
| 11 | Ba ₆ (Cu _x Z _y)Sn ₄ S ₁₆ (Z = Mg, Tl) ETQq1 1 0.784314 rg 1.9 7 Inorganic Chemistry, 2022, 61, 2640-2651. | | |
| 12 | AZn ₂ (BO ₃) ₂ Si ₂ O ₅ (A = Rb, Cs): first examples of KB ₂ BO ₃ F ₂ structure type in the borosilicate family exhibiting a deep-ultraviolet cutoff edge. Journal of Materials Chemistry C, 2022, 10, 1727-1734. | 2.7 | 7 |
| 13 | Na ₄ B ₈ O ₉ F ₁₀ : A Deep-Ultraviolet Transparent Nonlinear Optical Fluorooxoborate with Unexpected Short Phase-Matching Wavelength Induced by Optimized Chromatic Dispersion. Angewandte Chemie, 2022, 134, . | 1.6 | 9 |
| 14 | Na ₄ B ₈ O ₉ F ₁₀ : A Deep-Ultraviolet Transparent Nonlinear Optical Fluorooxoborate with Unexpected Short Phase-Matching Wavelength Induced by Optimized Chromatic Dispersion. Angewandte Chemie - International Edition, 2022, 61, . | 7.2 | 80 |
| 15 | Ba ₂ B ₅ O ₈ (OH) ₂ (NO ₃) ₃ ·3H ₂ O: the design of an alkaline earth metal borate-nitrate optimized from a hydroxylic borate. Dalton Transactions, 2022, 51, 1979-1984. | 1.6 | 3 |
| 16 | Sr ₃ B ₁₄ O ₂₄ : a new borate with a [B ₁₄ O ₃₀] fundamental building block and an unwonted 2D double layer. Dalton Transactions, 2022, 51, 618-623. | 1.6 | 3 |
| 17 | Unprecedented mid-infrared nonlinear optical materials achieved by crystal structure engineering, a case study of (KX) ₂ S ₆ (X = Sb, Bi, Ba). Chemical Science, 2022, 13, 2640-2648. | 3.7 | 28 |
| 18 | Two new tellurite halides with cationic layers: syntheses, structures, and characterizations of CdPb ₂ Te ₃ O ₈ Cl ₂ and Cd ₁₃ Pb ₈ Te ₁₄ O ₄₂ Cl ₁₄ . Inorganic Chemistry Frontiers, 2022, 9, 1023-1030. | 3.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Pb ₂ Al ₂ B ₃ O ₈ F ₃ : structure and properties of a new fluoroaluminoborate with non-traditional chain-like B ₃ O ₈ groups. Dalton Transactions, 2022, 51, 3964-3969. | 1.6 | 2 |
| 20 | Hierarchical Modulation of Optical Anisotropy Driven by Metal Cation Polyhedra in Fluorooxoborates M II B 4 O 6 F 2 (M II =Be, Mg, Pb, Zn, Cd). Chemistry - A European Journal, 2022, 28, . | 1.7 | 3 |
| 21 | MM ² B ₃ O ₄ F ₃ (M = K; M ² = Na, K, Cs): Alkali-Metal Fluorooxoborates with ∞^1 [B ₃ O ₄ F ₃] Chains and Deep-Ultraviolet Cutoff Edges. Inorganic Chemistry, 2022, . | 1.9 | 7 |
| 22 | Pd and octahedra do not get along: Square planar [PdS ₄] units in non-centrosymmetric La ₆ PdSi ₂ S ₁₄ . Journal of Alloys and Compounds, 2022, 902, 163756. | 2.8 | 8 |
| 23 | Design of a diamond-like infrared nonlinear optical material LiBS ₂ with ultra-wide band gap. Journal of Alloys and Compounds, 2022, 902, 163839. | 2.8 | 3 |
| 24 | A ₂ P ₂ S ₆ (A = Ba and Pb): a good platform to study the polymorph effect and lone pair effect to form an acentric structure. Dalton Transactions, 2022, 51, 4522-4531. | 1.6 | 19 |
| 25 | Potential optical functional crystals with large birefringence: Recent advances and future prospects. Coordination Chemistry Reviews, 2022, 459, 214380. | 9.5 | 114 |
| 26 | Guanidinium Fluorooxoborates as Efficient Metal-free Short-Wavelength Nonlinear Optical Crystals. Chemistry of Materials, 2022, 34, 440-450. | 3.2 | 67 |
| 27 | Ba ₁₀ LuB ₁₈ O ₃₂ F ₁₃ : the first example of borate in the Lu ⁴⁺ B ⁴⁺ O ⁴⁺ F system with the unprecedented FBB [B ₉ O ₂₂]. Inorganic Chemistry Frontiers, 2022, 9, 2298-2304. | 3.0 | 7 |
| 28 | “Removing Center” An Effective Structure Design Strategy for Nonlinear Optical Crystals. Chemistry of Materials, 2022, 34, 2429-2438. | 3.2 | 16 |
| 29 | Finding the First Squarates Nonlinear Optical Crystal NaHC ₄ O ₄ ·H ₂ O with Strong Second Harmonic Generation and Giant Birefringence. , 2022, 4, 572-576. | | 19 |
| 30 | Strong Nonlinearity Induced by Coaxial Alignment of Polar Chain and Dense [BO ₃] Units in CaZn ₂ (BO ₃) ₂ . Angewandte Chemie - International Edition, 2022, 61, . | 7.2 | 116 |
| 31 | LiB ₅ O ₅ F ₂ (OH) ₄ : A new deep-ultraviolet birefringent crystal with [B ₅ O ₅ F ₂ (OH) ₄] anionic group. Science China Materials, 2022, 65, 2585-2590. | 3.5 | 11 |
| 32 | Rb ₅ Ba ₂ (B ₁₀ O ₁₇) ₂ (BO ₂): The formation of unusual functional [BO ₂] in borates with deep-ultraviolet transmission window. Science China Chemistry, 2022, 65, 719-725. | 4.2 | 25 |
| 33 | Uncovering the Structural Diversity and Excellent Performance of a Deep Ultraviolet Nonlinear Optical System Li(B ₂ O ₃) _n F (<i>n</i> = 1, 1.5, 2, and 3) by Multicomponent Prediction. Chemistry of Materials, 2022, 34, 3133-3139. | 3.2 | 10 |
| 34 | Toward the Rational Design of Mid-Infrared Nonlinear Optical Materials with Targeted Properties via a Multi-Level Data-Driven Approach. Advanced Functional Materials, 2022, 32, . | 7.8 | 58 |
| 35 | Non-Linear Optical Properties of the RE ₃ CuGeS ₇ Family of Compounds. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2022, 648, . | 0.6 | 7 |
| 36 | Synthesis, Crystal Growth, Electronic Properties and Optical Properties of Y ₆ IV _{2.5} S ₁₄ (IV=Si, Ge). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2022, 648, . | 0.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | [C ₃ N ₆ H ₇] ₂ [B ₃ O ₃ F ₄ (OH)]: a new hybrid birefringent crystal with strong optical anisotropy induced by mixed functional units. <i>Journal of Materials Chemistry C</i> , 2022, 10, 6590-6595. | 2.7 | 28 |
| 38 | (N ₂ H ₆)[HPO ₃ F] ₂ : maximizing the optical anisotropy of deep-ultraviolet fluorophosphates. <i>Chemical Communications</i> , 2022, 58, 5594-5597. | 2.2 | 18 |
| 39 | Noncentrosymmetric Rare-Earth Borate Fluoride La ₂ B ₅ O ₉ F ₃ : A New Ultraviolet Nonlinear Optical Crystal with Enhanced Linear and Nonlinear Performance. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 18704-18712. | 4.0 | 28 |
| 40 | The Combination of Structure Prediction and Experiment for the Exploration of Alkali-Earth Metal-Contained Chalcopyrite-Like IR Nonlinear Optical Material. <i>Advanced Science</i> , 2022, 9, e2106120. | 5.6 | 44 |
| 41 | Lone Pair-Driven Enhancement of Birefringence in Polar Alkali Metal Antimony Phosphates. <i>Chemistry of Materials</i> , 2022, 34, 4224-4231. | 3.2 | 19 |
| 42 | Organic-Inorganic Hybrid Noncentrosymmetric (Morpholinium) ₂ Cd ₂ Cl ₆ Single Crystals: Synthesis, Nonlinear Optical Properties, and Stability. <i>Inorganic Chemistry</i> , 2022, 61, 8076-8082. | 1.9 | 18 |
| 43 | Double-Modification Oriented Design of a Deep-UV Birefringent Crystal Functionalized by [B ₁₂ O ₁₆ F ₄ (OH) ₄] Clusters. <i>Angewandte Chemie - International Edition</i> , 2022, 61, . | 7.2 | 70 |
| 44 | Promising Deep-Ultraviolet Birefringent Materials via Rational Design and Assembly of Planar π -Conjugated [B(OH) ₃] and [B ₃ O ₃ (OH) ₃] Functional Species. <i>Angewandte Chemie - International Edition</i> , 2022, 61, . | 7.2 | 34 |
| 45 | Enhancement of Birefringence in Borophosphate Pushing Phase-Matching into the Short-Wavelength Region. <i>Journal of the American Chemical Society</i> , 2022, 144, 9083-9090. | 6.6 | 69 |
| 46 | Second-Harmonic Generation-Positive Na ₂ Ga ₂ SiS ₆ with a Broad Band Gap and a High Laser Damage Threshold. <i>Inorganic Chemistry</i> , 2022, 61, 7546-7552. | 1.9 | 11 |
| 47 | CsAB ₈ O ₁₂ F ₂ ·A·CsI (A = K ⁺ , Tl ⁺) ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50 347 Td structures via a salt-inclusion strategy. <i>Journal of Materials Chemistry C</i> , 2022, 10, 8584-8588. | 2.7 | 12 |
| 48 | From oxides to oxysulfides: the mixed-anion GeS ₃ O unit induces huge improvement in the nonlinear optical effect and optical anisotropy for potential nonlinear optical materials. <i>RSC Advances</i> , 2022, 12, 16296-16300. | 1.7 | 10 |
| 49 | NaBaBS ₃ : A Promising Infrared Functional Material with Large Birefringence Induced by π -Conjugated [BS ₃] Units. <i>Chemistry of Materials</i> , 2022, 34, 5215-5223. | 3.2 | 13 |
| 50 | (NH ₄) ₃ B ₁₁ PO ₁₉ F ₃ : a deep-UV nonlinear optical crystal with unique [B ₅ PO ₁₀ F] ²⁻ layers. <i>National Science Review</i> , 2022, 9, . | 4.6 | 68 |
| 51 | K ₃ Sr ₃ Li ₂ Al ₄ B ₆ O ₂₀ F: a competitive nonlinear optical crystal for generation of a 266 nm laser. <i>Journal of Materials Chemistry C</i> , 2022, 10, 11232-11238. | 2.7 | 17 |
| 52 | AgGaSe ₂ -Inspired Nonlinear Optical Materials: Tetrel Selenides of Alkali Metals and Mercury. <i>Chemistry of Materials</i> , 2022, 34, 5991-5998. | 3.2 | 14 |
| 53 | Γ -SnF ₂ : A UV Birefringent Material with Large Birefringence and Easy Crystal Growth. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3540-3544. | 7.2 | 108 |
| 54 | Series of Crystals with Giant Optical Anisotropy: A Targeted Strategic Research. <i>Angewandte Chemie</i> , 2021, 133, 1352-1358. | 1.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Series of Crystals with Giant Optical Anisotropy: A Targeted Strategic Research. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 1332-1338. | 7.2 | 77 |
| 56 | Ba_2SnF_2 : A UV Birefringent Material with Large Birefringence and Easy Crystal Growth. <i>Angewandte Chemie</i> , 2021, 133, 3582-3586. | 1.6 | 12 |
| 57 | Borates: A Rich Source for Optical Materials. <i>Chemical Reviews</i> , 2021, 121, 1130-1202. | 23.0 | 534 |
| 58 | From silicates to oxonitridosilicates: improving optical anisotropy for phase-matching as ultraviolet nonlinear optical materials. <i>Chemical Communications</i> , 2021, 57, 639-642. | 2.2 | 32 |
| 59 | $\text{Sn}_2\text{B}_5\text{O}_9\text{Br}$ as an Outstanding Bifunctional Material with Strong Second Harmonic Generation Effect and Large Birefringence. <i>Advanced Optical Materials</i> , 2021, 9, 2001734. | 3.6 | 49 |
| 60 | $\text{AB}_{11}\text{O}_{16}(\text{OH})_2$ (A = K and Cs): interpenetrating 2D layers with large birefringence. <i>CrystEngComm</i> , 2021, 23, 35-39. | 1.3 | 4 |
| 61 | $\text{Cs}_2\text{AlB}_5\text{O}_{10}$: a short-wavelength nonlinear optical crystal with moderate second harmonic generation response. <i>Dalton Transactions</i> , 2021, 50, 822-825. | 1.6 | 8 |
| 62 | $\text{Ba}_2\text{B}_7\text{O}_{12}\text{F}$ with novel FBB [$\text{B}_7\text{O}_{16}\text{F}$] and deep-ultraviolet cut-off edge. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 339-343. | 3.0 | 17 |
| 63 | $\text{Na}_3\text{AMg}_7(\text{PO}_4)_6$ (A = K, Rb and Cs): Structures, properties and theoretical studies of alkali metal magnesium orthophosphates. <i>Journal of Molecular Structure</i> , 2021, 1226, 129349. | 1.8 | 9 |
| 64 | $\text{Sn}_{14}\text{O}_{11}\text{Br}_6$: a promising birefringent material with a [$\text{Sn}_{14}\text{O}_{11}\text{Br}_6$] layer. <i>Journal of Materials Chemistry C</i> , 2021, 9, 7103-7109. | 2.7 | 19 |
| 65 | Synergism of multiple functional chromophores significantly enhancing the birefringence in layered non-centrosymmetric chalcogenides. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 1588-1598. | 3.0 | 12 |
| 66 | From thiophosphate to chalcogenide: mixed-anion AgS_xCl_y ligands concurrently enhancing nonlinear optical effects and laser-damage threshold. <i>Chemical Communications</i> , 2021, 57, 8218-8221. | 2.2 | 5 |
| 67 | Barium fluoriodate crystals with a large band gap and birefringence. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 3127-3133. | 3.0 | 16 |
| 68 | $\text{Ba}_2\text{BS}_3\text{Cl}$ and $\text{Ba}_5\text{B}_2\text{S}_8\text{Cl}_2$: First alkaline-earth metal thio borate halides with [BS ₃] units. <i>Chemical Communications</i> , 2021, 57, 6440-6443. | 2.2 | 18 |
| 69 | The synthesis, characterization, and theoretical analysis of $(\text{NH}_4)_3\text{PbCl}_5$. <i>New Journal of Chemistry</i> , 2021, 45, 2038-2043. | 1.4 | 1 |
| 70 | Design and synthesis of Ba_3SiSe_5 with suitable birefringence modulated via M ^{IV} atoms in the $\text{Ba}^{\text{IV}}\text{M}^{\text{IV}}\text{Q}$ (M ^{IV} = Si, Ge; Q = S, Se) system. <i>Dalton Transactions</i> , 2021, 50, 11999-12005. | 1.6 | 2 |
| 71 | An antimony borate with large birefringence exhibiting unwonted [B_5O_{11}] fundamental building blocks and dimeric [Sb_2O_6] clusters. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2584-2590. | 3.0 | 15 |
| 72 | $\text{BaZn}_3(\text{BO}_3)_2\text{F}_2$: a new beryllium-free zinc borate with a KBBF-type structure. <i>Dalton Transactions</i> , 2021, 50, 13216-13219. | 1.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A review on the recently developed promising infrared nonlinear optical materials. Dalton Transactions, 2021, 50, 3155-3160. | 1.6 | 59 |
| 74 | SrTi ₃ IO ₆ ·2H ₂ O and SrSn ₃ IO ₆ : distinct arrangements of lone pair electrons leading to large birefringences. RSC Advances, 2021, 11, 10309-10315. | 1.7 | 5 |
| 75 | Computationally assisted multistage design and prediction driving the discovery of deep-ultraviolet nonlinear optical materials. Materials Chemistry Frontiers, 2021, 5, 3507-3523. | 3.2 | 27 |
| 76 | From centrosymmetric to noncentrosymmetric: effect of the cation on the crystal structures and birefringence values of (NH ₄) _n AE(PO ₂ F ₂) _n (AE = Mg, Sr and Ba; Tj ETQ0 0 0 4 gBT /Over | 1.6 | 4 |
| 77 | From BaCl ₂ to Ba(NO ₃)Cl: significantly enhanced birefringence derived from ĩ-conjugated [NO ₃]. New Journal of Chemistry, 2021, 45, 17544-17550. | 1.4 | 5 |
| 78 | BaTi(BO ₃) ₂ : an excellent birefringent material with highly coplanar isolated [BO ₃] groups. New Journal of Chemistry, 2021, 45, 7065-7068. | 1.4 | 7 |
| 79 | Pb _{2.28} Ba _{1.72} B ₁₀ O ₁₉ featuring a three-dimensional Bâ€O anionic network with edge-sharing [BO ₄] obtained under ambient pressure. Inorganic Chemistry Frontiers, 2021, 8, 3716-3722. | 3.0 | 4 |
| 80 | Na ₄ Sn ₄ and Na ₄ SnSe ₄ exhibiting multifunctional physicochemical performances as potential infrared nonlinear optical crystals and sodium ion conductors. New Journal of Chemistry, 2021, 45, 12362-12366. | 1.4 | 13 |
| 81 | Ba _{2.5} Pb _{1.5} B ₁₀ O ₂₂ : structural transformation from a centrosymmetric to a noncentrosymmetric space group by introducing Pb into Ba ₂ B ₆ O ₁₁ . Dalton Transactions, 2021, 50, 13031-13036. | 1.6 | 5 |
| 82 | Finding Short-Wavelength Birefringent Crystals with Large Optical Anisotropy Activated by ĩ-Conjugated [C(NH ₂) ₃] Units. Crystal Growth and Design, 2021, 21, 1869-1877. | 1.4 | 15 |
| 83 | Noncentrosymmetric Tetrel Pnictides RuSi ₄ P ₄ and IrSi ₃ P ₃ : Nonlinear Optical Materials with Outstanding Laser Damage Threshold. Advanced Functional Materials, 2021, 31, 2010293. | 7.8 | 27 |
| 84 | Na ₆ MQ ₄ (M=Zn, Cd; Q=S, Se): Promising New Ternary Infrared Nonlinear Optical Materials. Chemistry - A European Journal, 2021, 27, 6538-6544. | 1.7 | 16 |
| 85 | Toward the Enhancement of Critical Performance for Deep-Ultraviolet Frequency-Doubling Crystals Utilizing Covalent Tetrahedra. Accounts of Materials Research, 2021, 2, 282-291. | 5.9 | 82 |
| 86 | Pb ₃ Ba ₇ B ₇ O ₂₀ F: A new nonlinear optical material exhibiting large second harmonic generation response induced by its unprecedented Pb-B-O framework. Scripta Materialia, 2021, 194, 113700. | 2.6 | 8 |
| 87 | Prediction of Novel van der Waals Boron Oxides with Superior Deepâ€Ultraviolet Nonlinear Optical Performance. Angewandte Chemie, 2021, 133, 10886-10892. | 1.6 | 6 |
| 88 | Prediction of Novel van der Waals Boron Oxides with Superior Deepâ€Ultraviolet Nonlinear Optical Performance. Angewandte Chemie - International Edition, 2021, 60, 10791-10797. | 7.2 | 28 |
| 89 | M ₃ B ₆ O ₁₀ NO ₃ (Mâ€=â€K, Rb): Two New Alkali Metal Borateâ€Nitrates with Noncentrosymmetric Structures. European Journal of Inorganic Chemistry, 2021, 2021, 1297-1304. | 1.0 | 12 |
| 90 | Cation Substitution of Hexagonal Triple Perovskites: A Case in Trimetallic Tellurates A ₂ BT ₂ O ₉ . Inorganic Chemistry, 2021, 60, 6099-6106. | 1.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Expanding the chemistry of borates with functional [BO ₂] ⁿ⁻ anions. Nature Communications, 2021, 12, 2597. | 5.8 | 99 |
| 92 | Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. Angewandte Chemie, 2021, 133, 14771-14777. | 1.6 | 13 |
| 93 | RbM ₃ (BO ₃) ₂ O ₃ (M=Ba, Sr; T=Al, Ga): New Double-Layered Oxyborates Constructed from [BO ₃] Triangles and [TO ₄] Tetrahedra. Chemistry - A European Journal, 2021, 27, 8698-8703. | 1.7 | 6 |
| 94 | Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. Angewandte Chemie - International Edition, 2021, 60, 14650-14656. | 7.2 | 109 |
| 95 | Unique Unilateral-Chelated Mode-Induced d ^π -p ^π Interaction Enhances Second-Harmonic Generation Response in New Ln ₃ LiMS ₇ Family. Chemistry of Materials, 2021, 33, 4225-4230. | 3.2 | 25 |
| 96 | Cs ₄ B ₄ O ₃ F ₁₀ : First Fluorooxoborate with [BF ₄] Involving Heteroanionic Units and Extremely Low Melting Point. Chemistry - A European Journal, 2021, 27, 9753-9757. | 1.7 | 16 |
| 97 | Fluorine-Driven Enhancement of Birefringence in the Fluorooxosulfate: A Deep Evaluation from a Joint Experimental and Computational Study. Advanced Science, 2021, 8, e2003594. | 5.6 | 83 |
| 98 | Centrosymmetric or Noncentrosymmetric? Transition Metals Talking in K ₂ TGe ₃ S ₈ (T = Co, Fe). Inorganic Chemistry, 2021, 60, 10603-10613. | 1.9 | 16 |
| 99 | Triclinic Layered A ₂ ZnSi ₃ S ₈ (A = Rb and Cs) with Large Optical Anisotropy and Systematic Research on the Inherent Structure-Performance Relationship in the A ₂ M ^{II} M ^{IV} ₃ Q ₈ Family. Inorganic Chemistry, 2021, 60, 12573-12579. | 1.9 | 5 |
| 100 | Yb:GdScO ₃ crystal for efficient ultrashort pulse lasers. Optics Letters, 2021, 46, 3641. | 1.7 | 24 |
| 101 | The First Mixed Calcium Zinc Borate with a Flexible [B ₈ O ₁₇] Fundamental Building Block and Short UV Cutoff Edge. Chemistry - A European Journal, 2021, 27, 12047-12051. | 1.7 | 2 |
| 102 | Li ₃ La ₂ (BO ₃) ₃ and Li _{1.75} Na _{1.25} La ₂ (BO ₃) ₃ : A Great Enhancement in Birefringence Induced by Optimal Arrangement of f ⁿ -Conjugated [BO ₃] Units. Inorganic Chemistry, 2021, 60, 12565-12572. | 1.9 | 11 |
| 103 | Hydroxyfluorooxoborate Na[B ₃ O ₃ F ₂ (OH) ₂] ⁿ⁻ [B(OH) ₃]: Optimizing the Optical Anisotropy with Heteroanionic Units for Deep Ultraviolet Birefringent Crystals. Angewandte Chemie, 2021, 133, 20632-20638. | 1.6 | 14 |
| 104 | Hg ₃ P ₂ S ₈ : A New Promising Infrared Nonlinear Optical Material with a Large Second-Harmonic Generation and a High Laser-Induced Damage Threshold. Chemistry of Materials, 2021, 33, 6514-6521. | 3.2 | 74 |
| 105 | Tetrafluoroborate-Monofluorophosphate (NH ₄) ₃ [PO ₃ F][BF ₄]: First Member of Oxyfluoride with B-F and P-F Bonds. ACS Organic & Inorganic Au, 2021, 1, 6-10. | 1.9 | 13 |
| 106 | Hydroxyfluorooxoborate Na[B ₃ O ₃ F ₂ (OH) ₂] ⁿ⁻ [B(OH) ₃]: Optimizing the Optical Anisotropy with Heteroanionic Units for Deep Ultraviolet Birefringent Crystals. Angewandte Chemie - International Edition, 2021, 60, 20469-20475. | 7.2 | 90 |
| 107 | Li ₄ MgGe ₂ S ₇ : The First Alkali and Alkaline-Earth Diamond-Like Infrared Nonlinear Optical Material with Exceptional Large Band Gap. Angewandte Chemie, 2021, 133, 24333-24338. | 1.6 | 14 |
| 108 | NaRbB ₃ O ₄ F ₃ : A New Fluorooxoborate with a Short UV Cutoff Edge Enriching the Structural Chemistry of Borate. Chemistry - an Asian Journal, 2021, 16, 3082-3085. | 1.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | From borophosphate to fluoroborophosphate: a rational design of fluorine-induced birefringence enhancement. <i>Science China Chemistry</i> , 2021, 64, 1498-1503. | 4.2 | 17 |
| 110 | $\text{Li}_4\text{MgGe}_2\text{S}_7$: The First Alkali and Alkaline Earth Diamond-Like Infrared Nonlinear Optical Material with Exceptional Large Band Gap. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 24131-24136. | 7.2 | 130 |
| 111 | $\text{Sn}_2\text{PO}_4\text{I}$: An Excellent Birefringent Material with Giant Optical Anisotropy in Non-Conjugated Phosphate. <i>Angewandte Chemie</i> , 2021, 133, 25105. | 1.6 | 14 |
| 112 | Finding a Series of BaBOF_3 Fluorooxoborate Polymorphs with Tunable Symmetries: A Simple but Flexible Case. <i>Chemistry of Materials</i> , 2021, 33, 7905-7913. | 3.2 | 22 |
| 113 | Identical in Formula but Not Isotypic in Configuration: Discovery of a New Highly Polymerized $[\text{B}_{12}\text{O}_{24}]$ Cluster in $\text{Cs}_3\text{AlB}_6\text{O}_{12}$. <i>Inorganic Chemistry</i> , 2021, 60, 15131-15135. | 1.9 | 9 |
| 114 | $\text{Sn}_2\text{PO}_4\text{I}$: An Excellent Birefringent Material with Giant Optical Anisotropy in Non-Conjugated Phosphate. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 24901-24904. | 7.2 | 101 |
| 115 | Innenr4cktitelbild: $\text{Li}_4\text{MgGe}_2\text{S}_7$: The First Alkali and Alkaline Earth Diamond-Like Infrared Nonlinear Optical Material with Exceptional Large Band Gap (<i>Angew. Chem.</i>) Tj ETQq1 1 0.784314 rgBT /Over | 7.2 | 130 |
| 116 | $\text{CsBaB}_9\text{O}_{15}$: a high performance ultraviolet nonlinear optical material activated by the peculiar double layered configuration. <i>Science Bulletin</i> , 2021, 66, 2165-2169. | 4.3 | 42 |
| 117 | $\text{BaB}_4\text{O}_5\text{F}_4$ with reversible phase transition featuring unprecedented fundamental building blocks of $[\text{B}_{16}\text{O}_{21}\text{F}_{16}]$ in the $\langle 1 \pm \rangle$ -phase and $[\text{B}_4\text{O}_6\text{F}_4]$ in the $\langle 1^2 \rangle$ -phase. <i>Chemical Communications</i> , 2021, 57, 4182-4185. | 2.2 | 15 |
| 118 | A series of M_3PS_4 (M = Ag, Cu and Ag/Cu) thiophosphates with diamond-like structures exhibiting large second harmonic generation responses and moderate ion conductivities. <i>Dalton Transactions</i> , 2021, 50, 4129-4132. | 1.6 | 17 |
| 119 | Applying band gap engineering to tune the linear optical and nonlinear optical properties of noncentrosymmetric chalcogenides $\text{La}_4\text{Ge}_3\text{Se}_x\text{S}_{12-x}$ ($x = 0, 2, 4, 6, 8$) Tj ETQq1 1 0.784314 rgBT | 3.0 | 9 |
| 120 | Enhanced birefringence and suppressed second harmonic generation response mechanism in nonlinear optical materials via structural fine-tuning. <i>Materials Chemistry Frontiers</i> , 2021, 5, 7580-7586. | 3.2 | 7 |
| 121 | $\text{Sn}_3\text{B}_8\text{O}_{15}$: A Ternary Tin(II) Borate with Flexible $[\text{B}_8\text{O}_{18}]^{12-}$ Fundamental Building Block Formed by $[\text{B}_7\text{O}_{16}]^{11-}$ and $[\text{BO}_3]^{3-}$ Groups. <i>Inorganic Chemistry</i> , 2021, 60, 883-891. | 1.9 | 8 |
| 122 | A new broad-band infrared window material CdPbOCl_2 with excellent comprehensive properties. <i>Dalton Transactions</i> , 2021, 50, 16401-16405. | 1.6 | 4 |
| 123 | Synthesis-enabled exploration of chiral and polar multivalent quaternary sulfides. <i>Chemical Science</i> , 2021, 12, 14718-14730. | 3.7 | 16 |
| 124 | Syntheses, Structures and Properties of Alkali and Alkaline Earth Metal Diamond-Like Compounds $\text{Li}_2\text{MgMSe}_4$ (M = Ge, Sn). <i>Materials</i> , 2021, 14, 6166. | 1.3 | 6 |
| 125 | Coordination-Directed Structural Modulation and Design of Deep-Ultraviolet Nonlinear Optical Materials. <i>Journal of Physical Chemistry C</i> , 2021, 125, 24859-24866. | 1.5 | 3 |
| 126 | $\text{M}_6\text{PS}_5\text{X}$ (M = Ag, Cu; X = Cl, Br) chalcogenides exhibiting strong nonlinear optical responses and high laser damage resistances. <i>Dalton Transactions</i> , 2021, 50, 17901-17905. | 1.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | CsAlB ₃ O ₆ F: a beryllium-free deep-ultraviolet nonlinear optical material with enhanced thermal stability. <i>Chemical Science</i> , 2020, 11, 694-698. | 3.7 | 108 |
| 128 | Effect of anion dimensionality on optical properties: the [B ₇ O ₁₀ (OH) ₂] layer in CsB ₇ O ₁₀ (OH) ₂ vs. the [B ₇ O ₁₂] framework in CsBaB ₇ O ₁₂ . <i>Dalton Transactions</i> , 2020, 49, 1292-1299. | 1.6 | 14 |
| 129 | A new family of quaternary thiosilicates SrA ₂ SiS ₄ (A = Li, Na, Cu) as promising infrared nonlinear optical crystals. <i>Journal of Materials Chemistry C</i> , 2020, 8, 1762-1767. | 2.7 | 34 |
| 130 | Al ₈ (BO ₃) ₄ (B ₂ O ₅)F ₈ : A F-Containing Aluminum Borate Featuring Two Types of Isolated B=O Groups. <i>Inorganic Chemistry</i> , 2020, 59, 810-817. | 1.9 | 5 |
| 131 | NaRb ₃ B ₆ O ₉ (OH) ₃ (HCO ₃): A Borate-Bicarbonate Nonlinear Optical Material. <i>Inorganic Chemistry</i> , 2020, 59, 759-766. | 1.9 | 13 |
| 132 | Neue Kandidaten für die nichtlineare Optik im Tief-UV-Bereich. <i>Angewandte Chemie</i> , 2020, 132, 20480-20496. | 1.6 | 39 |
| 133 | Emergent Deep-Ultraviolet Nonlinear Optical Candidates. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 20302-20317. | 7.2 | 203 |
| 134 | Two new ammonium/alkali-rare earth metal difluorophosphates AlA(PO ₂ F ₂) ₄ (A = NH ₄ and K) with moderate birefringence and short cutoff edges. <i>Dalton Transactions</i> , 2020, 49, 11591-11596. | 1.6 | 14 |
| 135 | First-Principles High-Throughput Screening Pipeline for Nonlinear Optical Materials: Application to Borates. <i>Chemistry of Materials</i> , 2020, 32, 6772-6779. | 3.2 | 59 |
| 136 | Structure-property survey and computer-assisted screening of mid-infrared nonlinear optical chalcogenides. <i>Coordination Chemistry Reviews</i> , 2020, 421, 213379. | 9.5 | 78 |
| 137 | RbB ₃ O ₄ F ₂ : a rubidium fluorooxoborate with an unprecedented [B ₃ O ₅ F ₂] ³⁻ functionalized unit and a large birefringence. <i>Chemical Communications</i> , 2020, 56, 15333-15336. | 2.2 | 27 |
| 138 | K ₄ (PO ₂ F ₂) ₂ (S ₂ O ₇): first fluorooxophosphorsulfate with mixed-anion [S ₂ O ₇] ²⁻ and [PO ₂ F ₂] ⁻ groups. <i>Dalton Transactions</i> , 2020, 49, 17658-17664. | 1.6 | 11 |
| 139 | Enhanced optical anisotropy via dimensional control in alkali-metal chalcogenides. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 19697-19703. | 1.3 | 14 |
| 140 | Three non-centrosymmetric bismuth phosphates, Li ₂ ABi(PO ₄) ₂ (A = Tl, Pb, Bi, Sb, As, Sn, Ge, Si, Al, Fe, Mn, Zn, Ni, Co, Cu, Ag, Au, Hg, Cd, Ba, Sr, Ca, Mg, Be, Zn, Ni, Co, Cu, Ag, Au, Hg, Cd, Ba, Sr, Ca, Mg, Be). <i>Frontiers</i> , 2020, 7, 3364-3370. | 3.0 | 17 |
| 141 | Fluorooxoborate layers: second harmonic generation and Raman spectra anisotropy. <i>New Journal of Chemistry</i> , 2020, 44, 13939-13943. | 1.4 | 1 |
| 142 | Intense d-p Hybridization Induced a Vast SHG Response Disparity between Tetrahedral Vanadates and Arsenates. <i>Journal of Physical Chemistry C</i> , 2020, 124, 24949-24956. | 1.5 | 8 |
| 143 | Role of Fluorooxo-Functional Units in Symmetry Breaking and Second Harmonic Generation Response Contribution in Fluorooxoborate Nonlinear Optical Crystals. <i>Crystal Growth and Design</i> , 2020, 20, 7582-7587. | 1.4 | 10 |
| 144 | Second Harmonic Generation Susceptibilities from Symmetry Adapted Wannier Functions. <i>Physical Review Letters</i> , 2020, 125, 187402. | 2.9 | 94 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | A review of the $\text{Al}_2\text{B}_{11}\text{C}_{14}\text{DVI}_4$ family as infrared nonlinear optical materials: the effect of each site on the structure and optical properties. <i>Chemical Communications</i> , 2020, 56, 11565-11576. | 2.2 | 46 |
| 146 | Finding Optimal Mid-Infrared Nonlinear Optical Materials in Germanates by First-Principles High-Throughput Screening and Experimental Verification. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 45023-45035. | 4.0 | 46 |
| 147 | $\text{Ba}_3(\text{BO}_3)_3(\text{CO}_3)_3\text{F}$: The First Borate Carbonate Fluoride Synthesized by the High-Temperature Solution Method. <i>Chemistry - A European Journal</i> , 2020, 26, 16628-16632. | 1.7 | 12 |
| 148 | $\text{Cs}_3\text{B}_3\text{O}_3\text{F}_6$ with a Deep-Ultraviolet Cutoff Edge and a Suitable Birefringence as the Potential Zero-Order Waveplate Material. <i>Inorganic Chemistry</i> , 2020, 59, 13014-13018. | 1.9 | 17 |
| 149 | Broadening of the Fluorescence Spectra of Sesquioxide Crystals for Ultrafast Lasers. <i>Crystal Growth and Design</i> , 2020, 20, 4678-4685. | 1.4 | 20 |
| 150 | $\text{Li}_4\text{Ca}_2\text{B}_8\text{O}_{16}$: A Borate with a Unique Fundamental Building Block and a Short Cutoff Edge. <i>Inorganic Chemistry</i> , 2020, 59, 8396-8403. | 1.9 | 11 |
| 151 | From $\text{BaAl}_2(\text{BO}_3)_2\text{O}$ to $\text{SnAl}_2(\text{BO}_3)_2\text{F}_2$: structure transformation based on ion regulation. <i>New Journal of Chemistry</i> , 2020, 44, 9852-9857. | 1.4 | 2 |
| 152 | A review on phase transition and structure-performance relationship of second-order nonlinear optical polymorphs. <i>Coordination Chemistry Reviews</i> , 2020, 418, 213380. | 9.5 | 67 |
| 153 | $\text{Rb}_3\text{BaTeB}_7\text{O}_{15}$: a novel $[\text{B}_7\text{O}_{16}]$ fundamental building block in a new telluroborate with $[\text{TeO}_3]$ polyhedra. <i>Dalton Transactions</i> , 2020, 49, 8911-8917. | 1.6 | 7 |
| 154 | New Alkaline-Earth Metal Fluoroiodates Exhibiting Large Birefringence and Short Ultraviolet Cutoff Edge with Highly Polarizable $(\text{IO}_3\text{F})_2$ Units. <i>Chemistry of Materials</i> , 2020, 32, 5723-5728. | 3.2 | 44 |
| 155 | ZnIO_3F : Zinc Iodate Fluoride with Large Birefringence and Wide Band Gap. <i>Inorganic Chemistry</i> , 2020, 59, 4172-4175. | 1.9 | 40 |
| 156 | æ±ç«â-æ°ÿäĒ-ç¼é...çâĒæš~â°,çž†â'Ēæš~â°,çž†è%²æ•Łçš,,æ€šèf½ âçžçšç”ç©¶. <i>Science China Materials</i> , 2020, 63, 1480-1485. | | |
| 157 | $\text{K}_2\text{Na}(\text{IO}_3)_2(\text{I}_3\text{O}_8)$ with Strong Second Harmonic Generation Response Activated by Two Types of Isolated Iodate Anions. <i>Chemistry of Materials</i> , 2020, 32, 3608-3614. | 3.2 | 36 |
| 158 | Alignment of Polar Moieties Leading to Strong Second Harmonic Response in $\text{KCsMoP}_2\text{O}_9$. <i>Chemistry of Materials</i> , 2020, 32, 3297-3303. | 3.2 | 31 |
| 159 | Polar polymorphism: $\hat{1}^-$ and $\hat{1}^2$ - KCsWP_2O_9 nonlinear optical materials with a strong second harmonic generation response. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11441-11448. | 2.7 | 19 |
| 160 | $\text{PbB}_5\text{O}_7\text{F}_3$: A High-Performing Short-Wavelength Nonlinear Optical Material. <i>Chemistry of Materials</i> , 2020, 32, 2172-2179. | 3.2 | 88 |
| 161 | Noncentrosymmetric Fluorooxoborates $\text{A}_{10}\text{B}_{13}\text{O}_{15}\text{F}_{19}$ (A = K and Rb) with Unexpected $[\text{B}_{10}\text{O}_{12}\text{F}_{13}]^7-$ Units and Deep-Ultraviolet Cutoff Edges. <i>Inorganic Chemistry</i> , 2020, 59, 3274-3280. | 1.9 | 21 |
| 162 | BaGeO_3 : A Mid-IR Transparent Crystal with Superstrong Raman Response. <i>Inorganic Chemistry</i> , 2020, 59, 3542-3545. | 1.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Coordinated regulation on critical physiochemical performances activated from mixed tetrahedral anionic ligands in new series of Sr ₆ A ₄ M ₄ S ₁₆ (A = Ag, Cu; M = Ge, Sn) nonlinear optical materials. Dalton Transactions, 2020, 49, 3388-3392. | 1.6 | 21 |
| 164 | Structural Diversity of Molybdate Iodate and Fluoromolybdate: Syntheses, Structures, and Calculations on Na ₃ (MoO ₄) ₃ (IO ₃) and Na ₃ Cs(MoO ₂ F ₄) ₂ . Inorganic Chemistry, 2020, 59, 3034-3041. | 1.9 | 13 |
| 165 | Ba(B ₂ OF ₃ (OH) ₂) ₂ with well-ordered OH/F anions and a unique B ₂ OF ₃ (OH) ₂ dimer. Chemical Communications, 2020, 56, 3301-3304. | 2.2 | 18 |
| 166 | Band-Gap Modulation of Nonlinear-Optical Fluorooxoborates by Controlling the F/B Ratios. Inorganic Chemistry, 2020, 59, 1588-1591. | 1.9 | 3 |
| 167 | La ₃ B ₆ O ₁₃ (OH): The First Acentric High-Pressure Borate Displaying Edge-Sharing BO ₄ Tetrahedra. Chemistry - A European Journal, 2020, 26, 6851-6861. | 1.7 | 23 |
| 168 | Î±-, Î²-Pb ₄ B ₂ O ₇ and Î±-, Î²-Pb ₄ B ₆ O ₁₃ : Polymorphism drives changes in structure and performance. Science China Materials, 2020, 63, 806-815. | 3.5 | 13 |
| 169 | A Promising Fluorooxoborate Framework with Flexible Capability for Diverse Cations to Enhance the Second Harmonic Generation. Chemistry - A European Journal, 2020, 26, 3723-3728. | 1.7 | 10 |
| 170 | Infrared Nonlinear Optical Polymorphs Î±- and Î²-SrCu ₂ Sn ₄ Exhibiting Large Second Harmonic Generation Responses with Requisite Phase-Matching Behavior. Chemistry of Materials, 2020, 32, 1281-1287. | 3.2 | 34 |
| 171 | Controllable synthesis and spontaneous phase transition of photonic coordination polymer to produce a strong second-harmonic generation response. Science China Materials, 2020, 63, 1272-1278. | 3.5 | 18 |
| 172 | LiBa ₄ Ga ₅ Q ₁₂ (Q = S, Se): Noncentrosymmetric Metal Chalcogenides with a Cesium Chloride Topological Structure Displaying a Remarkable Laser Damage Threshold. Inorganic Chemistry, 2020, 59, 5674-5682. | 1.9 | 25 |
| 173 | Prediction of ternary fluorooxoborates with coplanar triangular units [BO _x F _{3-x}] ^{x-} from first-principles. Dalton Transactions, 2020, 49, 5424-5428. | 1.6 | 9 |
| 174 | Three diphosphates, Î±-Li ₂ Na ₂ P ₂ O ₇ , Li ₈ Pb ₃ Ba(P ₂ O ₇) ₄ and Li ₇ Rb(P ₂ O ₇) ₂ : influences of co-substitution on the crystal structure. Dalton Transactions, 2020, 49, 6744-6750. | 1.6 | 5 |
| 175 | One-Dimensional Double Chains in Sodium-Based Quaternary Chalcogenides Displaying Intriguing Red Emission and Large Optical Anisotropy. Inorganic Chemistry, 2020, 59, 2519-2526. | 1.9 | 11 |
| 176 | Prediction and Characterization of NaGaS ₂ , A High Thermal Conductivity Mid-Infrared Nonlinear Optical Material for High-Power Laser Frequency Conversion. Inorganic Chemistry, 2019, 58, 93-98. | 1.9 | 30 |
| 177 | Structural insights into three phosphates with distinct polyanionic configurations. Dalton Transactions, 2019, 48, 13406-13412. | 1.6 | 10 |
| 178 | Research and Development of Zincoborates: Crystal Growth, Structural Chemistry and Physicochemical Properties. Molecules, 2019, 24, 2763. | 1.7 | 14 |
| 179 | Ba ₃ Ca ₄ (BO ₃) ₃ (SiO ₄)Cl: a new non-centrosymmetric complex alkaline-earth metal borosilicate chloride with a deep-ultraviolet cut-off edge. Inorganic Chemistry Frontiers, 2019, 6, 2200-2208. | 3.0 | 16 |
| 180 | Ba ₂ Si ₃ P ₆ : 1D Nonlinear Optical Material with Thermal Barrier Chains. Journal of the American Chemical Society, 2019, 141, 11976-11983. | 6.6 | 66 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Experiment and First-Principles Calculations of $A_2Mg_2TeB_2O_{10}$ (A = Pb, Ba): Influences of the Cosubstitution on the Structure Transformation and Optical Properties. <i>Inorganic Chemistry</i> , 2019, 58, 11127-11132. | 1.9 | 17 |
| 182 | Prediction of Fluorooxoborates with Colossal Second Harmonic Generation (SHG) Coefficients and Extremely Wide Band Gaps: Towards Modulating Properties by Tuning the BO_3/BO_3F Ratio in Layers. <i>Angewandte Chemie</i> , 2019, 131, 11852-11856. | 1.6 | 16 |
| 183 | Structural modulation induced by MIIIA metals in Ba_3MQ_4X (M = Al, Ga, In; Q = S, Se; X = Cl, Br): an experimental and computational analysis. <i>Dalton Transactions</i> , 2019, 48, 12713-12719. | 1.6 | 4 |
| 184 | Prediction of Fluorooxoborates with Colossal Second Harmonic Generation (SHG) Coefficients and Extremely Wide Band Gaps: Towards Modulating Properties by Tuning the BO_3/BO_3F Ratio in Layers. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11726-11730. | 7.2 | 66 |
| 185 | $Ba_3B_{10}O_{17}F_2 \cdot 0.1KF$: the first mixed alkali/alkaline-earth metal fluorooxoborate with unprecedented double-layered $B^{\ominus}O/F$ anionic arrangement. <i>Chemical Communications</i> , 2019, 55, 8923-8926. | 2.2 | 14 |
| 186 | A new barium-containing alkali metal silicate fluoride $NaBa_3Si_2O_7F$ with deep-UV optical property. <i>Science China Materials</i> , 2019, 62, 1454-1462. | 3.5 | 10 |
| 187 | $Sn_2B_5O_9Cl$: A Material with Large Birefringence Enhancement Activated Prepared via Alkaline-Earth-Metal Substitution by Tin. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17675-17678. | 7.2 | 171 |
| 188 | Designing excellent mid-infrared nonlinear optical materials with fluorooxo-functional group of d0 transition metal oxyfluorides. <i>Science China Materials</i> , 2019, 62, 1798-1806. | 3.5 | 49 |
| 189 | Nontoxic KBBF Family Member $Zn_2BO_3(OH)$: Balance between Beneficial Layered Structure and Layer Tendency. <i>Advanced Science</i> , 2019, 6, 1901679. | 5.6 | 56 |
| 190 | $Sn_2B_5O_9Cl$: A Material with Large Birefringence Enhancement Activated Prepared via Alkaline-Earth-Metal Substitution by Tin. <i>Angewandte Chemie</i> , 2019, 131, 17839-17842. | 1.6 | 29 |
| 191 | $CO(NH_2)_2 \cdot NH_4Cl$: an ultraviolet birefringent material with conjugated $C=O$ groups. <i>CrystEngComm</i> , 2019, 21, 6072-6079. | 1.3 | 10 |
| 192 | Cation Modulation on the Crystal Structure and Band Gap of Fluorooxoborates $A_3B_3O_3F_6$ (A = Alkali and Mixed Alkali Metal). <i>Inorganic Chemistry</i> , 2019, 58, 13411-13417. | 1.9 | 16 |
| 193 | $LiBa_2M^{III}Q_4$ (M ^{III} = Al, Ga, In; Q = S, Se): A Series of Metal Chalcogenides with a Structural Transition. <i>Inorganic Chemistry</i> , 2019, 58, 12859-12866. | 1.9 | 10 |
| 194 | Experimental characterization and first principles calculations of linear and nonlinear optical properties of two orthophosphates $A_3Al_2(PO_4)_3$ (A = Tj, ET, Q, B, T, Z, D, Overlock) | 0.0 | 0 |
| 195 | Adjustable optical nonlinearity in d_{10} cations containing chalcogenides <i>via</i> dp hybridization interaction. <i>Dalton Transactions</i> , 2019, 48, 2592-2597. | 1.6 | 12 |
| 196 | Lone pair effects on ternary infrared nonlinear optical materials. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 5142-5147. | 1.3 | 16 |
| 197 | $Li_4Na_2CsB_7O_{14}$: a new edge-sharing $[BO_4]^{5-}$ tetrahedra containing borate with high anisotropic thermal expansion. <i>Chemical Communications</i> , 2019, 55, 1295-1298. | 2.2 | 39 |
| 198 | $BaB_8O_{12}F_2$: a promising deep-UV birefringent material. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 546-549. | 3.0 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | The first lithium difluorophosphate LiPO_2F_2 with a neutral polytetrahedral microporous architecture. <i>Chemical Communications</i> , 2019, 55, 1817-1820. | 2.2 | 20 |
| 200 | An alkali metal phosphate $\text{RbPbBi}_2(\text{PO}_4)_3$ with three kinds of disorder: the effect of isolated soft cation units on the crystal structure. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2050-2054. | 3.0 | 3 |
| 201 | Ca_9O_{14} : A Triple-Layered Borate with Edge-Sharing BO_4 Tetrahedra Exhibiting a Short Cutoff Edge and a Large Birefringence. <i>Chemistry - A European Journal</i> , 2019, 25, 11614-11619. | 1.7 | 29 |
| 202 | Ligand Engineering for Broadening Infrared Luminescence of Kramers Ytterbium Ions in Disordered Sesquioxides. <i>Crystal Growth and Design</i> , 2019, 19, 3704-3713. | 1.4 | 21 |
| 203 | $\text{K}_2[\text{B}_4\text{O}_5(\text{OH})_4]\cdot\text{H}_2\text{O}$ and $\text{K}_2[\text{B}_4\text{O}_5(\text{OH})_4]$: two new hydrated potassium borates with isolated $[\text{B}_4\text{O}_5(\text{OH})_4]^{2-}$ units and different structural frameworks. <i>New Journal of Chemistry</i> , 2019, 43, 11660-11665. | 1.4 | 3 |
| 204 | Transformation of the BO_4 Units from Corner-Sharing to Edge-Sharing Linkages in BaMBO_4 ($\text{M} = \text{Ga}, \text{Al}$). <i>Inorganic Chemistry</i> , 2019, 58, 8237-8244. | 1.9 | 23 |
| 205 | $\text{Be}_2\text{CO}_3\text{F}_2$ Monolayer: A Flexible Ultraviolet Nonlinear Optical Material via Rational Design. <i>Inorganic Chemistry</i> , 2019, 58, 7715-7721. | 1.9 | 2 |
| 206 | Three new phosphates, $\text{Cs}_8\text{Pb}_4(\text{P}_2\text{O}_7)_4$, $\text{CsLi}_7(\text{P}_2\text{O}_7)_2$ and $\text{LiCa}(\text{PO}_3)_3$: structural comparison, characterization and theoretical calculation. <i>Dalton Transactions</i> , 2019, 48, 8948-8954. | 1.6 | 17 |
| 207 | Two alkali calcium borates exhibiting second harmonic generation and deep-UV cutoff edges. <i>New Journal of Chemistry</i> , 2019, 43, 9354-9363. | 1.4 | 2 |
| 208 | $\text{K}_9[\text{B}_4\text{O}_5(\text{OH})_4]_3(\text{CO}_3)_3\text{X}\cdot 7\text{H}_2\text{O}$ ($\text{X} = \text{Cl}, \text{Br}$): Syntheses, Characterizations, and Theoretical Studies of Noncentrosymmetric Halogen Borate-Carbonates with Short UV Cutoff Edges. <i>Inorganic Chemistry</i> , 2019, 58, 6974-6982. | 1.9 | 9 |
| 209 | From centrosymmetric to noncentrosymmetric: cation-directed structural evolution in $\text{X}_3\text{ZnB}_5\text{O}_{10}$ ($\text{X} = \text{Na}, \text{K}, \text{Rb}$) and $\text{Cs}_{12}\text{Zn}_4(\text{B}_5\text{O}_{10})_4$ crystals. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1461-1467. | 3.0 | 14 |
| 210 | A new barium fluorooxoborate $\text{BaB}_5\text{O}_8\text{F}_2\text{H}_2\text{O}$ with large birefringence and a wide UV transparency window. <i>Dalton Transactions</i> , 2019, 48, 6714-6717. | 1.6 | 23 |
| 211 | Module-Analysis-Assisted Design of Deep Ultraviolet Fluorooxoborates with Extremely Large Gap and High Structural Stability. <i>Chemistry of Materials</i> , 2019, 31, 2807-2813. | 3.2 | 87 |
| 212 | $[\text{Ge}_2\text{S}_5(\text{S}_2)]^{4-}$, A NLO-Active Unit Leading to an Asymmetric Structure Discovered in $\text{Li}_2\text{Cs}_4\text{Ge}_2\text{S}_5(\text{S}_2)\text{Cl}_2$: An Experimental and Theoretical study. <i>Chemistry - A European Journal</i> , 2019, 25, 5440-5444. | 1.7 | 12 |
| 213 | $\text{NaCa}_5\text{BO}_3(\text{SiO}_4)_2$ with Interesting Isolated $[\text{BO}_3]$ and $[\text{SiO}_4]$ Units in Alkali- and Alkaline-Earth-Metal Borosilicates. <i>Inorganic Chemistry</i> , 2019, 58, 3937-3943. | 1.9 | 12 |
| 214 | Designing Three Fluorooxoborates with a Wide Transmittance Window by Anionic Group Substitution. <i>Inorganic Chemistry</i> , 2019, 58, 3596-3600. | 1.9 | 14 |
| 215 | Synthesis, characterization, and theoretical analysis of three new nonlinear optical materials $\text{K}_7\text{MRE}_2\text{B}_{15}\text{O}_{30}$ ($\text{M} = \text{Ca}$ and Ba , $\text{RE} = \text{La}$ and Bi). <i>Science China Materials</i> , 2019, 62, 1151-1161. | 3.5 | 24 |
| 216 | The first barium lead oxochloride $\text{Ba}_{27}\text{Pb}_8\text{O}_8\text{Cl}_{154}$ with new isolated $[\text{Pb}_4\text{O}_4]$ clusters. <i>Journal of Molecular Structure</i> , 2019, 1190, 23-28. | 1.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Effect of Element Substitution on Structural Transformation and Optical Performances in BaM_2IVQ_4 ($\text{I} = \text{Li, Na, Cu, and Ag; M}_{\text{IV}} = \text{Tj, ET, Qq}$) | 1.7 | 14 |
| 236 | K ₃ B ₆ O ₉ F ₃ : A New Fluorooxoborate with Four Different Anionic Units. Chemistry - A European Journal, 2018, 24, 4497-4502. | 1.7 | 38 |
| 237 | SrB ₅ O ₇ F ₃ Functionalized with [B ₅ O ₉ F ₃] ⁶⁻ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials. Angewandte Chemie, 2018, 130, 6203-6207. | 1.6 | 108 |
| 238 | A Series of Rare-Earth Borates K ₇ MRE ₂ B ₁₅ O ₃₀ (M = Tj, ET, Qq) / Overlock 1 | 3.2 | 73 |
| 239 | SrB ₅ O ₇ F ₃ Functionalized with [B ₅ O ₉ F ₃] ⁶⁻ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials. Angewandte Chemie - International Edition, 2018, 57, 6095-6099. | 7.2 | 581 |
| 240 | BaBOF ₃ : a new aurivillius-like borate containing two types of F atoms. Dalton Transactions, 2018, 47, 5157-5160. | 1.6 | 29 |
| 241 | Innen-Äußertitelbild: SrB ₅ O ₇ F ₃ Functionalized with [B ₅ O ₉ F ₃] ⁶⁻ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials (Angew. Chem. 21/2018). Angewandte Chemie, 2018, 130, 6461-6461. | 1.6 | 0 |
| 242 | Polar Fluorooxoborate, NaB ₄ O ₆ F: A Promising Material for Ionic Conduction and Nonlinear Optics. Angewandte Chemie - International Edition, 2018, 57, 6577-6581. | 7.2 | 368 |
| 243 | CaB ₅ O ₇ F ₃ : A Beryllium-Free Alkaline-Earth Fluorooxoborate Exhibiting Excellent Nonlinear Optical Performances. Inorganic Chemistry, 2018, 57, 4820-4823. | 1.9 | 136 |
| 244 | Ba ₂ ZnSc(BO ₃) ₃ and Ba ₄ Zn ₅ Sc ₂ (BO ₃) ₈ : first examples of borates in the Zn-Sc-B-O system featuring special structure configurations. Inorganic Chemistry Frontiers, 2018, 5, 1787-1794. | 3.0 | 12 |
| 245 | Polar Fluorooxoborate, NaB ₄ O ₆ F: A Promising Material for Ionic Conduction and Nonlinear Optics. Angewandte Chemie, 2018, 130, 6687-6691. | 1.6 | 66 |
| 246 | Frontispiece: K ₃ B ₆ O ₉ F ₃ : A New Fluorooxoborate with Four Different Anionic Units. Chemistry - A European Journal, 2018, 24, . | 1.7 | 0 |
| 247 | Na ₆ Zn ₃ MII ₂ Q ₉ (M _{III} = Ga, In; Q = S, Se): four new supertetrahedron-layered chalcogenides with unprecedented vertex-sharing T ₃ -clusters and desirable photoluminescence performances. Inorganic Chemistry Frontiers, 2018, 5, 1415-1422. | 3.0 | 26 |
| 248 | LiNa ₄ B ₁₅ O ₂₅ : Featuring Unprecedented B ₁₅ O ₃₀ Fundamental Building Block and Deep-UV Cutoff Edge. Inorganic Chemistry, 2018, 57, 2876-2882. | 1.9 | 16 |
| 249 | LiCs ₂ La(BO ₃) ₂ and Li ₃ K ₉ La ₃ (BO ₃) ₇ : new mixed alkali metal lanthanum borates with three-dimensional open frameworks and short cut-off edges. Dalton Transactions, 2018, 47, 3512-3520. | 1.6 | 6 |
| 250 | Functional Materials Design via Structural Regulation Originated from Ions Introduction: A Study Case in Cesium Iodate System. Chemistry of Materials, 2018, 30, 1136-1145. | 3.2 | 72 |
| 251 | Four new quaternary chalcogenides A ₂ B ₇ Sn ₄ Q ₁₆ (A) Tj, ET, Qq | 1.4 | 19 |
| 252 | Cation-Tuned Synthesis of Fluorooxoborates: Towards Optimal Deep-Ultraviolet Nonlinear Optical Materials. Angewandte Chemie, 2018, 130, 2172-2176. | 1.6 | 131 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Oxyhalides: prospecting ore for optical functional materials with large laser damage thresholds. <i>Journal of Materials Chemistry C</i> , 2018, 6, 2435-2442. | 2.7 | 56 |
| 254 | Cation-Tuned Synthesis of Fluorooxoborates: Towards Optimal Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2150-2154. | 7.2 | 527 |
| 255 | A Member of Fluorooxoborates: $\text{Li}_2\text{Na}_{0.9}\text{K}_{0.1}\text{B}_5\text{O}_8\text{F}_2$ with the Fundamental Building Block $\text{B}_5\text{O}_{10}\text{F}_2$ and a Short Cutoff Edge. <i>Inorganic Chemistry</i> , 2018, 57, 873-878. | 1.9 | 23 |
| 256 | Computer-Assisted Design of a Superior $\text{Be}_2\text{BO}_3\text{F}$ Deep-Ultraviolet Nonlinear-Optical Material. <i>Inorganic Chemistry</i> , 2018, 57, 5716-5719. | 1.9 | 31 |
| 257 | $\text{MBaYB}_6\text{O}_{12}$ (M = Rb, Cs): two new rare-earth borates with large birefringence and short ultraviolet cutoff edges. <i>Dalton Transactions</i> , 2018, 47, 750-757. | 1.6 | 28 |
| 258 | NaBaMIIIQ_3 (MIII = Al, Ga; Q = S, Se): first quaternary chalcogenides with isolated edge-sharing (MIII ₂ Q ₆) ⁶⁻ dimers. <i>Dalton Transactions</i> , 2018, 47, 16044-16047. | 1.6 | 8 |
| 259 | $\text{Ba}_3\text{B}_{10}\text{O}_{17}\text{Br}_2$: a new barium borate halide with B^{IV} layered structure. <i>Dalton Transactions</i> , 2018, 47, 16418-16421. | 1.6 | 3 |
| 260 | Designing an Excellent Deep-Ultraviolet Birefringent Material for Light Polarization. <i>Journal of the American Chemical Society</i> , 2018, 140, 16311-16319. | 6.6 | 350 |
| 261 | Two Lanthanide Borate Chlorides $\text{LnB}_4\text{O}_6(\text{OH})_2\text{Cl}$ (Ln = La, Ce) with Wide Ultraviolet Transmission Windows and Large Second-Harmonic Generation Responses. <i>Inorganic Chemistry</i> , 2018, 57, 14953-14960. | 1.9 | 14 |
| 262 | Frontispiece: Fluorooxoborates: Ushering in a New Era of Deep Ultraviolet Nonlinear Optical Materials. <i>Chemistry - A European Journal</i> , 2018, 24, . | 1.7 | 1 |
| 263 | Ion-induced structural and optical performance evolution in LBO-like crystals: experimental and theoretical investigation. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2955-2963. | 3.0 | 8 |
| 264 | The Rubidium Barium Borate Resulting from B_7O_{15} Fundamental Building Block Exhibits DUV Cutoff Edge. <i>Inorganic Chemistry</i> , 2018, 57, 13380-13385. | 1.9 | 16 |
| 265 | BaB_2S_4 : An Efficient and Air-Stable Thioborate as Infrared Nonlinear Optical Material with High Laser Damage Threshold. <i>Chemistry of Materials</i> , 2018, 30, 7428-7432. | 3.2 | 67 |
| 266 | $\text{Li}_2\text{BaSc}(\text{BO}_3)_2\text{F}$ and $\text{LiBa}_2\text{Pb}(\text{BO}_3)_2\text{F}$ with Layered Structures featuring Special $\text{Li}^{\text{IV}}\text{O}/\text{F}$ Configurations. <i>Chemistry - A European Journal</i> , 2018, 24, 15477-15481. | 1.7 | 8 |
| 267 | The first lead fluorooxoborate $\text{PbB}_5\text{O}_8\text{F}$: achieving the coexistence of large birefringence and deep-ultraviolet cut-off edge. <i>Chemical Communications</i> , 2018, 54, 6308-6311. | 2.2 | 70 |
| 268 | $\text{Mg}_2\text{Si}_2\text{As}$: An Unexplored System with Promising Nonlinear Optical Properties. <i>Advanced Functional Materials</i> , 2018, 28, 1801589. | 7.8 | 38 |
| 269 | Combination of d ¹⁰ -cations and fluorine anion as active participants to design novel borate/carbonate nonlinear optical materials. <i>Journal of Alloys and Compounds</i> , 2018, 758, 85-90. | 2.8 | 19 |
| 270 | $\text{M}^{\text{I}}\text{M}^{\text{II}}\text{P}_3\text{O}_9$ ($\text{M}^{\text{I}} = \text{Rb}$, $\text{M}^{\text{II}} = \text{Cd}$) $\text{TjETQqO}_0\text{O rgBT /Overl}$ Substitution Application in Cyclophosphate Family and Nonlinear Optical Properties. <i>Inorganic Chemistry</i> , 2018, 57, 7372-7379. | 1.9 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | NH ₄ Be ₂ BO ₃ F ₂ and Î³Be ₂ BO ₃ F: Overcoming the Layering Habit in KBe ₂ BO ₃ F ₂ for the Next-Generation Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie</i> , 2018, 130, 9106-9110. | 1.6 | 63 |
| 272 | Remarkable multimember-ring configurations in a new family of Na ₇ MIIISb ₅ S ₁₂ (MII = Zn, Cd, Hg) exhibiting various three-dimensional tunnel structures. <i>Chemical Communications</i> , 2018, 54, 8269-8272. | 2.2 | 21 |
| 273 | BaLiZn ₃ (BO ₃) ₃ : a new member of the KBe ₂ BO ₃ F ₂ family possessing dense BO ₃ triangles and the smallest interlayer distance. <i>New Journal of Chemistry</i> , 2018, 42, 12365-12368. | 1.4 | 14 |
| 274 | Designing Deep-UV Birefringent Crystals by Cation Regulation. <i>Chemistry - A European Journal</i> , 2018, 24, 11267-11272. | 1.7 | 47 |
| 275 | K ₁₁ RbB ₂₈ O ₄₈ : a new triple-layered borate with an unprecedented [B ₂₈ O ₅₇] fundamental building block. <i>Dalton Transactions</i> , 2018, 47, 10833-10836. | 1.6 | 18 |
| 276 | K ₂ TeP ₂ O ₈ : a new telluro-phosphate with a pentagonal Teâ€œPâ€œO layer structure. <i>Dalton Transactions</i> , 2018, 47, 9453-9458. | 1.6 | 20 |
| 277 | Ba ₃ Mg ₃ (BO ₃) ₃ F ₃ polymorphs with reversible phase transition and high performances as ultraviolet nonlinear optical materials. <i>Nature Communications</i> , 2018, 9, 3089. | 5.8 | 314 |
| 278 | The First Examples of Lithium-Containing Mixed-Alkali Strontium Borates with Different Dimensional Anionic Architectures and Short Cutoff Edges. <i>Chemistry - A European Journal</i> , 2018, 24, 15355-15364. | 1.7 | 14 |
| 279 | Frontispiece: Designing Deep-UV Birefringent Crystals by Cation Regulation. <i>Chemistry - A European Journal</i> , 2018, 24, . | 1.7 | 0 |
| 280 | Module-Guided Design Scheme for Deep-Ultraviolet Nonlinear Optical Materials. <i>Journal of the American Chemical Society</i> , 2018, 140, 10726-10733. | 6.6 | 127 |
| 281 | Synthesis, Crystal Structures, Optical Properties and Theoretical Calculations of Two Metal Chalcogenides Ba ₂ AlSb ₅ S and Ba ₂ GaBiSe ₅ . <i>Crystals</i> , 2018, 8, 165. | 1.0 | 8 |
| 282 | Two noncentrosymmetric polyphosphates featuring infinite one-dimensional (PO ₃) ⁻ chain, LiMP ₂ O ₆ (M = Rb, Cs): Synthesis, structure and optical properties. <i>Journal of Solid State Chemistry</i> , 2018, 266, 150-154. | 1.4 | 6 |
| 283 | Fluorooxoborates: Ushering in a New Era of Deep Ultraviolet Nonlinear Optical Materials. <i>Chemistry - A European Journal</i> , 2018, 24, 17638-17650. | 1.7 | 79 |
| 284 | Advantageous Units in Antimony Sulfides: Exploration and Design of Infrared Nonlinear Optical Materials. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 26413-26421. | 4.0 | 77 |
| 285 | Expanding Frontiers of Ultraviolet Nonlinear Optical Materials with Fluorophosphates. <i>Chemistry of Materials</i> , 2018, 30, 5397-5403. | 3.2 | 193 |
| 286 | Mo ⁶⁺ Cation Enrichment of the Structure Chemistry of Iodates: Syntheses, Structures, and Calculations of Ba(MoO ₂) ₂ (IO ₃) ₄ O, Ba ₃ [(MoO ₂) ₂ (IO ₃) ₄ O(OH) ₄] ₂ H ₂ O, and Sr[(MoO ₂) ₆ (IO ₄) ₂ O ₄] ₂ H ₂ O. <i>Inorganic Chemistry</i> , 2018, 57, 9376-9384. | 1.9 | 21 |
| 287 | Four alkali metal molybdates with two types of Moâ€œO chains, ABMo ₃ O ₁₀ (A =) Tj ETQq1 1 0.784314 rgB Chemistry, 2018, 42, 10879-10884. | 1.4 | 6 |
| 288 | NH ₄ Be ₂ BO ₃ F ₂ and Î³Be ₂ BO ₃ F: Overcoming the Layering Habit in KBe ₂ BO ₃ F ₂ for the Next-Generation Deep-Ultraviolet Nonlinear Optical Materials. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8968-8972. | 7.2 | 200 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Flexible coordination of Pb atoms and variable zincâ€“borate frameworks to construct three Pb ₅ Zn ₄ B ₆ O ₁₈ polymorphs. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2501-2507. | 3.0 | 8 |
| 290 | Frontispiece: From LiB ₃ O ₅ to NaRbB ₆ O ₉ F ₂ : Fluorineâ€“Directed Evolution of Structural Chemistry. <i>Chemistry - A European Journal</i> , 2018, 24, . | 1.7 | 0 |
| 291 | Intriguing Structural Transition Inducing Variable Birefringences in ABa ₂ MS ₄ Cl (A = Rb, Cs; M = Ge,) Tj ETQq1 1 0.784314 rgBT /Overl | 1.9 | 26 |
| 292 | From LiB ₃ O ₅ to NaRbB ₆ O ₉ F ₂ : Fluorineâ€“Directed Evolution of Structural Chemistry. <i>Chemistry - A European Journal</i> , 2018, 24, 10022-10027. | 1.7 | 30 |
| 293 | A Fluorooxosilicophosphate with an Unprecedented SiO ₂ F ₄ Species. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 9828-9832. | 7.2 | 40 |
| 294 | NH ₄ B ₁₁ O ₁₆ (OH) ₂ : a new ammonium borate with wavy-shaped polycyclic 2â€“[B ₁₁ O ₁₆ (OH) ₂] layers. <i>New Journal of Chemistry</i> , 2018, 42, 12091-12097. | 1.4 | 20 |
| 295 | A Fluorooxosilicophosphate with an Unprecedented SiO ₂ F ₄ Species. <i>Angewandte Chemie</i> , 2018, 130, 9976-9980. | 1.6 | 5 |
| 296 | Insights of BO ₃ â€“PO ₄ replacement for the design and synthesis of a new borateâ€“phosphate with unique 1â€“[Zn ₄ BO ₁₁] chains and two new phosphates. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 327-334. | 3.0 | 11 |
| 297 | 1.21-W 532-nm picosecond green laser generated by second-harmonic generation using K ₃ B ₆ O ₁₀ Cl as a nonlinear optical crystal. <i>Optical Engineering</i> , 2018, 57, 1. | 0.5 | 1 |
| 298 | The first quaternary diamond-like semiconductor with 10-membered LiS ₄ rings exhibiting excellent nonlinear optical performances. <i>Chemical Communications</i> , 2017, 53, 3010-3013. | 2.2 | 96 |
| 299 | Bi ₃ O ₃ (IO ₃) ₄ : Metal Oxyiodate Fluoride Featuring a Carbon-Nanotube-like Topological Structure with Large Second Harmonic Generation Response. <i>Chemistry of Materials</i> , 2017, 29, 945-949. | 3.2 | 112 |
| 300 | Enhancing optical anisotropy of crystals by optimizing bonding electron distribution in anionic groups. <i>Chemical Communications</i> , 2017, 53, 2818-2821. | 2.2 | 155 |
| 301 | Theoretical investigation on the balance between large band gap and strong SHG response in BMO ₄ (M = P and As) crystals. <i>RSC Advances</i> , 2017, 7, 2804-2809. | 1.7 | 17 |
| 302 | Top-Seeded Solution Crystal Growth and Linear and Nonlinear Optical Properties of Ba ₄ B ₁₁ O ₂₀ F. <i>Crystal Growth and Design</i> , 2017, 17, 1404-1410. | 1.4 | 37 |
| 303 | Na ₂ CdGe ₂ Q ₆ (Q = S, Se): two metal-mixed chalcogenides with phase-matching abilities and large second-harmonic generation responses. <i>Dalton Transactions</i> , 2017, 46, 2778-2784. | 1.6 | 69 |
| 304 | First-principles study lone-pair effects of Sb (III)-S chromophore influence on SHG response in quaternary potassium containing silver antimony sulfides. <i>Journal of Solid State Chemistry</i> , 2017, 249, 215-220. | 1.4 | 10 |
| 305 | ACaBO ₃ (A = Cs, Rb): two new cubic borates with isolated BO ₃ groups. <i>Dalton Transactions</i> , 2017, 46, 4968-4974. | 1.6 | 19 |
| 306 | Fluorooxoborates: Berylliumâ€“Free Deepâ€“Ultraviolet Nonlinear Optical Materials without Layered Growth. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 3916-3919. | 7.2 | 674 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Fluorooxoborates: Beryllium-Free Deep-Ultraviolet Nonlinear Optical Materials without Layered Growth. <i>Angewandte Chemie</i> , 2017, 129, 3974-3977. | 1.6 | 94 |
| 308 | The structural diversity of halogen-centered secondary building units: two new mixed-metal borate halides with deep-ultraviolet cut-off edges. <i>Dalton Transactions</i> , 2017, 46, 4923-4928. | 1.6 | 14 |
| 309 | Experimental and ab initio studies of two UV nonlinear optical materials. <i>RSC Advances</i> , 2017, 7, 20259-20265. | 1.7 | 10 |
| 310 | Syntheses, crystal structures and characterization of three alkaline metal borates. <i>CrystEngComm</i> , 2017, 19, 2561-2569. | 1.3 | 5 |
| 311 | $\text{Na}_8\text{MB}_{21}\text{O}_{36}$ (M = Rb and Cs): Noncentrosymmetric Borates with Unprecedented $[\text{B}_{21}\text{O}_{36}]^{9-}$ Fundamental Building Blocks. <i>Inorganic Chemistry</i> , 2017, 56, 5506-5509. | 1.9 | 27 |
| 312 | DFT-Based Comparative Study about the Influence of Fluorine and Hydroxyl Anions on Opto-Electric Properties of Borate Crystals: Choice for Better Anion. <i>Inorganic Chemistry</i> , 2017, 56, 5636-5645. | 1.9 | 9 |
| 313 | LiMCO_3 (M = K, Rb, Cs): a series of mixed alkali carbonates with large birefringence. <i>Dalton Transactions</i> , 2017, 46, 6894-6899. | 1.6 | 7 |
| 314 | $\text{LiRb}_2\text{LaB}_2\text{O}_6$: a new rare-earth borate with a MOF-5-like topological structure and a short UV cut-off edge. <i>Dalton Transactions</i> , 2017, 46, 193-199. | 1.6 | 10 |
| 315 | $\text{Ba}_{n+2}\text{Zn}_n(\text{BO}_3)_n(\text{B}_2\text{O}_5)_n\text{F}_n$ ($n = 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20$). <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 281-288. | 3.0 | 29 |
| 316 | LiRb_2PO_4 : a new deep-ultraviolet nonlinear optical phosphate with a large SHG response. <i>Journal of Materials Chemistry C</i> , 2017, 5, 269-274. | 2.7 | 84 |
| 317 | $\text{Na}_2\text{ZnSn}_2\text{S}_6$: A mixed-metal thioostannate with large second-harmonic generation response activated by penta-tetrahedral $[\text{ZnSn}_4\text{S}_{14}]^{10-}$ clusters. <i>Science China Technological Sciences</i> , 2017, 60, 1465-1472. | 2.0 | 9 |
| 318 | $\text{BaCu}_2\text{MIVQ}_4$ (MIV = Si, Ge, and Sn; Q = S, Se): synthesis, crystal structures, optical performances and theoretical calculations. <i>RSC Advances</i> , 2017, 7, 29378-29385. | 1.7 | 48 |
| 319 | Growth, Properties, and Theoretical Analysis of M_2LiVO_4 (M = Rb, Cs) Crystals: Two Potential Mid-Infrared Nonlinear Optical Materials. <i>Scientific Reports</i> , 2017, 7, 1901. | 1.6 | 25 |
| 320 | Design and Synthesis of a Series of Novel Mixed Borate and Carbonate Halides. <i>Chemistry - A European Journal</i> , 2017, 23, 10451-10459. | 1.7 | 14 |
| 321 | $\text{Li}_6\text{Zn}_3(\text{BO}_3)_4$: a new zincoborate featuring vertex-, edge- and face-sharing LiO_4 tetrahedra and exhibiting reversible phase transitions. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1100-1107. | 3.0 | 17 |
| 322 | Structure comparison and optical properties of $\text{Na}_7\text{Mg}_4.5(\text{P}_2\text{O}_7)_4$: a sodium magnesium phosphate with isolated P_2O_7 units. <i>New Journal of Chemistry</i> , 2017, 41, 3399-3404. | 1.4 | 17 |
| 323 | Application of the dimensional reduction formalism to $\text{Pb}_9\text{Ba}_x[\text{Li}_2(\text{P}_2\text{O}_7)_2(\text{P}_4\text{O}_{13})_2]$ ($x = 0, 2, 6, 7$): a series of phosphates with two types of isolated polyphosphate groups. <i>Dalton Transactions</i> , 2017, 46, 4678-4684. | 1.6 | 13 |
| 324 | $\text{A}_3\text{Sr}_2\text{P}_7\text{O}_{21}$ (A = Rb, Cs): Two Polyphosphates Based on Different Types of P_4O_{13} Chains and Ring Structures. <i>Inorganic Chemistry</i> , 2017, 56, 3939-3945. | 1.9 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Na ₂ B ₆ O ₉ F ₂ : A Fluoroborate with Short Cutoff Edge and Deep-Ultraviolet Birefringent Property Prepared by an Open High-Temperature Solution Method. <i>Inorganic Chemistry</i> , 2017, 56, 344-350. | 1.9 | 92 |
| 326 | Frontispiece: Structural Insights into Borates with an Anion-templated Open Framework Configuration: Asymmetric K ₂ BaB ₁₆ O ₂₆ versus Centrosymmetric K ₃ CsB ₂₀ O ₃₂ and Na ₂ M ₂ NB ₁₈ O ₃₀ (M=Rb, Cs; N=Ba, Pb). <i>Chemistry - A European Journal</i> , 2017, 23, . | 1.7 | 0 |
| 327 | Three Mixed-Alkaline Borates: Na ₂ M ₂ B ₂₀ O ₃₂ (M = Rb,) <i>Tj ETQq1 1 0.784314 rgBT /Overloc</i> | 1.9 | 29 |
| 328 | Li ₄ Cs ₄ B ₄₀ O ₆₄ with Fundamental Building Block B ₄₀ O ₇₇ . <i>Inorganic Chemistry</i> , 2017, 56, 13456-13463. New Compressed Chalcopyrite-like Li ₂ BaM ^{IV} Q ₄ (M ^{IV} =) <i>Tj ETQq0 0 0 rgBT /Overloc</i> <i>Society</i> , 2017, 139, 14885-14888. | 6.6 | 201 |
| 329 | ScMO(BO ₃) (M = Ca and Cd): new Sc-based oxyborates featuring interesting edge-sharing sandwich-like chains and UV cut-off edges. <i>Dalton Transactions</i> , 2017, 46, 14839-14846. | 1.6 | 13 |
| 330 | Synthesis and characterization of two lead-containing metal chalcogenides: Ba ₅ Pb ₂ Sn ₃ S ₁₃ and Ba ₆ PbSn ₃ Se ₁₃ . <i>Journal of Solid State Chemistry</i> , 2017, 255, 133-138. | 1.4 | 6 |
| 331 | Na ₆ Si ₃ S ₈ O: the first example of a sulfide silicate exhibiting unusual tri-polymerized [Si ₃ S ₈ O] ⁶⁻ units without S-O bonds. <i>Dalton Transactions</i> , 2017, 46, 13356-13359. | 1.6 | 6 |
| 332 | Cs ₄ O ₆ F: A Congruent Melting Deep-Ultraviolet Nonlinear Optical Material by Combining Superior Functional Units. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 14119-14123. | 7.2 | 654 |
| 333 | Cs ₄ O ₆ F: A Congruent Melting Deep-Ultraviolet Nonlinear Optical Material by Combining Superior Functional Units. <i>Angewandte Chemie</i> , 2017, 129, 14307-14311. | 1.6 | 166 |
| 334 | Finding the Next Deep-Ultraviolet Nonlinear Optical Material: NH ₄ B ₄ O ₆ F. <i>Journal of the American Chemical Society</i> , 2017, 139, 10645-10648. | 6.6 | 889 |
| 335 | Structural Insights into Borates with an Anion-templated Open Framework Configuration: Asymmetric K ₂ BaB ₁₆ O ₂₆ versus Centrosymmetric K ₃ CsB ₂₀ O ₃₂ and Na ₂ M ₂ NB ₁₈ O ₃₀ (M=Rb, Cs; N=Ba, Pb). <i>Chemistry - A European Journal</i> , 2017, 23, 13910-13918. | 1.7 | 24 |
| 336 | Second-harmonic generation in noncentrosymmetric phosphates. <i>Physical Review B</i> , 2017, 96, . | 1.1 | 37 |
| 337 | Deep-Ultraviolet Nonlinear-Optical Material K ₃ Sr ₃ Li ₂ Al ₄ B ₆ O ₂₀ F: Addressing the Structural Instability Problem in KBe ₂ BO ₃ F ₂ . <i>Inorganic Chemistry</i> , 2017, 56, 8755-8758. | 1.9 | 82 |
| 338 | The activity of lone pair contributing to SHG response in bismuth borates: a combination investigation from experiment and DFT calculation. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 25270-25276. | 1.3 | 20 |
| 339 | Linear-to-∞-Shape P=O Bond Transmutation in Polyphosphates with Infinite (PO ₃) _n Chain. <i>Inorganic Chemistry</i> , 2017, 56, 10139-10142. | 1.9 | 13 |
| 340 | Chemical Cosubstitution-Oriented Design of Rare-Earth Borates as Potential Ultraviolet Nonlinear Optical Materials. <i>Journal of the American Chemical Society</i> , 2017, 139, 18397-18405. | 6.6 | 187 |
| 341 | Crystal Growth and Linear and Nonlinear Optical Properties of KIO ₃ ·Te(OH) ₆ . <i>Crystal Growth and Design</i> , 2017, 17, 4405-4412. | 1.4 | 13 |
| 342 | SrNO ₃ (OH)·H ₂ O: A new member in strontium nitrate hydrate family with an ultraviolet cut-off edge. <i>Journal of Alloys and Compounds</i> , 2017, 695, 1719-1724. | 2.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Syntheses, characterization and theoretical studies of three apatite-type phosphates $\text{MPb}_4(\text{PO}_4)_3$ ($M = \text{Tj, ET, Qq}$). <i>Journal of Applied Crystallography</i> , 2016, 49, 1078-1114. | 1.0 | 13 |
| 344 | Li_2HgMS_4 ($M = \text{Si, Ge, Sn}$): New Quaternary Diamond-Like Semiconductors for Infrared Laser Frequency Conversion. <i>Crystals</i> , 2017, 7, 107. | 1.0 | 51 |
| 345 | A High Laser Damage Threshold and a Good Second-Harmonic Generation Response in a New Infrared NLO Material: LiSm_3Si_7 . <i>Crystals</i> , 2016, 6, 121. | 1.0 | 20 |
| 346 | Application of the Dimensional Reduction Formalism to $\text{Pb}_{12}[\text{Li}_2(\text{P}_2\text{O}_7)_2(\text{P}_4\text{O}_{13})_2](\text{P}_4\text{O}_{13})$: a Phosphate Containing Three Types of Isolated PO_4 Groups. <i>Inorganic Chemistry</i> , 2016, 55, 7329-7331. | 1.9 | 21 |
| 347 | Design and Syntheses of Three Novel Carbonate Halides: $\text{Cs}_3\text{Pb}_2(\text{CO}_3)_3$, $\text{KBa}_2(\text{CO}_3)_2\text{F}$, and $\text{RbBa}_2(\text{CO}_3)_2\text{F}$. <i>Chemistry - A European Journal</i> , 2016, 22, 2944-2954. | 1.7 | 22 |
| 348 | Na_2BaMQ_4 ($M = \text{Ge, Sn}$; $Q = \text{S, Se}$): Infrared Nonlinear Optical Materials with Excellent Performances and that Undergo Structural Transformations. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 6713-6715. | 7.2 | 172 |
| 349 | Influence of original and simulated microscopic units on SHG response in semiorganic NLO materials. <i>RSC Advances</i> , 2016, 6, 39534-39540. | 1.7 | 9 |
| 350 | $\text{Na}_2\text{ZnGe}_2\text{S}_6$: A New Infrared Nonlinear Optical Material with Good Balance between Large Second-Harmonic Generation Response and High Laser Damage Threshold. <i>Journal of the American Chemical Society</i> , 2016, 138, 7422-7428. | 6.6 | 259 |
| 351 | BaCdSnS_4 and $\text{Ba}_3\text{CdSn}_2\text{S}_8$: syntheses, structures, and non-linear optical and photoluminescence properties. <i>Dalton Transactions</i> , 2016, 45, 10681-10688. | 1.6 | 72 |
| 352 | Density functional theory calculations, growth, structure, and optical properties of birefringent LiNaVO_6 . <i>Journal of Materials Research</i> , 2016, 31, 488-494. | 1.2 | 6 |
| 353 | Effect of the $[\text{Ba}_2\text{BO}_3\text{F}]^{\sim}$ Layer on the Band Gap: Synthesis, Characterization, and Theoretical Studies of $\text{BaZn}_2\text{B}_2\text{O}_6\text{A}_n\text{Ba}_2\text{BO}_3\text{F}$ ($n = 0, 1, 2$). <i>Inorganic Chemistry</i> , 2016, 55, 4806-4812. | 1.9 | 21 |
| 354 | Manipulation of birefringence via substitution of Sr^{2+} by Pb^{2+} based on the structure model of $\text{LiSr}_{1-x}\text{Pb}_x\text{BO}_3$ ($0 \leq x \leq 0.5$). <i>New Journal of Chemistry</i> , 2016, 40, 6120-6126. | 1.4 | 5 |
| 355 | AX_6 octahedra influencing the arrangement of anionic groups and optical properties in inverse-perovskite $[\text{B}_6\text{O}_{10}]\text{XA}_3$ ($X = \text{Cl, Br}$; $A = \text{alkali metal}$). <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 15394-15398. | 1.3 | 16 |
| 356 | Effects of the Orientation of $[\text{B}_5\text{O}_{11}]^{7-}$ Fundamental Building Blocks on Layered Structures Based on the Pentaborates. <i>Inorganic Chemistry</i> , 2016, 55, 10608-10616. | 1.9 | 27 |
| 357 | Role of the metal cation types around VO_4 groups on the nonlinear optical behavior of materials: experimental and theoretical analysis. <i>Dalton Transactions</i> , 2016, 45, 14394-14402. | 1.6 | 16 |
| 358 | DFT Based Theoretical Study about the Contributions of Fluorine to Nonlinear Optical Properties in Borate Fluoride Crystals. <i>Crystal Growth and Design</i> , 2016, 16, 5067-5073. | 1.4 | 20 |
| 359 | $\text{K}_3\text{B}_3\text{O}_4(\text{OH})_4 \cdot 2\text{H}_2\text{O}$: A UV Nonlinear Optical Crystal with Isolated $[\text{B}_3\text{O}_4(\text{OH})_4]^{3-}$ Anion Groups. <i>Inorganic Chemistry</i> , 2016, 55, 8744-8749. | 1.9 | 20 |
| 360 | A New Deep-Ultraviolet Transparent Orthophosphate LiCs_2PO_4 with Large Second Harmonic Generation Response. <i>Journal of the American Chemical Society</i> , 2016, 138, 9101-9104. | 6.6 | 307 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Nonlinear electronic polarization and optical response in borophosphate Physical Review B, 2016, 93, . | | |
| 362 | $\text{KPb}_2(\text{PO}_3)_5$: a novel nonlinear optical lead polyphosphate with a short deep-UV cutoff edge. Journal of Materials Chemistry C, 2016, 4, 10630-10637. | 2.7 | 88 |
| 363 | The mechanism of large second harmonic generation enhancement activated by Zn^{2+} substitution. Physical Chemistry Chemical Physics, 2016, 18, 32931-32936. | 1.3 | 31 |
| 364 | Nonlinear optical response mechanism of noncentrosymmetric lead borate $\text{Pb}_6[\text{B}_4\text{O}_7(\text{OH})_2]_3$ with three crystallographically independent $[\text{B}_4\text{O}_7(\text{OH})_2]^{4-}$ chains. RSC Advances, 2016, 6, 100849-100856. | 1.7 | 6 |
| 365 | Predicting Global Minimum in Complex Beryllium Borate System for Deep-ultraviolet Functional Optical Applications. Scientific Reports, 2016, 6, 34839. | 1.6 | 24 |
| 366 | Na_2BaMQ_4 (M=Ge, Sn; Q=S, Se): Infrared Nonlinear Optical Materials with Excellent Performances and that Undergo Structural Transformations. Angewandte Chemie, 2016, 128, 6825-6827. | 1.6 | 42 |
| 367 | The Flexibility of P_2O_7 Dimers in Soft Structures: $\text{M}_2\text{CdP}_2\text{O}_7$ (M = Rb, Cs). European Journal of Inorganic Chemistry, 2016, 2704-2708. | 1.0 | 13 |
| 368 | Experimental and theoretical studies on the linear and nonlinear optical properties of lead phosphate crystals LiPbPO_4 . Physical Chemistry Chemical Physics, 2016, 18, 19123-19129. | 1.3 | 61 |
| 369 | Synthesis, Characterization, and Theoretical Studies of $(\text{Pb}_4\text{O})\text{Pb}_2\text{B}_6\text{O}_{14}$: A New Lead(II) Borate with Isolated Oxygen-Centered Pb_4O Tetrahedra and Large Second Harmonic Generation Response. Journal of Physical Chemistry C, 2016, 120, 12757-12764. | 1.5 | 39 |
| 370 | Hierarchized band gap and enhanced optical responses of trivalent rare-earth metal nitrates due to $(d\pi-p)\pi$ conjugation interactions. Journal of Materials Chemistry C, 2016, 4, 6295-6301. | 2.7 | 16 |
| 371 | $\text{NaBa}_4(\text{GaB}_4\text{O}_9)_2\text{X}_3$ (X = Cl, Br) with NLO-Active GaO_4 Tetrahedral Unit: Experimental and ab Initio Studies. Journal of Physical Chemistry C, 2016, 120, 6190-6197. | 1.5 | 22 |
| 372 | $\text{M}_2\text{Ca}_3\text{B}_{16}\text{O}_{28}$ (M = Rb, Cs): structures analogous to SBBO with three-dimensional open-framework layers. RSC Advances, 2016, 6, 14205-14210. | 1.7 | 9 |
| 373 | Active performance of tetrahedral groups to SHG response: theoretical interpretations of Ge/Si-containing borate crystals. Physical Chemistry Chemical Physics, 2016, 18, 6077-6084. | 1.3 | 3 |
| 374 | New fluoroborate $\text{Cd}_8\text{B}_5\text{O}_{15}\text{F}$ with two different isolated borate anions prepared by an open high-temperature solution method. Dalton Transactions, 2016, 45, 7008-7013. | 1.6 | 6 |
| 375 | Recent development of metal borate halides: Crystal chemistry and application in second-order NLO materials. Coordination Chemistry Reviews, 2016, 323, 15-35. | 9.5 | 272 |
| 376 | $\text{Li}_3\text{AlSiO}_5$: the first aluminosilicate as a potential deep-ultraviolet nonlinear optical crystal with the quaternary diamond-like structure. Physical Chemistry Chemical Physics, 2016, 18, 4362-4369. | 1.3 | 40 |
| 377 | Versatile Coordination Mode of $\text{LiNaB}_8\text{O}_{13}$ and $\text{Li}_2\text{KB}_8\text{O}_{13}$ via the Flexible Assembly of Four-Connected B_5O_{10} and B_3O_7 Groups. Inorganic Chemistry, 2016, 55, 552-554. | 1.9 | 17 |
| 378 | Three new phosphates with isolated P_2O_7 units: noncentrosymmetric $\text{Cs}_2\text{Ba}_3(\text{P}_2\text{O}_7)_2$ and centrosymmetric $\text{Cs}_2\text{BaP}_2\text{O}_7$ and $\text{LiCsBaP}_2\text{O}_7$. Dalton Transactions, 2016, 45, 3936-3942. | 1.6 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Effect of the tetrahedral groups on the optical properties of LaBRO ₅ (R=Si and Ge): A first-principles study. Journal of Applied Physics, 2015, 118, . | 1.1 | 9 |
| 380 | Ba ₂ B ₆ O ₁₁ , a Member of the BaO ₂ B ₂ O ₃ Family, Featuring a Layer Framework. European Journal of Inorganic Chemistry, 2015, 2015, 3328-3335. | 1.0 | 16 |
| 381 | Ba ₂ In ₂ Q ₅ (Q = S, Se): Synthesis, Crystal Structures, Electronic Structures, and Optical Properties. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2015, 641, 1329-1333. | 0.6 | 8 |
| 382 | Synthesis, characterization and theoretical studies of nonlinear optical crystal Sr ₂ B ₅ O ₉ (OH)·H ₂ O. Physical Chemistry Chemical Physics, 2015, 17, 10489-10496. | 1.3 | 26 |
| 383 | Pb ₆ Ba ₂ (BO ₃) ₅ X (X = Cl, Br): new borate halides with strong predicted optical anisotropies derived from Pb ²⁺ and (BO ₃) ₃ ²⁻ . Dalton Transactions, 2015, 44, 7041-7047. | 1.6 | 22 |
| 384 | Evidence of "new hot spots" from determining the nonlinear optical behavior of materials: mechanistic studies of the vanadium borate crystal, Na ₃ VO ₂ B ₆ O ₁₁ . Physical Chemistry Chemical Physics, 2015, 17, 5338-5344. | 1.3 | 15 |
| 385 | Q ₁₈ Mg ₆ (B ₅ O ₁₀) ₃ (B ₇ O ₁₄) ₂ (Q=Rb and Cs): New Borates Containing Two Large Isolated Polyborate Anions with Similar Topological Structures. Chemistry - A European Journal, 2015, 21, 1414-1419. | 1.7 | 39 |
| 386 | Simulated pressure-induced blue-shift of phase-matching region and nonlinear optical mechanism for K ₃ B ₆ O ₁₀ X (X=Cl, Br). Applied Physics Letters, 2015, 106, . | 1.5 | 121 |
| 387 | Three Alkali Metal Lead Orthophosphates " Syntheses, Crystal Structures and Properties of APbPO ₄ (A = K, Rb, Cs). European Journal of Inorganic Chemistry, 2015, 2015, 1490-1495. | 1.0 | 17 |
| 388 | Two New Crystals in LimC _n B _{m+n} O _{2(m+n)} (m+n= 5, 7; m>n) Series: Noncentrosymmetric Li ₅ Cs ₂ B ₇ O ₁₄ and Centrosymmetric Li ₄ CsB ₅ O ₁₀ . Inorganic Chemistry, 2015, 54, 7381-7387. | 1.9 | 17 |
| 389 | Pb ₁₇ O ₈ Cl ₁₈ : A Promising IR Nonlinear Optical Material with Large Laser Damage Threshold Synthesized in an Open System. Journal of the American Chemical Society, 2015, 137, 8360-8363. | 6.6 | 181 |
| 390 | Pb ₂ Ba ₃ (BO ₃) ₃ Cl: A Material with Large SHG Enhancement Activated by Pb-Chelated BO ₃ Groups. Journal of the American Chemical Society, 2015, 137, 9417-9422. | 6.6 | 255 |
| 391 | Contribution of lone-pairs to birefringence affected by the Pb(II) coordination environment: a DFT investigation. Physical Chemistry Chemical Physics, 2015, 17, 21968-21973. | 1.3 | 55 |
| 392 | Polar Polymorphism: $\hat{1}^{\pm}$, $\hat{1}^2$, and $\hat{1}^3$ -Pb ₂ Ba ₄ Zn ₄ B ₁₄ O ₃₁ " Synthesis, Characterization, and Nonlinear Optical Properties. Chemistry of Materials, 2015, 27, 4779-4788. | 3.2 | 75 |
| 393 | Ba ₇ (BO ₃) ₃ GeO ₄ X (X= Cl, Br): borogermanate halides with rigid GeO ₄ tetrahedra and flexible XBa ₆ octahedra. RSC Advances, 2015, 5, 53448-53454. | 1.7 | 11 |
| 394 | Synthesis and Characterization of Mid-Infrared Transparency Compounds: Acentric BaHg ₂ and Centric Ba ₈ Hg ₄ S ₅ Se ₇ . Inorganic Chemistry, 2015, 54, 2772-2779. | 1.9 | 47 |
| 395 | Effect of the cation size on the framework structures of magnesium tungstate, A ₄ Mg(WO ₄) ₃ (A = Na, K), R ₂ Mg ₂ (WO ₄) ₃ (R = Rb, Cs). Dalton Transactions, 2015, 44, 5810-5817. | 1.6 | 23 |
| 396 | The lone-pairs enhanced birefringence and SHG response: A DFT investigation on M ₂ B ₅ O ₉ Cl (M=Sr, Ba). Tj ETQq0 0.0 rgBT /Overlock 10 | 0.9 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | Ba ₂ GeS ₄ and Mg ₂ SnS ₄ : synthesis, structures, optical properties and electronic structures. RSC Advances, 2015, 5, 33646-33652. | 1.7 | 31 |
| 398 | Cs ₆ RE ₂ (PO ₄) ₄ (RE = Y and Gd): two new members of the alkali rare-earth double phosphates. New Journal of Chemistry, 2015, 39, 4328-4333. | 1.4 | 19 |
| 399 | Pb ₇ O(OH) ₃ (CO ₃) ₃ (BO ₃): First Mixed Borate and Carbonate Nonlinear Optical Material Exhibiting Large Second-Harmonic Generation Response. Inorganic Chemistry, 2015, 54, 4138-4142. | 1.9 | 69 |
| 400 | Na ₃ B ₄ O ₇ X (X = Cl, Br): two new borate halides with a 1D Na-X (X = Cl, Br) chain formed by the face-sharing XNa ₆ octahedra. RSC Advances, 2015, 5, 12416-12422. | 1.7 | 10 |
| 401 | Synthesis, structures, and properties of two magnesium silicate fluorides Mg ₅ (SiO ₄) ₂ F ₂ and Mg ₃ SiO ₄ F ₂ . New Journal of Chemistry, 2015, 39, 8866-8873. | 1.4 | 11 |
| 402 | Na ₄ MgM ₂ Se ₆ (M = Si, Ge): The First Noncentrosymmetric Compounds with Special Ethane-like [M ₂ Se ₆] ⁶⁻ Units Exhibiting Large Laser-Damage Thresholds. Inorganic Chemistry, 2015, 54, 10108-10110. | 1.9 | 54 |
| 403 | An investigation of new infrared nonlinear optical material: BaCdSnSe ₄ , and three new related centrosymmetric compounds: Ba ₂ SnSe ₄ , Mg ₂ GeSe ₄ , and Ba ₂ Ge ₂ S ₆ . Dalton Transactions, 2015, 44, 19856-19864. | 1.6 | 67 |
| 404 | Theoretical perspective of the lone pair activity influence on band gap and SHG response of lead borates. RSC Advances, 2015, 5, 79882-79887. | 1.7 | 22 |
| 405 | Synthesis and optical properties of the first lead borate bromide with isolated BO ₃ groups: Pb ₂ Ba ₃ (BO ₃) ₃ Br. Dalton Transactions, 2015, 44, 16818-16823. | 1.6 | 25 |
| 406 | Effect of cation substitution on structural transition: synthesis, characterization and theoretical studies of NaCa ₄ B ₃ O ₉ , NaCaBO ₃ , NaSrBO ₃ and Li ₄ CaB ₂ O ₆ . Physical Chemistry Chemical Physics, 2015, 17, 26359-26368. | 1.3 | 16 |
| 407 | Anomalous second-harmonic generation response in SrBPO ₅ and BaBPO ₅ . Journal of Materials Chemistry C, 2015, 3, 1557-1566. | 2.7 | 34 |
| 408 | Synthesis, crystal structure, and optical properties of a new lead barium borate, PbBa ₂ (B ₃ O ₆) ₂ . Journal of Alloys and Compounds, 2014, 615, 561-565. | 2.8 | 16 |
| 409 | Preparation, Structure, and Second-Order Nonlinear Optical Properties of a Borate-Carboxylic Acid Compound: NH ₄ B[$\text{B}(\text{H}_4\text{O}_5)_2\text{H}_2\text{O}_3$]. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2014, 640, 140-146. | | |
| 410 | Borate Fluoride and Fluoroborate in Alkali-Metal Borate Prepared by an Open High-Temperature Solution Method. Inorganic Chemistry, 2014, 53, 12686-12688. | 1.9 | 50 |
| 411 | Pb ₃ B ₆ O ₁₁ F ₂ : the first non-centrosymmetric lead borate fluoride with a large second harmonic generation response. Journal of Materials Chemistry C, 2014, 2, 1704. | 2.7 | 55 |
| 412 | Synthesis, structures, optical properties and electronic structures of two mixed metal borates MBaB ₅ O ₉ (M=Na, K). Journal of Alloys and Compounds, 2014, 585, 602-607. | 2.8 | 22 |
| 413 | A Nitrate Nonlinear Optical Crystal Pb ₁₆ (OH) ₁₆ (NO ₃) ₁₆ with a Large Second-Harmonic Generation Response. Inorganic Chemistry, 2014, 53, 3320-3325. | 1.9 | 55 |
| 414 | Noncentrosymmetric versus Centrosymmetric: Influence of the Na ⁺ Substitution on Structural Transition and Second-Harmonic Generation Property. Crystal Growth and Design, 2014, 14, 1794-1801. | 1.4 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | $\text{Li}_{0.8}\text{Mg}_{2.1}\text{B}_2\text{O}_5\text{F}$: the first borate fluoride with magnesium "oxygen" fluorine octahedral chains. Dalton Transactions, 2014, 43, 2828-2834. | 1.6 | 19 |
| 416 | First Principle Assisted Prediction of the Birefringence Values of Functional Inorganic Borate Materials. Journal of Physical Chemistry C, 2014, 118, 25651-25657. | 1.5 | 67 |
| 417 | The influence of hydrogen bonding on the nonlinear optical properties of a semiorganic material $\text{NH}_4\text{B}(\text{C}_4\text{H}_4\text{O}_2)_2\text{H}_2\text{O}$: a theoretical perspective. Physical Chemistry Chemical Physics, 2014, 16, 20089. | | 17 |
| 418 | $\text{Ba}_4(\text{BO}_3)_3(\text{SiO}_4)\cdot\text{Ba}_3\text{X}$ (X = Cl, Br): new salt-inclusion borosilicate halides as potential deep UV nonlinear optical materials. Journal of Materials Chemistry C, 2014, 2, 4257. | 2.7 | 49 |
| 419 | A new polymorph of $\text{Cd}_3\text{B}_2\text{O}_6$: synthesis, crystal structure and phase transformation. RSC Advances, 2014, 4, 13195-13200. | 1.7 | 16 |
| 420 | New type of complex alkali and alkaline earth metal borates with isolated $(\text{B}_{12}\text{O}_{24})^{12-}$ anionic group. Dalton Transactions, 2014, 43, 4886. | 1.6 | 29 |
| 421 | $\text{BaPbSi}_2\text{O}_6\cdot\text{BaSO}_4$: the first mixed anionic compound synthesized via BaSO_4 salt-inclusion. CrystEngComm, 2014, 16, 5993-5996. | 1.3 | 4 |
| 422 | $\text{Pb}_4\text{Zn}_2\text{B}_{10}\text{O}_{21}$: a congruently melting lead zinc borate with a novel $[\text{B}_{10}\text{O}_{24}]^{12-}$ anionic group and an interesting $[\text{Pb}_4\text{O}_{12}]^{4-}$ chain. New Journal of Chemistry, 2014, 38, 285-291. | 1.4 | 27 |
| 423 | $\text{Sr}_4\text{B}_{10}\text{O}_{18}(\text{OH})_2\cdot 2\text{H}_2\text{O}$: a new UV nonlinear optical material with a $[\text{B}_{10}\text{O}_{23}]^{16-}$ building block. Journal of Materials Chemistry C, 2014, 2, 667-674. | 2.7 | 52 |
| 424 | $\text{Ba}_2\text{B}_{10}\text{O}_{17}$: a new centrosymmetric alkaline-earth metal borate with a deep-UV cut-off edge. Dalton Transactions, 2014, 43, 8905-8910. | 1.6 | 44 |
| 425 | $\text{K}_7\text{B}_2\text{P}_5\text{O}_{19}$: a novel alkali metal borophosphate with zero dimensional $[\text{B}_2\text{P}_5\text{O}_{19}]^{7-}$ anionic units. CrystEngComm, 2014, 16, 6848-6851. | 1.3 | 22 |
| 426 | Structural insights for the design of new borate phosphates: synthesis, crystal structure and optical properties of $\text{Pb}_4\text{O}(\text{BO}_3)(\text{PO}_4)$ and $\text{Bi}_4\text{O}_3(\text{BO}_3)(\text{PO}_4)$. Dalton Transactions, 2014, 43, 12886-12893. | 1.6 | 28 |
| 427 | Effect of Halogen (Cl, Br) on the Symmetry of Flexible Perovskite-Related Framework. Inorganic Chemistry, 2014, 53, 11213-11220. | 1.9 | 30 |
| 428 | Reinvestigation and Characterization of the Magnesium Borate Fluoride $\text{Mg}_5(\text{BO}_3)_3\text{F}$. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2014, 640, 2013-2018. | 0.6 | 11 |
| 429 | The interaction between cations and anionic groups inducing SHG enhancement in a series of apatite-like crystals: A first-principles study. Journal of Solid State Chemistry, 2014, 219, 138-142. | 1.4 | 23 |
| 430 | Exploring the influence of cationic skeletons on the arrangement of isolated BO_3 groups based on RbMgBO_3 , $\text{CsZn}_4(\text{BO}_3)_3$ and $\text{Cs}_4\text{Mg}_4(\text{BO}_3)_4$. New Journal of Chemistry, 2014, 38, 3035-3041. | 1.4 | 22 |
| 431 | Crystal growth and calculation of the electronic band structure and density of states of $\text{Li}_3\text{Cs}_2\text{B}_5\text{O}_{10}$. CrystEngComm, 2014, 16, 1978. | 1.3 | 13 |
| 432 | A New Cesium Pentaborate with New $\text{B}_{10}\text{O}_{19}$ Building Blocks. Inorganic Chemistry, 2014, 53, 2358-2360. | 1.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | A Bulk Boron-Based Photocatalyst for Efficient Dechlorination: $K_3B_6O_{10}Br$. <i>Chemistry of Materials</i> , 2014, 26, 3169-3174. | 3.2 | 97 |
| 434 | $\pi^*(p, \pi^*)$ interaction mechanism revealing and accordingly designed new member in deep-ultraviolet NLO borates $Li_nM_{n-1}B_{2n-1}O_{4n-2}$ (M = Cs/Rb, n = 3, 4). <i>J. Phys. Chem. C</i> , 2014, 118, 11849-11856. | 1.5 | 73 |
| 435 | The Effect of the Ratio of [M/(B+P)] on the Configuration of Anionic Groups: Synthesis of the Borate-Phosphate $LiPb_4(BO_3)_3(PO_4)_2$. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 3467-3473. | 1.0 | 13 |
| 436 | $Cs_3Zn_6B_9O_{21}$: A Chemically Benign Member of the KBBF Family Exhibiting the Largest Second Harmonic Generation Response. <i>Journal of the American Chemical Society</i> , 2014, 136, 1264-1267. | 6.6 | 310 |
| 437 | Linear and Nonlinear Optical Properties of $K_3B_6O_{10}Br$ Single Crystal: Experiment and Calculation. <i>Journal of Physical Chemistry C</i> , 2014, 118, 11849-11856. | 1.5 | 73 |
| 438 | $Sr_8MB_{18}O_{36}$ (M = Zn or Cd): Design and Synthesis of Two New Borates with a Special Ratio of 8:1. <i>Chemistry Letters</i> , 2014, 43, 1216-1218. | 0.7 | 6 |
| 439 | Syntheses, crystal structures, and optical properties of $Pb_6B_3O_{10}X$ (X=F, Cl, Br). <i>Journal of Solid State Chemistry</i> , 2013, 204, 64-69. | 1.4 | 17 |
| 440 | Syntheses, structures, and characterization of two new rubidium cadmium(II)/zinc(II) borates: $Rb_3MB_5O_{10}$ (M = Cd, Zn). <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2013, 228, . | 0.4 | 1 |
| 441 | Effect of Rigid Units on the Symmetry of the Framework: Design and Synthesis of Centrosymmetric $NaBa_4(B_5O_9)_2F_2Cl$ and Noncentrosymmetric $NaBa_4(AlB_4O_9)_2Br_3$. <i>Crystal Growth and Design</i> , 2013, 13, 3514-3521. | 1.4 | 43 |
| 442 | New tartratoborates: synthesis, structure, and characterization of non-centrosymmetric $ASr[C_4H_2O_6B(OH)_2] \cdot 4H_2O$ (A = K+, Rb+). <i>Journal of Materials Chemistry A</i> , 2013, 1, 10389. | 5.2 | 27 |
| 443 | Noncentrosymmetric Cubic $CsCdBO_3$ with Bichromophore. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 5528-5533. | 1.0 | 22 |
| 444 | Synthesis, crystal structures and optical properties of two congruent-melting isotypic diphosphates: $LiM_3P_2O_7$ (M=Na, K). <i>Journal of Solid State Chemistry</i> , 2013, 197, 128-133. | 1.4 | 55 |
| 445 | New Molybdenum(VI) Phosphates: Synthesis, Characterization, and Calculations of Centrosymmetric $RbMo_2PO_4$ and Noncentrosymmetric $Rb_4Mo_5P_2O_{22}$. <i>Inorganic Chemistry</i> , 2013, 52, 1488-1495. | 1.9 | 31 |
| 446 | $Pb_2B_5O_9Cl$: a chloride borate with second harmonic generation effect. <i>Journal of Materials Science</i> , 2013, 48, 2590-2596. | 1.7 | 33 |
| 447 | $M_2Cd_3B_{16}O_{28}$ (M = Rb, Cs): Two Isostructural Alkali Cadmium Borates with a New Type of Borate Layer. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 203-207. | 1.0 | 28 |
| 448 | Exploration of a new compound in the $M^+B^+O_4^-X^-$ (M: alkali metals; X: halogen) system: Preparation, crystal and electronic structures, and optical properties of $Na_3B_6O_{10}Br$. <i>Inorganica Chimica Acta</i> , 2013, 406, 205-210. | 1.2 | 16 |
| 449 | Synthesis, crystal structure and optical properties of a new lithium dilead pentaborate, $LiPb_2B_5O_{10}$. <i>Journal of Molecular Structure</i> , 2013, 1040, 180-183. | 1.8 | 4 |
| 450 | $Sr_3B_6O_{11}F_2$: a promising polar fluoroborate with short UV absorption edge and moderate second harmonic generation response. <i>Scripta Materialia</i> , 2013, 69, 449-452. | 2.6 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Cs ₄ Mo ₅ P ₂ O ₂₂ : a first Strandberg-type POM with 1D straight chains of polymerized [Mo ₅ P ₂ O ₂₃] ⁶⁺ units and moderate second harmonic generation response. <i>Chemical Communications</i> , 2013, 49, 306-308. | 2.2 | 74 |
| 452 | Designing a Deep-Ultraviolet Nonlinear Optical Material with a Large Second Harmonic Generation Response. <i>Journal of the American Chemical Society</i> , 2013, 135, 4215-4218. | 6.6 | 542 |
| 453 | Ba ₂ Cd(B ₃ O ₆) ₂ : A Congruent Melting Compound with Isolated B ₃ O ₆ Units. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 988-993. | 0.6 | 4 |
| 454 | Na ₁₁ B ₂₁ O ₃₆ X ₂ (X=Cl, Br): Halogen Sodium Borates with a New Graphene-Like Borate Double Layer. <i>Chemistry - A European Journal</i> , 2013, 19, 7338-7341. | 1.7 | 29 |
| 455 | Synthesis, crystal growth and characterization of a new noncentrosymmetric borophosphate: RbPbBP ₂ O ₈ . <i>CrystEngComm</i> , 2013, 15, 4956. | 1.3 | 35 |
| 456 | Experimental and Theoretical Studies on the Linear and Nonlinear Optical Properties of Bi ₂ ZnOB ₂ O ₆ . <i>Journal of Physical Chemistry C</i> , 2013, 117, 14149-14157. | 1.5 | 54 |
| 457 | BaClBF ₄ : a new noncentrosymmetric pseudo-Aurivillius type material with transparency range from deep UV to middle IR and a high laser damage threshold. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4740. | 2.7 | 36 |
| 458 | Synthesis and Structure of KPbBP ₂ O ₈ – A Congruent Melting Borophosphate with Nonlinear Optical Properties. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3185-3190. | 1.0 | 33 |
| 459 | New Salt-Inclusion Borate, Li ₃ Ca ₉ (BO ₃) ₇ ·2[LiF]: A Promising UV NLO Material with the Coplanar and High Density BO ₃ Triangles. <i>Inorganic Chemistry</i> , 2013, 52, 5359-5365. | 1.9 | 48 |
| 460 | Cs ₂ B ₄ SiO ₉ : A Deep-Ultraviolet Nonlinear Optical Crystal. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3406-3410. | 7.2 | 249 |
| 461 | Synthesis, Crystal Structure, and Properties of a New Lead Barium Borate, Pb _{1.13} Ba _{7.87} B ₁₈ O ₃₆ . <i>Chemistry Letters</i> , 2012, 41, 812-813. | 0.7 | 10 |
| 462 | Structure, growth and properties of a novel polar material, KSr ₄ B ₃ O ₉ . <i>Journal of Solid State Chemistry</i> , 2012, 195, 73-78. | 1.4 | 18 |
| 463 | Na ₃ Cd ₃ B(PO ₄) ₄ : A New Noncentrosymmetric Borophosphate with Zero-Dimensional Anion Units. <i>Inorganic Chemistry</i> , 2012, 51, 10870-10875. | 1.9 | 71 |
| 464 | A new congruent-melting oxyborate, Pb ₄ O(BO ₃) ₂ with optimally aligned BO ₃ triangles adopting layered-type arrangement. <i>Journal of Materials Chemistry</i> , 2012, 22, 2105-2110. | 6.7 | 108 |
| 465 | A novel deep UV nonlinear optical crystal Ba ₃ B ₆ O ₁₁ F ₂ , with a new fundamental building block, B ₆ O ₁₄ group. <i>Journal of Materials Chemistry</i> , 2012, 22, 9665. | 6.7 | 177 |
| 466 | UV Nonlinear Optical Crystal Ba ₂ [B ₆ O ₉ (OH) ₄] Featuring Unique Chiral Layers with a New B ₁₈ O ₄₂ Circle Based on BO ₃ and BO ₄ Units. <i>Inorganic Chemistry</i> , 2012, 51, 1852-1858. | 1.9 | 86 |
| 467 | Growth, thermal and optical properties of a novel nonlinear optical material K ₃ B ₆ O ₁₀ Cl. <i>CrystEngComm</i> , 2012, 14, 799-803. | 1.3 | 53 |
| 468 | Synthesis, crystal structure and characterization of a new compound, Li ₃ NaBaB ₆ O ₁₂ . <i>Solid State Sciences</i> , 2012, 14, 1186-1190. | 1.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 469 | Synthesis, crystal structure and optical properties of a new orthorhombic phase, Na ₃ ZnB ₅ O ₁₀ . Journal of Molecular Structure, 2012, 1021, 118-122. | 1.8 | 12 |
| 470 | Further Examples of the Pa€OaEP Connection in Borophosphates: Synthesis and Characterization of Li ₂ Cs ₂ B ₂ P ₄ O ₁₅ , Li ₂ BP ₂ O ₈ , and Li ₃ M ₂ BP ₄ O ₁₄ (M=K, Rb). Chemistry - A European Journal, 2012, 18, 12046-12051. | 1.7 | 47 |
| 471 | Li ₅ Rb ₂ B ₇ O ₁₄ : a new congruently melting compound with two kinds of Bâ€O one-dimensional chains and short UV absorption edge. CrystEngComm, 2012, 14, 6720. | 1.3 | 23 |
| 472 | Synthesis, structure characterization and optical properties of a new lead cadmium borate. Inorganica Chimica Acta, 2012, 384, 158-162. | 1.2 | 26 |
| 473 | Li ₂ Sr ₄ B ₁₂ O ₂₃ : A new alkali and alkaline-earth metal mixed borate with [B ₁₀ O ₁₈]6âˆ network and isolated [B ₂ O ₅]4âˆ unit. Journal of Solid State Chemistry, 2012, 190, 92-97. | 1.4 | 21 |
| 474 | Synthesis, crystal structure and properties of a new congruently melting compound, K ₃ ZnB ₅ O ₁₀ . Solid State Sciences, 2012, 14, 936-940. | 1.5 | 15 |
| 475 | Hydrogen Bonding Behaviors in Inorganic Solids. Reviews in Advanced Sciences and Engineering, 2012, 1, 75-86. | 0.6 | 2 |
| 476 | Crystal growth and optical properties of a noncentrosymmetric haloid borate, K ₃ B ₆ O ₁₀ Br. CrystEngComm, 2011, 13, 2899. | 1.3 | 82 |
| 477 | The effect of 1-N-alkyl chain of ionic liquids [C _n mim] ⁺ Brâˆ (n = 2, 4, 6, 8) on the aspect ratio of ZnO nanorods: syntheses, morphology, forming mechanism, photoluminescence and recyclable photocatalytic activity. Journal of Materials Chemistry, 2011, 21, 15732. | 6.7 | 17 |
| 478 | A New Lithium Rubidium Borate Li ₆ Rb ₅ B ₁₁ O ₂₂ with Isolated B ₁₁ O ₂₂ Building Blocks. Crystal Growth and Design, 2011, 11, 3912-3916. | 1.4 | 64 |
| 479 | Li ₄ Cs ₃ B ₇ O ₁₄ : Synthesis, Crystal Structure, and Optical Properties. Inorganic Chemistry, 2011, 50, 2415-2419. | 1.9 | 81 |
| 480 | K ₃ B ₆ O ₁₀ Cl: A New Structure Analogous to Perovskite with a Large Second Harmonic Generation Response and Deep UV Absorption Edge. Journal of the American Chemical Society, 2011, 133, 7786-7790. | 6.6 | 617 |
| 481 | A congruently melting and deep UV nonlinear optical material: Li ₃ Cs ₂ B ₅ O ₁₀ . Journal of Materials Chemistry, 2011, 21, 2890. | 6.7 | 95 |
| 482 | Synthesis, structure, and properties of a novel hydrated borate Rb ₄ [B ₄ O ₅ (OH) ₄]2Â·3H ₂ O. Solid State Sciences, 2011, 13, 82-87. | 1.5 | 11 |
| 483 | Synthesis, crystal structure and optical properties of Li ₂ Cu ₅ (PO ₄) ₄ . Solid State Sciences, 2011, 13, 1304-1308. | 1.5 | 10 |
| 484 | Synthesis, crystal structure and optical properties of the new lead fluoride borateâ€Pb ₂ BO ₃ F. Journal of Solid State Chemistry, 2011, 184, 2849-2853. | 1.4 | 34 |
| 485 | Synthesis, crystal structure and optical properties of a novel sodium lead pentaborate, NaPbB ₅ O ₉ . Journal of Solid State Chemistry, 2011, 184, 825-829. | 1.4 | 24 |
| 486 | Synthesis, crystal structure and optical properties of a new lead fluoride borate with isolated [B ₉ O ₂₁]15âˆ unit. Inorganic Chemistry Communication, 2011, 14, 566-568. | 1.8 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 487 | Crystal growth and characterization of K ₂ B ₄ O ₁₁ H ₈ . Journal of Crystal Growth, 2009, 311, 3517-3521. | 0.7 | 19 |
| 488 | Synthesis, Structure, and Properties of the Noncentrosymmetric Hydrated Borate Na ₂ B ₅ O ₈ (OH)·2H ₂ O. Inorganic Chemistry, 2009, 48, 7800-7804. | 1.9 | 74 |
| 489 | A Novel Nonlinear Optical Crystal Bi ₂ ZnOB ₂ O ₆ . Crystal Growth and Design, 2009, 9, 4091-4095. | 1.4 | 99 |
| 490 | Growth, Structure, and Optical Properties of a Congruent Melting Oxyborate, Bi ₂ ZnOB ₂ O ₆ . Chemistry of Materials, 2009, 21, 2846-2850. | 3.2 | 104 |
| 491 | Synthesis, crystal structure, and nonlinear optical properties of Bi ₂ Cu ₅ B ₄ O ₁₄ . Journal of Solid State Chemistry, 2008, 181, 2087-2091. | 1.4 | 35 |
| 492 | Optical Floating Zone Growth of ¹² BaB ₂ O ₄ from a LiBa ₂ B ₅ O ₁₀ -Based Solvent. Crystal Growth and Design, 2007, 7, 1561-1564. | 1.4 | 14 |
| 493 | Structure and Magnetic Properties of Pb ₂ Cu ₃ B ₄ O ₁₁ : A New Copper Borate Featuring [Cu ₃ O ₈] ₁₀ -Units. Inorganic Chemistry, 2007, 46, 3851-3855. | 1.9 | 29 |
| 494 | Synthesis, Crystal Structure, and Nonlinear Optical Properties of Li ₆ Cu ₄ B ₄ O ₁₀ : A Congruently Melting Compound with Isolated [Cu ₄ B ₄ O ₁₀] ₆ -Units. Journal of the American Chemical Society, 2006, 128, 11631-11634. | 6.6 | 219 |
| 495 | Flux growth and characterization of a new oxyborate crystal Na ₃ La ₉ O ₃ (BO ₃) ₈ . Journal of Crystal Growth, 2005, 275, e1997-e2001. | 0.7 | 41 |
| 496 | Flux growth of BPO ₄ crystals. Journal of Crystal Growth, 2004, 270, 486-490. | 0.7 | 28 |
| 497 | Optical properties of BaBPO ₅ crystals. Journal of the Optical Society of America B: Optical Physics, 2004, 21, 761. | 0.9 | 17 |
| 498 | Growth, Structure, and Properties of Single Crystals of SrBPO ₅ . Chemistry of Materials, 2003, 15, 2218-2221. | 3.2 | 154 |
| 499 | A New Nonlinear Optical Borate Crystal Na ₃ La ₂ (BO ₃) ₃ . Chemistry Letters, 2001, 30, 456-457. | 0.7 | 23 |
| 500 | Two deep-ultraviolet nonlinear optical monolayers obtained by a template-optimized design strategy. Inorganic Chemistry Frontiers, 0, , . | 3.0 | 2 |
| 501 | Strong Nonlinearity Induced by Coaxial Alignment of Polar Chain and Dense [BO ₃] ₃ Units in CaZn ₂ (BO ₃) ₂ . Angewandte Chemie, 0, , . | 1.6 | 9 |
| 502 | Promising Deep-Ultraviolet Birefringent Materials via Rational Design and Assembly of Planar Conjugated [B(OH) ₃] ₃ and [B ₃ O ₃ (OH) ₃] ₃ Functional Species. Angewandte Chemie, 0, , . | 1.6 | 2 |
| 503 | Double-Modification Oriented Design of a Deep-UV Birefringent Crystal Functionalized by [B ₁₂ O ₁₆ F ₄ (OH) ₄] Cluster. Angewandte Chemie, 0, , . | 1.6 | 3 |