## Andreas C Themistocleous Mbbch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2916676/publications.pdf

Version: 2024-02-01

46 papers

9,372 citations

279798 23 h-index 233421 45 g-index

48 all docs

48 docs citations

48 times ranked

18494 citing authors

#	Article	IF	CITATIONS
1	Hepatocyte growth factor, colony-stimulating factor 1, CD40, and 11 other inflammation-related proteins are associated with pain in diabetic neuropathy: exploration and replication serum data from the Pain in Neuropathy Study. Pain, 2022, 163, 897-909.	4.2	12
2	Axonal Excitability Does Not Differ between Painful and Painless Diabetic or Chemotherapyâ€Induced Distal Symmetrical Polyneuropathy in a Multicenter Observational Study. Annals of Neurology, 2022, 91, 506-520.	5 <b>.</b> 3	8
3	Assessing inter-rater reproducibility in MScanFit MUNE in a 6-subject, 12-rater "Round Robin―setup. Neurophysiologie Clinique, 2022, 52, 157-169.	2.2	10
4	Nav1.7 is required for normal C-low threshold mechanoreceptor function in humans and mice. Brain, 2022, 145, 3637-3653.	7.6	18
5	Malleability of the cortical hand map following a finger nerve block. Science Advances, 2022, 8, eabk2393.	10.3	15
6	Classification of painful or painless diabetic peripheral neuropathy and identification of the most powerful predictors using machine learning models in large cross-sectional cohorts. BMC Medical Informatics and Decision Making, 2022, 22, .	3.0	13
7	Guillain-Barré syndrome following SARS-CoV-2 vaccination in the UK: a prospective surveillance study. BMJ Neurology Open, 2022, 4, e000309.	1.6	9
8	Safety and efficacy of the ChAdOx1 nCoV-19 vaccine (AZD1222) against SARS-CoV-2: an interim analysis of four randomised controlled trials in Brazil, South Africa, and the UK. Lancet, The, 2021, 397, 99-111.	13.7	3,887
9	Axonal swellings are related to type 2 diabetes, but not to distal diabetic sensorimotor polyneuropathy. Diabetologia, 2021, 64, 923-931.	6.3	11
10	Single-dose administration and the influence of the timing of the booster dose on immunogenicity and efficacy of $ChAdOx1 nCoV-19 (AZD1222)$ vaccine: a pooled analysis of four randomised trials. Lancet, The, 2021, 397, 881-891.	13.7	979
11	Painful and non-painful diabetic neuropathy, diagnostic challenges and implications for future management. Brain, 2021, 144, 1632-1645.	7.6	81
12	Novel and Emerging Electrophysiological Biomarkers of Diabetic Neuropathy and Painful Diabetic Neuropathy. Clinical Therapeutics, 2021, 43, 1441-1456.	2.5	19
13	Studying human nociceptors: from fundamentals to clinic. Brain, 2021, 144, 1312-1335.	7.6	77
14	Leucineâ€Rich Gliomaâ€Inactivated 1 versus Contactinâ€Associated Proteinâ€like 2 Antibody Neuropathic Pain: Clinical and Biological Comparisons. Annals of Neurology, 2021, 90, 683-690.	<b>5.</b> 3	27
15	Safety and immunogenicity of the ChAdOx1 nCoV-19 vaccine against SARS-CoV-2: a preliminary report of a phase 1/2, single-blind, randomised controlled trial. Lancet, The, 2020, 396, 467-478.	13.7	2,080
16	Whole-genome sequencing of patients with rare diseases in a national health system. Nature, 2020, 583, 96-102.	27.8	338
17	Longâ€term symptoms of polyneuropathy in breast and colorectal cancer patients treated with and without adjuvant chemotherapy. Cancer Medicine, 2020, 9, 5114-5123.	2.8	26
18	Cold aggravates abnormal excitability of motor axons in oxaliplatinâ€treated patients. Muscle and Nerve, 2020, 61, 796-800.	2.2	16

#	Article	IF	Citations
19	Oxaliplatin―and docetaxelâ€induced polyneuropathy: clinical and neurophysiological characteristics. Journal of the Peripheral Nervous System, 2020, 25, 377-387.	3.1	28
20	Germline selection shapes human mitochondrial DNA diversity. Science, 2019, 364, .	12.6	178
21	Defining the Functional Role of NaV1.7 in Human Nociception. Neuron, 2019, 101, 905-919.e8.	8.1	140
22	Blocking tactile input to one finger using anaesthetic enhances touch perception and learning in other fingers Journal of Experimental Psychology: General, 2019, 148, 713-727.	2.1	19
23	Immune or Genetic-Mediated Disruption of CASPR2 Causes Pain Hypersensitivity Due to Enhanced Primary Afferent Excitability. Neuron, 2018, 97, 806-822.e10.	8.1	119
24	Telomerecat: A ploidy-agnostic method for estimating telomere length from whole genome sequencing data. Scientific Reports, 2018, 8, 1300.	3.3	48
25	Reply: Non-freezing cold injury: a multi-faceted syndrome. Brain, 2018, 141, e10-e10.	7.6	0
26	A brain-based pain facilitation mechanism contributes to painful diabetic polyneuropathy. Brain, 2018, 141, 357-364.	7.6	89
27	Rare NaV1.7 variants associated with painful diabetic peripheral neuropathy. Pain, 2018, 159, 469-480.	4.2	116
28	Using stratified medicine to understand, diagnose, and treat neuropathic pain. Pain, 2018, 159, S31-S42.	4.2	34
29	Neuropathic pain drives anxiety behavior in mice, results consistent with anxiety levels in diabetic neuropathy patients. Pain Reports, 2018, 3, e651.	2.7	45
30	De Novo Truncating Mutations in WASF1 Cause Intellectual Disability with Seizures. American Journal of Human Genetics, 2018, 103, 144-153.	6.2	36
31	The Novel Activity of Carbamazepine as an Activation Modulator Extends from Na $<$ sub $>$ V $<$ /sub $>$ 1.7 Mutations to the Na $<$ sub $>$ V $<$ /sub $>$ 1.8-S242T Mutant Channel from a Patient with Painful Diabetic Neuropathy. Molecular Pharmacology, 2018, 94, 1256-1269.	2.3	24
32	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. Wellcome Open Research, 2018, 3, 63.	1.8	26
33	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. Wellcome Open Research, 2018, 3, 63.	1.8	20
34	Stratifying patients with peripheral neuropathic pain based on sensory profiles: algorithm and sample size recommendations. Pain, 2017, 158, 1446-1455.	4.2	150
35	Chronic non-freezing cold injury results in neuropathic pain due to a sensory neuropathy. Brain, 2017, 140, 2557-2569.	7.6	54
36	The Pain in Neuropathy Study (PiNS). Pain, 2016, 157, 1132-1145.	4.2	230

#	Article	lF	CITATIONS
37	Rare Variants in MME, Encoding Metalloprotease Neprilysin, Are Linked to Late-Onset Autosomal-Dominant Axonal Polyneuropathies. American Journal of Human Genetics, 2016, 99, 607-623.	6.2	47
38	Transcriptional regulator PRDM12 is essential for human pain perception. Nature Genetics, 2015, 47, 803-808.	21.4	137
39	Null mutation in <i>SCN9A</i> in which noxious stimuli can be detected in the absence of pain. Neurology, 2014, 83, 1577-1580.	1.1	7
40	Late onset hereditary sensory and autonomic neuropathy with cognitive impairment associated with Y163X prion mutation. Journal of Neurology, 2014, 261, 2230-2233.	3.6	8
41	The clinical approach to small fibre neuropathy and painful channelopathy. Practical Neurology, 2014, 14, 368-379.	1.1	122
42	Discharge patterns of nociceptive primary afferent fibres in the rat coccygeal nerve after UV <sub>A</sub> â€light exposure. European Journal of Pain, 2010, 14, 580-587.	2.8	0
43	The time course of inflammatory cytokine secretion in a rat model of postoperative pain does not coincide with the onset of mechanical hyperalgesia. Canadian Journal of Physiology and Pharmacology, 2007, 85, 613-620.	1.4	38
44	Pre-Emptive Ring-Block With Bupivacaine Prevents the Development of Thermal Hyperalgesia, but not Sustained Mechanical Hyperalgesia, in Rat Tails Exposed to Ultraviolet A Light. Journal of Pain, 2007, 8, 208-214.	1.4	3
45	Exposure of the rat tail to ultraviolet A light produces sustained hyperalgesia to noxious thermal and mechanical challenges. Journal of Neuroscience Methods, 2006, 152, 267-273.	2.5	7
46	A model of incisional pain: the effects of dermal tail incision on pain behaviours of Sprague Dawley rats. Journal of Neuroscience Methods, 2005, 145, 167-173.	2.5	17