

Tomoki Nakamura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2921736/publications.pdf>

Version: 2024-02-01

66
papers

1,094
citations

430874

18
h-index

454955

30
g-index

66
all docs

66
docs citations

66
times ranked

1341
citing authors

#	ARTICLE	IF	CITATIONS
1	The clinical outcome of pazopanib treatment in Japanese patients with relapsed soft tissue sarcoma: A Japanese Musculoskeletal Oncology Group (JMOG) study. <i>Cancer</i> , 2016, 122, 1408-1416.	4.1	100
2	Lung radiofrequency ablation in patients with pulmonary metastases from musculoskeletal sarcomas. <i>Cancer</i> , 2009, 115, 3774-3781.	4.1	97
3	Intradiscal Injection of Autologous Platelet-Rich Plasma Release to Treat Discogenic Low Back Pain: A Preliminary Clinical Trial. <i>Asian Spine Journal</i> , 2017, 11, 380-389.	2.0	89
4	Clinical significance of pretreatment serum C-reactive protein level in soft tissue sarcoma. <i>Cancer</i> , 2012, 118, 1055-1061.	4.1	68
5	The combined use of the neutrophil-lymphocyte ratio and C-reactive protein level as prognostic predictors in adult patients with soft tissue sarcoma. <i>Journal of Surgical Oncology</i> , 2013, 108, 481-485.	1.7	52
6	The value of C-reactive protein and comorbidity in predicting survival of patients with high grade soft tissue sarcoma. <i>European Journal of Cancer</i> , 2013, 49, 377-385.	2.8	49
7	A new limb salvage surgery in cases of high-grade soft tissue sarcoma using photodynamic surgery, followed by photo- and radiodynamic therapy with acridine orange. <i>Journal of Surgical Oncology</i> , 2008, 97, 523-528.	1.7	32
8	Infiltrative tumor growth patterns on magnetic resonance imaging associated with systemic inflammation and oncological outcome in patients with high-grade soft-tissue sarcoma. <i>PLoS ONE</i> , 2017, 12, e0181787.	2.5	28
9	Analysis of the Infiltrative Features of Chordoma: The Relationship Between Micro-Skip Metastasis and Postoperative Outcomes. <i>Annals of Surgical Oncology</i> , 2018, 25, 912-919.	1.5	27
10	Retrospective analysis of metastatic sarcoma patients. <i>Oncology Letters</i> , 2011, 2, 315-318.	1.8	26
11	Clinical outcomes of Kyocera Modular Limb Salvage system after resection of bone sarcoma of the distal part of the femur: the Japanese Musculoskeletal Oncology Group study. <i>International Orthopaedics</i> , 2014, 38, 825-830.	1.9	25
12	Analysis of the patients with soft tissue sarcoma who received additional excision after unplanned excision: report from the Bone and Soft Tissue Tumor Registry in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 1055-1059.	1.3	24
13	The diagnostic and prognostic value of interleukin-6 in patients with soft tissue sarcomas. <i>Scientific Reports</i> , 2017, 7, 9640.	3.3	23
14	Clinical outcomes of minimally invasive surgery using acridine orange for musculoskeletal sarcomas around the forearm, compared with conventional limb salvage surgery after wide resection. <i>Journal of Surgical Oncology</i> , 2010, 102, 271-275.	1.7	22
15	Analysis of Factors for Predicting Survival in Soft-tissue Sarcoma with Metastatic Disease at Initial Presentation. <i>Anticancer Research</i> , 2017, 37, 3137-3141.	1.1	21
16	Management of small pulmonary nodules in patients with sarcoma. <i>Clinical and Experimental Metastasis</i> , 2009, 26, 713-718.	3.3	20
17	The clinical outcomes of extracorporeal irradiated and re-implanted cemented autologous bone graft of femoral diaphysis after tumour resection. <i>International Orthopaedics</i> , 2013, 37, 647-651.	1.9	19
18	Clinical impact of the tumor volume doubling time on sarcoma patients with lung metastases. <i>Clinical and Experimental Metastasis</i> , 2011, 28, 819-825.	3.3	18

#	ARTICLE	IF	CITATIONS
19	The relationship between pretreatment anaemia and survival in patients with adult soft tissue sarcoma. <i>Journal of Orthopaedic Science</i> , 2013, 18, 987-993.	1.1	18
20	Can a Less Radical Surgery Using Photodynamic Therapy With Acridine Orange Be Equal to a Wide-margin Resection?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 792-802.	1.5	17
21	Localized synovial sarcoma: A single institutional study of 191 patients with a minimum follow-up of 5 years for survivors. <i>Journal of Surgical Oncology</i> , 2019, 119, 850-855.	1.7	17
22	Long-term and short-term prognostic value of the prognostic nutritional index in cancer: a narrative review. <i>Annals of Translational Medicine</i> , 2021, 9, 1630-1630.	1.7	16
23	Treatment of bone defect with calcium phosphate cement subsequent to tumor curettage in pediatric patients. <i>Oncology Letters</i> , 2016, 11, 247-252.	1.8	15
24	Impact of tumor volume doubling time on post-metastatic survival in bone or soft-tissue sarcoma patients treated with metastasectomy and/or radiofrequency ablation of the lung. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 559-564.	2.0	15
25	Clinical significance of radiofrequency ablation and metastasectomy in elderly patients with lung metastases from musculoskeletal sarcomas. <i>Journal of Cancer Research and Therapeutics</i> , 2013, 9, 219.	0.9	14
26	Carbonic anhydrase IX enhances tumor cell proliferation and tumor progression in osteosarcoma. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 6879-6886.	2.0	14
27	Analysis of pulmonary nodules in patients with high-grade soft tissue sarcomas. <i>PLoS ONE</i> , 2017, 12, e0172148.	2.5	13
28	Clinical characteristics of patients with large and deep soft tissue sarcomas. <i>Oncology Letters</i> , 2015, 10, 841-844.	1.8	12
29	The clinical outcome of eribulin treatment in Japanese patients with advanced soft tissue sarcoma: a Tokai Musculoskeletal Oncology Consortium study. <i>Clinical and Experimental Metastasis</i> , 2019, 36, 343-350.	3.3	12
30	Expression of Interleukin-6 and the Interleukin-6 Receptor Predicts the Clinical Outcomes of Patients with Soft Tissue Sarcomas. <i>Cancers</i> , 2020, 12, 585.	3.7	11
31	In vivo anti-tumor activity of photodynamic therapy with intravenous administration of acridine orange, followed by illumination with high-power flash wave light in a mouse osteosarcoma model. <i>Oncology Letters</i> , 2010, 1, 69-72.	1.8	10
32	Is FDG-PET/CT Useful for Diagnosing Pulmonary Metastasis in Patients with Soft Tissue Sarcoma?. <i>Anticancer Research</i> , 2018, 38, 3635-3639.	1.1	10
33	The role of C-reactive protein in predicting post-metastatic survival of patients with metastatic bone and soft tissue sarcoma. <i>Tumor Biology</i> , 2015, 36, 7515-7520.	1.8	9
34	Impact of plasma fibrinogen levels in benign and malignant soft tissue tumors. <i>Cancer Biomarkers</i> , 2016, 16, 453-458.	1.7	9
35	Long-term clinical outcome in patients with high-grade soft tissue sarcoma who were treated with surgical adjuvant therapy using acridine orange after intra-lesional or marginal resection. <i>Photodiagnosis and Photodynamic Therapy</i> , 2018, 23, 165-170.	2.6	9
36	Inhibitory effect of edaravone on systemic inflammation and local damage in skeletal muscles following long-term ischemia to murine hind limb. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901987447.	1.0	9

#	ARTICLE	IF	CITATIONS
37	The Clinical Outcomes of Hemicortical Extracorporeal Irradiated Autologous Bone Graft After Tumor Resection of Bone and Soft Tissue Sarcoma. <i>Anticancer Research</i> , 2019, 39, 5605-5610.	1.1	8
38	Tumor Resection May Improve Survival in Patients With Soft Tissue Sarcoma Aged 75 Years and Older. <i>Anticancer Research</i> , 2019, 39, 331-334.	1.1	8
39	Clinical Outcome in Soft Tissue Sarcoma Patients with Lung Metastasis Who Received Metastasectomy and/or Radiofrequency Ablation: Tokai Musculoskeletal Oncology Consortium Study. <i>Cancer Management and Research</i> , 2021, Volume 13, 8473-8480.	1.9	8
40	A comparison of clinical outcomes between additional excision after unplanned and planned excisions in patients with soft-tissue sarcoma of the limb. <i>Bone and Joint Journal</i> , 2021, 103-B, 1809-1814.	4.4	8
41	The Role of Trabectedin in Soft Tissue Sarcoma. <i>Frontiers in Pharmacology</i> , 2022, 13, 777872.	3.5	8
42	Is Serum Lactate Dehydrogenase Useful for Predicting Oncological Outcome in Patients With Soft Tissue Sarcoma?. <i>Anticancer Research</i> , 2019, 39, 6871-6875.	1.1	7
43	Anti-tumour effect of tocilizumab for osteosarcoma cell lines. <i>Bone and Joint Research</i> , 2020, 9, 821-826.	3.6	7
44	Cytoskeletal Actin Structure in Osteosarcoma Cells Determines Metastatic Phenotype via Regulating Cell Stiffness, Migration, and Transmigration. <i>Current Issues in Molecular Biology</i> , 2021, 43, 1255-1266.	2.4	6
45	Serum thrombomodulin as a metastatic and prognostic marker in soft tissue sarcomas. <i>Cancer Biomarkers</i> , 2019, 26, 163-170.	1.7	5
46	<p>Clinical Outcome of Systemic Treatment for Advanced Soft Tissue Sarcoma: Real-Life Perspective in Japan</p>. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 4215-4220.	4.3	5
47	Role of the Prognostic Nutritional Index in Patients With Soft-tissue Sarcoma. <i>In Vivo</i> , 2021, 35, 2349-2355.	1.3	5
48	GPR64, Screened from Ewing Sarcoma Cells, Is a Potential Target for Antibody-Based Therapy for Various Sarcomas. <i>Cancers</i> , 2022, 14, 814.	3.7	5
49	Clinical outcome in patients who underwent amputation due to extremity soft tissue sarcoma: Tokai Musculoskeletal Oncology Consortium study. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 157-162.	1.3	5
50	Safety and effectiveness of eribulin in Japanese patients with soft tissue sarcoma including rare subtypes: a post-marketing observational study. <i>BMC Cancer</i> , 2022, 22, 528.	2.6	5
51	The incidence of unplanned excision in patients with soft tissue sarcoma: Reports from the Bone and Soft Tissue Tumor registry in Japan. <i>Journal of Orthopaedic Science</i> , 2022, 27, 468-472.	1.1	4
52	Is perioperative chemotherapy recommended in childhood and adolescent patients with synovial sarcoma? A systematic review. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 927-931.	1.3	4
53	Role of high-sensitivity C-reactive protein in the differentiation of benign and malignant soft tissue tumors. <i>Anticancer Research</i> , 2014, 34, 933-6.	1.1	4
54	Determination of the LD50 of acridine orange via intravenous administration in mice in preparation for clinical application to cancer therapy. <i>In Vivo</i> , 2014, 28, 523-7.	1.3	4

#	ARTICLE	IF	CITATIONS
55	Modified Glasgow Prognostic Score is Better for Predicting Oncological Outcome in Patients with Soft Tissue Sarcoma, Compared to High-Sensitivity Modified Glasgow Prognostic Score. <i>Journal of Inflammation Research</i> , 0, Volume 15, 3891-3899.	3.5	4
56	<p>Standard Treatment Remains the Recommended Approach for Patients with Bone Sarcoma Who Underwent Unplanned Surgery: Report from the Japanese Musculoskeletal Oncology Group</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 10017-10022.	1.9	3
57	Automatic benign and malignant estimation of bone tumors using deep learning. , 2021, , .		3
58	Inflammatory Biomarkers in Cancer. <i>Mediators of Inflammation</i> , 2016, 2016, 1-2.	3.0	2
59	<p>Successful treatment with cryoablation in a patient with bone metastasis in the mid-shaft femur: a case report</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 2949-2953.	2.0	2
60	Long-Term Results of Kyocera Modular Limb Salvage System after Resection of Tumors in the Distal Part of the Femur: Report from Japanese Musculoskeletal Oncology Group Study. <i>Cancers</i> , 2022, 14, 870.	3.7	2
61	Is no additional excision after unplanned excision with positive margins justified in patients with small (â%5Åcm) high-grade soft-tissue sarcoma?: Analysis from the Bone and Soft Tissue Tumor registry in Japan. <i>Journal of Orthopaedic Science</i> , 2021, , .	1.1	1
62	Clinical Outcome of Patients with Pelvic and Retroperitoneal Bone and Soft Tissue Sarcoma: A Retrospective Multicenter Study in Japan. <i>Cancers</i> , 2022, 14, 3023.	3.7	1
63	Clinical outcome of latissimus dorsi reconstruction after wide resection of soft-tissue sarcoma. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 1441-1446.	1.4	0
64	Clinical Outcome of Dermatofibrosarcoma Protuberance. Report From the Bone and Soft Tissue Tumor (BSTT) Registry in Japan. <i>In Vivo</i> , 2021, 35, 611-615.	1.3	0
65	Sarcomas: New Biomarkers and Therapeutic Strategies. <i>Cancers</i> , 2021, 13, 5213.	3.7	0
66	Treatment Strategy for Elderly Patients with Soft Tissue Sarcoma. <i>Current Oncology Reports</i> , 2022, , 1.	4.0	0