
## Tomoki Nakamura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2921736/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The incidence of unplanned excision in patients with soft tissue sarcoma: Reports from the Bone and Soft Tissue Tumor registry in Japan. Journal of Orthopaedic Science, 2022, 27, 468-472.	1.1	4
2	Long-Term Results of Kyocera Modular Limb Salvage System after Resection of Tumors in the Distal Part of the Femur: Report from Japanese Musculoskeletal Oncology Group Study. Cancers, 2022, 14, 870.	3.7	2
3	GPR64, Screened from Ewing Sarcoma Cells, Is a Potential Target for Antibody-Based Therapy for Various Sarcomas. Cancers, 2022, 14, 814.	3.7	5
4	The Role of Trabectedin in Soft Tissue Sarcoma. Frontiers in Pharmacology, 2022, 13, 777872.	3.5	8
5	Treatment Strategy for Elderly Patients with Soft Tissue Sarcoma. Current Oncology Reports, 2022, , 1.	4.0	Ο
6	Clinical outcome in patients who underwent amputation due to extremity soft tissue sarcoma: Tokai Musculoskeletal Oncology Consortium study. Japanese Journal of Clinical Oncology, 2022, 52, 157-162.	1.3	5
7	Safety and effectiveness of eribulin in Japanese patients with soft tissue sarcoma including rare subtypes: a post-marketing observational study. BMC Cancer, 2022, 22, 528.	2.6	5
8	Clinical Outcome of Patients with Pelvic and Retroperitoneal Bone and Soft Tissue Sarcoma: A Retrospective Multicenter Study in Japan. Cancers, 2022, 14, 3023.	3.7	1
9	Clinical Outcome of Dermatofibrosarcoma Protuberance. Report From the Bone and Soft Tissue Tumor (BSTT) Registry in Japan. In Vivo, 2021, 35, 611-615.	1.3	0
10	ls no additional excision after unplanned excision with positive margins justified in patients with small (â‰ <b>\$</b> Âcm) high-grade soft-tissue sarcoma?: Analysis from the Bone and Soft Tissue Tumor registry in Japan. Journal of Orthopaedic Science, 2021, , .	1.1	1
11	Is perioperative chemotherapy recommended in childhood and adolescent patients with synovial sarcoma? A systematic review. Japanese Journal of Clinical Oncology, 2021, 51, 927-931.	1.3	4
12	Automatic benign and malignant estimation of bone tumors using deep learning. , 2021, , .		3
13	Cytoskeletal Actin Structure in Osteosarcoma Cells Determines Metastatic Phenotype via Regulating Cell Stiffness, Migration, and Transmigration. Current Issues in Molecular Biology, 2021, 43, 1255-1266.	2.4	6
14	Role of the Prognostic Nutritional Index in Patients With Soft-tissue Sarcoma. In Vivo, 2021, 35, 2349-2355.	1.3	5
15	Long-term and short-term prognostic value of the prognostic nutritional index in cancer: a narrative review. Annals of Translational Medicine, 2021, 9, 1630-1630.	1.7	16
16	Sarcomas: New Biomarkers and Therapeutic Strategies. Cancers, 2021, 13, 5213.	3.7	0
17	Clinical Outcome in Soft Tissue Sarcoma Patients with Lung Metastasis Who Received Metastasectomy and/or Radiofrequency Ablation: Tokai Musculoskeletal Oncology Consortium Study. Cancer Management and Research, 2021, Volume 13, 8473-8480.	1.9	8
18	A comparison of clinical outcomes between additional excision after unplanned and planned excisions in patients with soft-tissue sarcoma of the limb. Bone and Joint Journal, 2021, 103-B, 1809-1814.	4.4	8

Τομοκί Νακάμυγα

#	Article	IF	CITATIONS
19	<p>Clinical Outcome of Systemic Treatment for Advanced Soft Tissue Sarcoma: Real-Life Perspective in Japan</p> . Drug Design, Development and Therapy, 2020, Volume 14, 4215-4220.	4.3	5
20	Anti-tumour effect of tocilizumab for osteosarcoma cell lines. Bone and Joint Research, 2020, 9, 821-826.	3.6	7
21	Standard Treatment Remains the Recommended Approach for Patients with Bone Sarcoma Who Underwent Unplanned Surgery: Report from the Japanese Musculoskeletal Oncology Group. Cancer Management and Research, 2020, Volume 12, 10017-10022.	1.9	3
22	Expression of Interleukin-6 and the Interleukin-6 Receptor Predicts the Clinical Outcomes of Patients with Soft Tissue Sarcomas. Cancers, 2020, 12, 585.	3.7	11
23	Clinical outcome of latissimus dorsi reconstruction after wide resection of soft-tissue sarcoma. European Journal of Orthopaedic Surgery and Traumatology, 2020, 30, 1441-1446.	1.4	0
24	The Clinical Outcomes of Hemicortical Extracorporeal Irradiated Autologous Bone Graft After Tumor Resection of Bone and Soft Tissue Sarcoma. Anticancer Research, 2019, 39, 5605-5610.	1.1	8
25	Inhibitory effect of edaravone on systemic inflammation and local damage in skeletal muscles following long-term ischemia to murine hind limb. Journal of Orthopaedic Surgery, 2019, 27, 230949901987447.	1.0	9
26	Serum thrombomodulin as a metastatic and prognostic marker in soft tissue sarcomas. Cancer Biomarkers, 2019, 26, 163-170.	1.7	5
27	Tumor Resection May Improve Survival in Patients With Soft Tissue Sarcoma Aged 75 Years and Older. Anticancer Research, 2019, 39, 331-334.	1.1	8
28	Successful treatment with cryoablation in a patient with bone metastasis in the mid-shaft femur: a case report. OncoTargets and Therapy, 2019, Volume 12, 2949-2953.	2.0	2
29	The clinical outcome of eribulin treatment in Japanese patients with advanced soft tissue sarcoma: a Tokai Musculoskeletal Oncology Consortium study. Clinical and Experimental Metastasis, 2019, 36, 343-350.	3.3	12
30	Localized synovial sarcoma: A single institutional study of 191 patients with a minimum followâ€up of 5 years for survivors. Journal of Surgical Oncology, 2019, 119, 850-855.	1.7	17
31	ls Serum Lactate Dehydrogenase Useful for Predicting Oncological Outcome in Patients With Soft Tissue Sarcoma?. Anticancer Research, 2019, 39, 6871-6875.	1.1	7
32	Analysis of the Infiltrative Features of Chordoma: The Relationship Between Micro-Skip Metastasis and Postoperative Outcomes. Annals of Surgical Oncology, 2018, 25, 912-919.	1.5	27
33	Carbonic anhydrase IX enhances tumor cell proliferation and tumor progression in osteosarcoma. OncoTargets and Therapy, 2018, Volume 11, 6879-6886.	2.0	14
34	Is FDG-PET/CT Useful for Diagnosing Pulmonary Metastasis in Patients with Soft Tissue Sarcoma?. Anticancer Research, 2018, 38, 3635-3639.	1.1	10
35	Long-term clinical outcome in patients with high-grade soft tissue sarcoma who were treated with surgical adjuvant therapy using acridine orange after intra-lesional or marginal resection. Photodiagnosis and Photodynamic Therapy, 2018, 23, 165-170.	2.6	9
36	Analysis of the patients with soft tissue sarcoma who received additional excision after unplanned excision: report from the Bone and Soft Tissue Tumor Registry in Japan. Japanese Journal of Clinical Oncology, 2017, 47, 1055-1059.	1.3	24

Τομοκι Νακαμυγα

#	Article	IF	CITATIONS
37	The diagnostic and prognostic value of interleukin-6 in patients with soft tissue sarcomas. Scientific Reports, 2017, 7, 9640.	3.3	23
38	Analysis of pulmonary nodules in patients with high-grade soft tissue sarcomas. PLoS ONE, 2017, 12, e0172148.	2.5	13
39	Impact of tumor volume doubling time on post-metastatic survival in bone or soft-tissue sarcoma patients treated with metastasectomy and/or radiofrequency ablation of the lung. OncoTargets and Therapy, 2017, Volume 10, 559-564.	2.0	15
40	Infiltrative tumor growth patterns on magnetic resonance imaging associated with systemic inflammation and oncological outcome in patients with high-grade soft-tissue sarcoma. PLoS ONE, 2017, 12, e0181787.	2.5	28
41	Analysis of Factors for Predicting Survival in Soft-tissue Sarcoma with Metastatic Disease at Initial Presentation. Anticancer Research, 2017, 37, 3137-3141.	1.1	21
42	Intradiscal Injection of Autologous Platelet-Rich Plasma Releasate to Treat Discogenic Low Back Pain: A Preliminary Clinical Trial. Asian Spine Journal, 2017, 11, 380-389.	2.0	89
43	Inflammatory Biomarkers in Cancer. Mediators of Inflammation, 2016, 2016, 1-2.	3.0	2
44	Impact of plasma fibrinogen levels in benign and malignant soft tissue tumors. Cancer Biomarkers, 2016, 16, 453-458.	1.7	9
45	Treatment of bone defect with calcium phosphate cement subsequent to tumor curettage in pediatric patients. Oncology Letters, 2016, 11, 247-252.	1.8	15
46	The clinical outcome of pazopanib treatment in Japanese patients with relapsed soft tissue sarcoma: A Japanese Musculoskeletal Oncology Group (JMOG) study. Cancer, 2016, 122, 1408-1416.	4.1	100
47	Clinical characteristics of patients with large and deep soft tissue sarcomas. Oncology Letters, 2015, 10, 841-844.	1.8	12
48	The role of C-reactive protein in predicting post-metastatic survival of patients with metastatic bone and soft tissue sarcoma. Tumor Biology, 2015, 36, 7515-7520.	1.8	9
49	Clinical outcomes of Kyocera Modular Limb Salvage system after resection of bone sarcoma of the distal part of the femur: the Japanese Musculoskeletal Oncology Group study. International Orthopaedics, 2014, 38, 825-830.	1.9	25
50	Role of high-sensitivity C-reactive protein in the differentiation of benign and malignant soft tissue tumors. Anticancer Research, 2014, 34, 933-6.	1.1	4
51	Determination of the LD50 of acridine orange via intravenous administration in mice in preparation for clinical application to cancer therapy. In Vivo, 2014, 28, 523-7.	1.3	4
52	Can a Less Radical Surgery Using Photodynamic Therapy With Acridine Orange Be Equal to a Wide-margin Resection?. Clinical Orthopaedics and Related Research, 2013, 471, 792-802.	1.5	17
53	The clinical outcomes of extracorporeal irradiated and re-implanted cemented autologous bone graft of femoral diaphysis after tumour resection. International Orthopaedics, 2013, 37, 647-651.	1.9	19
54	The relationship between pretreatment anaemia and survival in patients with adult soft tissue sarcoma. Journal of Orthopaedic Science, 2013, 18, 987-993.	1.1	18

Τομοκι Νακαμυγα

#	Article	IF	CITATIONS
55	The value of C-reactive protein and comorbidity in predicting survival of patients with high grade soft tissue sarcoma. European Journal of Cancer, 2013, 49, 377-385.	2.8	49
56	Clinical significance of radiofrequency ablation and metastasectomy in elderly patients with lung metastases from musculoskeletal sarcomas. Journal of Cancer Research and Therapeutics, 2013, 9, 219.	0.9	14
57	The combined use of the neutrophil-lymphocyte ratio and C-reactive protein level as prognostic predictors in adult patients with soft tissue sarcoma. Journal of Surgical Oncology, 2013, 108, 481-485.	1.7	52
58	Clinical significance of pretreatment serum Câ€reactive protein level in soft tissue sarcoma. Cancer, 2012, 118, 1055-1061.	4.1	68
59	Retrospective analysis of metastatic sarcoma patients. Oncology Letters, 2011, 2, 315-318.	1.8	26
60	Clinical impact of the tumor volume doubling time on sarcoma patients with lung metastases. Clinical and Experimental Metastasis, 2011, 28, 819-825.	3.3	18
61	In vivo anti-tumor activity of photodynamic therapy with intravenous administration of acridine orange, followed by illumination with high-power flash wave light in a mouse osteosarcoma model. Oncology Letters, 2010, 1, 69-72.	1.8	10
62	Clinical outcomes of minimally invasive surgery using acridine orange for musculoskeletal sarcomas around the forearm, compared with conventional limb salvage surgery after wide resection. Journal of Surgical Oncology, 2010, 102, 271-275.	1.7	22
63	Lung radiofrequency ablation in patients with pulmonary metastases from musculoskeletal sarcomas. Cancer, 2009, 115, 3774-3781.	4.1	97
64	Management of small pulmonary nodules in patients with sarcoma. Clinical and Experimental Metastasis, 2009, 26, 713-718.	3.3	20
65	A new limb salvage surgery in cases of highâ€grade soft tissue sarcoma using photodynamic surgery, followed by photo―and radiodynamic therapy with acridine orange. Journal of Surgical Oncology, 2008, 97, 523-528.	1.7	32
66	Modified Glasgow Prognostic Score is Better for Predicting Oncological Outcome in Patients with Soft Tissue Sarcoma, Compared to High-Sensitivity Modified Glasgow Prognostic Score. Journal of Inflammation Research, 0, Volume 15, 3891-3899.	3.5	4