Zubin Bhagwagar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2922699/publications.pdf

Version: 2024-02-01

72 papers 5,576 citations

39 h-index 102487 66 g-index

78 all docs

78 docs citations

78 times ranked 7251 citing authors

#	Article	IF	CITATIONS
1	Interpretation of chronic pain clinical trial outcomes: IMMPACT recommended considerations. Pain, 2020, 161, 2446-2461.	4.2	64
2	Inverse changes in raphe and cortical 5â€HT 1B receptor availability after acute tryptophan depletion in healthy human subjects. Synapse, 2020, 74, e22159.	1.2	9
3	OCD is associated with an altered association between sensorimotor gating and cortical and subcortical 5-HT1b receptor binding. Journal of Affective Disorders, 2016, 196, 87-96.	4.1	38
4	Assessment of the Efficacy and Safety of BMS-820836 in Patients With Treatment-Resistant Major Depression. Journal of Clinical Psychopharmacology, 2015, 35, 454-459.	1.4	9
5	Test–retest reliability of the novel 5-HT1B receptor PET radioligand [11C]P943. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 468-477.	6.4	20
6	Reductions in Brain 5-HT1B Receptor Availability in Primarily Cocaine-Dependent Humans. Biological Psychiatry, 2014, 76, 816-822.	1.3	50
7	Changes in the Cholinergic System between Bipolar Depression and Euthymia as Measured with [1231]5IA Single Photon Emission Computed Tomography. Biological Psychiatry, 2013, 74, 768-776.	1.3	52
8	Quantification of Ligand PET Studies using a Reference Region with a Displaceable Fraction: Application to Occupancy Studies with [11C]-DASB as an Example. Journal of Cerebral Blood Flow and Metabolism, 2012, 32, 70-80.	4.3	30
9	Persistent \hat{l}^2 (sub>2*-Nicotinic Acetylcholinergic Receptor Dysfunction in Major Depressive Disorder. American Journal of Psychiatry, 2012, 169, 851-859.	7.2	100
10	Age Effects on Serotonin Receptor 1B as Assessed by PET. Journal of Nuclear Medicine, 2012, 53, 1411-1414.	5.0	26
11	Increased ratio of anti-apoptotic to pro-apoptotic Bcl2 gene-family members in lithium-responders one month after treatment initiation. Biology of Mood & Anxiety Disorders, 2012, 2, 15.	4.7	47
12	Effects of Ketamine in Treatment-Refractory Obsessive-Compulsive Disorder. Biological Psychiatry, 2012, 72, 964-970.	1.3	121
13	Considerations for improving assay sensitivity in chronic pain clinical trials: IMMPACT recommendations. Pain, 2012, 153, 1148-1158.	4.2	227
14	Prefrontal cortical response to emotional faces in individuals with major depressive disorder in remission. Psychiatry Research - Neuroimaging, 2012, 202, 30-37.	1.8	42
15	Citalopram reduces endotoxin-induced fatigue. Brain, Behavior, and Immunity, 2011, 25, 256-259.	4.1	86
16	Diminished brain 5-HT transporter binding in major depression: a positron emission tomography study with [11C]DASB. Psychopharmacology, 2011, 213, 555-562.	3.1	65
17	Assessing the sensitivity of [¹¹ C]p943, a novel 5â€HT _{IB} radioligand, to endogenous serotonin release. Synapse, 2011, 65, 1113-1117.	1.2	21
18	Time course of regional brain activity accompanying auditory verbal hallucinations in schizophrenia. British Journal of Psychiatry, 2011, 198, 277-283.	2.8	42

#	Article	IF	CITATIONS
19	Association of Frontal and Posterior Cortical Gray Matter Volume With Time to Alcohol Relapse: A Prospective Study. American Journal of Psychiatry, 2011, 168, 183-192.	7.2	168
20	Levetiracetam in the Management of Bipolar Depression. Journal of Clinical Psychiatry, 2011, 72, 744-750.	2.2	42
21	The Relationship Between Mood, Stress, and Tobacco Smoking. , 2011, , 147-161.		1
22	A sequencingâ€based survey of functional <i>APAF1</i> alleles in a large sample of individuals with affective illness and population controls. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 332-335.	1.7	0
23	5-HT1A receptor binding in euthymic bipolar patients using positron emission tomography with [carbonyl-11C]WAY-100635. Journal of Affective Disorders, 2010, 123, 77-80.	4.1	32
24	Increased peripheral blood expression of electron transport chain genes in bipolar depression. Bipolar Disorders, 2010, 12, 813-824.	1.9	50
25	Antidepressant Response and the Serotonin Transporter Gene-Linked Polymorphic Region. Biological Psychiatry, 2010, 68, 536-543.	1.3	109
26	Association between serotonin transporter binding, physiological and environmental factors in healthy male subjects. NeuroImage, 2010, 52, S93-S94.	4.2	0
27	Simplified quantification of 5-HT2A receptors in the human brain with [11C]MDL 100,907 PET and non-invasive kinetic analyses. Neurolmage, 2010, 50, 984-993.	4.2	21
28	Enhanced Visual Motion Perception in Major Depressive Disorder. Journal of Neuroscience, 2009, 29, 9072-9077.	3.6	98
29	Brain serotonin transporter binding in former users of MDMA (â€~ecstasy'). British Journal of Psychiatry, 2009, 194, 355-359.	2.8	45
30	Enhanced Negative Emotion and Alcohol Craving, and Altered Physiological Responses Following Stress and Cue Exposure in Alcohol Dependent Individuals. Neuropsychopharmacology, 2009, 34, 1198-1208.	5.4	391
31	Evidence for modulation of facial emotional processing bias during emotional expression decoding by serotonergic and noradrenergic antidepressants: an event-related potential (ERP) study. Psychopharmacology, 2009, 202, 621-634.	3.1	35
32	Lamotrigine-associated rash: to rechallenge or not to rechallenge?. International Journal of Neuropsychopharmacology, 2009, 12, 257.	2.1	26
33	Presentations of psychosis with violence: variations in different jurisdictions. A comparison of patients with psychosis in the high security hospitals of Scotland and England. Behavioral Sciences and the Law, 2008, 26, 585-602.	0.8	12
34	Effects of Citalopram Infusion on the Serotonin Transporter Binding of [¹¹ C]DASB in Healthy Controls. Journal of Cerebral Blood Flow and Metabolism, 2008, 28, 1478-1490.	4.3	89
35	Abnormal Corpus Callosum Integrity in Bipolar Disorder: A Diffusion Tensor Imaging Study. Biological Psychiatry, 2008, 64, 730-733.	1.3	129
36	Neural Correlates of Impulse Control During Stop Signal Inhibition in Cocaine-Dependent Men. Neuropsychopharmacology, 2008, 33, 1798-1806.	5.4	157

#	Article	IF	CITATIONS
37	Rechallenging With Clozapine Following Neutropenia: Treatment Options for Refractory Schizophrenia. American Journal of Psychiatry, 2008, 165, 813-818.	7.2	53
38	Inflammation, Glutamate, and Glia in Depression: <i>A Literature Review </i> . CNS Spectrums, 2008, 13, 501-510.	1.2	261
39	Low GABA concentrations in occipital cortex and anterior cingulate cortex in medication-free, recovered depressed patients. International Journal of Neuropsychopharmacology, 2008, 11, 255-60.	2.1	140
40	Drs. Ghaznavi and Bhagwagar Reply. American Journal of Psychiatry, 2008, 165, 1611-1612.	7.2	1
41	The Effects of Low Doses of î"-9 Tetrahydrocannabinol on Reinforcement Processing in the Risky Decision-Making of Young Healthy Adults. Neuropsychopharmacology, 2007, 32, 417-428.	5.4	19
42	5-HTT Binding in Recovered Depressed Patients and Healthy Volunteers: A Positron Emission Tomography Study With [¹¹ C]DASB. American Journal of Psychiatry, 2007, 164, 1858-1865.	7.2	66
43	Reduction in Occipital Cortex \hat{I}^3 -Aminobutyric Acid Concentrations in Medication-Free Recovered Unipolar Depressed and Bipolar Subjects. Biological Psychiatry, 2007, 61, 806-812.	1.3	274
44	Validation of a Tracer Kinetic Model for the Quantification of 5-HT2A Receptors in Human Brain with [11C]MDL 100,907. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 161-172.	4.3	46
45	Bipolar disorder: the neglected psychosis. Psychiatry (Abingdon, England), 2007, 6, 389-392.	0.2	0
46	Potential of Levetiracetam in Mood Disorders. CNS Drugs, 2006, 20, 969-979.	5.9	27
47	Increased 5-HT _{2A} Receptor Binding in Euthymic, Medication-Free Patients Recovered From Depression: A Positron Emission Study With [¹¹ C]MDL 100,907. American Journal of Psychiatry, 2006, 163, 1580-1587.	7.2	170
48	Effects of Tryptophan Depletion on the Performance of an Iterated Prisoner's Dilemma Game in Healthy Adults. Neuropsychopharmacology, 2006, 31, 1075-1084.	5.4	150
49	Low Doses of î"-9 Tetrahydrocannabinol (THC) Have Divergent Effects on Short-Term Spatial Memory in Young, Healthy Adults. Neuropsychopharmacology, 2006, 31, 462-470.	5.4	52
50	Early Onset of Selective Serotonin Reuptake Inhibitor Antidepressant Action. Archives of General Psychiatry, 2006, 63, 1217.	12.3	337
51	Increased salivary cortisol after waking in depression. Psychopharmacology, 2005, 182, 54-57.	3.1	249
52	Lamotrigine in the treatment of bipolar disorder. Expert Opinion on Pharmacotherapy, 2005, 6, 1401-1408.	1.8	23
53	Preferential 5-HT1A Autoreceptor Occupancy by Pindolol is Attenuated in Depressed Patients: Effect of Treatment or an Endophenotype of Depression?. Neuropsychopharmacology, 2004, 29, 1688-1698.	5.4	33
54	Increased Brain GABA Concentrations Following Acute Administration of a Selective Serotonin Reuptake Inhibitor. American Journal of Psychiatry, 2004, 161, 368-370.	7.2	194

#	Article	IF	Citations
55	Bipolar disorder: the neglected psychosis. Psychiatry (Abingdon, England), 2004, 3, 67-70.	0.2	1
56	Normalization of Enhanced Fear Recognition by Acute SSRI Treatment in Subjects With a Previous History of Depression. American Journal of Psychiatry, 2004, 161, 166-168.	7.2	168
57	Inositol for depressive disorders. The Cochrane Library, 2004, , CD004049.	2.8	20
58	Lack of effect of a single dose of hydrocortisone on serotonin1A receptors in recovered depressed patients measured by positron emission tomography with [11C]WAY-100635. Biological Psychiatry, 2003, 54, 890-895.	1.3	20
59	Tryptophan Depletion Alters the Decision-Making of Healthy Volunteers through Altered Processing of Reward Cues. Neuropsychopharmacology, 2003, 28, 153-162.	5.4	239
60	Increase in Concentration of Waking Salivary Cortisol in Recovered Patients With Depression. American Journal of Psychiatry, 2003, 160, 1890-1891.	7.2	140
61	Risperidone Augmentation Decreases Rapid Eye Movement Sleep and Decreases Wake in Treatment-Resistant Depressed Patients. Journal of Clinical Psychiatry, 2003, 64, 192-196.	2.2	45
62	Role of mood stabilizers in bipolar disorder. Expert Review of Neurotherapeutics, 2002, 2, 239-248.	2.8	6
63	State and trait abnormalities in serotonin function in major depression. British Journal of Psychiatry, 2002, 180, 24-28.	2.8	106
64	Cortisol modulation of 5-HT-mediated growth hormone release in recovered depressed patients. Journal of Affective Disorders, 2002, 72, 249-255.	4.1	17
65	The role of lithium in the treatment of bipolar depression. Clinical Neuroscience Research, 2002, 2, 222-227.	0.8	32
66	Acute administration of citalopram facilitates memory consolidation in healthy volunteers. Psychopharmacology, 2002, 163, 106-110.	3.1	96
67	PET measurement of the influence of corticosteroids on serotonin-1A receptor number. Biological Psychiatry, 2001, 50, 668-676.	1.3	25
68	Decreased sensitivity of 5-HT1D receptors in melancholic depression. British Journal of Psychiatry, 2001, 178, 454-457.	2.8	27
69	Pindolol Augmentation of Selective Serotonin Reuptake Inhibitors: PET Evidence That the Dose Used in Clinical Trials Is Too Low. American Journal of Psychiatry, 2001, 158, 2080-2082.	7.2	80
70	Velo-cardio-facial (Shprintzen's) Syndrome, violence and schizophrenia. Journal of Forensic Psychology, 2000, 11, 449-455.	0.3	1
71	Financial implications of Caiman changes in psychiatry. Psychiatric Bulletin, 1997, 21, 784-785.	0.3	0
72	Lithium for acute mania. The Cochrane Library, 0, , .	2.8	0