## You Joung Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2923456/publications.pdf

Version: 2024-02-01

41344 9,043 266 49 citations h-index papers

80 g-index 311 311 311 13220 docs citations times ranked citing authors all docs

62596

#	Article	IF	CITATIONS
1	Sarcopenic Obesity: Prevalence and Association With Metabolic Syndrome in the Korean Longitudinal Study on Health and Aging (KLoSHA). Diabetes Care, 2010, 33, 1652-1654.	8.6	471
2	Classification of White Matter Lesions on Magnetic Resonance Imaging in Elderly Persons. Biological Psychiatry, 2008, 64, 273-280.	1.3	409
3	Motoric cognitive risk syndrome. Neurology, 2014, 83, 718-726.	1.1	345
4	Korean Version of Mini Mental Status Examination for Dementia Screening and Its' Short Form. Psychiatry Investigation, 2010, 7, 102.	1.6	221
5	REM Sleep Behavior Disorder in the Korean Elderly Population: Prevalence and Clinical Characteristics. Sleep, 2013, 36, 1147-1152.	1.1	196
6	Posterior cingulate cortex atrophy and regional cingulum disruption in mild cognitive impairment and Alzheimer's disease. Neurobiology of Aging, 2010, 31, 772-779.	3.1	178
7	A Nationwide Survey on the Prevalence of Dementia and Mild Cognitive Impairment in South Korea. Journal of Alzheimer's Disease, 2011, 23, 281-291.	2.6	158
8	Development of the Subjective Memory Complaints Questionnaire. Dementia and Geriatric Cognitive Disorders, 2009, 27, 310-317.	1.5	144
9	Prevalence of Dry Eye Disease in an Elderly Korean Population. JAMA Ophthalmology, 2011, 129, 633.	2.4	129
10	Association between Depression and Dry Eye Disease in an Elderly Population., 2011, 52, 7954.		127
11	Association Between Comorbid Depression and Osteoarthritis Symptom Severity in Patients with Knee Osteoarthritis. Journal of Bone and Joint Surgery - Series A, 2011, 93, 556-563.	3.0	127
12	Age-related cognitive decline and associations with sex, education and apolipoprotein E genotype across ethnocultural groups and geographic regions: a collaborative cohort study. PLoS Medicine, 2017, 14, e1002261.	8.4	120
13	Standardization of the Korean Version of the Geriatric Depression Scale: Reliability, Validity, and Factor Structure. Psychiatry Investigation, 2008, 5, 232.	1.6	118
14	Predictive validity and diagnostic stability of mild cognitive impairment subtypes. Alzheimer's and Dementia, 2012, 8, 553-559.	0.8	113
15	The Prevalence of Dementia in Older People in an Urban Population of Korea: The Seoul Study. Journal of the American Geriatrics Society, 2002, 50, 1233-1239.	2.6	109
16	Prevalence and Trends of Dementia in Korea: A Systematic Review and Meta-Analysis. Journal of Korean Medical Science, 2014, 29, 903.	2.5	103
17	Lean Mass Index: A Better Predictor of Mortality than Body Mass Index in Elderly Asians. Journal of the American Geriatrics Society, 2010, 58, 312-317.	2.6	101
18	A review of the epidemiology of depression in Korea. Journal of the Korean Medical Association, 2011, 54, 362.	0.3	99

#	Article	IF	CITATIONS
19	Hyperglycemia Is Associated with Impaired Muscle Quality in Older Men with Diabetes: The Korean Longitudinal Study on Health and Aging. Diabetes and Metabolism Journal, 2016, 40, 140.	4.7	99
20	A nationwide survey on the prevalence and risk factors of late life depression in South Korea. Journal of Affective Disorders, 2012, 138, 34-40.	4.1	92
21	Subclinical hypothyroidism (SCH) is not associated with metabolic derangement, cognitive impairment, depression or poor quality of life (QoL) in elderly subjects. Archives of Gerontology and Geriatrics, 2010, 50, e68-e73.	3.0	90
22	Korean Version of Frontal Assessment Battery: Psychometric Properties and Normative Data. Dementia and Geriatric Cognitive Disorders, 2010, 29, 363-370.	1.5	88
23	Validity of the telephone interview for cognitive status (TICS) and modified TICS (TICSm) for mild cognitive imparment (MCI) and dementia screening. Archives of Gerontology and Geriatrics, 2011, 52, e26-e30.	3.0	88
24	Psychometric Properties of the Patient Health Questionnaire-15 (PHQ-15) for Measuring the Somatic Symptoms of Psychiatric Outpatients. Psychosomatics, 2009, 50, 580-585.	2.5	88
25	Overview of the Korean Longitudinal Study on Cognitive Aging and Dementia. Psychiatry Investigation, 2018, 15, 767-774.	1.6	88
26	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. PLoS Medicine, 2019, 16, e1002853.	8.4	86
27	Cognitive Impairment in Age-related Macular Degeneration and Geographic Atrophy. Ophthalmology, 2012, 119, 2094-2101.	<b>5.</b> 2	85
28	Sleep and cognitive decline: A prospective nondemented elderly cohort study. Annals of Neurology, 2018, 83, 472-482.	<b>5.</b> 3	85
29	Total Scores of the CERAD Neuropsychological Assessment Battery: Validation for Mild Cognitive Impairment and Dementia Patients With Diverse Etiologies. American Journal of Geriatric Psychiatry, 2010, 18, 801-809.	1.2	84
30	A normative study of the Trail Making Test in Korean elders. International Journal of Geriatric Psychiatry, 2006, 21, 844-852.	2.7	82
31	Incidence of and Risk Factors for Alzheimer's Disease and Mild Cognitive Impairment in Korean Elderly. Dementia and Geriatric Cognitive Disorders, 2015, 39, 105-115.	1.5	80
32	Prevalence of Dementia and Its Subtypes in an Elderly Urban Korean Population: Results from the Korean Longitudinal Study on Health and Aging (KLoSHA). Dementia and Geriatric Cognitive Disorders, 2008, 26, 270-276.	1.5	79
33	Vitamin D Inadequacy Is Associated with Significant Coronary Artery Stenosis in a Community-Based Elderly Cohort: The Korean Longitudinal Study on Health and Aging. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 169-178.	3.6	75
34	The prevalence of shoulder osteoarthritis in the elderly Korean population: association with risk factors and function. Journal of Shoulder and Elbow Surgery, 2011, 20, 756-763.	2.6	73
35	Identification of Alzheimer's disease using a convolutional neural network model based on T1-weighted magnetic resonance imaging. Scientific Reports, 2020, 10, 22252.	<b>3.</b> 3	73
36	Progression of cognitive impairments in idiopathic REM sleep behaviour disorder. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 890-896.	1.9	71

#	Article	lF	CITATIONS
37	Gender and Prevalence of Knee Osteoarthritis Types in Elderly Koreans. Journal of Arthroplasty, 2011, 26, 994-999.	3.1	70
38	Moderately decreased renal function negatively affects the health-related quality of life among the elderly Korean population: a population-based study. Nephrology Dialysis Transplantation, 2008, 23, 2810-2817.	0.7	68
39	Prevalence, comorbidities and risk factors of restless legs syndrome in the Korean elderly population $\hat{a} \in \mathbb{C}$ results from the Korean Longitudinal Study on Health and Aging. Journal of Sleep Research, 2010, 19, 87-92.	3.2	64
40	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. Alzheimer's Research and Therapy, 2020, 12, 167.	6.2	64
41	Prevalence of major depressive disorder and minor depressive disorder in an elderly Korean population: Results from the Korean Longitudinal Study on Health and Aging (KLoSHA). Journal of Affective Disorders, 2010, 125, 234-240.	4.1	62
42	Multimodal Cognitive Enhancement Therapy for Patients with Mild Cognitive Impairment and Mild Dementia: AÂMulti- Center, Randomized, Controlled, Double-Blind, Crossover Trial. Journal of Alzheimer's Disease, 2016, 55, 787-796.	2.6	59
43	COSMIC (Cohort Studies of Memory in an International Consortium): An international consortium to identify risk and protective factors and biomarkers of cognitive ageing and dementia in diverse ethnic and sociocultural groups. BMC Neurology, 2013, 13, 165.	1.8	58
44	Normative study of the Stroop Color and Word Test in an educationally diverse elderly population. International Journal of Geriatric Psychiatry, 2008, 23, 1020-1027.	2.7	57
45	Association between muscle strength and metabolic syndrome in older Korean men and women: the Korean Longitudinal Study on Health and Aging. Metabolism: Clinical and Experimental, 2012, 61, 317-324.	3.4	56
46	A Normative Study of the Digit Span in an Educationally Diverse Elderly Population. Psychiatry Investigation, 2014, 11, 39.	1.6	56
47	Relationship Between Lower Urinary Tract Symptoms and Metabolic Syndrome in a Community-based Elderly Population. Urology, 2008, 72, 556-560.	1.0	55
48	Effects of social supports on burden in caregivers of people with dementia. International Psychogeriatrics, 2014, 26, 1639-1648.	1.0	54
49	Sarcopenia as a predictor of future cognitive impairment in older adults. Journal of Nutrition, Health and Aging, 2016, 20, 496-502.	3.3	53
50	Topographic Patterns of Brain Functional Impairment Progression According to Clinical Severity Staging in 116 Alzheimer Disease Patients: FDG-PET Study. Alzheimer Disease and Associated Disorders, 2007, 21, 77-84.	1.3	52
51	Relationship between muscle mass and physical performance: is it the same in older adults with weak muscle strength?. Age and Ageing, 2012, 41, 799-803.	1.6	52
52	Lower-But-Normal Serum TSH level Is Associated With the Development or Progression of Cognitive Impairment in Elderly: Korean Longitudinal Study on Health and Aging (KLoSHA). Journal of Clinical Endocrinology and Metabolism, 2014, 99, 424-432.	3.6	51
53	Sarcopenia is an Independent Risk Factor for Dysphagia in Community-Dwelling Older Adults. Dysphagia, 2019, 34, 692-697.	1.8	51
54	Association of Thyroid Dysfunction With Cognitive Function. JAMA Internal Medicine, 2021, 181, 1440.	5.1	51

#	Article	IF	CITATIONS
55	Cough in the Elderly Population: Relationships with Multiple Comorbidity. PLoS ONE, 2013, 8, e78081.	2.5	49
56	Assessment of appendicular skeletal muscle mass by bioimpedance in older community-dwelling Korean adults. Archives of Gerontology and Geriatrics, 2014, 58, 303-307.	3.0	48
57	High serum adiponectin concentration and low body mass index are significantly associated with increased all-cause and cardiovascular mortality in an elderly cohort, "adiponectin paradox†The Korean Longitudinal Study on Health and Aging (KLoSHA). International Journal of Cardiology, 2015, 183, 91-97.	1.7	48
58	Differential effects of completed and incomplete pregnancies on the risk of Alzheimer disease. Neurology, 2018, 91, e643-e651.	1.1	48
59	Frontal Dysfunction Underlies Depressive Syndrome in Alzheimer Disease: A FDG-PET Study. American Journal of Geriatric Psychiatry, 2006, 14, 625-628.	1.2	46
60	Prevalence and clinical characteristics of insomnia and its subtypes in the Korean elderly. Archives of Gerontology and Geriatrics, 2017, 68, 68-75.	3.0	46
61	Association Between Body Composition and Pulmonary Function in Elderly People: The Korean Longitudinal Study on Health and Aging. Obesity, 2011, 19, 631-638.	3.0	45
62	Association between apolipoprotein E polymorphism and Alzheimer's disease in Koreans. Neuroscience Letters, 1999, 277, 145-148.	2.1	44
63	Impacts of Poor Social Support on General Health Status in Community-Dwelling Korean Elderly: The Results from the Korean Longitudinal Study on Health and Aging. Psychiatry Investigation, 2008, 5, 155.	1.6	42
64	Epidemiology of MRI-defined vascular depression: A longitudinal, community-based study in Korean elders. Journal of Affective Disorders, 2015, 180, 200-206.	4.1	41
65	Cognitive Stimulation as a Therapeutic Modality for Dementia: A Meta-Analysis. Psychiatry Investigation, 2017, 14, 626.	1.6	41
66	Plasma adiponectin elevation in elderly individuals with subsyndromal depression. Psychoneuroendocrinology, 2012, 37, 948-955.	2.7	40
67	Analysis of Genetic and Environmental Risk Factors and Their Interactions in Korean Patients with Age-Related Macular Degeneration. PLoS ONE, 2015, 10, e0132771.	2.5	40
68	Magnetic resonance imaging texture predicts progression to dementia due to Alzheimer disease earlier than hippocampal volume. Journal of Psychiatry and Neuroscience, 2020, 45, 7-14.	2.4	40
69	Long-Term Cognitive Decline After Stroke: An Individual Participant Data Meta-Analysis. Stroke, 2022, 53, 1318-1327.	2.0	40
70	Retinol Binding Protein-4 Elevation Is Associated with Serum Thyroid-Stimulating Hormone Level Independently of Obesity in Elderly Subjects with Normal Glucose Tolerance. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 2313-2318.	3.6	39
71	Effects of Sleep Apnea Syndrome on Delayed Memory and Executive Function in Elderly Adults. Journal of the American Geriatrics Society, 2012, 60, 1099-1103.	2.6	38
72	Predictive Values of the New Sarcopenia Index by the Foundation for the National Institutes of Health Sarcopenia Project for Mortality among Older Korean Adults. PLoS ONE, 2016, 11, e0166344.	2.5	38

#	Article	IF	CITATIONS
73	Neural Correlates of the Clock Drawing Test Performance in Alzheimer's Disease: A FDG-PET Study. Dementia and Geriatric Cognitive Disorders, 2008, 26, 306-313.	1.5	37
74	Discrimination of normal aging, MCI and AD with multimodal imaging measures on the medial temporal lobe. Psychiatry Research - Neuroimaging, 2010, 183, 237-243.	1.8	37
75	Anemia and activities of daily living in the Korean urban elderly population: Results from the Korean Longitudinal Study on Health and Aging (KLoSHA). Annals of Hematology, 2013, 92, 59-65.	1.8	36
76	Sarcopenia and Obesity: Gender-Different Relationship with Functional Limitation in Older Persons. Journal of Korean Medical Science, 2013, 28, 1041.	2.5	36
77	Efficacy of the Ubiquitous Spaced Retrieval-based Memory Advancement and Rehabilitation Training (USMART) program among patients with mild cognitive impairment: a randomized controlled crossover trial. Alzheimer's Research and Therapy, 2017, 9, 39.	6.2	36
78	Effects of spaced retrieval training (SRT) on cognitive function in Alzheimer's disease (AD) patients. Archives of Gerontology and Geriatrics, 2009, 49, 289-293.	3.0	35
79	Subclinical Hypothyroidism has Little Influences on Muscle Mass or Strength in Elderly People. Journal of Korean Medical Science, 2010, 25, 1176.	2.5	35
80	Application of variable threshold intensity to segmentation for white matter hyperintensities in fluid attenuated inversion recovery magnetic resonance images. Neuroradiology, 2014, 56, 265-281.	2.2	35
81	Carotid Intima-Media Thickness Is Associated With the Progression of Cognitive Impairment in Older Adults. Stroke, 2015, 46, 1024-1030.	2.0	34
82	Association between executive function and physical performance in older Korean adults: Findings from the Korean Longitudinal Study on Health and Aging (KLoSHA). Archives of Gerontology and Geriatrics, 2011, 52, e156-e161.	3.0	33
83	Prevalence of neuropsychiatric syndromes in Alzheimer's disease (AD). Archives of Gerontology and Geriatrics, 2011, 52, 258-263.	3.0	33
84	Rural and Urban Disparities in Frailty and Agingâ€Related Health Conditions in Korea. Journal of the American Geriatrics Society, 2016, 64, 908-911.	2.6	33
85	Prevalence of Mild Cognitive Impairment and Its Subtypes Are Influenced by the Application of Diagnostic Criteria: Results from the Korean Longitudinal Study on Health and Aging (KLoSHA). Dementia and Geriatric Cognitive Disorders, 2009, 28, 23-29.	1.5	32
86	Subjective memory complaints in an elderly population with poor sleep quality. Aging and Mental Health, 2017, 21, 532-536.	2.8	32
87	Gait Variability Can Predict the Risk of Cognitive Decline in Cognitively Normal Older People. Dementia and Geriatric Cognitive Disorders, 2018, 45, 251-261.	1.5	32
88	Evaluation of Factors Influencing Grip Strength in Elderly Koreans. Journal of Bone Metabolism, 2012, 19, 103.	1.3	31
89	Development of the Ubiquitous Spaced Retrieval-Based Memory Advancement and Rehabilitation Training Program. Psychiatry Investigation, 2014, 11, 52.	1.6	30
90	A genome-wide association study on thyroid function and anti-thyroid peroxidase antibodies in Koreans. Human Molecular Genetics, 2014, 23, 4433-4442.	2.9	30

#	Article	IF	Citations
91	Prevalence of musculoskeletal pain in an elderly Korean population: Results from the Korean Longitudinal Study on Health and Aging (KLoSHA). Archives of Gerontology and Geriatrics, 2010, 51, e46-e51.	3.0	29
92	Cross-Cultural Considerations in Administering the Center for Epidemiologic Studies Depression Scale. Gerontology, 2011, 57, 455-461.	2.8	28
93	Walking-speed estimation using a single inertial measurement unit for the older adults. PLoS ONE, 2019, 14, e0227075.	2.5	28
94	The Impact of Digit-related Radiographic Osteoarthritis of the Hand on Grip-strength and Upper Extremity Disability. Clinical Orthopaedics and Related Research, 2012, 470, 2202-2208.	1.5	27
95	Smoking in elderly Koreans: Prevalence and factors associated with smoking cessation. Archives of Gerontology and Geriatrics, 2013, 56, 214-219.	3.0	27
96	Muscle strength is the main associated factor of physical performance in older adults with knee osteoarthritis regardless of radiographic severity. Archives of Gerontology and Geriatrics, 2013, 56, 377-382.	3.0	27
97	The Prevalence of Benign Prostatic Hyperplasia in Elderly Men in Korea: A Community-Based Study. Korean Journal of Urology, 2009, 50, 843.	1.2	26
98	Role of severity and gender in the association between late-life depression and all-cause mortality. International Psychogeriatrics, 2013, 25, 677-684.	1.0	26
99	Frontal Dysfunction Underlies Depression in Mild Cognitive Impairment: A FDG-PET Study. Psychiatry Investigation, 2010, 7, 208.	1.6	26
100	Suicidal behaviors in elderly Koreans: One-month-point prevalence and factors related to suicidality. Journal of Affective Disorders, 2013, 150, 77-83.	4.1	25
101	Thickness of retina and choroid in the elderly population and its association with Complement Factor H polymorphism: KLoSHA Eye study. PLoS ONE, 2018, 13, e0209276.	2.5	25
102	Efficacy of Vitamins on Cognitive Function of Non-Demented People: A Systematic Review and Meta-Analysis. Nutrients, 2020, 12, 1168.	4.1	25
103	CYP2D6*4 polymorphism is not associated with Parkinson's disease and has no protective role against Alzheimer's disease in the Korean population. Psychiatry and Clinical Neurosciences, 2001, 55, 373-377.	1.8	24
104	Quality of life and mortality from a nephrologist's view: a prospective observational study. BMC Nephrology, 2009, 10, 39.	1.8	24
105	Prevalence and Correlates of Nocturia in Community-dwelling Older Men: Results from the Korean Longitudinal Study on Health and Aging. Korean Journal of Urology, 2012, 53, 263.	1.2	24
106	Optimal cut points of waist circumference (WC) and visceral fat area (VFA) predicting for metabolic syndrome (MetS) in elderly population in the Korean Longitudinal Study on Health and Aging (KLoSHA). Archives of Gerontology and Geriatrics, 2012, 54, e29-e34.	3.0	24
107	Identification of Vinculin as a Potential Plasma Marker for Age-Related Macular Degeneration. , 2014, 55, 7166.		24
108	Association of alpha-2-macroglobulin deletion polymorphism with sporadic Alzheimer's disease in Koreans. Journal of the Neurological Sciences, 2001, 184, 21-25.	0.6	23

#	Article	IF	CITATIONS
109	Lack of Association Between Apolipoprotein E Polymorphism and Vascular Dementia in Koreans. Journal of Geriatric Psychiatry and Neurology, 2008, 21, 12-17.	2.3	23
110	Prevalence of Stroke and Transient Ischemic Attack in Korean Elders. Stroke, 2009, 40, 966-969.	2.0	23
111	Prevalence and neuropsychiatric comorbidities of alcohol use disorders in an elderly Korean population. International Journal of Geriatric Psychiatry, 2009, 24, 1420-1428.	2.7	23
112	APOE ε4 and the Influence of Sex, Age, Vascular Risk Factors, and Ethnicity on Cognitive Decline. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1863-1873.	3.6	23
113	Combination of Clinical and Neuropsychologic Information as a Better Predictor of the Progression to Alzheimer Disease in Questionable Dementia Individuals. American Journal of Geriatric Psychiatry, 2006, 14, 130-138.	1.2	22
114	Performance on the Benton Visual Retention Test in an Educationally Diverse Elderly Population. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2007, 62, P191-P193.	3.9	21
115	Comparison of regional body composition and its relation with cardiometabolic risk between BMI-matched young and old subjects. Atherosclerosis, 2012, 224, 258-265.	0.8	21
116	Multicenter, randomized, placeboâ€controlled, doubleâ€blind clinical trial of escitalopram on the progressionâ€delaying effects in Alzheimer's disease. International Journal of Geriatric Psychiatry, 2016, 31, 731-739.	2.7	21
117	Does parity matter in women's risk of dementia? A COSMIC collaboration cohort study. BMC Medicine, 2020, 18, 210.	5 <b>.</b> 5	21
118	Proteomics-based identification and validation of novel plasma biomarkers phospholipid transfer protein and mannan-binding lectin serine protease-1 in age-related macular degeneration. Scientific Reports, 2016, 6, 32548.	3.3	20
119	Monocyte count as a predictor of cardiovascular mortality in older Korean people. Age and Ageing, 2017, 46, 433-438.	1.6	20
120	Association of Central Serous Chorioretinopathy with Psychosocial Factors is Dependent on Its Phase and Subtype. Korean Journal of Ophthalmology: KJO, 2018, 32, 281.	1.1	20
121	Parity and the risk of incident dementia: a COSMIC study. Epidemiology and Psychiatric Sciences, 2020, 29, e176.	3.9	20
122	Chronic cough, not asthma, is associated with depression in the elderly: a community-based population analysis in South Korea. Korean Journal of Internal Medicine, 2019, 34, 1363-1371.	1.7	20
123	Thigh muscle attenuation measured by computed tomography was associated with the risk of low bone density in communityâ€dwelling elderly population. Clinical Endocrinology, 2013, 78, 512-517.	2.4	19
124	Serum anion gap is predictive of mortality in an elderly population. Experimental Gerontology, 2014, 50, 122-127.	2.8	19
125	Potential Novel Genes for Late-Onset Alzheimer's Disease in East-Asian Descent Identified by APOE-Stratified Genome-Wide Association Study. Journal of Alzheimer's Disease, 2021, 82, 1451-1460.	2.6	19
126	Differences in knowledge of dementia among older adults with normal cognition, mild cognitive impairment, and dementia: A representative nationwide sample of Korean elders. Archives of Gerontology and Geriatrics, 2016, 66, 82-88.	3.0	18

#	Article	IF	CITATIONS
127	Deep learning based low-cost high-accuracy diagnostic framework for dementia using comprehensive neuropsychological assessment profiles. BMC Geriatrics, 2018, 18, 234.	2.7	18
128	Dual Sensory Impairment and Cognitive Impairment in the Korean Longitudinal Elderly Cohort. Neurology, 2021, 96, e2284-e2295.	1.1	18
129	Decline in the Incidence of All-Cause and Alzheimer's Disease Dementia: a 12-Year-Later Rural Cohort Study in Korea. Journal of Korean Medical Science, 2019, 34, e293.	2.5	18
130	A Normative Study of Lexical Verbal Fluency in an Educationally-Diverse Elderly Population. Psychiatry Investigation, 2013, 10, 346.	1.6	18
131	Histamine and allergen skin reactivity in the elderly population: results from the Korean Longitudinal Study on Health and Aging. Annals of Allergy, Asthma and Immunology, 2011, 107, 344-352.	1.0	17
132	Prevalence of monoclonal gammopathy of undetermined significance in an elderly urban Korean population. American Journal of Hematology, 2011, 86, 752-755.	4.1	17
133	Interactive influences of demographics on the Mini-Mental State Examination (MMSE) and the demographics-adjusted norms for MMSE in elderly Koreans. International Psychogeriatrics, 2012, 24, 642-650.	1.0	17
134	Renal function and decline in functional capacity in older adults. Age and Ageing, 2014, 43, 833-838.	1.6	17
135	Improvement of Screening Accuracy of Mini-Mental State Examination for Mild Cognitive Impairment and Non-Alzheimer's Disease Dementia by Supplementation of Verbal Fluency Performance. Psychiatry Investigation, 2014, 11, 44.	1.6	17
136	Association of Low Blood Pressure with White Matter Hyperintensities in Elderly Individuals with Controlled Hypertension. Journal of Stroke, 2020, 22, 99-107.	3.2	17
137	Transferrin C2 variant does not confer a risk for Alzheimer's disease in Koreans. Neuroscience Letters, 2001, 308, 45-48.	2.1	16
138	Cost-Effectiveness of Nationwide Opportunistic Screening Program for Dementia in South Korea. Journal of Alzheimer's Disease, 2015, 44, 195-204.	2.6	16
139	Urban–rural differences in the prevalence of allergen sensitization and self-reported rhinitis in the elderly population. Annals of Allergy, Asthma and Immunology, 2015, 114, 455-461.	1.0	16
140	Is Dementia More Fatal Than Previously Estimated? A Population-based Prospective Cohort Study. , 2019, 10, 1.		16
141	Discrepancies between balance confidence and physical performance among community-dwelling Korean elders: a population-based study. International Psychogeriatrics, 2009, 21, 738-747.	1.0	15
142	Epidemiological characteristics of subsyndromal depression in late life. Australian and New Zealand Journal of Psychiatry, 2020, 54, 150-158.	2.3	15
143	Loss of Functional Dentition is Associated with Cognitive Impairment. Journal of Alzheimer's Disease, 2020, 73, 1313-1320.	2.6	15
144	The impact of the COVID-19 pandemic on depression in community-dwelling older adults: a prospective cohort study. Psychological Medicine, 2023, 53, 2992-2999.	4.5	15

#	Article	IF	CITATIONS
145	Association Between Retinal Layer Thickness and Cognitive Decline in Older Adults. JAMA Ophthalmology, 2022, 140, 683.	2.5	15
146	Carpal Tunnel Syndrome and Radiographically Evident Basal Joint Arthritis of the Thumb in Elderly Koreans. Journal of Bone and Joint Surgery - Series A, 2012, 94, e120.	3.0	14
147	Incident Chronic Kidney Disease and Newly Developed Complications Related to Renal Dysfunction in an Elderly Population during 5 Years: A Community-Based Elderly Population Cohort Study. PLoS ONE, 2013, 8, e84467.	2.5	14
148	Impact of illiteracy on depression symptomatology in community-dwelling older adults. International Psychogeriatrics, 2014, 26, 1669-1678.	1.0	14
149	Lifetime coffee consumption, pineal gland volume, and sleep quality in late life. Sleep, 2018, 41, .	1.1	14
150	Chronic subsyndromal depression and risk of dementia in older adults. Australian and New Zealand Journal of Psychiatry, 2021, 55, 809-816.	2.3	14
151	Optimal flickering light stimulation for entraining gamma waves in the human brain. Scientific Reports, 2021, 11, 16206.	3.3	14
152	Depression Plays a Moderating Role in the Cognitive Decline Associated With Changes of Brain White Matter Hyperintensities. Journal of Clinical Psychiatry, 2018, 79, .	2.2	14
153	Impaired Frontal Executive Function and Predialytic Chronic Kidney Disease. Journal of the American Geriatrics Society, 2011, 59, 1628-1635.	2.6	13
154	Impact of alcohol use on mortality in the elderly: Results from the Korean Longitudinal Study on Health and Aging. Drug and Alcohol Dependence, 2012, 121, 133-139.	3.2	13
155	Improvement of Dementia Screening Accuracy of Mini-Mental State Examination by Education-Adjustment and Supplementation of Frontal Assessment Battery Performance. Journal of Korean Medical Science, 2013, 28, 1522.	2.5	13
156	Novel Alzheimer's disease risk variants identified based on whole-genome sequencing of APOE Îμ4 carriers. Translational Psychiatry, 2021, 11, 296.	4.8	13
157	Choline Acetyltransferase 2384G>A Polymorphism and the Risk of Alzheimer Disease. Alzheimer Disease and Associated Disorders, 2012, 26, 81-87.	1.3	12
158	How Much Are Upper or Lower Extremity Disabilities Associated with General Health Status in the Elderly?. Clinical Orthopaedics and Related Research, 2012, 470, 3246-3252.	1.5	12
159	Suicidality-based prediction of suicide attempts in a community-dwelling elderly population: Results from the Osan Mental Health Survey. Journal of Affective Disorders, 2015, 184, 286-292.	4.1	12
160	Multidimensional Geriatric Prognostic Index, Based on a Geriatric Assessment, for Long-Term Survival in Older Adults in Korea. PLoS ONE, 2016, 11, e0147032.	2.5	12
161	Impact of White Matter Lesions on Depression in the Patients with Alzheimer's Disease. Psychiatry Investigation, 2015, 12, 516.	1.6	12
162	A normative study of total scores of the CERAD neuropsychological assessment battery in an educationally diverse elderly population. International Psychogeriatrics, 2014, 26, 1897-1904.	1.0	11

#	Article	IF	CITATIONS
163	How Different are Quality of Life Ratings for People with Dementia Reported byÂTheir Family Caregivers from Those Reported by the Patients Themselves?. Journal of Alzheimer's Disease, 2016, 55, 259-267.	2.6	11
164	CADASIL as a Useful Medical Model and Genetic Form of Vascular Depression. American Journal of Geriatric Psychiatry, 2017, 25, 719-727.	1.2	11
165	Effects of lifetime cumulative ginseng intake on cognitive function in late life. Alzheimer's Research and Therapy, 2018, 10, 50.	6.2	11
166	Parasympathetic predominance is a risk factor for future depression: A prospective cohort study. Journal of Affective Disorders, 2020, 260, 232-237.	4.1	11
167	Disease Burdens of Alzheimer's Disease, Vascular Dementia, and Mild Cognitive Impairment. Journal of the American Medical Directors Association, 2021, 22, 2093-2099.e3.	2.5	11
168	Prevalence and Risk Factors of Abusive Behaviors in the Caregivers of People with Dementia in Korea. Psychiatry Investigation, 2018, 15, 677-686.	1.6	11
169	Construction and Validation of Brain MRI Templates from a Korean Normal Elderly Population. Psychiatry Investigation, 2016, 13, 135.	1.6	11
170	Education, Occupational Complexity, and Incident Dementia: A COSMIC Collaborative Cohort Study. Journal of Alzheimer's Disease, 2022, 85, 179-196.	2.6	11
171	The prevalence of cognitive impairment with no dementia in older people: The seoul study. International Journal of Geriatric Psychiatry, 2009, 24, 306-312.	2.7	10
172	Normative study of the category fluency test (CFT) from nationwide data on community-dwelling elderly in Korea. Archives of Gerontology and Geriatrics, 2012, 54, 305-309.	3.0	10
173	Development of a Screening Algorithm for Alzheimer's Disease Using Categorical Verbal Fluency. PLoS ONE, 2014, 9, e84111.	2.5	10
174	Impacts of Illiteracy on the Risk of Dementia: A Global Health Perspective. Journal of Alzheimer's Disease, 2016, 53, 731-741.	2.6	10
175	Smoking Cessation and the Risk of Hyperactive Delirium in Hospitalized Patients: A Retrospective Study. Canadian Journal of Psychiatry, 2016, 61, 643-651.	1.9	10
176	Relationship between Changes in Body Fat and a Decline of Renal Function in the Elderly. PLoS ONE, 2014, 9, e84052.	2.5	10
177	Normal-But-Low Serum Folate Levels and the Risks for Cognitive Impairment. Psychiatry Investigation, 2019, 16, 532-538.	1.6	10
178	Nonpharmacological Interventions for Alzheimer's Disease. Journal of the Korean Medical Association, 2009, 52, 1069.	0.3	9
179	Effect of Urgency Symptoms on the Risk of Depression in Community-Dwelling Elderly Men. Korean Journal of Urology, 2013, 54, 762.	1.2	9
180	Altered Categorization of Semantic Knowledge in Korean Patients with Alzheimer's Disease. Journal of Alzheimer's Disease, 2013, 36, 41-48.	2.6	9

#	Article	IF	Citations
181	Hypohomocysteinemia may increases the risk of dementia and Alzheimer's disease: A nationwide population-based prospective cohort study. Clinical Nutrition, 2021, 40, 4579-4584.	5.0	9
182	Cost-effectiveness of using amyloid positron emission tomography in individuals with mild cognitive impairment. Cost Effectiveness and Resource Allocation, 2021, 19, 50.	1.5	9
183	Anhedonia and Dysphoria Are Differentially Associated with the Risk of Dementia in the Cognitively Normal Elderly Individuals: A Prospective Cohort Study. Psychiatry Investigation, 2019, 16, 575-580.	1.6	9
184	Development of a Korean version of the behavior rating scale for dementia (BRSDâ€K). International Journal of Geriatric Psychiatry, 2008, 23, 677-684.	2.7	8
185	Association of Insulin Resistance with Lower Glomerular Filtration Rate and All-Cause Mortality in the Korean Elderly Population: A Community-Based Prospective Cohort Study. Tohoku Journal of Experimental Medicine, 2013, 231, 271-279.	1.2	8
186	Age and gender patterns in associations between lifestyle factors and physical performance in older Korean adults. Archives of Gerontology and Geriatrics, 2014, 59, 338-345.	3.0	8
187	Lower baseline value and greater decline in BMD as independent risk factors for mortality in community dwelling elderly. Bone, 2019, 121, 204-211.	2.9	8
188	A crossâ€national study of depression in preclinical dementia: A COSMIC collaboration study. Alzheimer's and Dementia, 2020, 16, 1544-1552.	0.8	8
189	Functional Impairment in the Diagnosis of Mild Cognitive Impairment. Alzheimer Disease and Associated Disorders, 2011, 25, 225-229.	1.3	7
190	Short Average Duration of NREM/REM Cycle Is Related to Cognitive Decline in an Elderly Cohort: An Exploratory Investigation. Journal of Alzheimer's Disease, 2019, 70, 1123-1132.	2.6	7
191	Visual memory tests enhance the identification of amnestic MCI cases at greater risk of Alzheimer's disease. International Psychogeriatrics, 2019, 31, 997-1006.	1.0	7
192	Associations between texture of T1â€weighted magnetic resonance imaging and radiographic pathologies in Alzheimer's disease. European Journal of Neurology, 2021, 28, 735-744.	3.3	7
193	A 9-Year Comparison of Dementia Prevalence in Korea: Results of NaSDEK 2008 and 2017. Journal of Alzheimer's Disease, 2021, 81, 821-831.	2.6	7
194	Exploration of Cognitive Outcomes and Risk Factors for Cognitive Decline Shared by Couples. JAMA Network Open, 2021, 4, e2139765.	5.9	7
195	Lack of association of cathepsin D genetic polymorphism with Alzheimer's disease in Koreans. Archives of Gerontology and Geriatrics, 2005, 41, 121-127.	3.0	6
196	Evidence-Based Treatment of Alzheimer's Disease. Journal of the Korean Medical Association, 2009, 52, 417.	0.3	6
197	Study of the prevalence of Parkinson's disease using dopamine transporter imaging. Neurological Research, 2010, 32, 845-851.	1.3	6
198	Polymorphisms of small ubiquitin-related modifier genes are associated with risk of Alzheimer's disease in Korean: A case-control study. Journal of the Neurological Sciences, 2016, 364, 122-127.	0.6	6

#	Article	IF	Citations
199	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. Archives of Gerontology and Geriatrics, 2020, 91, 104112.	3.0	6
200	Cognitive Impairment and Lamina Cribrosa Thickness in Primary Open-Angle Glaucoma. Translational Vision Science and Technology, 2020, 9, 17.	2.2	6
201	Association between lifetime coffee consumption and late life cerebral white matter hyperintensities in cognitively normal elderly individuals. Scientific Reports, 2020, 10, 421.	3.3	6
202	The effectiveness of a couple-based intervention for people living with mild Alzheimer's disease and their spousal caregivers in Korea. Dementia, 2021, 20, 831-847.	2.0	6
203	Five-Year Follow-up Study of Monoclonal Gammopathy of Undetermined Significance in a Korean Elderly Urban Cohort. Cancer Research and Treatment, 2015, 47, 215-220.	3.0	6
204	Impaired Design Fluency Is a Marker of Pathological Cognitive Aging; Results from the Korean Longitudinal Study on Health and Aging. Psychiatry Investigation, 2012, 9, 59.	1.6	6
205	Effects of Education on Differential Item Functioning on the 15-Item Modified Korean Version of the Boston Naming Test. Psychiatry Investigation, 2017, 14, 126.	1.6	6
206	The Prevalence of Essential Tremor in Elderly Koreans. Journal of Korean Medical Science, 2014, 29, 1694.	2.5	5
207	Evaluation of Femoral Neck Bone Mineral Density and Radiographic Hand and Knee Osteoarthritis in a Korean Elderly Population. Clinics in Orthopedic Surgery, 2014, 6, 343.	2.2	5
208	Smaller pineal gland is associated with rapid eye movement sleep behavior disorder in Alzheimer's disease. Alzheimer's Research and Therapy, 2020, 12, 157.	6.2	5
209	Effect of increased levothyroxine dose on depressive mood in older adults undergoing thyroid hormone replacement therapy. Clinical Endocrinology, 2020, 93, 196-203.	2.4	5
210	Screening major depressive disorder using vocal acoustic features in the elderly by sex. Journal of Affective Disorders, 2021, 291, 15-23.	4.1	5
211	Low Diastolic Blood Pressure and Cognitive Decline in Korean Elderly People: The Korean Longitudinal Study on Cognitive Aging and Dementia. Psychiatry Investigation, 2020, 17, 21-28.	1.6	5
212	Acute respiratory failure caused by phenytoin overdose. Korean Journal of Internal Medicine, 2013, 28, 736.	1.7	5
213	A Normative Study of the Disability Assessment for Dementia in Community-Dwelling Elderly Koreans. Psychiatry Investigation, 2014, 11, 446.	1.6	5
214	Regional Beta Index of Electroencephalography May Differentiate Alzheimer's Disease from Depression. Psychiatry Investigation, 2017, 14, 708.	1.6	5
215	Pineal gland volume is associated with prevalent and incident isolated rapid eye movement sleep behavior disorder. Aging, 2020, 12, 884-893.	3.1	5
216	Effect of Depression on the Risk and Severity of Lower Urinary Tract Symptoms in Communityâ€Dwelling Elderly Korean Men. LUTS: Lower Urinary Tract Symptoms, 2012, 4, 63-67.	1.3	4

#	Article	IF	CITATIONS
217	Sex differences in subjective age-associated changes in sleep: a prospective elderly cohort study. Aging, 2020, 12, 21942-21958.	3.1	4
218	Association of Up-Regulated Plasma Adiponectin With Risk of Incident Depression in a Community-Dwelling Elderly Population. Journal of Clinical Psychiatry, 2018, 79, .	2.2	4
219	Validation of the Dementia Care Assessment Packet-Instrumental Activities of Daily Living. Psychiatry Investigation, 2013, 10, 238.	1.6	4
220	Reliability and Validity of Alzheimer's Disease Screening With a Semi-automated Smartphone Application Using Verbal Fluency. Frontiers in Neurology, 2021, 12, 684902.	2.4	3
221	Construction and validation of a cerebral white matter hyperintensity probability map of older Koreans. NeuroImage: Clinical, 2021, 30, 102607.	2.7	3
222	Factors related to Use of Physical Restraints for Older Adults with Dementia in Long-term Care Settings. Journal of Korean Gerontological Nursing, 2019, 21, 125-134.	0.5	3
223	JOINT EFFECT OF Câ€REACTIVE PROTEIN AND HIGHâ€DENSITY LIPOPROTEIN CHOLESTEROL IN PREDICTING SHORTâ€TERM MORTALITY IN OLDER COMMUNITYâ€DWELLING KOREAN POPULATION. Journal of the American Geriatrics Society, 2010, 58, 1201-1202.	2.6	2
224	A New Scoring Method of the Mini-Mental Status Examination to Screen for Dementia. Dementia and Geriatric Cognitive Disorders, 2014, 37, 347-356.	1.5	2
225	Erythrocyte Characteristics and the Risk of Depression in Late Life: A Population-Based Prospective Study. Journal of the American Medical Directors Association, 2020, 21, 1677-1683.	2.5	2
226	Clonazepam-induced lichenoid drug eruption: a case report. BMC Psychiatry, 2021, 21, 125.	2.6	2
227	Availability of brain serotonin transporters (5?HTT) is associated with low positive mood in healthy elderly subjects. International Journal of Clinical Pharmacology and Therapeutics, 2012, 50, 533-539.	0.6	2
228	O4-04-01: Dementia epidemiology in Korea: Comparison of the results from the Nationwide Survey on the Dementia Epidemiology (NaSDEK) 2008 and the NaSDEK 2012., 2013, 9, P687-P687.		1
229	IC-P-203: MULTI-CENTER, RANDOMIZED, PLACEBO-CONTROLLED, DOUBLE-BLIND CLINICAL TRIAL OF ESCITALOPRAM ON THE PROGRESSION-DELAYING EFFECT IN ALZHEIMER'S DISEASE: AN MRI STUDY FOR ATROPHY-DELAYING EFFECT., 2014, 10, P111-P111.		1
230	P4-146: Impacts of social support on cognition in korean elderly. , 2015, 11, P835-P835.		1
231	P1-288: Effects of multimodal cognitive enhancement therapy (MCET) for people with mild cognitive impairment and early stage dementia: A randomized, controlled, double-blind, cross-over trial., 2015, 11, P465-P465.		1
232	P2â€398: CHOROID PLEXUS VOLUME IS ASSOCIATED WITH COGNITIVE FUNCTION IN LATE LIFE. Alzheimer's and Dementia, 2018, 14, P856.	0.8	1
233	Three types of white matter hyperintensities have different effects on depression and cognitive function in patients with CADASIL. Alzheimer's and Dementia, 2020, 16, e042217.	0.8	1
234	"Choosing Wisely― Apolipoprotein E Genetic Testing for the Diagnosis of Alzheimer's Disease in Dementia Clinics. Journal of Alzheimer's Disease, 2020, 74, 1253-1260.	2.6	1

#	Article	IF	CITATIONS
235	Mood disorders increase mortality mainly through dementia: A community-based prospective cohort study. Australian and New Zealand Journal of Psychiatry, 2021, , 000486742110419.	2.3	1
236	The Association of White Matter Hyperintensities with Frailty in Patients with Very Mild to Moderate Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 83, 1281-1289.	2.6	1
237	Driving-Related Adverse Events in the Elderly Men: A Population-Based Prospective Cohort Study. Psychiatry Investigation, 2020, 17, 744-750.	1.6	1
238	Optimal parameters for propagating gamma brain waves using flickering lights in human. Alzheimer's and Dementia, 2021, 17, e054823.	0.8	1
239	P2-230: A NEW SCORING METHOD OF THE MINI MENTAL STATUS EXAMINATION TO SCREEN FOR DEMENTIA. , 2014, 10, P559-P559.		O
240	O5-06-02: MULTI-CENTER, RANDOMIZED, PLACEBO-CONTROLLED, DOUBLE-BLIND CLINICAL TRIAL OF ESCITALOPRAM ON THE PROGRESSION DELAYING EFFECT IN ALZHEIMER'S DISEASE: AN MRI STUDY FOR ATROPHY DELAYING EFFECT., 2014, 10, P302-P302.		0
241	P3-307: COGNITIVE-BEHAVIORAL PROGRAM FOR CARE-GIVERS OF ELDERLY WITH DEMENTIA: PRELIMINARY STUDY. , 2014, 10, P743-P743.		O
242	P4-126: FUNCTIONAL NEURAL CORRELATES OF FIGURE COPY AND RECALL TASK PERFORMANCES IN MCI AND AD INDIVIDUALS: A FDG-PET STUDY. , 2014, 10, P831-P831.		0
243	P2-228: DEVELOPMENT OF A SCREENING ALGORITHM FOR ALZHEIMER'S DISEASE USING THE BOSTON NAMING TEST-SHORT VERSION. , 2014, 10, P558-P558.		O
244	IC-P-129: FUNCTIONAL NEURAL CORRELATES OF FIGURE COPY AND RECALL TASK PERFORMANCES IN MCI AND AD INDIVIDUALS: A FDG-PET STUDY. , 2014, 10, P74-P75.		0
245	P2-313: INCIDENCE OF ALZHEIMER'S DISEASE AND MILD COGNITIVE IMPAIRMENT IN KOREAN ELDERS. , 2014, 10 P593-P594.	),	O
246	P2-338: COGNITIVE STIMULATION AS A THERAPEUTIC MODALITY FOR EARLY DEMENTIA AND MILD COGNITIVE IMPAIRMENT: A META-ANALYSIS STUDY. , 2014, 10, P602-P602.		0
247	P2-005: Development and validation of brain MRI templates from a korean normal elderly population. , 2015, 11, P481-P483.		O
248	P3â€391: Comparison of Memory Between Exâ€Smokers and Neverâ€Smokers in Korean Elderly Men. Alzheimer's and Dementia, 2016, 12, P999.	0.8	0
249	[P3–315]: OLIGOMERIC AMYLOIDâ€BETA TARGETED MRI CONTRAST AGENT. Alzheimer's and Dementia, 2017, P1069.	13:8	O
250	[P3–559]: A COMPARATIVE STUDY ON NATIONAL DEMENTIA PLANS OF G7 COUNTRIES AND KOREA. Alzheimer's and Dementia, 2017, 13, P1192.	0.8	0
251	P3â€452: BRAIN METABOLIC CONNECTIVITY IS ALTERED IN LEWY BODY DISEASE PATIENTS. Alzheimer's and Dementia, 2018, 14, P1291.	0.8	О
252	P2â€453: DIAGNOSTIC ACCURACY OF VARIOUS WHITE MATTER HYPERINTENSITY(WMH) INDEXES AND DTI MEASURES FOR DIAGNOSING ALZHEIMER'S DEMENTIA. Alzheimer's and Dementia, 2018, 14, P892.	0.8	0

#	Article	IF	CITATIONS
253	P3â€557: IMPACT OF COMPLETED AND INCOMPLETE PREGNANCIES ON THE RISK OF ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1336.	0.8	o
254	P1â€634: SLEEP PARAMETERS MAY PREDICT FUTURE COGNITIVE DECLINE: A PROSPECTIVE NONâ€DEMENTED ELDERLY COHORT STUDY. Alzheimer's and Dementia, 2018, 14, P584.	0.8	0
255	O4â€04â€06: GREY MATTER TEXTURE OF MAGNETIC RESONANCE IMAGES PREDICTS ALZHEIMER'S DISEASE EARL THAN GREY MATTER VOLUME. Alzheimer's and Dementia, 2018, 14, P1410.	JER 0.8	O
256	P1â€600: OVERVIEW OF THE KOREAN LONGITUDINAL STUDY ON COGNITIVE AGING AND DEMENTIA (KLOSCAD): RESULTS OF A 4‥EAR FOLLOWâ€UP STUDY. Alzheimer's and Dementia, 2018, 14, P568.	0.8	0
257	P3â€571: ASSOCIATION OF FUNCTIONAL DENTITION WITH THE RISK OF COGNITIVE DECLINE. Alzheimer's and Dementia, 2018, 14, P1343.	0.8	O
258	P2â€619: NONâ€REM/REM CYCLES AND COGNITIVE DECLINE: A PROSPECTIVE COHORT STUDY OF COGNITIVELY NORMAL ELDERLY. Alzheimer's and Dementia, 2018, 14, P979.	0.8	0
259	Feasibility and efficacy of the indoor cognitive training combined physical activity (ICTâ€PA) program using wearable sensor and mobile device in subjects with mild cognitive impairment. Alzheimer's and Dementia, 2020, 16, e042270.	0.8	O
260	The effect of vitamins on cognitive function in middleâ€aged and older adults without dementia. Alzheimer's and Dementia, 2020, 16, e043645.	0.8	0
261	Association of the Irregular 3-Dimensional Shape of White Matter Hyperintensities with Cognitive Function. European Neurology, 2021, 84, 280-287.	1.4	O
262	Association Between Plasma Monocyte Trafficking-Related Molecules and Future Risk of Depression in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, , .	3.6	0
263	Reply to a letter to the editor (Hypohomocysteinemia may increases the risk of dementia and) Tj ETQq1 1 0.78431 40, 5438-5439.	14 rgBT /O 5.0	verlock 10 O
264	Five-Years' Follow-up Study for Frequency of Monoclonal Gammopathy of Undetermined Significance (MGUS) in a Korean Elderly Urban Cohort. Blood, 2012, 120, 5007-5007.	1.4	0
265	A Meta-analysis on the Association between Bladder Cancer and Glutathione S transferase mu Genetic Polymorphism. Korean Journal of Occupational and Environmental Medicine, 1999, 11, 13.	0.4	O
266	Development and validation of cerebral white matter hyperintensity probability map of elderly Koreans. Alzheimer's and Dementia, 2021, 17, .	0.8	0