

# Mohsen Taheri

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2926780/publications.pdf>

Version: 2024-02-01

110  
papers

1,633  
citations

279798

23  
h-index

361022

35  
g-index

115  
all docs

115  
docs citations

115  
times ranked

2124  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of pre-miRNA-146a rs2910164 and pre-miRNA-499 rs3746444 polymorphisms and susceptibility to rheumatoid arthritis. <i>Molecular Medicine Reports</i> , 2013, 7, 287-291.	2.4	90
2	Functional Polymorphisms of FAS and FASL Gene and Risk of Breast Cancer – Pilot Study of 134 Cases. <i>PLoS ONE</i> , 2013, 8, e53075.	2.5	73
3	Association of Adiponectin rs1501299 and rs266729 Gene Polymorphisms With Nonalcoholic Fatty Liver Disease. <i>Hepatitis Monthly</i> , 2013, 13, e9527.	0.2	67
4	<i>hsa-mir-499</i> rs3746444 gene polymorphism is associated with susceptibility to breast cancer in an Iranian population. <i>Biomarkers in Medicine</i> , 2014, 8, 259-267.	1.4	65
5	Effect of MDR1 polymorphism on multidrug resistance expression in breast cancer patients. <i>Genetics and Molecular Research</i> , 2010, 9, 34-40.	0.2	49
6	Association between polymorphisms of glutathione <i>S</i> -transferase genes ( <i>GSTM1</i> , <i>GSTP1</i> and <i>GSTT1</i> ) and breast cancer risk in a sample Iranian population. <i>Biomarkers in Medicine</i> , 2012, 6, 797-803.	1.4	45
7	Association between single nucleotide polymorphism in miR-499, miR-196a2, miR-146a and miR-149 and prostate cancer risk in a sample of Iranian population. <i>Journal of Advanced Research</i> , 2016, 7, 491-498.	9.5	45
8	Association of Genetic Polymorphisms of Glutathione-S-Transferase Genes ( <i>GSTT1</i> , <i>GSTM1</i> ), <i>Tj ETQq0 0 0 rgBT /Overlock</i> DNA and Cell Biology, 2012, 31, 672-677.	1.9	44
9	A Tetra-Primer Amplification Refractory Mutation System – Polymerase Chain Reaction for the Detection of rs8099917 IL28B Genotype. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2012, 31, 55-60.	1.1	44
10	Association of IRGM Polymorphisms and Susceptibility to Pulmonary Tuberculosis in Zahedan, Southeast Iran. <i>Scientific World Journal</i> , The, 2012, 2012, 1-5.	2.1	41
11	Association between HLA-G 3'UTR 14-bp ins/del polymorphism and susceptibility to breast cancer. <i>Cancer Biomarkers</i> , 2013, 13, 253-259.	1.7	40
12	Association between chemerin rs17173608 and vaspin rs2236242 gene polymorphisms and the metabolic syndrome, a preliminary report. <i>Gene</i> , 2012, 510, 113-117.	2.2	39
13	Bi-directional PCR allele-specific amplification (bi-PASA) for detection of caspase-8 –652 6N ins/del promoter polymorphism (rs3834129) in breast cancer. <i>Gene</i> , 2012, 505, 176-179.	2.2	38
14	Association between toll-like receptor2 Arg677Trp and 597T/C gene polymorphisms and pulmonary tuberculosis in Zahedan, Southeast Iran. <i>Brazilian Journal of Infectious Diseases</i> , 2013, 17, 516-520.	0.6	33
15	Association between hTERT polymorphisms and the risk of breast cancer in a sample of Southeast Iranian population. <i>BMC Research Notes</i> , 2014, 7, 895.	1.4	33
16	Evaluation of UDP-glucuronosyltransferase 2B17 (UGT2B17) and dihydrofolate reductase (DHFR) genes deletion and the expression level of NGX6 mRNA in breast cancer. <i>Molecular Biology Reports</i> , 2012, 39, 10531-10539.	2.3	32
17	Association of <i>CTS2</i> and <i>MC3R</i> rs34069356 and rs6127698 gene polymorphisms with pulmonary tuberculosis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013, 17, 1224-1228.	1.2	32
18	Association of TGF- $\beta$ 1 –509 C/T, 29 C/T and 788 C/T gene polymorphisms with chronic periodontitis: A case – control study. <i>Gene</i> , 2013, 518, 330-334.	2.2	31

#	ARTICLE	IF	CITATIONS
19	R620W functional polymorphism of protein tyrosine phosphatase non-receptor type 22 is not associated with pulmonary tuberculosis in Zahedan, southeast Iran. <i>Genetics and Molecular Research</i> , 2012, 11, 1075-1081.	0.2	28
20	Association between CDH1 and MSX1 Gene Polymorphisms and the Risk of Nonsyndromic Cleft Lip and/or Cleft Palate in a Southeast Iranian Population. <i>Cleft Palate-Craniofacial Journal</i> , 2013, 50, 98-104.	0.9	28
21	Pri-miR-34b/c rs4938723 polymorphism increased the risk of prostate cancer. <i>Cancer Biomarkers</i> , 2017, 18, 155-159.	1.7	28
22	Association between angiotensinogen (AGT), angiotensin-converting enzyme (ACE) and angiotensin-II receptor 1 (AGTR1) polymorphisms and COVID-19 infection in the southeast of Iran: a preliminary case-control study. <i>Translational Medicine Communications</i> , 2021, 6, 26.	1.4	27
23	Association of P2X7 gene polymorphisms with susceptibility to pulmonary tuberculosis in Zahedan, Southeast Iran. <i>Genetics and Molecular Research</i> , 2013, 12, 160-166.	0.2	25
24	Association between polymorphisms in TP53 and MDM2 genes and susceptibility to prostate cancer. <i>Oncology Letters</i> , 2017, 13, 2483-2489.	1.8	25
25	CD209 promoter -336 A/G (rs4804803) polymorphism is associated with susceptibility to pulmonary tuberculosis in Zahedan, southeast Iran. <i>Journal of Microbiology, Immunology and Infection</i> , 2014, 47, 171-175.	3.1	24
26	MRP1 but Not MDR1 Is Associated with Response to Neoadjuvant Chemotherapy in Breast Cancer Patients. <i>Disease Markers</i> , 2013, 34, 387-393.	1.3	23
27	Association of functional polymorphism at the miR-502-binding site in the 3' untranslated region of the SETD8 gene with risk of childhood acute lymphoblastic leukemia, a preliminary report. <i>Tumor Biology</i> , 2014, 35, 10375-10379.	1.8	23
28	Pri-miR-34b/c rs4938723 polymorphism is associated with the risk of childhood acute lymphoblastic leukemia. <i>Cancer Genetics</i> , 2016, 209, 493-496.	0.4	23
29	Association between Vascular Endothelial Growth Factor Gene Polymorphisms with Breast Cancer Risk in an Iranian Population. <i>Breast Cancer: Basic and Clinical Research</i> , 2016, 10, BCBCR.S39649.	1.1	22
30	48bp insertion/deletion (rs3783553) polymorphism within the 3'UTR of IL1A contributes to the risk of prostate cancer in a sample of Iranian population. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 2627-2635.	2.6	22
31	Macrophage migration inhibitory factor -173 G/C polymorphism is associated with an increased risk of pulmonary tuberculosis in Zahedan, Southeast Iran. <i>EXCLI Journal</i> , 2015, 14, 117-22.	0.7	22
32	APOBEC3 Deletion is Associated with Breast Cancer Risk in a Sample of Southeast Iranian Population. <i>International Journal of Molecular and Cellular Medicine</i> , 2015, 4, 103-8.	1.1	21
33	Association of promoter methylation and 32-bp deletion of the PTEN gene with susceptibility to metabolic syndrome. <i>Molecular Medicine Reports</i> , 2013, 7, 342-346.	2.4	20
34	IKZF1 gene polymorphisms increased the risk of childhood acute lymphoblastic leukemia in an Iranian population. <i>Tumor Biology</i> , 2016, 37, 9579-9586.	1.8	20
35	Evaluation of CCL5 -403 G>A and CCR5 32 gene polymorphisms in patients with breast cancer. <i>Cancer Biomarkers</i> , 2014, 14, 343-351.	1.7	17
36	Evaluation of HLA-G 14-bp ins/del and +3142G>C polymorphisms with susceptibility to recurrent spontaneous abortion. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 276-280.	1.3	16

#	ARTICLE	IF	CITATIONS
37	Association of Inc-LAMC2-1:1 rs2147578 and CASC8 rs10505477 Polymorphisms with Risk of Childhood Acute Lymphoblastic Leukemia. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016, 17, 4985-4989.	1.2	16
38	Genotyping of "374A/T, "429A/G, And 63 bp Ins/Del Polymorphisms of RAGE By Rapid One-Step Hexaprimer Amplification Refractory Mutation System Polymerase Chain Reaction in Breast Cancer Patients. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2012, 31, 401-410.	1.1	15
39	TIRAP rs8177374 gene polymorphism increased the risk of pulmonary tuberculosis in Zahedan, southeast Iran. <i>Asian Pacific Journal of Tropical Medicine</i> , 2014, 7, 451-455.	0.8	15
40	A 40-bp insertion/deletion polymorphism of Murine Double Minute2 (MDM2) increased the risk of breast cancer in Zahedan, Southeast Iran. <i>Iranian Biomedical Journal</i> , 2014, 18, 245-9.	0.7	14
41	A 45-bp insertion/deletion polymorphism of UCP2 gene is associated with metabolic syndrome. <i>Journal of Diabetes and Metabolic Disorders</i> , 2014, 13, 12.	1.9	13
42	Association between Programmed Cell Death 6 Interacting Protein Insertion/Deletion Polymorphism and the Risk of Breast Cancer in a Sample of Iranian Population. <i>Disease Markers</i> , 2015, 2015, 1-5.	1.3	13
43	Long non-coding RNA PAX8AS1 polymorphisms increase the risk of childhood acute lymphoblastic leukemia. <i>Biomedical Reports</i> , 2018, 8, 184-190.	2.0	13
44	Alpha-1-antitrypsin phenotypes and HLA-B27 typing in uveitis patients in southeast Iran. <i>Clinical Biochemistry</i> , 2005, 38, 425-432.	1.9	11
45	Association between CCNE1 polymorphisms and the risk of breast cancer in a sample of southeast Iranian population. <i>Medical Oncology</i> , 2014, 31, 189.	2.5	11
46	Association of single nucleotide polymorphisms in AXIN2, BMP4, and IRF6 with Non-Syndromic Cleft Lip with or without Cleft Palate in a sample of the southeast Iranian population. <i>Journal of Applied Oral Science</i> , 2017, 25, 650-656.	1.8	11
47	Association between LPTM4B gene polymorphism and breast cancer susceptibility in an Iranian population. <i>Medical Oncology</i> , 2014, 31, 111.	2.5	9
48	Association between Peptidylarginine Deiminase Type 4 rs1748033 Polymorphism and Susceptibility to Rheumatoid Arthritis in Zahedan, Southeast Iran. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2015, 14, 255-60.	0.4	9
49	Association of L55M and Q192R Polymorphisms of Paraoxonase-1 Gene with Preeclampsia. <i>Archives of Medical Research</i> , 2011, 42, 324-328.	3.3	8
50	Association between P2X7 Polymorphisms and Susceptibility to Tuberculosis: An Updated Meta-Analysis of Case-Control Studies. <i>Medicina (Lithuania)</i> , 2019, 55, 298.	2.0	8
51	Association of APOBEC3 deletion with cancer risk: A meta-analysis of 26225 cases and 37201 controls. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019, 15, 275-287.	1.1	8
52	Evaluating the Possible Association between PD-1 (Rs11568821, Rs2227981, Rs2227982) and PD-L1 (Rs4143815, Rs2890658) Polymorphisms and Susceptibility to Breast Cancer in a Sample of Southeast Iranian Women. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020, 21, 3115-3123.	1.2	8
53	Lack of Association between miRNA-146a rs2910164 and miRNA-499 rs3746444 Gene Polymorphisms and Susceptibility to Pulmonary Tuberculosis. <i>International Journal of Molecular and Cellular Medicine</i> , 2015, 4, 40-5.	1.1	8
54	Association between Genetic Polymorphisms of miR-1307, miR-1269, miR-3117 and Breast Cancer Risk in a Sample of South East Iranian Women. <i>Asian Pacific Journal of Cancer Prevention</i> , 2021, 22, 201-208.	1.2	7

#	ARTICLE	IF	CITATIONS
55	Leukocyte Telomere Length Shortening, hTERT Genetic Polymorphisms and Risk of Childhood Acute Lymphoblastic Leukemia. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018, 19, 1515-1521.	1.2	7
56	CD226 rs763361 (Gly307Ser) polymorphism is associated with susceptibility to rheumatoid arthritis in Zahedan, southeast Iran. <i>Iranian Biomedical Journal</i> , 2013, 17, 194-9.	0.7	7
57	CXC Chemokines CXCL1, CXCL9, CXCL10 and CXCL12 are Variably Expressed in Patients with Sickle Cell Disease and Carriers: Are They Predictive Tools for Disease Complications?. <i>Clinical Laboratory</i> , 2014, 60, 99-104.	0.5	7
58	Association between Methylenetetrahydrofolate Reductase (MTHFR) Gene Polymorphisms and Susceptibility to Childhood Acute Lymphoblastic Leukemia in an Iranian Population. <i>International Journal of Hematology-Oncology and Stem Cell Research</i> , 2016, 10, 130-7.	0.3	7
59	Association between Interleukin-1 Receptor Antagonist (IL1RN) Variable Number of Tandem Repeats (VNTR) Polymorphism and Pulmonary Tuberculosis. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2015, 14, 55-9.	0.4	7
60	Association of genetic polymorphisms of CISH with the risk of pulmonary tuberculosis in Zahedan, Southeast Iran. <i>Brazilian Journal of Infectious Diseases</i> , 2016, 20, 379-383.	0.6	6
61	FEN1 $\hat{\sim}$ 69G>A and +4150G>T polymorphisms and breast cancer risk. <i>Biomedical Reports</i> , 2016, 5, 455-460.	2.0	6
62	FBLN-4 and BCRP genes as two prognostic markers are downregulated in breast cancer tissue. <i>Cancer Biomarkers</i> , 2017, 19, 51-55.	1.7	6
63	Association study of the FTO gene polymorphisms with the risk of pulmonary tuberculosis in a sample of Iranian population. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2017, 64, 91-99.	0.8	6
64	CCL5 rs2107538 Polymorphism Increased the Risk of Tuberculosis in a Sample of Iranian Population. <i>Prague Medical Report</i> , 2016, 117, 90-97.	0.8	6
65	Association Between TLR8 and TLR9 Gene Polymorphisms and Pulmonary Tuberculosis. <i>Gene, Cell and Tissue</i> , 2014, 1, .	0.2	6
66	Association between the apelin rs2235306 gene polymorphism and metabolic syndrome. <i>Turkish Journal of Medical Sciences</i> , 2014, 44, 775-780.	0.9	5
67	Evaluation of interferon-induced transmembrane protein-3 (IFITM3) rs7478728 and rs3888188 polymorphisms and the risk of pulmonary tuberculosis. <i>Biomedical Reports</i> , 2016, 5, 634-638.	2.0	5
68	Evaluation of 4 $\hat{\sim}$ bp insertion/deletion polymorphism within the 3 $\hat{\sim}$ UTR of SGSM3 in bladder cancer using mismatch PCR $\hat{\sim}$ RFLP method: A preliminary report. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 6566-6574.	2.6	5
69	Association of P2X7 receptor genetic polymorphisms and expression with rheumatoid arthritis susceptibility in a sample of the Iranian population: a case-control study. <i>Clinical Rheumatology</i> , 2021, 40, 3115-3126.	2.2	5
70	MiR-608 rs4919510 C $\hat{\sim}$ > $\hat{\sim}$ G polymorphism increased the risk of bladder cancer in an Iranian population. <i>AIMS Genetics</i> , 2016, 03, 212-218.	1.9	5
71	Toll-like Receptor 1 Polymorphisms Increased the Risk of Pulmonary Tuberculosis in an Iranian Population Sample. <i>Biomedical and Environmental Sciences</i> , 2016, 29, 825-828.	0.2	5
72	Evaluation of rs3102735 and rs2073617 Osteoprotegerin Gene Polymorphisms and the Risk of Childhood Acute lymphoblastic Leukemia in Zahedan Southeast Iran. <i>International Journal of Hematology-Oncology and Stem Cell Research</i> , 2014, 8, 39-44.	0.3	5

#	ARTICLE	IF	CITATIONS
73	The Comparison of Pain Caused by Suprapubic Aspiration and Transurethral Catheterization Methods for Sterile Urine Collection in Neonates: A Randomized Controlled Study. <i>Scientific World Journal</i> , The, 2014, 2014, 1-6.	2.1	4
74	Association between LPTM4B gene polymorphism and prostate cancer susceptibility in an Iranian population. <i>Molecular and Cellular Oncology</i> , 2016, 3, e1169342.	0.7	4
75	FHIT promoter DNA methylation and expression analysis in childhood acute lymphoblastic leukemia. <i>Oncology Letters</i> , 2017, 14, 5034-5038.	1.8	4
76	The -2549 insertion/deletion polymorphism in the promoter region of VEGF is associated with the risk of recurrent spontaneous abortion. <i>Biomedical Reports</i> , 2018, 8, 297-300.	2.0	4
77	Evaluation of transcobalamin II rs1801198 and transcobalamin II receptor rs2336573 gene polymorphisms in recurrent spontaneous abortion. <i>Journal of Obstetrics and Gynaecology</i> , 2018, 38, 860-863.	0.9	4
78	An updated meta-analysis on the association between 4-bp insertion/deletion (rs3783553) polymorphism within the 3'UTR of IL1A and the risk of cancer. <i>Gene Reports</i> , 2018, 12, 99-104.	0.8	4
79	Association of miR-499 Polymorphism and Its Regulatory Networks with Hashimoto Thyroiditis Susceptibility: A Population-Based Case-Control Study. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10094.	4.1	4
80	Effects of a subdermal levonorgestrel contraceptive implant (Norplant) on serum cholesterol, triglycerides, ALT and AST in Iranian women. <i>Contraception</i> , 2006, 73, 56-58.	1.5	3
81	Association between the rs7700944 polymorphism in the TIM-4 gene and rheumatoid arthritis in Zahedan, southeast Iran. <i>Revista Brasileira De Reumatologia</i> , 2013, 53, 341-345.	0.7	3
82	Association between miR-218 rs11134527 polymorphism and risk of selected types of cancer in Asian population: An updated meta-analysis of case-control studies. <i>Gene</i> , 2018, 678, 370-376.	2.2	3
83	Association between genetic variants in CD1A and CD1D genes and pulmonary tuberculosis in an Iranian population. <i>Biomedical Reports</i> , 2019, 10, 259-265.	2.0	3
84	Association between the Interleukin-1 Receptor Antagonist (IL1RN) Variable Number of Tandem Repeats (VNTR) Polymorphism and Lymphoma. <i>International Journal of Hematology-Oncology and Stem Cell Research</i> , 2021, 15, 90-95.	0.3	3
85	Expression of LRP Gene in Breast Cancer Patients Correlated with MRP1 as Two Independent Predictive Biomarkers in Breast Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018, 19, 3111-3115.	1.2	3
86	A Functional Polymorphism in Promoter of the CXCL10 Gene (-135 G/A) Associated With Pulmonary Tuberculosis. <i>Archives of Clinical Infectious Diseases</i> , 2013, 8, .	0.2	3
87	A Possible Relationship Between Polymorphisms of Glutathione S-Transferase M1, P1 and T1 Genes and Rheumatoid Arthritis in Zahedan, Southeast Iran. <i>Turkish Journal of Rheumatology</i> , 2013, , 253-257.	0.2	2
88	Association between the IL-1A, IL-1B and IL-1R polymorphisms and lymphoma. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2021, 40, 707-719.	1.1	2
89	Association of the Promoter Methylation of Mitochondrial Transcription Factor A With Susceptibility to Metabolic Syndrome. <i>Gene, Cell and Tissue</i> , 2014, 1, .	0.2	2
90	Association Between Betaine Homocysteine S-Methyl Transferase (BHMT) rs3797546 Gene Polymorphisms and the Risk of Nonsyndromic Cleft Lip and/or Cleft Palate in South-East Population of Iran. <i>Health Scope</i> , 2012, 1, 144-6.	0.6	2



#	ARTICLE	IF	CITATIONS
91	Association of Genetic Polymorphisms in GSTP1, GSTM1, and GSTT1 Genes with Vesicoureteral Reflux Susceptibility in the Children of Southeast Iran. Iranian Journal of Public Health, 2020, 49, 1364-1371.	0.5	2
92	Lack of Association Between Dopamine Beta-Hydroxylase (DBH) 19-bp Insertion/Deletion Polymorphism and Risk of Schizophrenia. Iranian Journal of Psychiatry, 2016, 11, 239-243.	0.7	2
93	Novel variants underlying autosomal recessive neurodevelopmental disorders with intellectual disability in Iranian consanguineous families. Journal of Clinical Laboratory Analysis, 2022, 36, e24241.	2.1	2
94	Association Between miR-146a rs2910164 Polymorphism and Breast Cancer Susceptibility: An Updated Meta-Analysis of 9545 Cases and 10030 Controls. MicroRNA (Shariqah, United Arab Emirates), 2021, 10, 191-199.	1.2	1
95	Association between HOTAIR Polymorphisms and Lymphoma. Asian Pacific Journal of Cancer Prevention, 2021, 22, 2831-2835.	1.2	1
96	Evaluation of 40-bp Insertion/Deletion Polymorphism of MDM2 and the Risk of Childhood Acute Lymphoblastic Leukemia. Gene, Cell and Tissue, 2015, 2, .	0.2	1
97	Evaluation of 24 Bp Duplication of Chitotriosidase Gene in Pulmonary Tuberculosis in Zahedan, Southeast Iran: A Preliminary Report. Archives of Clinical Infectious Diseases, 2015, 10, .	0.2	1
98	Genotyping of Hepatitis B Virus by Multiplex PCR in Sistan and Baluchestan Province. Zahedan Journal of Researches in Medical Sciences, 2016, In Press, .	0.2	1
99	Association Study of MBL2 Gene Polymorphisms and Risk of Tuberculosis in Southeast of Iran. Prague Medical Report, 2020, 121, 236-243.	0.8	1
100	Lack of Association Between TNF-alpha rs1800629 (-308G > A) Polymorphism and Nephrotic Syndrome. Iranian Journal of Kidney Diseases, 2021, 1, 95-100.	0.1	1
101	Association of FAS (âˆ™607 A/G) and FAS Ligand (âˆ™844 C/T) gene polymorphisms with breast cancer in Zahedan, Southeast Iran. Clinical Biochemistry, 2011, 44, S276.	1.9	0
102	Evaluation of functional RAGE gene polymorphisms in childhood acute lymphoblastic leukemiaâ€”A case-control study from Iran. Nucleosides, Nucleotides and Nucleic Acids, 2017, 36, 170-180.	1.1	0
103	Genetic Variation in Akt1 and Risk of Tuberculosis Among Iranian Population. Health Scope, 2014, 3, .	0.6	0
104	Association Between IL12A rs568408, IL12B rs3212227 and IL-12 Receptor rs383483 Polymorphisms and Risk of Pulmonary Tuberculosis. Archives of Clinical Infectious Diseases, 2016, 12, .	0.2	0
105	Reducing urinary oxalate by simultaneous using Sankol herbal drop with oxalate-degrading bacteria. Iranian Journal of Microbiology, 0, , .	0.8	0
106	Association between LAPT4B gene polymorphism and the risk of childhood acute lymphoblastic leukemia. Koomesh, 2020, 22, 67-70.	0.1	0
107	Association between Long Non-coding RNA POLR2E rs3787016 Polymorphism and Cancer Susceptibility: A Meta-analysis of 8725 Cancer Cases and 10710 Controls. Shiraz E Medical Journal, 2020, 22, .	0.3	0
108	Reducing urinary oxalate by simultaneous using Sankol herbal drop with oxalate-degrading bacteria. Iranian Journal of Microbiology, 2019, 11, 460-467.	0.8	0

#	ARTICLE	IF	CITATIONS
109	Association of DC-SIGN and DC-SIGNR Repeat Regions with Susceptibility to Pulmonary Tuberculosis in Zahedan, Southeastern Iran. <i>Acta Medica Iranica</i> , 2016, 54, 308-12.	0.8	0
110	Co-segregation of variant NSUN2 Lue198Arg among Iranian family with intellectual disability: a case report. <i>Egyptian Journal of Medical Human Genetics</i> , 2022, 23, .	1.0	0