

# Xinnian Dong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2931402/publications.pdf>

Version: 2024-02-01

67  
papers

20,028  
citations

34105

52  
h-index

98798

67  
g-index

67  
all docs

67  
docs citations

67  
times ranked

13124  
citing authors

#	ARTICLE	IF	CITATIONS
1	Life-or-death decisions in plant immunity. <i>Current Opinion in Immunology</i> , 2022, 75, 102169.	5.5	8
2	Structural basis of NPR1 in activating plant immunity. <i>Nature</i> , 2022, 605, 561-566.	27.8	64
3	Protective plant immune responses are elicited by bacterial outer membrane vesicles. <i>Cell Reports</i> , 2021, 34, 108645.	6.4	39
4	Translational Regulation of Metabolic Dynamics during Effector-Triggered Immunity. <i>Molecular Plant</i> , 2020, 13, 88-98.	8.3	68
5	Formation of NPR1 Condensates Promotes Cell Survival during the Plant Immune Response. <i>Cell</i> , 2020, 182, 1093-1108.e18.	28.9	183
6	Plant Immune Mechanisms: From Reductionistic to Holistic Points of View. <i>Molecular Plant</i> , 2020, 13, 1358-1378.	8.3	82
7	Structural basis of salicylic acid perception by Arabidopsis NPR proteins. <i>Nature</i> , 2020, 586, 311-316.	27.8	93
8	Comprehensive mapping of abiotic stress inputs into the soybean circadian clock. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 23840-23849.	7.1	49
9	Quantification of the Humidity Effect on HR by Ion Leakage Assay. <i>Bio-protocol</i> , 2019, 9, e3203.	0.4	1
10	Redox and the circadian clock in plant immunity: A balancing act. <i>Free Radical Biology and Medicine</i> , 2018, 119, 56-61.	2.9	60
11	Daily humidity oscillation regulates the circadian clock to influence plant physiology. <i>Nature Communications</i> , 2018, 9, 4290.	12.8	38
12	To grow and to defend. <i>Science</i> , 2018, 361, 976-977.	12.6	5
13	The CAT(2) Comes Back. <i>Cell Host and Microbe</i> , 2017, 21, 125-127.	11.0	1
14	Global translational reprogramming is a fundamental layer of immune regulation in plants. <i>Nature</i> , 2017, 545, 487-490.	27.8	206
15	uORF-mediated translation allows engineered plant disease resistance without fitness costs. <i>Nature</i> , 2017, 545, 491-494.	27.8	300
16	Post-translational regulation of plant immunity. <i>Current Opinion in Plant Biology</i> , 2017, 38, 124-132.	7.1	126
17	Membrane Trafficking in Plant Immunity. <i>Molecular Plant</i> , 2017, 10, 1026-1034.	8.3	117
18	Glycosylphosphatidylinositol (GPI) modification serves as a primary plasmodesmal targeting signal. <i>Plant Physiology</i> , 2016, 172, pp.01026.2016.	4.8	40

#	ARTICLE	IF	CITATIONS
19	Nuclear Pore Permeabilization Is a Convergent Signaling Event in Effector-Triggered Immunity. <i>Cell</i> , 2016, 166, 1526-1538.e11.	28.9	128
20	Salicylic acid receptors activate jasmonic acid signalling through a non-canonical pathway to promote effector-triggered immunity. <i>Nature Communications</i> , 2016, 7, 13099.	12.8	274
21	Posttranslational Modifications of NPR1: A Single Protein Playing Multiple Roles in Plant Immunity and Physiology. <i>PLoS Pathogens</i> , 2016, 12, e1005707.	4.7	100
22	Salicylic acid biosynthesis is enhanced and contributes to increased biotrophic pathogen resistance in <i>Arabidopsis</i> hybrids. <i>Nature Communications</i> , 2015, 6, 7309.	12.8	93
23	Stromules: Signal Conduits for Plant Immunity. <i>Developmental Cell</i> , 2015, 34, 3-4.	7.0	9
24	Redox rhythm reinforces the circadian clock to gate immune response. <i>Nature</i> , 2015, 523, 472-476.	27.8	167
25	Spatial and temporal regulation of biosynthesis of the plant immune signal salicylic acid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 9166-9173.	7.1	181
26	Posttranslational Modifications of the Master Transcriptional Regulator NPR1 Enable Dynamic but Tight Control of Plant Immune Responses. <i>Cell Host and Microbe</i> , 2015, 18, 169-182.	11.0	199
27	Cell-Cycle Regulators and Cell Death in Immunity. <i>Cell Host and Microbe</i> , 2015, 18, 402-407.	11.0	42
28	Apoplastic peroxidases are required for salicylic acid-mediated defense against <i>Pseudomonas syringae</i> . <i>Phytochemistry</i> , 2015, 112, 110-121.	2.9	60
29	Functional Characterization of a Nudix Hydrolase AtNUDX8 upon Pathogen Attack Indicates a Positive Role in Plant Immune Responses. <i>PLoS ONE</i> , 2014, 9, e114119.	2.5	32
30	A Noncanonical Role for the CKI-RB-E2F Cell-Cycle Signaling Pathway in Plant Effector-Triggered Immunity. <i>Cell Host and Microbe</i> , 2014, 16, 787-794.	11.0	93
31	Perception of the plant immune signal salicylic acid. <i>Current Opinion in Plant Biology</i> , 2014, 20, 64-68.	7.1	204
32	Systemic Acquired Resistance: Turning Local Infection into Global Defense. <i>Annual Review of Plant Biology</i> , 2013, 64, 839-863.	18.7	1,234
33	Salicylic Acid Activates DNA Damage Responses to Potentiate Plant Immunity. <i>Molecular Cell</i> , 2013, 52, 602-610.	9.7	126
34	Coronatine Promotes <i>Pseudomonas syringae</i> Virulence in Plants by Activating a Signaling Cascade that Inhibits Salicylic Acid Accumulation. <i>Cell Host and Microbe</i> , 2012, 11, 587-596.	11.0	547
35	NPR3 and NPR4 are receptors for the immune signal salicylic acid in plants. <i>Nature</i> , 2012, 486, 228-232.	27.8	834
36	How do plants achieve immunity? Defence without specialized immune cells. <i>Nature Reviews Immunology</i> , 2012, 12, 89-100.	22.7	904

#	ARTICLE	IF	CITATIONS
37	The HSF-like Transcription Factor TBF1 Is a Major Molecular Switch for Plant Growth-to-Defense Transition. <i>Current Biology</i> , 2012, 22, 103-112.	3.9	231
38	Timing of plant immune responses by a central circadian regulator. <i>Nature</i> , 2011, 470, 110-114.	27.8	404
39	<i>Arabidopsis</i> BRCA2 and RAD51 proteins are specifically involved in defense gene transcription during plant immune responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 22716-22721.	7.1	87
40	Proteasome-Mediated Turnover of the Transcription Coactivator NPR1 Plays Dual Roles in Regulating Plant Immunity. <i>Cell</i> , 2009, 137, 860-872.	28.9	494
41	Plant Immunity Requires Conformational Changes of NPR1 via S-Nitrosylation and Thioredoxins. <i>Science</i> , 2008, 321, 952-956.	12.6	964
42	Making Sense of Hormone Crosstalk during Plant Immune Responses. <i>Cell Host and Microbe</i> , 2008, 3, 348-351.	11.0	483
43	<i>Arabidopsis</i> SNI1 and RAD51D regulate both gene transcription and DNA recombination during the defense response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 4223-4227.	7.1	133
44	Overexpression of <i>Arabidopsis</i> MAP kinase kinase 7 leads to activation of plant basal and systemic acquired resistance. <i>Plant Journal</i> , 2007, 52, 1066-1079.	5.7	130
45	A Genomic Approach to Identify Regulatory Nodes in the Transcriptional Network of Systemic Acquired Resistance in Plants. <i>PLoS Pathogens</i> , 2006, 2, e123.	4.7	651
46	Induction of Protein Secretory Pathway Is Required for Systemic Acquired Resistance. <i>Science</i> , 2005, 308, 1036-1040.	12.6	524
47	The Role of Membrane-Bound Ankyrin-Repeat Protein ACD6 in Programmed Cell Death and Plant Defense. <i>Science Signaling</i> , 2004, 2004, pe6-pe6.	3.6	16
48	NPR1, all things considered. <i>Current Opinion in Plant Biology</i> , 2004, 7, 547-552.	7.1	701
49	Pathogen-induced systemic DNA rearrangement in plants. <i>Trends in Plant Science</i> , 2004, 9, 60-61.	8.8	15
50	NPR1 Modulates Cross-Talk between Salicylate- and Jasmonate-Dependent Defense Pathways through a Novel Function in the Cytosol. <i>Plant Cell</i> , 2003, 15, 760-770.	6.6	1,011
51	Inducers of Plant Systemic Acquired Resistance Regulate NPR1 Function through Redox Changes. <i>Cell</i> , 2003, 113, 935-944.	28.9	1,348
52	A Gain-of-Function Mutation in a Plant Disease Resistance Gene Leads to Constitutive Activation of Downstream Signal Transduction Pathways in suppressor of <i>npr1-1</i> , constitutive 1. <i>Plant Cell</i> , 2003, 15, 2636-2646.	6.6	446
53	In Vivo Interaction between NPR1 and Transcription Factor TGA2 Leads to Salicylic Acid-Mediated Gene Activation in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2002, 14, 1377-1389.	6.6	392
54	Activation of an EDS1-Mediated R-Gene Pathway in the <i>snc1</i> Mutant Leads to Constitutive, NPR1-Independent Pathogen Resistance. <i>Molecular Plant-Microbe Interactions</i> , 2001, 14, 1131-1139.	2.6	252

#	ARTICLE	IF	CITATIONS
55	Evidence for a disease-resistance pathway in rice similar to the NPR1-mediated signaling pathway in Arabidopsis. <i>Plant Journal</i> , 2001, 27, 101-113.	5.7	311
56	A fast neutron deletion mutagenesis-based reverse genetics system for plants. <i>Plant Journal</i> , 2001, 27, 235-242.	5.7	200
57	Constitutive salicylic acid-dependent signaling in <i>cpr1</i> and <i>cpr6</i> mutants requires PAD4. <i>Plant Journal</i> , 2001, 26, 395-407.	5.7	113
58	Constitutive disease resistance requires EDS1 in the Arabidopsis mutants <i>cpr1</i> and <i>cpr6</i> and is partially EDS1 -dependent in <i>cpr5</i> . <i>Plant Journal</i> , 2001, 26, 409-420.	5.7	96
59	Genetic dissection of systemic acquired resistance. <i>Current Opinion in Plant Biology</i> , 2001, 4, 309-314.	7.1	187
60	Roles of Salicylic Acid, Jasmonic Acid, and Ethylene in <i>cpr</i> -Induced Resistance in Arabidopsis. <i>Plant Cell</i> , 2000, 12, 2175-2190.	6.6	407
61	Nuclear Localization of NPR1 Is Required for Activation of PR Gene Expression. <i>Plant Cell</i> , 2000, 12, 2339-2350.	6.6	587
62	Identification and Cloning of a Negative Regulator of Systemic Acquired Resistance, SNI1, through a Screen for Suppressors of <i>npr1-1</i> . <i>Cell</i> , 1999, 98, 329-339.	28.9	240
63	SA, JA, ethylene, and disease resistance in plants. <i>Current Opinion in Plant Biology</i> , 1998, 1, 316-323.	7.1	636
64	Uncoupling PR Gene Expression from NPR1 and Bacterial Resistance: Characterization of the Dominant Arabidopsis <i>cpr6-1</i> Mutant. <i>Plant Cell</i> , 1998, 10, 557-569.	6.6	266
65	The Arabidopsis NPR1 Gene That Controls Systemic Acquired Resistance Encodes a Novel Protein Containing Ankyrin Repeats. <i>Cell</i> , 1997, 88, 57-63.	28.9	1,408
66	Characterization of an Arabidopsis Mutant That Is Nonresponsive to Inducers of Systemic Acquired Resistance. <i>Plant Cell</i> , 1994, 6, 1583.	6.6	533
67	Induction of Arabidopsis Defense Genes by Virulent and Avirulent <i>Pseudomonas syringae</i> Strains and by a Cloned Avirulence Gene. <i>Plant Cell</i> , 1991, 3, 61.	6.6	55