

D K B Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2932092/publications.pdf>

Version: 2024-02-01

95
papers

5,389
citations

117625

34
h-index

88630

70
g-index

96
all docs

96
docs citations

96
times ranked

5152
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of multiple sclerosis neuroinflammation and neurodegeneration with relaxation and diffusion basis spectrum imaging. <i>Multiple Sclerosis Journal</i> , 2022, 28, 418-428.	3.0	11
2	A data-driven T2 relaxation analysis approach for myelin water imaging: Spectrum analysis for multiple exponentials via experimental condition oriented simulation (SAME-COS). <i>Magnetic Resonance in Medicine</i> , 2022, 87, 915-931.	3.0	3
3	Diffusely abnormal white matter in multiple sclerosis. <i>Journal of Neuroimaging</i> , 2022, 32, 5-16.	2.0	5
4	Cervical Spinal Cord Atrophy can be Accurately Quantified Using Head Images. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2022, 8, 205521732110707.	1.0	3
5	Cortical morphology predicts placebo response in multiple sclerosis. <i>Scientific Reports</i> , 2022, 12, 732.	3.3	0
6	Minocycline treatment in clinically isolated syndrome and serum NfL, GFAP, and metalloproteinase levels. <i>Multiple Sclerosis Journal</i> , 2022, 28, 2081-2089.	3.0	2
7	Comparison of multi echo T2 relaxation and steady state approaches for myelin imaging in the central nervous system. <i>Scientific Reports</i> , 2021, 11, 1369.	3.3	8
8	Cervical cord myelin abnormality is associated with clinical disability in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021, 27, 2191-2198.	3.0	4
9	Deep grey matter injury in multiple sclerosis: a NAIMS consensus statement. <i>Brain</i> , 2021, 144, 1974-1984.	7.6	31
10	Multimodal peripheral fluid biomarker analysis in clinically isolated syndrome and early multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 50, 102809.	2.0	3
11	Nonlesional diffusely abnormal appearing white matter in clinically isolated syndrome: Prevalence, association with clinical and MRI features, and risk for conversion to multiple sclerosis. <i>Journal of Neuroimaging</i> , 2021, 31, 981-994.	2.0	3
12	Water content changes in new multiple sclerosis lesions have a minimal effect on the determination of myelin water fraction values. <i>Journal of Neuroimaging</i> , 2021, 31, 1119-1125.	2.0	12
13	2021 MAGNIMS-CMSC-NAIMS consensus recommendations on the use of MRI in patients with multiple sclerosis. <i>Lancet Neurology</i> , The, 2021, 20, 653-670.	10.2	302
14	An atlas for human brain myelin content throughout the adult life span. <i>Scientific Reports</i> , 2021, 11, 269.	3.3	42
15	The North American Registry for Care and Research in Multiple Sclerosis (NARCRMS). <i>International Journal of MS Care</i> , 2021, 23, 269-275.	1.0	1
16	Myelin Water Fraction and Intra/Extracellular Water Geometric Mean T ₂ Normative Atlases for the Cervical Spinal Cord from 3T MRI. <i>Journal of Neuroimaging</i> , 2020, 30, 50-57.	2.0	13
17	Myelin Damage in Normal Appearing White Matter Contributes to Impaired Cognitive Processing Speed in Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2020, 30, 205-211.	2.0	17
18	Associations Between Findings From Myelin Water Imaging and Cognitive Performance Among Individuals With Multiple Sclerosis. <i>JAMA Network Open</i> , 2020, 3, e2014220.	5.9	18

#	ARTICLE	IF	CITATIONS
19	Myelin water imaging data analysis in less than one minute. <i>NeuroImage</i> , 2020, 210, 116551.	4.2	26
20	Brain Myelin Water Fraction and Diffusion Tensor Imaging Atlases for 9-10 Year-Old Children. <i>Journal of Neuroimaging</i> , 2020, 30, 150-160.	2.0	14
21	FLAIR2 improves LesionTOADS automatic segmentation of multiple sclerosis lesions in non-homogenized, multi-center, 2D clinical magnetic resonance images. <i>NeuroImage: Clinical</i> , 2019, 23, 101918.	2.7	7
22	Myelin Water Atlas: A Template for Myelin Distribution in the Brain. <i>Journal of Neuroimaging</i> , 2019, 29, 699-706.	2.0	29
23	Rapid myelin water imaging for the assessment of cervical spinal cord myelin damage. <i>NeuroImage: Clinical</i> , 2019, 23, 101896.	2.7	16
24	Intra- and inter-site reproducibility of human brain single-voxel proton MRS at 3T. <i>NMR in Biomedicine</i> , 2019, 32, e4083.	2.8	6
25	Longitudinal advanced MRI case report of white matter radiation necrosis. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 379-385.	3.7	6
26	Effect of different doses of gadolinium contrast agent on clinical outcomes in MS. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731882379.	1.0	7
27	Imaging outcome measures of neuroprotection and repair in MS. <i>Neurology</i> , 2019, 92, 519-533.	1.1	53
28	Machine learning in secondary progressive multiple sclerosis: an improved predictive model for short-term disability progression. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731988598.	1.0	29
29	Magnetic resonance spectroscopy evidence for declining gliosis in MS patients treated with ocrelizumab versus interferon beta-1a. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731987995.	1.0	5
30	Multicenter Measurements of T_1 Relaxation and Diffusion Tensor Imaging: Intra and Intersite Reproducibility. <i>Journal of Neuroimaging</i> , 2019, 29, 42-51.	2.0	19
31	Quantitative neuroimaging measures of myelin in the healthy brain and in multiple sclerosis. <i>Human Brain Mapping</i> , 2019, 40, 2104-2116.	3.6	53
32	Diffusely Abnormal White Matter, T_2 Burden of Disease, and Brain Volume in Relapsing-Remitting Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2019, 29, 151-159.	2.0	10
33	Increased mean R_2^* in the deep gray matter of multiple sclerosis patients: Have we been measuring atrophy?. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 201-208.	3.4	29
34	Deep learning of brain lesion patterns and user-defined clinical and MRI features for predicting conversion to multiple sclerosis from clinically isolated syndrome. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2019, 7, 250-259.	1.9	27
35	A 24-month advanced magnetic resonance imaging study of multiple sclerosis patients treated with alemtuzumab. <i>Multiple Sclerosis Journal</i> , 2019, 25, 811-818.	3.0	20
36	Hematopoietic Stem Cell Transplantation in Late-Onset Krabbe Disease: No Evidence of Worsening Demyelination and Axonal Loss 4 Years Post-allograft. <i>Journal of Neuroimaging</i> , 2018, 28, 252-255.	2.0	29

#	ARTICLE	IF	CITATIONS
37	What Have We Learned from Perfusion MRI in Multiple Sclerosis?. American Journal of Neuroradiology, 2018, 39, 994-1000.	2.4	53
38	Global loss of myelin water over 5 years in multiple sclerosis normal-appearing white matter. Multiple Sclerosis Journal, 2018, 24, 1557-1568.	3.0	33
39	Inter-Vendor Reproducibility of Myelin Water Imaging Using a 3D Gradient and Spin Echo Sequence. Frontiers in Neuroscience, 2018, 12, 854.	2.8	28
40	Education, and the balance between dynamic and stationary functional connectivity jointly support executive functions in relapsingâ€“remitting multiple sclerosis. Human Brain Mapping, 2018, 39, 5039-5049.	3.6	37
41	Pathological Insights From Quantitative Susceptibility Mapping and Diffusion Tensor Imaging in Ice Hockey Players Pre and Post-concussion. Frontiers in Neurology, 2018, 9, 575.	2.4	14
42	Gadolinium Deposition in Deep Brain Structures: Relationship with Dose and Ionization of Linear Gadolinium-Based Contrast Agents. American Journal of Neuroradiology, 2018, 39, 1597-1603.	2.4	18
43	Susceptibility-sensitive MRI of multiple sclerosis lesions and the impact of normal-appearing white matter changes. NMR in Biomedicine, 2017, 30, e3727.	2.8	39
44	Trial of Minocycline in a Clinically Isolated Syndrome of Multiple Sclerosis. New England Journal of Medicine, 2017, 376, 2122-2133.	27.0	153
45	Cognitive Performance in Subjects With Multiple Sclerosis Is Robustly Influenced by Gender in Canonical-Correlation Analysis. Journal of Neuropsychiatry and Clinical Neurosciences, 2017, 29, 119-127.	1.8	12
46	Cervical cord myelin water imaging shows degenerative changes over one year in multiple sclerosis but not neuromyelitis optica spectrum disorder. NeuroImage: Clinical, 2017, 16, 17-22.	2.7	18
47	Assessing structure and function of myelin in cervical spondylotic myelopathy. Neurology, 2017, 89, 602-610.	1.1	45
48	Rapid myelin water imaging in human cervical spinal cord. Magnetic Resonance in Medicine, 2017, 78, 1482-1487.	3.0	26
49	Cover Image, Volume 30, Issue 8. NMR in Biomedicine, 2017, 30, i-i.	2.8	1
50	A Prospective Pilot Investigation of Brain Volume, White Matter Hyperintensities, and Hemorrhagic Lesions after Mild Traumatic Brain Injury. Frontiers in Neurology, 2016, 7, 11.	2.4	41
51	Safety and Efficacy of Siponimod (BAF312) in Patients With Relapsing-Remitting Multiple Sclerosis. JAMA Neurology, 2016, 73, 1089.	9.0	92
52	Prognostic factors for long-term outcomes in relapsingâ€“remitting multiple sclerosis. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2016, 2, 205521731666640.	1.0	11
53	Addressing Concerns Regarding the Use of Gadolinium in a Standardized MRI Protocol for the Diagnosis and Follow-Up of Multiple Sclerosis. American Journal of Neuroradiology, 2016, 37, E82-E83.	2.4	10
54	Does hydration status affect MRI measures of brain volume or water content?. Journal of Magnetic Resonance Imaging, 2016, 44, 296-304.	3.4	30

#	ARTICLE	IF	CITATIONS
55	FLAIR2: A Combination of FLAIR and T2 for Improved MS Lesion Detection. American Journal of Neuroradiology, 2016, 37, 259-265.	2.4	33
56	High-resolution myelin water imaging in post-mortem multiple sclerosis spinal cord: A case report. Multiple Sclerosis Journal, 2016, 22, 1485-1489.	3.0	32
57	Revised Recommendations of the Consortium of MS Centers Task Force for a Standardized MRI Protocol and Clinical Guidelines for the Diagnosis and Follow-Up of Multiple Sclerosis. American Journal of Neuroradiology, 2016, 37, 394-401.	2.4	277
58	Progressive multiple sclerosis exhibits decreasing glutamate and glutamine over two years. Multiple Sclerosis Journal, 2016, 22, 112-116.	3.0	40
59	Corticospinal tract integrity measured using transcranial magnetic stimulation and magnetic resonance imaging in neuromyelitis optica and multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 43-50.	3.0	17
60	Personalized activity index, a new safety monitoring tool for multiple sclerosis clinical trials. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2015, 1, 205521731557782.	1.0	0
61	Fast computation of myelin maps from MRI T_2 relaxation data using multicore CPU and graphics card parallelization. Journal of Magnetic Resonance Imaging, 2015, 41, 700-707.	3.4	13
62	Orientation Dependent MR Signal Decay Differentiates between People with MS, Their Asymptomatic Siblings and Unrelated Healthy Controls. PLoS ONE, 2015, 10, e0140956.	2.5	28
63	Dehydration affects spinal cord cross-sectional area measurement on MRI in healthy subjects. Spinal Cord, 2014, 52, 616-620.	1.9	5
64	Increased spinal cord movements in cervical spondylotic myelopathy. Spine Journal, 2014, 14, 2344-2354.	1.3	38
65	Magnetic resonance techniques for investigation of multiple sclerosis. , 2014, , .		2
66	What causes the hyperintense T2-weighting and increased short T2 signal in the corticospinal tract?. Magnetic Resonance Imaging, 2013, 31, 329-335.	1.8	16
67	Magnetic resonance frequency shifts during acute MS lesion formation. Neurology, 2013, 81, 211-218.	1.1	61
68	Multicenter measurements of myelin water fraction and geometric mean T_2 : Intra- and intersite reproducibility. Journal of Magnetic Resonance Imaging, 2013, 38, 1445-1453.	3.4	61
69	Short-term stability of T1 and T2 relaxation measures in multiple sclerosis normal appearing white matter. Journal of Neurology, 2012, 259, 1151-1158.	3.6	15
70	Myelin water and T2 relaxation measurements in the healthy cervical spinal cord at 3.0T: Repeatability and changes with age. NeuroImage, 2011, 54, 1083-1090.	4.2	30
71	Is the magnetization transfer ratio a marker for myelin in multiple sclerosis?. Journal of Magnetic Resonance Imaging, 2011, 33, 710-718.	3.4	158
72	Pathological basis of diffusely abnormal white matter: insights from magnetic resonance imaging and histology. Multiple Sclerosis Journal, 2011, 17, 144-150.	3.0	67

#	ARTICLE	IF	CITATIONS
73	Two-year study of cervical cord volume and myelin water in primary progressive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 670-677.	3.0	63
74	Myelin water imaging: Implementation and development at 3.0T and comparison to 1.5T measurements. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 106-115.	3.0	65
75	Longitudinal changes in myelin water fraction in two MS patients with active disease. <i>Journal of the Neurological Sciences</i> , 2009, 276, 49-53.	0.6	59
76	Conventional MR Imaging. <i>Neuroimaging Clinics of North America</i> , 2008, 18, 651-673.	1.0	19
77	Myelin water imaging of multiple sclerosis at 7ÅT: Correlations with histopathology. <i>NeuroImage</i> , 2008, 40, 1575-1580.	4.2	319
78	MR evidence of long T ₂ water in pathological white matter. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1117-1121.	3.4	63
79	Magnetic resonance imaging of myelin. <i>Neurotherapeutics</i> , 2007, 4, 460-484.	4.4	269
80	Long T2 water in multiple sclerosis: What else can we learn from multi-echo T2 relaxation?. <i>Journal of Neurology</i> , 2007, 254, 1579-1587.	3.6	64
81	Multi-parametric MR assessment of T1 black holes in multiple sclerosis. <i>Journal of Neurology</i> , 2007, 254, 1653-1659.	3.6	43
82	The use of MRI as an outcome measure in clinical trials. <i>Advances in Neurology</i> , 2006, 98, 203-26.	0.8	14
83	Water content and myelin water fraction in multiple sclerosis. <i>Journal of Neurology</i> , 2004, 251, 284-293.	3.6	334
84	MRI Contributes to the Differentiation Between MS and HTLV-I Associated Myelopathy in British Columbian Coastal Natives. <i>Canadian Journal of Neurological Sciences</i> , 2003, 30, 41-48.	0.5	33
85	Normal-appearing white matter in multiple sclerosis has heterogeneous, diffusely prolonged T2. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 403-408.	3.0	88
86	Different magnetization transfer effects exhibited by the short and long T2 components in human brain. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 860-866.	3.0	59
87	Are mono-exponential fits to a few echoes sufficient to determine T2 relaxation for in vivo human brain?. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 1255-1257.	3.0	92
88	A comparison between magnetization transfer ratios and myelin water percentages in normals and multiple sclerosis patients. <i>Magnetic Resonance in Medicine</i> , 1998, 40, 763-768.	3.0	109
89	Premenopausal Ovariectomy-Related Bone Loss: A Randomized, Double-Blind, One-Year Trial of Conjugated Estrogen or Medroxyprogesterone Acetate. <i>Journal of Bone and Mineral Research</i> , 1997, 12, 1851-1863.	2.8	101
90	In vivo measurement of T2 distributions and water contents in normal human brain. <i>Magnetic Resonance in Medicine</i> , 1997, 37, 34-43.	3.0	723

#	ARTICLE	IF	CITATIONS
91	Magnetic resonance imaging in the evaluation of clinical trials in multiple sclerosis. <i>Annals of Neurology</i> , 1994, 36, S95-S96.	5.3	80
92	Serial magnetic resonance scanning in multiple sclerosis: A second prospective study in relapsing patients. <i>Annals of Neurology</i> , 1989, 25, 43-49.	5.3	228
93	Benign versus chronic progressive multiple sclerosis: Magnetic resonance imaging features. <i>Annals of Neurology</i> , 1989, 25, 74-81.	5.3	100
94	Case report 567. <i>Skeletal Radiology</i> , 1989, 18, 481-482.	2.0	3
95	Magnetic resonance imaging of osteoarthritis: Correlation with gross pathology using an experimental model. <i>Journal of Orthopaedic Research</i> , 1987, 5, 164-172.	2.3	44