

Chiun Hsu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2932311/publications.pdf>

Version: 2024-02-01

204
papers

11,550
citations

47006

47
h-index

32842

100
g-index

211
all docs

211
docs citations

211
times ranked

13684
citing authors

#	ARTICLE	IF	CITATIONS
1	Nivolumab in patients with advanced hepatocellular carcinoma (CheckMate 040): an open-label, non-comparative, phase 1/2 dose escalation and expansion trial. <i>Lancet, The</i> , 2017, 389, 2492-2502.	13.7	3,224
2	Efficacy and Safety of Nivolumab Plus Ipilimumab in Patients With Advanced Hepatocellular Carcinoma Previously Treated With Sorafenib. <i>JAMA Oncology</i> , 2020, 6, e204564.	7.1	746
3	Comparative safety of immune checkpoint inhibitors in cancer: systematic review and network meta-analysis. <i>BMJ: British Medical Journal</i> , 2018, 363, k4226.	2.3	362
4	Safety and Antitumor Activity of Pembrolizumab in Patients With Programmed Death-Ligand 1â€“Positive Nasopharyngeal Carcinoma: Results of the KEYNOTE-028 Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 4050-4056.	1.6	335
5	Challenges of combination therapy with immune checkpoint inhibitors for hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2020, 72, 307-319.	3.7	310
6	A revisit of prophylactic lamivudine for chemotherapy-associated hepatitis B reactivation in non-Hodgkin's lymphoma: A randomized trial. <i>Hepatology</i> , 2008, 47, 844-853.	7.3	277
7	Chemotherapy-induced hepatitis B reactivation in lymphoma patients with resolved HBV infection: A prospective study. <i>Hepatology</i> , 2014, 59, 2092-2100.	7.3	235
8	Nivolumab in advanced hepatocellular carcinoma: Sorafenib-experienced Asian cohort analysis. <i>Journal of Hepatology</i> , 2019, 71, 543-552.	3.7	180
9	Nivolumab (NIVO) + ipilimumab (IPI) combination therapy in patients (pts) with advanced hepatocellular carcinoma (aHCC): Results from CheckMate 040.. <i>Journal of Clinical Oncology</i> , 2019, 37, 4012-4012.	1.6	178
10	Activating oxidative phosphorylation by a pyruvate dehydrogenase kinase inhibitor overcomes sorafenib resistance of hepatocellular carcinoma. <i>British Journal of Cancer</i> , 2013, 108, 72-81.	6.4	160
11	Early alphaâ€“fetoprotein response predicts treatment efficacy of antiangiogenic systemic therapy in patients with advanced hepatocellular carcinoma. <i>Cancer</i> , 2010, 116, 4590-4596.	4.1	154
12	Pan-Asian adapted ESMO Clinical Practice Guidelines for the management of patients with intermediate and advanced/relapsed hepatocellular carcinoma: a TOSâ€“ESMO initiative endorsed by CSCO, ISMPO, JSMO, KSMO, MOS and SSO. <i>Annals of Oncology</i> , 2020, 31, 334-351.	1.2	138
13	Significant Difference in the Trends of Female Breast Cancer Incidence Between Taiwanese and Caucasian Americans: Implications from Age-Period-Cohort Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1986-1990.	2.5	130
14	A KRAS mutation status-stratified randomized phase II trial of gemcitabine and oxaliplatin alone or in combination with cetuximab in advanced biliary tract cancer. <i>Annals of Oncology</i> , 2015, 26, 943-949.	1.2	130
15	Efficacy and tolerability of bevacizumab plus capecitabine as first-line therapy in patients with advanced hepatocellular carcinoma. <i>British Journal of Cancer</i> , 2010, 102, 981-986.	6.4	127
16	Adjuvant interferon therapy after curative therapy for hepatocellular carcinoma (HCC): A meta-regression approach. <i>Journal of Hepatology</i> , 2010, 52, 889-894.	3.7	125
17	Phase II study of combining sorafenib with metronomic tegafur/uracil for advanced hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2010, 53, 126-131.	3.7	124
18	Dynamic contrast-enhanced magnetic resonance imaging biomarkers predict survival and response in hepatocellular carcinoma patients treated with sorafenib and metronomic tegafur/uracil. <i>Journal of Hepatology</i> , 2011, 55, 858-865.	3.7	114

#	ARTICLE	IF	CITATIONS
19	Tumor Heterogeneity in Hepatocellular Carcinoma: Facing the Challenges. <i>Liver Cancer</i> , 2016, 5, 128-138.	7.7	108
20	Arsenic trioxide in patients with hepatocellular carcinoma: a phase II trial. <i>Investigational New Drugs</i> , 2006, 25, 77-84.	2.6	107
21	Hepatitis B virus reactivation in B-cell lymphoma patients treated with rituximab: Analysis from the Asia Lymphoma Study Group. <i>European Journal of Cancer</i> , 2013, 49, 3486-3496.	2.8	103
22	Phosphine-induced oxidative damage in rats: attenuation by melatonin. <i>Free Radical Biology and Medicine</i> , 2000, 28, 636-642.	2.9	100
23	Lack of efficacy to systemic chemotherapy for treatment of metaplastic carcinoma of the breast in the modern era. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 345-351.	2.5	98
24	Pembrolizumab for the treatment of programmed deathâ€”ligand 1â€”positive advanced carcinoid or pancreatic neuroendocrine tumors: Results from the KEYNOTEâ€”028 study. <i>Cancer</i> , 2020, 126, 3021-3030.	4.1	97
25	A Phase II Study of the Efficacy and Safety of the Combination Therapy of the MEK Inhibitor Refametinib (BAY 86-9766) Plus Sorafenib for Asian Patients with Unresectable Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2014, 20, 5976-5985.	7.0	95
26	Management consensus guideline for hepatocellular carcinoma: 2016 updated by the Taiwan Liver Cancer Association and the Gastroenterological Society of Taiwan. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 381-403.	1.7	92
27	Vandetanib in patients with inoperable hepatocellular carcinoma: A phase II, randomized, double-blind, placebo-controlled study. <i>Journal of Hepatology</i> , 2012, 56, 1097-1103.	3.7	91
28	Quality of life of lung cancer patients: Validation of the Taiwan Chinese version of the EORTC QLQ-C30 and QLQ-LC13. <i>Quality of Life Research</i> , 2004, 13, 257-262.	3.1	89
29	Low-Dose Thalidomide Treatment for Advanced Hepatocellular Carcinoma. <i>Oncology</i> , 2003, 65, 242-249.	1.9	85
30	Bortezomib Overcomes Tumor Necrosis Factor-related Apoptosis-inducing Ligand Resistance in Hepatocellular Carcinoma Cells in Part through the Inhibition of the Phosphatidylinositol 3-Kinase/Akt Pathway. <i>Journal of Biological Chemistry</i> , 2009, 284, 11121-11133.	3.4	79
31	Induction of DNA Damage-Inducible Gene GADD45 ¹² Contributes to Sorafenib-Induced Apoptosis in Hepatocellular Carcinoma Cells. <i>Cancer Research</i> , 2010, 70, 9309-9318.	0.9	76
32	Quantification of HBV core antibodies may help predict HBV reactivation in patients with lymphoma and resolved HBV infection. <i>Journal of Hepatology</i> , 2018, 69, 286-292.	3.7	76
33	Nivolumab (nivo) in sorafenib (sor)-naive and -experienced pts with advanced hepatocellular carcinoma (HCC): CheckMate 040 study.. <i>Journal of Clinical Oncology</i> , 2017, 35, 4013-4013.	1.6	76
34	Gemcitabine Plus Cisplatin for Advanced Biliary Tract Cancer: A Systematic Review. <i>Cancer Research and Treatment</i> , 2015, 47, 343-361.	3.0	75
35	Management consensus guideline for hepatocellular carcinoma: 2020 update on surveillance, diagnosis, and systemic treatment by the Taiwan Liver Cancer Association and the Gastroenterological Society of Taiwan. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1051-1060.	1.7	72
36	Exploring Markers of Exhausted CD8 T Cells to Predict Response to Immune Checkpoint Inhibitor Therapy for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2021, 10, 346-359.	7.7	70

#	ARTICLE	IF	CITATIONS
37	Difference in the Incidence Trend of Nasopharyngeal and Oropharyngeal Carcinomas in Taiwan: Implication from Age-Period-Cohort Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 856-861.	2.5	65
38	Regorafenib enhances antitumor immunity via inhibition of p38 kinase/Creb1/Klf4 axis in tumor-associated macrophages. , 2021, 9, e001657.		63
39	Immunomodulatory Effects of Current Targeted Therapies on Hepatocellular Carcinoma: Implication for the Future of Immunotherapy. <i>Seminars in Liver Disease</i> , 2018, 38, 379-388.	3.6	62
40	Molecular targeted therapy for advanced hepatocellular carcinoma: current status and future perspectives. <i>Journal of Gastroenterology</i> , 2010, 45, 794-807.	5.1	61
41	Clinical Trials in Hepatocellular Carcinoma: An Update. <i>Liver Cancer</i> , 2013, 2, 345-364.	7.7	58
42	H3K9 Histone Methyltransferase, KMT1E/SETDB1, Cooperates with the SMAD2/3 Pathway to Suppress Lung Cancer Metastasis. <i>Cancer Research</i> , 2014, 74, 7333-7343.	0.9	58
43	14-3-3 μ Overexpression Contributes to Epithelial-Mesenchymal Transition of Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2013, 8, e57968.	2.5	57
44	Differential Organ-Specific Tumor Response to Immune Checkpoint Inhibitors in Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2019, 8, 480-490.	7.7	57
45	Serum Vascular Endothelial Growth Factor/Soluble Vascular Endothelial Growth Factor Receptor 1 Ratio Is an Independent Prognostic Marker in Pancreatic Cancer. <i>Pancreas</i> , 2008, 37, 145-150.	1.1	55
46	Early alpha β foetoprotein response associated with treatment efficacy of immune checkpoint inhibitors for advanced hepatocellular carcinoma. <i>Liver International</i> , 2019, 39, 2184-2189.	3.9	55
47	Survival outcome and predictors of gefitinib antitumor activity in East Asian chemo-naïve patients with advanced non-small cell lung cancer. <i>Cancer</i> , 2006, 107, 1873-1882.	4.1	54
48	Comparison of hypoplastic myelodysplastic syndrome (MDS) with normo-/hypercellular MDS by International Prognostic Scoring System, cytogenetic and genetic studies. <i>Leukemia</i> , 2008, 22, 544-550.	7.2	53
49	CD24 expression is a prognostic factor in intrahepatic cholangiocarcinoma. <i>Cancer Letters</i> , 2006, 235, 34-39.	7.2	48
50	Geographic difference in survival outcome for advanced hepatocellular carcinoma: Implications on future clinical trial design. <i>Contemporary Clinical Trials</i> , 2010, 31, 55-61.	1.8	46
51	Bevacizumab with Erlotinib as First-line Therapy in Asian Patients with Advanced Hepatocellular Carcinoma: A Multicenter Phase II Study. <i>Oncology</i> , 2013, 85, 44-52.	1.9	46
52	Overexpression of 14-3-3 μ predicts tumour metastasis and poor survival in hepatocellular carcinoma. <i>Histopathology</i> , 2011, 58, 705-711.	2.9	45
53	<i>Helicobacter pylori</i> -related diffuse large B-cell lymphoma of the stomach: a distinct entity with lower aggressiveness and higher chemosensitivity. <i>Blood Cancer Journal</i> , 2014, 4, e220-e220.	6.2	43
54	HER-2/neu overexpression is rare in hepatocellular carcinoma and not predictive of anti-HER-2/neu regulation of cell growth and chemosensitivity. <i>Cancer</i> , 2002, 94, 415-420.	4.1	42

#	ARTICLE	IF	CITATIONS
55	The Aurora kinase inhibitor VE-465 has anticancer effects in pre-clinical studies of human hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2009, 50, 518-527.	3.7	42
56	Cyclin E1 Inhibition can Overcome Sorafenib Resistance in Hepatocellular Carcinoma Cells Through Mcl-1 Suppression. <i>Clinical Cancer Research</i> , 2016, 22, 2555-2564.	7.0	42
57	Weekly gemcitabine plus 24-h infusion of high-dose 5-fluorouracil/leucovorin for locally advanced or metastatic carcinoma of the biliary tract. <i>British Journal of Cancer</i> , 2004, 90, 1715-1719.	6.4	39
58	Increased Expression of 14-3-3 $\hat{1}^2$ Promotes Tumor Progression and Predicts Extrahepatic Metastasis and Worse Survival in Hepatocellular Carcinoma. <i>American Journal of Pathology</i> , 2011, 179, 2698-2708.	3.8	39
59	Impact of antitumor activity on survival outcomes, and nonconventional benefit, with nivolumab (NIVO) in patients with advanced hepatocellular carcinoma (aHCC): Subanalyses of CheckMate-040.. <i>Journal of Clinical Oncology</i> , 2018, 36, 475-475.	1.6	39
60	Unexpected rapid progression of metastatic adenoid cystic carcinoma during treatment with imatinib mesylate. <i>Head and Neck</i> , 2005, 27, 1022-1027.	2.0	38
61	Dose escalation to rash for erlotinib plus gemcitabine for metastatic pancreatic cancer: the phase II RACHEL study. <i>British Journal of Cancer</i> , 2014, 111, 2067-2075.	6.4	37
62	Chemotherapy alone versus surgery followed by chemotherapy for stage I/II large-cell lymphoma of the stomach. <i>American Journal of Hematology</i> , 2000, 64, 175-179.	4.1	35
63	Induction of Bim Expression Contributes to the Antitumor Synergy Between Sorafenib and Mitogen-Activated Protein Kinase/Extracellular Signal-Regulated Kinase Kinase Inhibitor CI-1040 in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2009, 15, 5820-5828.	7.0	35
64	Issues and controversies of hepatocellular carcinoma-targeted therapy clinical trials in Asia: experts' opinion. <i>Liver International</i> , 2010, 30, 1427-1438.	3.9	35
65	A Critical Evaluation of the Preventive Effect of Antiviral Therapy on the Development of Hepatocellular Carcinoma in Patients with Chronic Hepatitis C or B: A Novel Approach by Using Meta-Regression. <i>Oncology</i> , 2012, 82, 275-289.	1.9	35
66	Bortezomib suppresses focal adhesion kinase expression via interrupting nuclear factor-kappa B. <i>Life Sciences</i> , 2010, 86, 199-206.	4.3	33
67	Dynamic Contrast-enhanced MR Imaging of Advanced Hepatocellular Carcinoma: Comparison with the Liver Parenchyma and Correlation with the Survival of Patients Receiving Systemic Therapy. <i>Radiology</i> , 2016, 281, 454-464.	7.3	33
68	Diabetes Mellitus Is Associated with Increased Mortality in Patients Receiving Curative Therapy for Hepatocellular Carcinoma. <i>Oncologist</i> , 2012, 17, 856-862.	3.7	32
69	Predictors of bloodstream infection associated with permanently implantable venous port in solid cancer patients. <i>Annals of Oncology</i> , 2013, 24, 463-468.	1.2	32
70	Vertical blockade of the IGFR- PI3K/Akt/mTOR pathway for the treatment of hepatocellular carcinoma: the role of survivin. <i>Molecular Cancer</i> , 2014, 13, 2.	19.2	32
71	Nivolumab (NIVO) + ipilimumab (IPI) combination therapy in patients (pts) with advanced hepatocellular carcinoma (aHCC): Subgroup analyses from CheckMate 040.. <i>Journal of Clinical Oncology</i> , 2020, 38, 512-512.	1.6	31
72	Safety and antitumor activity of nivolumab (nivo) in patients (pts) with advanced hepatocellular carcinoma (HCC): Interim analysis of dose-expansion cohorts from the phase 1/2 CheckMate-040 study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 4078-4078.	1.6	30

#	ARTICLE	IF	CITATIONS
73	Survival-weighted health profile for long-term survivors of acute myelogenous leukemia. <i>Quality of Life Research</i> , 2003, 12, 503-517.	3.1	29
74	Efficacy, Safety, and Potential Biomarkers of Thalidomide plus Metronomic Chemotherapy for Advanced Hepatocellular Carcinoma. <i>Oncology</i> , 2012, 82, 59-66.	1.9	29
75	Clinicopathological and prognostic significances of <scp>EGFR</scp>, <scp>KRAS</scp> and <scp>BRAF</scp> mutations in biliary tract carcinomas in <scp>T</scp>aiwan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 1119-1125.	2.8	28
76	Phase II Multicentered Study of Low-Dose Everolimus plus Cisplatin and Weekly 24-Hour Infusion of High-Dose 5-Fluorouracil and Leucovorin as First-Line Treatment for Patients with Advanced Gastric Cancer. <i>Oncology</i> , 2014, 87, 104-113.	1.9	28
77	Overexpressed focal adhesion kinase predicts a higher incidence of extrahepatic metastasis and worse survival in hepatocellular carcinoma. <i>Human Pathology</i> , 2009, 40, 1384-1390.	2.0	27
78	Predictive and Prognostic Values of Tau and ERCC1 in Advanced Breast Cancer Patients Treated with Paclitaxel and Cisplatin. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 286-293.	1.3	27
79	Effect of Thalidomide in Hepatocellular Carcinoma: Assessment with Power Doppler US and Analysis of Circulating Angiogenic Factors. <i>Radiology</i> , 2005, 235, 509-516.	7.3	26
80	Perspectives on the combination of radiotherapy and targeted therapy with DNA repair inhibitors in the treatment of pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 7275.	3.3	26
81	Development of a PD-L1-Expressing Orthotopic Liver Cancer Model: Implications for Immunotherapy for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2019, 8, 155-171.	7.7	25
82	Gemcitabine and cisplatin in a multimodality treatment for locally advanced non-small cell lung cancer. <i>British Journal of Cancer</i> , 2002, 86, 190-195.	6.4	24
83	Nuclear Overexpression of Mitotic Regulatory Proteins in Biliary Tract Cancer: Correlation with Clinicopathologic Features and Patient Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 417-423.	2.5	24
84	Prognosis of advanced hepatocellular carcinoma patients enrolled in clinical trials can be classified by current staging systems. <i>British Journal of Cancer</i> , 2012, 107, 1672-1677.	6.4	24
85	Position Statement on Atopic Dermatitis in Sub-Saharan Africa: current status and roadmap. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 2019-2028.	2.4	24
86	Potential Role of CXCL13/CXCR5 Signaling in Immune Checkpoint Inhibitor Treatment in Cancer. <i>Cancers</i> , 2022, 14, 294.	3.7	24
87	Radiofrequency Ablation Is Superior to Ethanol Injection in Early-Stage Hepatocellular Carcinoma Irrespective of Tumor Size. <i>PLoS ONE</i> , 2013, 8, e80276.	2.5	23
88	Expression of the caudal-type homeodomain transcription factor CDX2 is related to clinical outcome in biliary tract carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 389-394.	2.8	22
89	Clinical Development and Future Direction for the Treatment of Hepatocellular Carcinoma. <i>Journal of Experimental and Clinical Medicine</i> , 2010, 2, 93-103.	0.2	21
90	Expression levels of ROS1/ALK/c-MET and therapeutic efficacy of cetuximab plus chemotherapy in advanced biliary tract cancer. <i>Scientific Reports</i> , 2016, 6, 25369.	3.3	21

#	ARTICLE	IF	CITATIONS
91	Hepatitis B and C viruses are not risks for pancreatic adenocarcinoma. <i>World Journal of Gastroenterology</i> , 2014, 20, 5060.	3.3	21
92	Phase II Study of Weekly Paclitaxel and 24-Hour Infusion of High-Dose 5-Fluorouracil and Leucovorin in the Treatment of Recurrent or Metastatic Gastric Cancer. <i>Oncology</i> , 2005, 69, 88-95.	1.9	19
93	High Circulating Endothelial Progenitor Levels Associated with Poor Survival of Advanced Hepatocellular Carcinoma Patients Receiving Sorafenib Combined with Metronomic Chemotherapy. <i>Oncology</i> , 2011, 81, 98-103.	1.9	19
94	Perspectives on The Design of Clinical Trials Combining Transarterial Chemoembolization and Molecular Targeted Therapy. <i>Liver Cancer</i> , 2012, 1, 168-176.	7.7	19
95	Consensus Development from the 5th Asia-Pacific Primary Liver Cancer Expert Meeting (APPLE 2014). <i>Liver Cancer</i> , 2015, 4, 96-105.	7.7	19
96	<i>Klotho</i> and <i>fibroblast growth factor 19</i> expression correlates with early recurrence of resectable hepatocellular carcinoma. <i>Liver International</i> , 2019, 39, 1682-1691.	3.9	19
97	Immunotherapy in hepatocellular carcinoma: evaluation and management of adverse events associated with atezolizumab plus bevacizumab. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592110311.	3.2	19
98	Nivolumab dose escalation and expansion in patients with advanced hepatocellular carcinoma (HCC): The CheckMate 040 study.. <i>Journal of Clinical Oncology</i> , 2017, 35, 226-226.	1.6	19
99	Recent advances in non-surgical treatment for advanced hepatocellular carcinoma. <i>Journal of the Formosan Medical Association</i> , 2004, 103, 483-95.	1.7	19
100	Early perfusion changes within 1 week of systemic treatment measured by dynamic contrast-enhanced MRI may predict survival in patients with advanced hepatocellular carcinoma. <i>European Radiology</i> , 2017, 27, 3069-3079.	4.5	18
101	FRI-471-Regorafenib may enhance efficacy of anti-program cell death-1 therapy in hepatocellular carcinoma through modulation of macrophage polarization. <i>Journal of Hepatology</i> , 2019, 70, e605-e606.	3.7	18
102	Long-term hepatic consequences of chemotherapy-related HBV reactivation in lymphoma patients. <i>World Journal of Gastroenterology</i> , 2005, 11, 5283.	3.3	18
103	Geographic difference in safety and efficacy of systemic chemotherapy for advanced gastric or gastroesophageal carcinoma: a meta-analysis and meta-regression. <i>Gastric Cancer</i> , 2012, 15, 265-280.	5.3	17
104	Sorafenib in advanced hepatocellular carcinoma: current status and future perspectives. <i>Journal of Hepatocellular Carcinoma</i> , 2014, 1, 85.	3.7	17
105	An Exploratory Study for the Association of Gut Microbiome with Efficacy of Immune Checkpoint Inhibitor in Patients with Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 809-822.	3.7	17
106	Comparative microRNA detection from precursor microRNA-transfected hepatocellular carcinoma cells by capillary electrophoresis with dual-color laser-induced fluorescence. <i>Electrophoresis</i> , 2012, 33, 2769-2776.	2.4	16
107	Author's reply: Vitamin A and gastric cancer risk. <i>Gastric Cancer</i> , 2012, 15, 344-344.	5.3	16
108	Inferior Survival of Advanced Pancreatic Cancer Patients Who Received Gemcitabine-Based Chemotherapy but Did Not Participate in Clinical Trials. <i>Oncology</i> , 2011, 81, 143-150.	1.9	15

#	ARTICLE	IF	CITATIONS
109	Phase II Study of Concomitant Thalidomide During Radiotherapy for Hepatocellular Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 817-825.	0.8	15
110	A pilot study of hepatic arterial infusion of chemotherapy for patients with advanced hepatocellular carcinoma who have failed anti-angiogenic therapy. <i>Liver International</i> , 2013, 33, 1413-1419.	3.9	15
111	Novel systemic therapy for hepatocellular carcinoma. <i>Hepatology International</i> , 2020, 14, 638-651.	4.2	15
112	Dynamic MRI signals in the second week of radiotherapy relate to treatment outcomes of hepatocellular carcinoma: a preliminary result. <i>Liver International</i> , 2007, 27, 516-528.	3.9	14
113	Gemcitabine plus conventional-dose epirubicin versus gemcitabine plus cisplatin as first-line chemotherapy for stage IIIB/IV non-small cell lung carcinoma: A randomized phase II trial. <i>Lung Cancer</i> , 2008, 62, 334-343.	2.0	14
114	A Multicenter Phase II Study of Second-Line Axitinib for Patients with Advanced Hepatocellular Carcinoma Failing First-Line Sorafenib Monotherapy. <i>Oncologist</i> , 2020, 25, e1280-e1285.	3.7	14
115	Adjuvant versus Neoadjuvant Immunotherapy for Hepatocellular Carcinoma: Clinical and Immunologic Perspectives. <i>Seminars in Liver Disease</i> , 2021, 41, 263-276.	3.6	14
116	Growth arrest DNA damage-inducible gene 45 gamma expression as a prognostic and predictive biomarker in hepatocellular carcinoma. <i>Oncotarget</i> , 2015, 6, 27953-27965.	1.8	14
117	Chlorhexidine for the prevention of bloodstream infection associated with totally implantable venous ports in patients with solid cancers. <i>Supportive Care in Cancer</i> , 2014, 22, 1189-1197.	2.2	13
118	Perfusion parameters of dynamic contrast-enhanced magnetic resonance imaging predict outcomes of hepatocellular carcinoma receiving radiotherapy with or without thalidomide. <i>Hepatology International</i> , 2015, 9, 258-268.	4.2	13
119	The Prognostic Impact of Type 2 Diabetes Mellitus on Early Cervical Cancer in Asia. <i>Oncologist</i> , 2015, 20, 1051-1057.	3.7	13
120	Epithelioid Trophoblastic Tumor Around an Abdominal Cesarean Scar: A Pathologic and Molecular Genetic Analysis. <i>International Journal of Gynecological Pathology</i> , 2017, 36, 562-567.	1.4	13
121	Simultaneous visualization of the subfemtomolar expression of microRNA and microRNA target gene using HILO microscopy. <i>Chemical Science</i> , 2017, 8, 6670-6678.	7.4	13
122	Potential synergistic anti-tumor activity between lenalidomide and sorafenib in hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 2021-2031.	2.8	12
123	Lenalidomide as second-line therapy for advanced hepatocellular carcinoma: exploration of biomarkers for treatment efficacy. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 722-730.	3.7	12
124	Comparison of MALT and non-MALT primary large cell lymphoma of the stomach. <i>Cancer</i> , 2001, 91, 49-56.	4.1	11
125	Predictors of toxicity of weekly docetaxel in chemotherapy-treated non-small cell lung cancers. <i>Lung Cancer</i> , 2008, 60, 92-97.	2.0	11
126	Sorafenib for the treatment of hepatocellular carcinoma across geographic regions. <i>Expert Review of Clinical Pharmacology</i> , 2009, 2, 129-136.	3.1	11

#	ARTICLE	IF	CITATIONS
127	Potentiating the Efficacy of Molecular Targeted Therapy for Hepatocellular Carcinoma by Inhibiting the Insulin-Like Growth Factor Pathway. PLoS ONE, 2013, 8, e66589.	2.5	11
128	Hepatic safety and biomarker assessments in sorafenib-experienced patients with advanced hepatocellular carcinoma treated with nivolumab in the CheckMate-040 study. Journal of Hepatology, 2018, 68, S16.	3.7	11
129	A multicenter, phase I/II trial of biweekly S-1, leucovorin, oxaliplatin and gemcitabine in metastatic pancreatic adenocarcinoma—TCOG T1211 study. European Journal of Cancer, 2020, 124, 123-130.	2.8	11
130	Low miR-10b-3p associated with sorafenib resistance in hepatocellular carcinoma. British Journal of Cancer, 2022, 126, 1806-1814.	6.4	11
131	Phase II trial combining paclitaxel with 24-hour infusion cisplatin for chemotherapy-naïve patients with locally advanced or metastatic breast carcinoma. Cancer, 2002, 95, 2044-2050.	4.1	10
132	Comparison of Characteristics and Transarterial Chemoembolization Outcomes in Patients with Unresectable Hepatocellular Carcinoma and Different Viral Etiologies. Journal of Vascular and Interventional Radiology, 2014, 25, 371-378.	0.5	10
133	A Decade of Changes in Preferences for Life-Sustaining Treatments Among Terminally Ill Patients With Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2015, 13, 1510-1518.	4.9	10
134	Use of plasma angiogenesis-related factors to investigate the association of interleukin 8 and interleukin 6 levels with efficacy of sorafenib-based antiangiogenic therapy in patients with advanced hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2011, 29, 199-199.	1.6	10
135	Phase I study of biweekly gemcitabine followed by oxaliplatin and simplified 48-h infusion of fluorouracil/leucovorin for advanced pancreatic cancer. Journal of Gastroenterology and Hepatology (Australia), 2006, 21, 874-879.	2.8	9
136	Factors Impacting Prognosis Prediction in BCLC Stage C and Child-Pugh Class A Hepatocellular Carcinoma Patients in Prospective Clinical Trials of Systemic Therapy. Oncologist, 2012, 17, 970-977.	3.7	9
137	KRAS mutation status-stratified randomized phase II trial of GEMOX with and without cetuximab in advanced biliary tract cancer (ABTC): The TCOG T1210 trial.. Journal of Clinical Oncology, 2013, 31, 4018-4018.	1.6	9
138	Survival of stage IIIB/IV non-small cell lung cancer patients who received chemotherapy but did not participate in clinical trials. Lung Cancer, 2005, 48, 275-280.	2.0	8
139	Multifractionated paclitaxel and cisplatin combined with 5-fluorouracil and leucovorin in patients with metastatic or recurrent esophageal squamous cell carcinoma. Anti-Cancer Drugs, 2007, 18, 703-708.	1.4	8
140	Cost-effectiveness of preventing hepatitis B virus reactivation in patients with lymphoma and resolved HBV infection. Journal of the Formosan Medical Association, 2020, 119, 335-344.	1.7	8
141	Potential of circulating immune cells as biomarkers of nivolumab treatment efficacy for advanced hepatocellular carcinoma. Journal of the Chinese Medical Association, 2021, 84, 144-150.	1.4	8
142	Fully digital problem-based learning for undergraduate medical students during the COVID-19 period: Practical considerations. Journal of the Formosan Medical Association, 2022, 121, 2130-2134.	1.7	8
143	Phase I-II trial of weekly gemcitabine plus high-dose 5-fluorouracil and leucovorin in advanced pancreatic cancer. Journal of Gastroenterology and Hepatology (Australia), 2006, 21, 531-536.	2.8	7
144	Multicentre, phase II study of gemcitabine and S-1 in patients with advanced biliary tract cancer: TG1308 study. Liver International, 2020, 40, 2535-2543.	3.9	7

#	ARTICLE	IF	CITATIONS
145	An Open-Label, Single-Arm, Two-Stage, Multicenter, Phase II Study to Evaluate the Efficacy of TLC388 and Genomic Analysis for Poorly Differentiated Neuroendocrine Carcinomas. <i>Oncologist</i> , 2020, 25, e782-e788.	3.7	7
146	A phase II study of weekly methotrexate, cisplatin, and 24-hour infusion of high-dose 5-fluorouracil and leucovorin (MP-HDFL) in patients with metastatic and recurrent esophageal cancer-improving toxicity profile by infusional schedule and double biochemical modulation of 5-fluorouracil. <i>Anticancer Research</i> , 2002, 22, 3621-7.	1.1	7
147	Molecular targeted therapy for advanced hepatocellular carcinoma. <i>Targeted Oncology</i> , 2007, 2, 199-210.	3.6	6
148	Dynamic Contrast-Enhanced and Intravoxel Incoherent Motion MRI Biomarkers Are Correlated to Survival Outcome in Advanced Hepatocellular Carcinoma. <i>Diagnostics</i> , 2021, 11, 1340.	2.6	6
149	A phase II trial of MEK inhibitor BAY 86-9766 in combination with sorafenib as first-line systemic treatment for patients with unresectable hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2012, 30, 4103-4103.	1.6	6
150	Cisplatin, etoposide, and weekly high-dose 5-fluorouracil and leucovorin infusion (PE-HDFL)-a very effective regimen with good patients' compliance for advanced gastric cancer. <i>Anticancer Research</i> , 1998, 18, 1267-72.	1.1	6
151	Phase II study of combination doxorubicin, interferon-alpha, and high-dose tamoxifen treatment for advanced hepatocellular carcinoma. <i>Hepato-Gastroenterology</i> , 2004, 51, 815-9.	0.5	6
152	Lack of efficacy of troglitazone at clinically achievable concentrations, with or without 9-cis retinoic acid or cytotoxic agents, for hepatocellular carcinoma cell lines. <i>British Journal of Cancer</i> , 2004, 91, 1561-1565.	6.4	5
153	Considerations of heterogeneity in clinical trials for hepatocellular carcinoma. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019, 13, 615-621.	3.0	5
154	Safety and Preliminary Efficacy of Ramucirumab in Combination with FOLFOX4 in Patients with Advanced Hepatocellular Carcinoma: A Nonrandomized, Open-Label, Phase Ib Study. <i>Oncologist</i> , 2020, 25, e1921-e1929.	3.7	5
155	Safety and efficacy of combination of GT90001, an anti-activin receptor-like kinase-1 (ALK-1) antibody, and nivolumab in patients with metastatic hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 326-326.	1.6	5
156	Eg5 as a Prognostic Biomarker and Potential Therapeutic Target for Hepatocellular Carcinoma. <i>Cells</i> , 2021, 10, 1698.	4.1	5
157	Allogeneic stem cell transplantation for patients with high-risk myelodysplastic syndrome. <i>Journal of the Formosan Medical Association</i> , 1999, 98, 157-64.	1.7	5
158	Eastern asian expert panel opinion: designing clinical trials of molecular targeted therapy for hepatocellular carcinoma. <i>BMC Cancer</i> , 2010, 10, 620.	2.6	4
159	The unique characteristic in peripheral immune cells in patients with advanced hepatocellular carcinoma. <i>Journal of the Formosan Medical Association</i> , 2020, 120, 1581-1590.	1.7	4
160	MVP (mitomycin-C, vinblastine, cisplatin) salvage chemotherapy for relapsed and refractory metastatic breast cancer. <i>Journal of the Formosan Medical Association</i> , 1997, 96, 185-8.	1.7	4
161	Strategies to prevent hepatitis B virus reactivation in patients receiving immunosuppressive therapy. <i>Hepatology</i> , 2009, 50, 654-655.	7.3	3
162	Diagnostic value of 18F-FDG-PET/CT in indeterminate infiltrative hepatic lesions in an endemic area of viral hepatitis. <i>Nuclear Medicine Communications</i> , 2011, 32, 252-259.	1.1	3

#	ARTICLE	IF	CITATIONS
163	Low-dose nab-paclitaxel-based combination chemotherapy in heavily pretreated pancreatic cancer patients. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 97-105.	1.7	3
164	Prognostic values of baseline circulating endothelial progenitor level for advanced hepatocellular carcinoma (HCC) patients under antiangiogenic therapy.. <i>Journal of Clinical Oncology</i> , 2010, 28, 4063-4063.	1.6	3
165	Early Changes in DCE-MRI Biomarkers May Predict Survival Outcomes in Patients with Advanced Hepatocellular Carcinoma after Sorafenib Failure: Two Prospective Phase II Trials. <i>Cancers</i> , 2021, 13, 4962.	3.7	3
166	Outcome of advanced nonsmall cell lung cancer patients receiving gemcitabine and weekly paclitaxel as first-line treatment. <i>Lung Cancer</i> , 2008, 60, 215-221.	2.0	2
167	Limited Predictive or Prognostic Role of Tumor-Infiltrating Tissue-Resident Memory CD8 T Cells in Patients with Hepatocellular Carcinoma Receiving Immunotherapy. <i>Cancers</i> , 2021, 13, 5142.	3.7	2
168	Abstract A241: Searching for extracellular signal-regulated kinase (ERK)-independent molecular targets of sorafenib in hepatocellular carcinoma (HCC).. 2009, , .		2
169	Clinical and Preclinical Perspectives on Mechanisms of Sorafenib Resistance in Hepatocellular Carcinoma. <i>Resistance To Targeted Anti-cancer Therapeutics</i> , 2017, , 93-103.	0.1	2
170	360...Tumor-immune signatures associated with response or resistance to tislelizumab in patients with previously treated advanced hepatocellular carcinoma (HCC).. 2021, 9, A387-A387.		2
171	Success is not final, failure is not fatal: The changing landscape of systemic therapy for advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Practice</i> , 2021, 8, 127.	0.2	2
172	116 USING DYNAMIC CONTRAST-ENHANCED MAGNETIC RESONANCE IMAGING (DCE-MRI) TO PREDICT TREATMENT OUTCOMES FOR ADVANCED HEPATOCELLULAR CARCINOMA (HCC) PATIENTS WHO RECEIVED SORAFENIB PLUS TEGAFUR/URACIL THERAPY. <i>Journal of Hepatology</i> , 2010, 52, S52.	3.7	1
173	Geographic difference in safety and efficacy of systemic chemotherapy for advanced gastric or gastroesophageal carcinoma: A meta-regression approach.. <i>Journal of Clinical Oncology</i> , 2011, 29, 109-109.	1.6	1
174	Using dynamic contrast-enhanced magnetic resonance imaging (DCE-MRI) to predict efficacy of axitinib for treatment of advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2017, 35, e15656-e15656.	1.6	1
175	A phase II study of weekly low-dose paclitaxel plus 24-hour infusion of cisplatin as first-line chemotherapy for metastatic breast cancer (MBC). <i>Journal of Clinical Oncology</i> , 2007, 25, 1100-1100.	1.6	1
176	A phase II trial of modified gemcitabine plus S-1 combination as the first-line treatment in patients with advanced biliary tract cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 417-417.	1.6	1
177	An open label, single-arm, two-stage, multicenter, phase II study to evaluate the efficacy and safety of TLC388 as second-line treatment in subjects with poorly differentiated neuroendocrine carcinomas (TCOGT1Z14).. <i>Journal of Clinical Oncology</i> , 2019, 37, 4101-4101.	1.6	1
178	Ramucirumab for patients with advanced hepatocellular carcinoma and elevated alpha fetoprotein following a non-sorafenib based systemic therapy: interim results from an expansion cohort of the phase 3 REACH-2 study. , 2021, 59, .		1
179	AdvanTIG-206: Anti-TIGIT monoclonal antibody (mAb) ociperlimab (BGB-A1217; OCI) plus anti-programmed cell death protein-1 (PD-1) mAb tislelizumab (TIS) plus BAT1706 versus TIS plus BAT1706 as first-line (1L) treatment for advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS4172-TPS4172.	1.6	1
180	End-of-life care for cancer patients in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2011, 110, 799.	1.7	0

#	ARTICLE	IF	CITATIONS
181	Reply. Hepatology, 2014, 60, 766-767.	7.3	0
182	Cough With Bile. American Journal of Gastroenterology, 2016, 111, 313.	0.4	0
183	Spectrum of cancer patients receiving renal biopsy. Journal of the Formosan Medical Association, 2021, 121, 152-152.	1.7	0
184	Comparison of the antitumor activity of thalidomide between hepatitis B (HBV)- and hepatitis C (HCV)-related hepatocellular carcinoma (HCC). Journal of Clinical Oncology, 2004, 22, 4198-4198.	1.6	0
185	Prognostic factors for patients with metastatic urothelial carcinoma treated with cisplatin and 5-fluorouracil-based regimens. Journal of Clinical Oncology, 2006, 24, 14583-14583.	1.6	0
186	Outcome of advanced gastric cancer patients with disseminated intravascular coagulation and bone marrow metastasis is improved by weekly 24-Hour infusional high-dose 5-fluorouracil and leucovorin (HDFL)-based chemotherapy. Journal of Clinical Oncology, 2006, 24, 14132-14132.	1.6	0
187	Predictors for toxicity profiles of weekly docetaxel in non-small cell lung cancers. Journal of Clinical Oncology, 2006, 24, 17153-17153.	1.6	0
188	Weekly paclitaxel, cisplatin, and 24-hour infusion of high-dose 5-fluorouracil plus leucovorin (weekly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 2007, 25, 15165-15165.	1.6	0
189	Treatment of Hepatocellular Carcinoma with Thalidomide: Assessment with Power Doppler Ultrasound. , 2009, , 277-286.		0
190	Induction chemotherapy followed by concurrent chemoradiotherapy with/without esophagectomy for locally advanced esophageal squamous cell carcinoma. Journal of Clinical Oncology, 2009, 27, e15526-e15526.	1.6	0
191	Lamivudine and Hepatitis B Reactivation. Annals of Internal Medicine, 2009, 151, 141.	3.9	0
192	Concurrent chemoradiotherapy with cetuximab plus twice-weekly paclitaxel and cisplatin followed by esophagectomy for locally advanced esophageal squamous cell carcinoma.. Journal of Clinical Oncology, 2011, 29, 79-79.	1.6	0
193	The first two lines of chemotherapy for anthracycline-naïve metastatic breast cancer: A comparative study of efficacy between anthracyclines and nonanthracyclines.. Journal of Clinical Oncology, 2012, 30, 1061-1061.	1.6	0
194	Survival of patients receiving radiofrequency ablation or ethanol injection for early-stage hepatocellular carcinoma.. Journal of Clinical Oncology, 2013, 31, e15043-e15043.	1.6	0
195	Impact of ROS1, ALK, and/or MET expression level on the therapeutic efficacy of GEMOX with and without cetuximab in ABTC: A post hoc analysis of a randomized phase II trial.. Journal of Clinical Oncology, 2014, 32, 267-267.	1.6	0
196	The impact of diabetes mellitus on early cervical cancer in Îisia: A population-based cohort study.. Journal of Clinical Oncology, 2014, 32, e16501-e16501.	1.6	0
197	Phase I trial of biweekly S-1, leucovorin, oxaliplatin, and gemcitabine (the SLOG regimen) in metastatic pancreatic adenocarcinoma (mPDAC).. Journal of Clinical Oncology, 2016, 34, 369-369.	1.6	0
198	Low-dose nab-paclitaxel-based combination chemotherapy in heavily-pretreated pancreatic or ampullary cancer patients: Taiwanese single-center case series.. Journal of Clinical Oncology, 2016, 34, e15695-e15695.	1.6	0

#	ARTICLE	IF	CITATIONS
199	Nivolumab bei Sorafenib-naiven und -behandelten Patienten mit fortgeschrittenem hepatozellulÄrem Karzinom (HCC) CheckMate 040 Studie. , 2017, 55, .		0
200	AdvanTIG-206: Anti-TIGIT monoclonal antibody (mAb) ociperlimab (BGB-A1217; OCI) plus anti-programmed cell death protein 1 (PD-1) mAb tislelizumab (TIS) plus BAT1706 versus (vs) TIS plus BAT1706 as first-line treatment for advanced hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2022, 40, TPS488-TPS488.	1.6	0
201	Comparison of the antitumor activity of thalidomide between hepatitis B (HBV)- and hepatitis C (HCV)-related hepatocellular carcinoma (HCC). Journal of Clinical Oncology, 2004, 22, 4198-4198.	1.6	0
202	Case Report: Maintenance Nivolumab in Complete Responder After Multimodality Therapy in Metastatic Pancreatic Adenocarcinoma. Frontiers in Immunology, 2022, 13, 870406.	4.8	0
203	Trial Designs for Integrating Novel Therapeutics into the Management of Intermediate-Stage Hepatocellular Carcinoma. Journal of Hepatocellular Carcinoma, 0, Volume 9, 517-536.	3.7	0
204	Clinical outcomes in patients (pts) with previously treated advanced hepatocellular carcinoma (HCC) experiencing hepatitis B virus (HBV) DNA increases during tislelizumab (TIS) treatment in RATIONALE-208.. Journal of Clinical Oncology, 2022, 40, e16181-e16181.	1.6	0