

# Zhaoxiang Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2933072/publications.pdf>

Version: 2024-02-01

100  
papers

8,698  
citations

50276

46  
h-index

42399

92  
g-index

100  
all docs

100  
docs citations

100  
times ranked

10177  
citing authors

#	ARTICLE	IF	CITATIONS
1	Localized domains staging structure and evolution in lithiated graphite. , 2023, 5, .		21
2	<sc>Anti-perovskite</sc> materials for energy storage batteries. Informa Mater, 2022, 4, .	17.3	32
3	Controlled Lithium Deposition. Frontiers in Energy Research, 2022, 10, .	2.3	3
4	Configuration-dependent anionic redox in cathode materials. , 2022, 1, .		28
5	Feasibility to Improve the Stability of Lithium-Rich Layered Oxides by Surface Doping. ACS Applied Materials & Interfaces, 2022, 14, 18353-18359.	8.0	21
6	Electrolyte and current collector designs for stable lithium metal anodes. International Journal of Minerals, Metallurgy and Materials, 2022, 29, 953-964.	4.9	12
7	Anionic redox reaction and structural evolution of Ni-rich layered oxide cathode material. Nano Energy, 2022, 98, 107335.	16.0	27
8	Polymer electrolytes based on interactions between [solvent-Li+] complex and solvent-modified polymer. Energy Storage Materials, 2022, 51, 443-452.	18.0	62
9	Regulating Anion Redox and Cation Migration to Enhance the Structural Stability of Li-Rich Layered Oxides. ACS Applied Materials & Interfaces, 2021, 13, 12159-12168.	8.0	32
10	Iron carbide allured lithium metal storage in carbon nanotube cavities. Energy Storage Materials, 2021, 36, 459-465.	18.0	39
11	Synergy Effect of Trimethyl Borate on Protecting High-Voltage Cathode Materials in Dual-Additive Electrolytes. ACS Applied Materials & Interfaces, 2021, 13, 21459-21466.	8.0	21
12	Competitive Solvation Enhanced Stability of Lithium Metal Anode in Dual-Salt Electrolyte. Nano Letters, 2021, 21, 3310-3317.	9.1	95
13	Anionic Effect on Enhancing the Stability of a Solid Electrolyte Interphase Film for Lithium Deposition on Graphite. Nano Letters, 2021, 21, 5316-5323.	9.1	46
14	Cationic disordering modulated electrochemical performances of layer-structured Li <sub>2</sub> MoO <sub>3</sub> . Materials Today Physics, 2021, 21, 100561.	6.0	4
15	Phase Diagram Determined Lithium Plating/Stripping Behaviors on Lithiophilic Substrates. ACS Energy Letters, 2021, 6, 4118-4126.	17.4	65
16	Understanding the dropping of lithium plating potential in carbonate electrolyte. Nano Energy, 2020, 70, 104486.	16.0	42
17	Stacking Faults Hinder Lithium Insertion in Li <sub>2</sub> RuO <sub>3</sub> . Advanced Energy Materials, 2020, 10, 2002631.	19.5	22
18	Superiority of native vacancies in activating anionic redox in P2-type Na <sub>2/3</sub> [Mn <sub>7/9</sub> Mg <sub>1/9</sub> ]O <sub>2</sub> . Nano Energy, 2020, 78, 105172.	16.0	40

#	ARTICLE	IF	CITATIONS
19	Self-charging flexible solar capacitors based on integrated perovskite solar cells and quasi-solid-state supercapacitors fabricated at low temperature. <i>Journal of Power Sources</i> , 2020, 479, 229046.	7.8	25
20	Europium-Doped Ceria Nanowires as Anode for Solid Oxide Fuel Cells. <i>Frontiers in Chemistry</i> , 2020, 8, 348.	3.6	11
21	Impact of hydrogen on lithium storage on graphene edges. <i>Applied Surface Science</i> , 2020, 515, 145886.	6.1	5
22	Eliminating Transition Metal Migration and Anionic Redox to Understand Voltage Hysteresis of Lithium-Rich Layered Oxides. <i>Advanced Energy Materials</i> , 2020, 10, 1903634.	19.5	45
23	Insights into Lithium and Sodium Storage in Porous Carbon. <i>Nano Letters</i> , 2020, 20, 3836-3843.	9.1	86
24	Minimizing carbon particle size to improve lithium deposition on natural graphite. <i>Carbon</i> , 2019, 155, 9-15.	10.3	26
25	Interface Engineering to Eliminate Hysteresis of Carbon-Based Planar Heterojunction Perovskite Solar Cells via CuSCN Incorporation. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 28431-28441.	8.0	60
26	Li-Ti Cation Mixing Enhanced Structural and Performance Stability of Li-Rich Layered Oxide. <i>Advanced Energy Materials</i> , 2019, 9, 1901530.	19.5	76
27	Extended "Adsorption" Insertion Model: A New Insight into the Sodium Storage Mechanism of Hard Carbons. <i>Advanced Energy Materials</i> , 2019, 9, 1901351.	19.5	284
28	Sodium Storage Mechanism: Extended "Adsorption" Insertion Model: A New Insight into the Sodium Storage Mechanism of Hard Carbons ( <i>Adv. Energy Mater.</i> 32/2019). <i>Advanced Energy Materials</i> , 2019, 9, 1970125.	19.5	4
29	Improved lithium deposition on silver plated carbon fiber paper. <i>Nano Energy</i> , 2019, 66, 104144.	16.0	38
30	Atomic Scale Recognition of Structure in the Intercalation of Sodium by Aberration-Corrected Scanning Transmission Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2019, 25, 2120-2121.	0.4	0
31	Atomistic understanding of structural evolution, ion transport and oxygen stability in layered NaFeO <sub>2</sub> . <i>Journal of Materials Chemistry A</i> , 2019, 7, 2619-2625.	10.3	13
32	LiFSI to improve lithium deposition in carbonate electrolyte. <i>Energy Storage Materials</i> , 2019, 23, 350-357.	18.0	65
33	Trimethyl Borate as Film-Forming Electrolyte Additive To Improve High-Voltage Performances. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 17435-17443.	8.0	77
34	Lithium Plating and Stripping on Carbon Nanotube Sponge. <i>Nano Letters</i> , 2019, 19, 494-499.	9.1	101
35	Native Vacancy Enhanced Oxygen Redox Reversibility and Structural Robustness. <i>Advanced Energy Materials</i> , 2019, 9, 1803087.	19.5	70
36	Iron migration and oxygen oxidation during sodium extraction from NaFeO <sub>2</sub> . <i>Nano Energy</i> , 2018, 47, 519-526.	16.0	111

#	ARTICLE	IF	CITATIONS
37	Another Strategy, Detouring Potential Decay by Fast Completion of Cation Mixing. <i>Advanced Energy Materials</i> , 2018, 8, 1703092.	19.5	30
38	Reduction Depth Dependent Structural Reversibility of Sn <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> . <i>ACS Applied Energy Materials</i> , 2018, 1, 129-133.	5.1	8
39	Surface Doping to Enhance Structural Integrity and Performance of Li-Rich Layered Oxide. <i>Advanced Energy Materials</i> , 2018, 8, 1802105.	19.5	228
40	First-principles calculations on lithium and sodium adsorption on graphene edges. <i>Electrochimica Acta</i> , 2018, 282, 205-212.	5.2	14
41	Vacancy-induced MnO <sub>6</sub> distortion and its impacts on structural transition of Li <sub>2</sub> MnO <sub>3</sub> . <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 7025-7031.	2.8	29
42	Design and Properties Prediction of AM/CO <sub>3</sub> F by First-Principles Calculations. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 13255-13261.	8.0	5
43	Structural stability and stabilization of Li <sub>2</sub> MoO <sub>3</sub> . <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 17538-17543.	2.8	20
44	Controlled deposition of Li metal. <i>Nano Energy</i> , 2017, 32, 241-246.	16.0	70
45	Reversible conversion of MoS <sub>2</sub> upon sodium extraction. <i>Nano Energy</i> , 2017, 41, 217-224.	16.0	60
46	Li <sub>2</sub> C <sub>2</sub> , a High-Capacity Cathode Material for Lithium Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 644-648.	13.8	29
47	Enhanced electrochemical performance of Ti-doped Li <sub>1.2</sub> Mn <sub>0.54</sub> Co <sub>0.13</sub> Ni <sub>0.13</sub> O <sub>2</sub> for lithium-ion batteries. <i>Journal of Power Sources</i> , 2016, 317, 74-80.	7.8	134
48	Ternary Porous Sulfur/Dual-Carbon Architectures for Lithium/Sulfur Batteries Obtained Continuously and on a Large Scale via an Industry-Oriented Spray-Pyrolysis/Sublimation Method. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 25251-25260.	8.0	15
49	LiCoO <sub>2</sub> -catalyzed electrochemical oxidation of Li <sub>2</sub> CO <sub>3</sub> . <i>Nano Research</i> , 2016, 9, 3903-3913.	10.4	29
50	Reversible reduction of Li <sub>2</sub> CO <sub>3</sub> . <i>Journal of Materials Chemistry A</i> , 2015, 3, 14173-14177.	10.3	80
51	Novel Large-Scale Synthesis of a C/S Nanocomposite with Mixed Conducting Networks through a Spray Drying Approach for Li-S Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500046.	19.5	96
52	Anti-P2 structured Na <sub>0.5</sub> NbO <sub>2</sub> and its negative strain effect. <i>Energy and Environmental Science</i> , 2015, 8, 2753-2759.	30.8	14
53	Lithium Storage in Heat-Treated SnF <sub>2</sub> /Polyacrylonitrile Anode. <i>Chemistry - A European Journal</i> , 2015, 21, 8491-8496.	3.3	7
54	Gelatin-pyrolyzed mesoporous carbon as a high-performance sodium-storage material. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7849-7854.	10.3	97

#	ARTICLE	IF	CITATIONS
55	Selecting Substituent Elements for Li-Rich Mn-Based Cathode Materials by Density Functional Theory (DFT) Calculations. <i>Chemistry of Materials</i> , 2015, 27, 3456-3461.	6.7	149
56	Workfunction, a new viewpoint to understand the electrolyte/electrode interface reaction. <i>Journal of Materials Chemistry A</i> , 2015, 3, 23420-23425.	10.3	21
57	Transition-Metal-Catalyzed Oxidation of Metallic Sn in NiO/SnO <sub>2</sub> Nanocomposite. <i>Chemistry - A European Journal</i> , 2014, 20, 5487-5491.	3.3	30
58	Feasibility of Using Li <sub>2</sub> MoO <sub>3</sub> in Constructing Li-Rich High Energy Density Cathode Materials. <i>Chemistry of Materials</i> , 2014, 26, 3256-3262.	6.7	106
59	Atomic-Scale Clarification of Structural Transition of MoS <sub>2</sub> upon Sodium Intercalation. <i>ACS Nano</i> , 2014, 8, 11394-11400.	14.6	355
60	Molybdenum Substitution for Improving the Charge Compensation and Activity of Li <sub>2</sub> MnO <sub>3</sub> . <i>Chemistry - A European Journal</i> , 2014, 20, 8723-8730.	3.3	33
61	Tuning charge-discharge induced unit cell breathing in layer-structured cathode materials for lithium-ion batteries. <i>Nature Communications</i> , 2014, 5, 5381.	12.8	180
62	High performance pure sulfur honeycomb-like architectures synthesized by a cooperative self-assembly strategy for lithium-sulfur batteries. <i>RSC Advances</i> , 2014, 4, 36513-36516.	3.6	8
63	Carbon-coated hierarchically porous silicon as anode material for lithium ion batteries. <i>RSC Advances</i> , 2014, 4, 15314.	3.6	35
64	Improved electron/Li-ion transport and oxygen stability of Mo-doped Li <sub>2</sub> MnO <sub>3</sub> . <i>Journal of Materials Chemistry A</i> , 2014, 2, 4811.	10.3	101
65	Structural and electrochemical stability of Li-rich layer structured Li <sub>2</sub> MoO <sub>3</sub> in air. <i>Journal of Power Sources</i> , 2014, 258, 314-320.	7.8	41
66	Polypyrrole-NiO composite as high-performance lithium storage material. <i>Electrochimica Acta</i> , 2013, 105, 162-169.	5.2	40
67	Surface modification of Li <sub>1.2</sub> Mn <sub>0.54</sub> Co <sub>0.13</sub> Ni <sub>0.13</sub> O <sub>2</sub> with conducting polypyrrole. <i>Journal of Power Sources</i> , 2013, 231, 44-49.	7.8	91
68	Highly Ordered Mesoporous Crystalline MoSe <sub>2</sub> Material with Efficient Visible-Light-Driven Photocatalytic Activity and Enhanced Lithium Storage Performance. <i>Advanced Functional Materials</i> , 2013, 23, 1832-1838.	14.9	285
69	A Conductive Polypyrrole-Coated, Sulfur-Carbon Nanotube Composite for Use in Lithium-Sulfur Batteries. <i>ChemPlusChem</i> , 2013, 78, 318-324.	2.8	57
70	Lithium storage in nitrogen-rich mesoporous carbon materials. <i>Energy and Environmental Science</i> , 2012, 5, 7950.	30.8	593
71	New Insight into the Atomic Structure of Electrochemically Delithiated O <sub>3</sub> -Li <sub>x</sub> CoO <sub>2</sub> (0 ≤ x ≤ 0.5) Nanoparticles. <i>Nano Letters</i> , 2012, 12, 6192-6197.	10.1	128
72	Mechanism of Lithium Storage in MoS <sub>2</sub> and the Feasibility of Using Li <sub>2</sub> S/Mo Nanocomposites as Cathode Materials for Lithium-Sulfur Batteries. <i>Chemistry - an Asian Journal</i> , 2012, 7, 1013-1017.	3.3	158

#	ARTICLE	IF	CITATIONS
73	Lithium storage performance in ordered mesoporous MoS <sub>2</sub> electrode material. <i>Microporous and Mesoporous Materials</i> , 2012, 151, 418-423.	4.4	173
74	Capacitive Energy Storage on Fe/Li <sub>3</sub> PO <sub>4</sub> Grain Boundaries. <i>Journal of Physical Chemistry C</i> , 2011, 115, 3803-3808.	3.1	44
75	Atomic-scale investigation on lithium storage mechanism in TiNb <sub>2</sub> O <sub>7</sub> . <i>Energy and Environmental Science</i> , 2011, 4, 2638.	30.8	256
76	Polypyrrole-iron-oxygen coordination complex as high performance lithium storage material. <i>Energy and Environmental Science</i> , 2011, 4, 3442.	30.8	62
77	Nano-CaCO <sub>3</sub> templated mesoporous carbon as anode material for Li-ion batteries. <i>Electrochimica Acta</i> , 2011, 56, 6464-6468.	5.2	73
78	Electrode reactions of manganese oxides for secondary lithium batteries. <i>Electrochemistry Communications</i> , 2010, 12, 1520-1523.	4.7	242
79	Research on Advanced Materials for Li-ion Batteries. <i>Advanced Materials</i> , 2009, 21, 4593-4607.	21.0	1,633
80	Iodine ion transport in solid electrolyte LiI(C <sub>3</sub> H <sub>5</sub> NO) <sub>2</sub> : a first-principles identification. <i>Ionics</i> , 2007, 12, 343-347.	2.4	13
81	Origin of Solid Electrolyte Interphase on Nanosized LiCoO <sub>2</sub> . <i>Electrochemical and Solid-State Letters</i> , 2006, 9, A328.	2.2	63
82	Ab initio studies on the stability and electronic structure of LiCoO <sub>2</sub> (003) surfaces. <i>Physical Review B</i> , 2005, 71, .	3.2	29
83	First-principles investigation of the structural, magnetic, and electronic properties of olivine LiFePO <sub>4</sub> . <i>Physical Review B</i> , 2005, 71, .	3.2	57
84	First-principles study of Li ion diffusion in LiFePO <sub>4</sub> . <i>Physical Review B</i> , 2004, 69, .	3.2	250
85	SPECTROSCOPIC STUDIES OF SOLID-ELECTROLYTE INTERPHASE ON POSITIVE AND NEGATIVE ELECTRODES FOR LITHIUM ION BATTERIES. , 2004, , 140-197.		2
86	New Binary Room-Temperature Molten Salt Electrolyte Based on Urea and LiTFSI. <i>Journal of Physical Chemistry B</i> , 2001, 105, 9966-9969.	2.6	85
87	Nano-SnSb alloy deposited on MCMB as an anode material for lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2001, 11, 1502-1505.	6.7	98
88	Spectroscopic studies on interactions and microstructures in propylene carbonate/LiTFSI electrolytes. <i>Journal of Raman Spectroscopy</i> , 2001, 32, 900-905.	2.5	70
89	Polymer-in-salt electrolytes based on PAN-LiTFSI. , 2000, , .		0
90	Crystallization mechanism in amorphous material of 0.5LiMnO <sub>2</sub> -0.5B <sub>2</sub> O <sub>3</sub> . <i>Journal of Materials Science</i> , 2000, 35, 1695-1698.	3.7	5

#	ARTICLE	IF	CITATIONS
91	Lithium insertion/extraction in pyrolyzed phenolic resin. Journal of Power Sources, 1999, 81-82, 328-334.	7.8	19
92	A new possible mechanism of lithium insertion and extraction in low-temperature pyrolytic carbon electrode. Carbon, 1999, 37, 685-692.	10.3	34
93	Studies of Stannic Oxide as an Anode Material for Lithium-ion Batteries. Journal of the Electrochemical Society, 1998, 145, 59-62.	2.9	156
94	Ion Association and Salvation Studies of LiClO <sub>4</sub> /Ethylene Carbonate Electrolyte by Raman and Infrared Spectroscopy. Journal of the Electrochemical Society, 1998, 145, 3346-3350.	2.9	57
95	Dispersion effects of Raman lines in carbons. Journal of Applied Physics, 1998, 84, 227-231.	2.5	44
96	Characterizations of crystalline structure and electrical properties of pyrolyzed polyfurfuryl alcohol. Journal of Applied Physics, 1997, 82, 5705-5710.	2.5	36
97	Competition Between the Plasticizer and Polymer on Associating with Li <sup>+</sup> Ions in Polyacrylonitrile-Based Electrolytes. Journal of the Electrochemical Society, 1997, 144, 778-786.	2.9	55
98	Experimental Evidence of the Interaction Between Polyacrylonitrile and Ethylene Carbonate Plasticizer by Raman Spectroscopy. Journal of Raman Spectroscopy, 1996, 27, 609-613.	2.5	5
99	Raman Spectroscopic Investigation of the Dissociation of Dimethylsulphoxide Induced by Polyacrylonitrile. Journal of Raman Spectroscopy, 1996, 27, 901-906.	2.5	5
100	A Vibrational Spectroscopic Study on the Interaction Between Lithium Salt and Ethylene Carbonate Plasticizer for PAN-Based Electrolytes. Journal of the Electrochemical Society, 1996, 143, 1510-1514.	2.9	47