Joe West

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2938877/publications.pdf Version: 2024-02-01

| | | 17440 | 22832 |
|----------|----------------|--------------|----------------|
| 219 | 13,692 | 63 | 112 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 227 | 227 | 227 | 15833 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

LOF WEST

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | The epidemiology of irritable bowel syndrome. Clinical Epidemiology, 2014, 6, 71. | 3.0 | 606 |
| 2 | Venous thromboembolism during active disease and remission in inflammatory bowel disease: a cohort study. Lancet, The, 2010, 375, 657-663. | 13.7 | 591 |
| 3 | Bullous pemphigoid and pemphigus vulgarisincidence and mortality in the UK: population based cohort study. BMJ: British Medical Journal, 2008, 337, a180-a180. | 2.3 | 500 |
| 4 | Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK. Thorax, 2006, 61, 980-985. | 5.6 | 461 |
| 5 | Risk of Venous Thromboembolism in Patients with Cancer: A Systematic Review and Meta-Analysis. PLoS Medicine, 2012, 9, e1001275. | 8.4 | 449 |
| 6 | Seroprevalence, correlates, and characteristics of undetected coeliac disease in England. Gut, 2003, 52, 960-965. | 12.1 | 439 |
| 7 | The rising incidence of idiopathic pulmonary fibrosis in the UK. Thorax, 2011, 66, 462-467. | 5.6 | 427 |
| 8 | Incidence of venous thromboembolism in patients with cancer – A cohort study using linked United Kingdom databases. European Journal of Cancer, 2013, 49, 1404-1413. | 2.8 | 380 |
| 9 | Review article: the economic impact of the irritable bowel syndrome. Alimentary Pharmacology and Therapeutics, 2014, 40, 1023-1034. | 3.7 | 333 |
| 10 | Malignancy and mortality in people with coeliac disease: population based cohort study. BMJ: British Medical Journal, 2004, 329, 716-719. | 2.3 | 294 |
| 11 | Recent advances in coeliac disease. Gut, 2006, 55, 1037-1046. | 12.1 | 266 |
| 12 | The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK. Respiratory Medicine, 2007, 101, 2534-2540. | 2.9 | 266 |
| 13 | Risk of oesophageal cancer in Barrett's oesophagus and gastro-oesophageal reflux. Gut, 2004, 53, 1070-1074. | 12.1 | 244 |
| 14 | Incidence and Prevalence of Celiac Disease and Dermatitis Herpetiformis in the UK Over Two Decades: Population-Based Study. American Journal of Gastroenterology, 2014, 109, 757-768. | 0.4 | 227 |
| 15 | Trends in the incidence of primary liver and biliary tract cancers in England and Wales 1971–2001. British Journal of Cancer, 2006, 94, 1751-1758. | 6.4 | 215 |
| 16 | COVID-19-associated hyperinflammation and escalation of patient care: a retrospective longitudinal cohort study. Lancet Rheumatology, The, 2020, 2, e594-e602. | 3.9 | 200 |
| 17 | The Relationship between Neurological Disease and Bullous Pemphigoid: A Population-Based Case–Control Study. Journal of Investigative Dermatology, 2011, 131, 631-636. | 0.7 | 182 |
| 18 | Risk of first venous thromboembolism in and around pregnancy: a populationâ€based cohort study. British Journal of Haematology, 2012, 156, 366-373. | 2.5 | 181 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Risk factors for first venous thromboembolism around pregnancy: a population-based cohort study from the United Kingdom. Blood, 2013, 121, 3953-3961. | 1.4 | 181 |
| 20 | Fracture risk in people with celiac disease: a population-based cohort study. Gastroenterology, 2003, 125, 429-436. | 1.3 | 179 |
| 21 | Reduced Mortality Rates Following Elective Percutaneous Liver Biopsies. Gastroenterology, 2010, 139, 1230-1237. | 1.3 | 176 |
| 22 | Incidence and prevalence of cirrhosis in the United Kingdom, 1992–2001: A general population-based study. Journal of Hepatology, 2008, 49, 732-738. | 3.7 | 152 |
| 23 | Risk of Cancer in Inflammatory Bowel Disease Treated With Azathioprine: A UK Population-Based Case–Control Study. American Journal of Gastroenterology, 2010, 105, 1604-1609. | 0.4 | 143 |
| 24 | Fertility and pregnancy-related events in women with celiac disease: A population-based cohort study. Gastroenterology, 2005, 128, 849-855. | 1.3 | 128 |
| 25 | Hip fractures in patients with inflammatory bowel disease and their relationship to corticosteroid use: a population based cohort study. Gut, 2004, 53, 251-255. | 12.1 | 126 |
| 26 | General population based study of the impact of tricyclic and selective serotonin reuptake inhibitor antidepressants on the risk of acute myocardial infarction. Heart, 2005, 91, 465-471. | 2.9 | 125 |
| 27 | Allâ€cause mortality in people with cirrhosis compared with the general population: a populationâ€based cohort study. Liver International, 2012, 32, 79-84. | 3.9 | 125 |
| 28 | Incidence and mortality of primary sclerosing cholangitis in the UK: A population-based cohort study. Journal of Hepatology, 2008, 48, 939-944. | 3.7 | 124 |
| 29 | Risk of vascular disease in adults with diagnosed coeliac disease: a population-based study. Alimentary Pharmacology and Therapeutics, 2004, 20, 73-79. | 3.7 | 120 |
| 30 | Concurrent drug use and the risk of perforated colonic diverticular disease: a population-based case-control study. Gut, 2011, 60, 219-224. | 12.1 | 115 |
| 31 | Fracture experience of patients with coeliac disease: a population based survey. Gut, 2003, 52, 518-522. | 12.1 | 111 |
| 32 | 1 and 5 year survival estimates for people with cirrhosis of the liver in England, 1998–2009: A large population study. Journal of Hepatology, 2014, 60, 282-289. | 3.7 | 107 |
| 33 | Human physiology at extreme altitudes on Mount Everest. Science, 1984, 223, 784-788. | 12.6 | 106 |
| 34 | The rate of decompensation and clinical progression of disease in people with cirrhosis: a cohort study. Alimentary Pharmacology and Therapeutics, 2010, 32, 1343-1350. | 3.7 | 103 |
| 35 | Risk of malignancy in diagnosed coeliac disease: a 24-year prospective, population-based, cohort study. Alimentary Pharmacology and Therapeutics, 2004, 20, 769-775. | 3.7 | 98 |
| 36 | Extrinsic allergic alveolitis: incidence and mortality in the general population. QJM - Monthly Journal of the Association of Physicians, 2007, 100, 233-237. | 0.5 | 98 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Patient perceptions of the burden of coeliac disease and its treatment in the UK. Alimentary Pharmacology and Therapeutics, 2009, 29, 1131-1136. | 3.7 | 98 |
| 38 | A Population-Based Study of Perforated Diverticular Disease Incidence and Associated Mortality. Gastroenterology, 2009, 136, 1198-1205. | 1.3 | 95 |
| 39 | Development and validation of risk prediction model for venous thromboembolism in postpartum women: multinational cohort study. BMJ, The, 2016, 355, i6253. | 6.0 | 94 |
| 40 | When are breast cancer patients at highest risk of venous thromboembolism? A cohort study using English health care data. Blood, 2016, 127, 849-857. | 1.4 | 93 |
| 41 | Use of Inhaled Corticosteroids and the Risk of Fracture. Chest, 2006, 130, 1082-1088. | 0.8 | 91 |
| 42 | Comorbidities Affect Risk of Nonvariceal Upper Gastrointestinal Bleeding. Gastroenterology, 2013, 144, 1384-1393.e2. | 1.3 | 90 |
| 43 | Fracture Risk in People With Primary Biliary Cirrhosis: A Population-Based Cohort Study. Gastroenterology, 2006, 131, 1752-1757. | 1.3 | 89 |
| 44 | A Comprehensive Analysis of Adverse Obstetric and Pediatric Complications in Women with Asthma. American Journal of Respiratory and Critical Care Medicine, 2007, 175, 991-997. | 5.6 | 89 |
| 45 | Reductions in 28-Day Mortality Following Hospital Admission for Upper Gastrointestinal Hemorrhage. Gastroenterology, 2011, 141, 62-70. | 1.3 | 87 |
| 46 | Maternal depression, antidepressant prescriptions, and congenital anomaly risk in offspring: a populationâ€based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 1471-1481. | 2.3 | 82 |
| 47 | Risk of first venous thromboembolism in pregnant women in hospital: population based cohort study from England. BMJ, The, 2013, 347, f6099-f6099. | 6.0 | 79 |
| 48 | Does concurrent prescription of selective serotonin reuptake inhibitors and nonâ€steroidal antiâ€inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?. Alimentary Pharmacology and Therapeutics, 2005, 22, 175-181. | 3.7 | 78 |
| 49 | The antecedents of biliary cancer: a primary care case–control study in the United Kingdom. British Journal of Cancer, 2009, 100, 178-180. | 6.4 | 78 |
| 50 | Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study. Thorax, 2006, 61, 405-408. | 5.6 | 77 |
| 51 | Increased risk of atrial fibrillation in patients with coeliac disease: a nationwide cohort study. European Heart Journal, 2011, 32, 2430-2437. | 2.2 | 77 |
| 52 | Influence of ursodeoxycholic acid on the mortality and malignancy associated with primary biliary cirrhosis: A population-based cohort study. Hepatology, 2007, 46, 1131-1137. | 7.3 | 76 |
| 53 | Causes of Death in People with Liver Cirrhosis in England Compared with the General Population: A Population-Based Cohort Study. American Journal of Gastroenterology, 2015, 110, 1149-1158. | 0.4 | 76 |
| 54 | Role of acute diverticulitis in the development of complicated colonic diverticular disease and 1-year mortality after diagnosis in the UK: population-based cohort study. Gut, 2012, 61, 95-100. | 12.1 | 73 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Autoimmune cholestatic liver disease in people with coeliac disease: a population-based study of their association. Alimentary Pharmacology and Therapeutics, 2005, 21, 401-405. | 3.7 | 72 |
| 56 | Risk of Acute Appendicitis in and Around Pregnancy. Annals of Surgery, 2015, 261, 332-337. | 4.2 | 72 |
| 57 | Long-Term Mortality in People With Celiac Disease Diagnosed in Childhood Compared With Adulthood: A Population-Based Cohort Study. American Journal of Gastroenterology, 2007, 102, 864-870. | 0.4 | 71 |
| 58 | Impact of risk factors on the timing of first postpartum venous thromboembolism: a population-based cohort study from England. Blood, 2014, 124, 2872-2880. | 1.4 | 71 |
| 59 | The longâ€ŧerm risk of malignancy following a diagnosis of coeliac disease or dermatitis herpetiformis: a cohort study. Alimentary Pharmacology and Therapeutics, 2012, 35, 730-739. | 3.7 | 70 |
| 60 | Elevated serum alanine transaminase in patients with type 1 or type 2 diabetes mellitus. QJM - Monthly Journal of the Association of Physicians, 2006, 99, 871-876. | 0.5 | 69 |
| 61 | A comparison of the recording of comorbidity in primary and secondary care by using the Charlson Index to predict short-term and long-term survival in a routine linked data cohort. BMJ Open, 2015, 5, e007974-e007974. | 1.9 | 69 |
| 62 | Diagnosis of Liver Cirrhosis in England, a Cohort Study, 1998–2009: A Comparison With Cancer. American Journal of Gastroenterology, 2014, 109, 190-198. | 0.4 | 68 |
| 63 | No increase in risk of fracture, malignancy or mortality in dermatitis herpetiformis: a cohort study. Alimentary Pharmacology and Therapeutics, 2008, 27, 1140-1147. | 3.7 | 67 |
| 64 | Impact of socioeconomic deprivation on maternal perinatal mental illnesses presenting to UK general practice. British Journal of General Practice, 2012, 62, e671-e678. | 1.4 | 67 |
| 65 | Do rates of hospital admission for falls and hip fracture in elderly people vary by socio-economic status?. Public Health, 2004, 118, 576-581. | 2.9 | 65 |
| 66 | Recall of informed consent information by healthy volunteers in clinical trials. QJM - Monthly Journal of the Association of Physicians, 2008, 101, 625-629. | 0.5 | 65 |
| 67 | Mortality Associated with Barrett's Esophagus and Gastroesophageal Reflux Disease Diagnoses-A Population-Based Cohort Study. American Journal of Gastroenterology, 2005, 100, 2616-2621. | 0.4 | 64 |
| 68 | First Trimester Exposure to Anxiolytic and Hypnotic Drugs and the Risks of Major Congenital Anomalies: A United Kingdom Population-Based Cohort Study. PLoS ONE, 2014, 9, e100996. | 2.5 | 63 |
| 69 | Cholesterol profile in people with newly diagnosed coeliac disease: a comparison with the general population and changes following treatment. British Journal of Nutrition, 2009, 102, 509. | 2.3 | 62 |
| 70 | Does influenza vaccination increase consultations, corticosteroid prescriptions, or exacerbations in subjects with asthma or chronic obstructive pulmonary disease?. Thorax, 2003, 58, 835-839. | 5.6 | 61 |
| 71 | Causes of Death in People With Celiac Disease Spanning the Pre- and Post-Serology Era: A Population-Based Cohort Study From Derby, UK. American Journal of Gastroenterology, 2011, 106, 933-939. | 0.4 | 61 |
| 72 | Risk of hepatocellular carcinoma among individuals with different aetiologies of cirrhosis: a populationâ€based cohort study. Alimentary Pharmacology and Therapeutics, 2017, 45, 983-990. | 3.7 | 61 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Cause-Specific Mortality of People With Barrett's Esophagus Compared With the General Population: A Population-Based Cohort Study. Gastroenterology, 2013, 144, 1375-1383.e1. | 1.3 | 59 |
| 74 | Independent Risk Factors for Injury in Pre-School Children: Three Population-Based Nested Case-Control Studies Using Routine Primary Care Data. PLoS ONE, 2012, 7, e35193. | 2.5 | 58 |
| 75 | Celiac Disease and Its Complications: A Time Traveller's Perspective. Gastroenterology, 2009, 136, 32-34. | 1.3 | 55 |
| 76 | Risk of Cardiovascular and Cerebrovascular Events in Primary Biliary Cirrhosis: A Population-Based Cohort Study. American Journal of Gastroenterology, 2008, 103, 2784-2788. | 0.4 | 52 |
| 77 | Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study. BMC Public Health, 2010, 10, 799. | 2.9 | 51 |
| 78 | The Incidence of First Venous Thromboembolism in and around Pregnancy Using Linked Primary and Secondary Care Data: A Population Based Cohort Study from England and Comparative Meta-Analysis. PLoS ONE, 2013, 8, e70310. | 2.5 | 51 |
| 79 | Causes of death in people with coeliac disease in England compared with the general population: a competing risk analysis. Gut, 2015, 64, 1220-1226. | 12.1 | 50 |
| 80 | Risk of schizophrenia in people with coeliac disease, ulcerative colitis and Crohn's disease: a general population-based study. Alimentary Pharmacology and Therapeutics, 2006, 23, 71-74. | 3.7 | 49 |
| 81 | Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network. Thorax, 2005, 60, 848-850. | 5.6 | 48 |
| 82 | Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study. American Journal of Epidemiology, 2007, 165, 1023-1030. | 3.4 | 48 |
| 83 | Live and Non-Live Pregnancy Outcomes among Women with Depression and Anxiety: A Population-Based Study. PLoS ONE, 2012, 7, e43462. | 2.5 | 48 |
| 84 | ls an internal comparison better than using national data when estimating mortality in longitudinal studies?. Journal of Epidemiology and Community Health, 2006, 60, 819-821. | 3.7 | 45 |
| 85 | A population-based study of acute medical conditions associated with bullous pemphigoid. British Journal of Dermatology, 2009, 161, 1149-1152. | 1.5 | 43 |
| 86 | No difference in mortality in undetected coeliac disease compared with the general population: a UK cohort study. Alimentary Pharmacology and Therapeutics, 2011, 34, 1012-1019. | 3.7 | 41 |
| 87 | An increased risk of urinary tract infection precedes development of primary biliary cirrhosis. BMC Gastroenterology, 2011, 11, 95. | 2.0 | 41 |
| 88 | Reduced risk of breast, endometrial and ovarian cancer in women with celiac disease. International Journal of Cancer, 2012, 131, E244-50. | 5.1 | 41 |
| 89 | Chest Radiograph Scoring Alone or Combined with Other Risk Scores for Predicting Outcomes in COVID-19. Radiology, 2022, 302, 460-469. | 7.3 | 41 |
| 90 | The Incidence of Other Gastroenterological Disease following Diagnosis of Irritable Bowel Syndrome in the UK: A Cohort Study. PLoS ONE, 2014, 9, e106478. | 2.5 | 40 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Incidence, prevalence and mortality of autoimmune hepatitis in England 1997â€2015. A populationâ€based cohort study. Liver International, 2020, 40, 1634-1644. | 3.9 | 40 |
| 92 | Upper gastrointestinal haemorrhage and deprivation: a nationwide cohort study of health inequality in hospital admissions. Gut, 2012, 61, 514-520. | 12.1 | 39 |
| 93 | Pulse oximeter measurements vary across ethnic groups: an observational study in patients with COVID-19. European Respiratory Journal, 2022, 59, 2103246. | 6.7 | 39 |
| 94 | Injury Among Children and Young Adults With Epilepsy. Pediatrics, 2014, 133, 827-835. | 2.1 | 38 |
| 95 | The Iceberg of Celiac Disease: What Is Below the Waterline?. Clinical Gastroenterology and Hepatology, 2007, 5, 59-62. | 4.4 | 37 |
| 96 | The risk of communityâ€acquired pneumonia among 9803 patients with coeliac disease compared to the general population: a cohort study. Alimentary Pharmacology and Therapeutics, 2016, 44, 57-67. | 3.7 | 37 |
| 97 | Meta-analysis of operative experiences of general surgery trainees during training. British Journal of Surgery, 2016, 104, 22-33. | 0.3 | 37 |
| 98 | Risk of Stroke in 28,000 Patients with Celiac Disease: A Nationwide Cohort Study in Sweden. Journal of Stroke and Cerebrovascular Diseases, 2012, 21, 860-867. | 1.6 | 36 |
| 99 | Socioeconomic variation in the incidence of childhood coeliac disease in the UK. Archives of Disease in Childhood, 2015, 100, 466-473. | 1.9 | 35 |
| 100 | Hip fracture risk in patients with alcoholic cirrhosis: A population-based study using English and Danish data. Journal of Hepatology, 2018, 69, 697-704. | 3.7 | 35 |
| 101 | Adverse Pregnancy Outcomes Among Women with Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2016, 22, 1621-1630. | 1.9 | 34 |
| 102 | Calculating Total Health Service Utilisation and Costs from Routinely Collected Electronic Health Records Using the Example of Patients with Irritable Bowel Syndrome Before and After Their First Gastroenterology Appointment. Pharmacoeconomics, 2016, 34, 181-194. | 3.3 | 34 |
| 103 | Population-based study of presentation and adverse outcomes after femoral hernia surgery. British Journal of Surgery, 2013, 100, 1827-1832. | 0.3 | 33 |
| 104 | Women With Celiac Disease Present With Fertility Problems No More Often Than Women in the General Population. Gastroenterology, 2014, 147, 1267-1274.e1. | 1.3 | 33 |
| 105 | Variation in the risk of venous thromboembolism in people with colorectal cancer: a populationâ€based cohort study from England. Journal of Thrombosis and Haemostasis, 2014, 12, 641-649. | 3.8 | 32 |
| 106 | Venous thromboembolism in children with cancer – A population-based cohort study. Thrombosis Research, 2014, 133, 340-344. | 1.7 | 32 |
| 107 | Persistence of Health Inequalities in Childhood Injury in the UK; A Population-Based Cohort Study of Children under 5. PLoS ONE, 2014, 9, e111631. | 2.5 | 31 |
| 108 | We need stronger evidence for (or against) hepatocellular carcinoma surveillance. Journal of Hepatology, 2021, 74, 1234-1239. | 3.7 | 31 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Loss of vision in one eye following scoliosis surgery British Journal of Ophthalmology, 1990, 74, 243-244. | 3.9 | 28 |
| 110 | Fracture risk of women with primary biliary cirrhosis: no increase compared with general population controls. Alimentary Pharmacology and Therapeutics, 2004, 20, 551-557. | 3.7 | 28 |
| 111 | Excess Long-Term Mortality following Non-Variceal Upper Gastrointestinal Bleeding: A Population-Based Cohort Study. PLoS Medicine, 2013, 10, e1001437. | 8.4 | 28 |
| 112 | Coeliac disease and risk of tuberculosis: a population-based cohort study. Thorax, 2007, 62, 1-2. | 5.6 | 27 |
| 113 | The epidemiology of haemochromatosis: a populationâ€based study. Alimentary Pharmacology and Therapeutics, 2009, 29, 183-192. | 3.7 | 27 |
| 114 | Defining upper gastrointestinal bleeding from linked primary and secondary care data and the effect on occurrence and 28 day mortality. BMC Health Services Research, 2012, 12, 392. | 2.2 | 27 |
| 115 | Risk of extraâ€oesophageal malignancies and colorectal cancer in Barrett's oesophagus and gastroâ€oesophageal reflux. Scandinavian Journal of Gastroenterology, 2004, 39, 680-685. | 1.5 | 26 |
| 116 | An excess of prior irritable bowel syndrome diagnoses or treatments in Celiac disease: evidence of diagnostic delay. Scandinavian Journal of Gastroenterology, 2013, 48, 801-807. | 1.5 | 26 |
| 117 | Use of libraries and electronic information resources by primary care staff: outcomes from a survey. Health Information and Libraries Journal, 2005, 22, 182-188. | 2.5 | 25 |
| 118 | Occurrence of fertility problems presenting to primary care: population-level estimates of clinical burden and socioeconomic inequalities across the UK. Human Reproduction, 2013, 28, 960-968. | 0.9 | 25 |
| 119 | Liver cirrhosis in England—an observational study: are we measuring its burden occurrence correctly?. BMJ Open, 2017, 7, e013752. | 1.9 | 24 |
| 120 | Change in Quality of Life for Patients with Irritable Bowel Syndrome following Referral to a Gastroenterologist: A Cohort Study. PLoS ONE, 2015, 10, e0139389. | 2.5 | 24 |
| 121 | Defining venous thromboembolism and measuring its incidence using Swedish health registries: a nationwide pregnancy cohort study. BMJ Open, 2015, 5, e008864-e008864. | 1.9 | 23 |
| 122 | Injury among children and young people with and without attentionâ€deficit hyperactivity disorder in the community: The risk of fractures, thermal injuries, and poisonings. Child: Care, Health and Development, 2018, 44, 871-878. | 1.7 | 23 |
| 123 | Changing Autonomy in Operative Experience Through UK General Surgery Training. Annals of Surgery, 2019, 269, 399-406. | 4.2 | 21 |
| 124 | Variation in the risk of venous thromboembolism following colectomy. British Journal of Surgery, 2015, 102, 1629-1638. | 0.3 | 20 |
| 125 | Risk of symptomatic venous thromboembolism following emergency appendicectomy in adults. British Journal of Surgery, 2016, 103, 443-450. | 0.3 | 19 |
| 126 | Narrowband ultraviolet B treatment for psoriasis is highly economical and causes significant savings in cost for topical treatments. British Journal of Dermatology, 2018, 179, 1148-1156. | 1.5 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Abnormal liver tests in people aged 75 and above: prevalence and association with mortality. Alimentary Pharmacology and Therapeutics, 2011, 34, 324-334. | 3.7 | 18 |
| 128 | Mortality in people with coeliac disease: Longâ€ŧerm followâ€up from a Scottish cohort. United European Gastroenterology Journal, 2019, 7, 377-387. | 3.8 | 18 |
| 129 | Risk of hepatocellular carcinoma in Danish outpatients with alcohol-related cirrhosis. Journal of Hepatology, 2020, 73, 1030-1036. | 3.7 | 18 |
| 130 | Incidence and distribution of coeliac disease in Campania (Italy): 2011–2013. United European Gastroenterology Journal, 2015, 3, 182-189. | 3.8 | 17 |
| 131 | Socioeconomic inequalities in the incidence of alcohol-related liver disease: A nationwide Danish study. Lancet Regional Health - Europe, The, 2021, 8, 100172. | 5.6 | 17 |
| 132 | Attention-deficit/hyperactivity disorder: variation by socioeconomic deprivation. Archives of Disease in Childhood, 2019, 104, 802-805. | 1.9 | 16 |
| 133 | Risk and Outcome of Venous and Arterial Thrombosis in Patients With Cirrhosis: A Danish Nationâ€wide Cohort Study. Hepatology, 2021, 74, 2725-2734. | 7.3 | 16 |
| 134 | How often is a positive faecal occult blood test the result of coeliac disease?. European Journal of Gastroenterology and Hepatology, 2003, 15, 1097-1100. | 1.6 | 15 |
| 135 | Incidence and survival of haemophagocytic lymphohistiocytosis: A populationâ€based cohort study from England. Journal of Internal Medicine, 2022, 291, 493-504. | 6.0 | 15 |
| 136 | Hospital Costs of Colorectal Cancer Care. Clinical Medicine Oncology, 2009, 3, CMO.S2362. | 0.3 | 14 |
| 137 | Pregnancy Complications and Adverse Birth Outcomes Among Women With Celiac Disease: A Population-Based Study From England. American Journal of Gastroenterology, 2014, 109, 1653-1661. | 0.4 | 14 |
| 138 | Sex and age differences in the early identification and treatment of alcohol use: a populationâ€based study of patients with alcoholic cirrhosis. Addiction, 2015, 110, 1932-1940. | 3.3 | 14 |
| 139 | The risk of venous thromboembolism after surgery for esophagogastric malignancy and the impact of chemotherapy: a population-based cohort study. Ecological Management and Restoration, 2020, 33, . | 0.4 | 13 |
| 140 | Risk of venous thromboembolism in children after general surgery. Journal of Pediatric Surgery, 2015, 50, 1870-1873. | 1.6 | 12 |
| 141 | Characterizing the risk interplay between alcohol intake and body mass index on cirrhosis morbidity. Hepatology, 2022, 75, 369-378. | 7.3 | 12 |
| 142 | Neutral risk of lung cancer in adults with celiac disease ? nationwide cohort study. Lung Cancer, 2012, 78, 179-184. | 2.0 | 11 |
| 143 | Methotrexate in psoriasis under realâ€world conditions: longâ€ŧerm efficacy and tolerability. British Journal of Dermatology, 2016, 174, 1407-1410 | 1.5 | 11 |
| 144 | Duration and magnitude of postoperative risk of venous thromboembolism after planned inguinal hernia repair in men: a population-based cohort study. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2018, 22, 447-453. | 2.0 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Changes in Testing for and Incidence of Celiac Disease in the United Kingdom. Epidemiology, 2019, 30, e23-e24. | 2.7 | 11 |
| 146 | Rate of venous thromboembolism by cancer type compared to the general population using multiple linked databases. Thrombosis Research, 2012, 129, S155-S156. | 1.7 | 9 |
| 147 | Alcoholâ€attributable healthcare attendances up to 10 years prior to diagnosis of alcoholic cirrhosis: a population based case–control study. Liver International, 2016, 36, 538-546. | 3.9 | 9 |
| 148 | lgA-antitissue transglutaminase: validation of a commercial assay for diagnosing coeliac disease. Clinical Laboratory, 2002, 48, 241-6. | 0.5 | 9 |
| 149 | Analysis of the absolute risks in coeliac disease indicates the importance of the prevention of osteoporosis * Author's reply. Gut, 2007, 56, 310-311. | 12.1 | 8 |
| 150 | Treating occult coeliac disease with a gluten-free diet is associated with a significant improvement in quality of life. Gut, 2011, 60, A1-A2. | 12.1 | 8 |
| 151 | Duration and Magnitude of Postoperative Risk of Venous Thromboembolism after Cholecystectomy: A Population-Based Cohort Study. Digestive Surgery, 2020, 37, 32-38. | 1.2 | 8 |
| 152 | Mortality following elective and emergency colectomy in patients with cirrhosis: a population-based cohort study from England. International Journal of Colorectal Disease, 2022, 37, 607-616. | 2.2 | 8 |
| 153 | Angiotensin converting enzyme inhibitors and hepatocellular carcinoma incidence in the General Practice Research Database. Cancer Causes and Control, 2011, 22, 1743-1747. | 1.8 | 7 |
| 154 | Diet and risk of diverticular disease. BMJ: British Medical Journal, 2011, 343, d4115-d4115. | 2.3 | 7 |
| 155 | The communication of a secondary care diagnosis of autoimmune hepatitis to primary care practitioners: a population-based study. BMC Health Services Research, 2013, 13, 161. | 2.2 | 7 |
| 156 | Mortality After Extrahepatic Gastrointestinal and Abdominal Wall Surgery in Patients With Alcoholic Liver Disease: A Systematic Review and Meta-Analysis. Alcohol and Alcoholism, 2020, 55, 497-511. | 1.6 | 7 |
| 157 | Primary biliary cirrhosis does not increase the risk of <scp>UTI</scp> s following diagnosis compared to other chronic liver diseases?. Liver International, 2013, 33, 384-388. | 3.9 | 6 |
| 158 | Limited risks of major congenital anomalies in children of mothers with coeliac disease: a populationâ€based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1833-1841. | 2.3 | 6 |
| 159 | External validation of a model to predict women most at risk of postpartum venous thromboembolism: Maternity clot risk. Thrombosis Research, 2021, , . | 1.7 | 6 |
| 160 | Hospital admission database or specialist national audits for monitoring gastrointestinal bleeding? both are vital to monitoring our clinical practice. Gut, 2011, 60, A187-A188. | 12.1 | 5 |
| 161 | Time Out of General Surgery Specialty Training in the UK: A National Database Study. Journal of Surgical Education, 2019, 76, 55-64. | 2.5 | 5 |
| 162 | The Use of a Bayesian Hierarchy to Develop and Validate a Co-Morbidity Score to Predict Mortality for Linked Primary and Secondary Care Data from the NHS in England. PLoS ONE, 2016, 11, e0165507. | 2.5 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Mortality Following Appendicectomy in Patients with Liver Cirrhosis: A Systematic Review and Metaâ€Analysis. World Journal of Surgery, 2022, 46, 531-541. | 1.6 | 5 |
| 164 | The risk of unexpected hospital admissions and primary care visits after an elective day ase gastroscopy: a cohort study within England. Alimentary Pharmacology and Therapeutics, 2022, 56, 56-66. | 3.7 | 5 |
| 165 | Health related quality of life in individuals at high risk of chronic liver disease: Impact of a community diagnostic pathway. Public Health in Practice, 2020, 1, 100033. | 1.5 | 4 |
| 166 | Editorial: how widespread and serious is nonâ€alcoholic fatty liver disease in the real world?. Alimentary Pharmacology and Therapeutics, 2020, 51, 1199-1200. | 3.7 | 4 |
| 167 | Longâ€term healthâ€related quality of life following colorectal cancer surgery: patientâ€reported outcomes in a remote followâ€up population. Colorectal Disease, 2021, 23, 213-225. | 1.4 | 4 |
| 168 | A validation study of the identification of haemophagocytic lymphohistiocytosis in England using populationâ€based health data. British Journal of Haematology, 2021, 194, 1039-1044. | 2.5 | 4 |
| 169 | Risk of fracture in coeliac disease. Gut, 2003, 52, 1532-a-1532. | 12.1 | 3 |
| 170 | A validation study of the CirCom comorbidity score in an English cirrhosis population using the Clinical Practice Research Datalink. Clinical Epidemiology, 2018, Volume 10, 107-120. | 3.0 | 3 |
| 171 | Outcomes after non-operative management of perforated diverticular disease: a population-based cohort study. BJS Open, 2021, 5, . | 1.7 | 3 |
| 172 | Time Trends in the Incidence Rates of Venous Thromboembolism Following Colorectal Resection by Indication and Operative Technique. Colorectal Disease, 0, , . | 1.4 | 3 |
| 173 | * Vascular risk profile in incident coeliac disease and change with gluten-free diet. Gut, 2011, 60, A87-A88. | 12.1 | 2 |
| 174 | How to Critically Read the GI Epidemiology Literature. Gastroenterology, 2013, 145, 496-499. | 1.3 | 2 |
| 175 | Trends in diagnosis rate and clinical presentation of adult celiac disease: A 25 year prospective study. Gastroenterology, 2001, 120, A394-A394. | 1.3 | 2 |
| 176 | Age modifies both the maximal temperature and inflammatory response in patients with SARS-CoV-2 infection. Clinical Medicine, 2022, 22, 192-196. | 1.9 | 2 |
| 177 | Commentary: Does the presence of asthma increase the incidence of coronary heart disease?. International Journal of Epidemiology, 2004, 33, 749-750. | 1.9 | 1 |
| 178 | PTH-092â€Reproductive and hormonal risk factors for breast cancer among women with coeliac disease: a population-based questionnaire study. Gut, 2010, 59, A160.3-A161. | 12.1 | 1 |
| 179 | PTH-101â€Mild enteropathy (Marsh 1 and 2) coeliac disease: a comparison with more severe disease using a population-based cohort. Gut, 2010, 59, A164.2-A165. | 12.1 | 1 |
| 180 | Disease activity and venous thromboembolism in inflammatory bowel disease – Authors' reply. Lancet, The, 2010, 375, 1690-1691. | 13.7 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Is variceal bleeding increasing within the UK population?. Gut, 2011, 60, A9-A10. | 12.1 | 1 |
| 182 | Letter: the burden of coâ€norbidity in the population contributes more to upper gastrointestinal bleeding than aspirin. Alimentary Pharmacology and Therapeutics, 2013, 37, 1115-1115. | 3.7 | 1 |
| 183 | PTU-151ÂRisk of community-acquired pneumonia among patients with coeliac disease compared to the general population: a population based cohort study: Abstract PTU-151 Table 1. Gut, 2015, 64, A129.2-A130. | 12.1 | 1 |
| 184 | 355â€The risk of injuries in children with Attention deficit-hyperactivity disorder (ADHD) in England. Injury Prevention, 2016, 22, A130.1-A130. | 2.4 | 1 |
| 185 | Healthcare Utilisation, Morbidities and Alcohol Use Monitoring Prior to Alcoholic Psychosis Diagnosis. Alcohol and Alcoholism, 2019, 54, 131-138. | 1.6 | 1 |
| 186 | Reply to: "Hip fracture risk in patients with alcoholic cirrhosis: Do comorbidities and complications matter?― Journal of Hepatology, 2019, 70, 213-214. | 3.7 | 1 |
| 187 | O2 Mortality following elective and emergency colorectal surgery in patients with cirrhosis: a population-based cohort study. British Journal of Surgery, 2021, 108, . | 0.3 | 1 |
| 188 | Trends in indirect liver function marker testing in Wales from 2000 to 2017 and their association with age and sex: an observational study. BMJ Open Gastroenterology, 2022, 9, e000885. | 2.7 | 1 |
| 189 | Silent hypoxia is not an identifiable characteristic in patients with COVID-19 infection. Respiratory Medicine, 2022, 197, 106858. | 2.9 | 1 |
| 190 | Treated Colorectal Cancer: What is the Cost to Primary Care?. Clinical Medicine Oncology, 2009, 3, CMO.S877. | 0.3 | 0 |
| 191 | Corrigendum to "Incidence and prevalence of cirrhosis in the United Kingdom, 1992–2001: A general population-based study―[J Hepatol 49 (2008) 732–738]. Journal of Hepatology, 2009, 51, 233-234. | 3.7 | 0 |
| 192 | PTH-091â€Is the diagnosis of coeliac disease associated with socio-economic status? A population-based study: Abstract PTH-091. Gut, 2010, 59, A160.2-A160. | 12.1 | 0 |
| 193 | 63 What is the risk of venous thromboembolism in patients with cancer? – a systematic review and meta-analysis. European Journal of Cancer, Supplement, 2010, 8, 16-17. | 2.2 | 0 |
| 194 | P2-346 The risk of venous thromboembolism in and around pregnancy: a population-based cohort study. Journal of Epidemiology and Community Health, 2011, 65, A318-A318. | 3.7 | 0 |
| 195 | P2-367 Variations in perinatal depression, anxiety and severe mental illnesses by maternal age and socioeconomic group: a population-based study in UK primary care data. Journal of Epidemiology and Community Health, 2011, 65, A324-A324. | 3.7 | 0 |
| 196 | Is deprivation associated with hospitalisation for upper gastrointestinal haemorrhage? a nationwide study of hospital admissions. Gut, 2011, 60, A10-A11. | 12.1 | 0 |
| 197 | Treating occult coeliac disease with a gluten-free diet is associated with a significant improvement in quality of life. Proceedings of the Nutrition Society, 2011, 70, . | 1.0 | 0 |
| 198 | OP95â€Risk Factors for First Venous Thromboembolism in and around Pregnancy: A Population Based Cohort Study from the United Kingdom. Journal of Epidemiology and Community Health, 2012, 66, A37.2-A37. | 3.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | Commentary: comparisons of upper gastrointestinal bleeding mortality by admission time. Alimentary Pharmacology and Therapeutics, 2012, 36, 681-682. | 3.7 | 0 |
| 200 | Reply. Gastroenterology, 2013, 145, 1496. | 1.3 | 0 |
| 201 | Utilisation and Costs of Inpatient and Outpatient Services Among Patients with Irritable Bowel Syndrome- A Study Using the Clinical Practice Research Datalink (CPRD). Value in Health, 2013, 16, A495-A496. | 0.3 | 0 |
| 202 | OP69â€Occurrence of Liver Cirrhosis in England, A Cohort Study, 1998-2009: A Comparison with Cancer. Journal of Epidemiology and Community Health, 2013, 67, A33.1-A33. | 3.7 | 0 |
| 203 | Response to van Zanten. American Journal of Gastroenterology, 2014, 109, 1953. | 0.4 | 0 |
| 204 | P.19.6 RISK OF ACUTE APPENDICITIS IN AND AROUND PREGNANCY: A POPULATION-BASED COHORT FROM ENGLAND. Digestive and Liver Disease, 2014, 46, S132. | 0.9 | 0 |
| 205 | P453 UPTAKE OF ANTI-PNEUMOCOCCAL VACCINATION AMONG CIRRHOTIC PATIENTS: A MISSED OPPORTUNITY FOR IMPROVING PATIENT OUTCOME. Journal of Hepatology, 2014, 60, S220. | 3.7 | 0 |
| 206 | PPO2â€Opportunities to prevent alcohol misuse in UK primary healthcare settings: a retrospective study of individuals with a diagnosis of alcohol-induced cirrhosis. Journal of Epidemiology and Community Health, 2014, 68, A47.3-A48. | 3.7 | 0 |
| 207 | Cost of primary and secondary Healthcare Utilization for patients with irritable bowel Syndrome calculated using routinely collected Electronic records to assess the impact of secondary care referral. Value in Health, 2015, 18, A270. | 0.3 | 0 |
| 208 | The Cost-Effectiveness of Referring Patients With Irritable Bowel Syndrome To A Gastroenterologist In The Uk. Value in Health, 2015, 18, A625. | 0.3 | 0 |
| 209 | PTU-153ÂDiagnosis of coeliac disease among children whose mothers have coeliac disease: a united kingdom general population-based cohort. Gut, 2015, 64, A130.2-A130. | 12.1 | 0 |
| 210 | Reply to: Validation of database search strategies for the epidemiological study of pemphigus and pemphigoid. British Journal of Dermatology, 2016, 174, 696-697. | 1.5 | 0 |
| 211 | Development and Validation of Risk Prediction Model for Venous Thromboembolism in Postpartum Women: Multinational Cohort Study. Obstetric Anesthesia Digest, 2017, 37, 205-206. | 0.1 | 0 |
| 212 | PWE-106â€Changes in the testing for and incidence of coeliac disease in the UK 2005–2015. , 2018, , . | | 0 |
| 213 | PTU-069â€Incidence of and survival following perforated diverticular disease: a population-based cohort study from england. , 2018, , . | | 0 |
| 214 | PTU-070â€Incidence of and survival following diverticular abscess: a population-based cohort study from england. , 2018, , . | | 0 |
| 215 | P291â€Colorectal cancer incidence and mortality in Europe. Any change with the introduction of screening?. , 2021, , . | | 0 |
| 216 | P91â€Trends in IBD mortality in the era of biologics. , 2021, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | O23 Outcomes after non-operative management of perforated diverticular disease: a population based cohort study. British Journal of Surgery, 2021, 108, . | 0.3 | 0 |
| 218 | Response to letter. European Respiratory Journal, 2022, , 2200766. | 6.7 | 0 |
| 219 | Editorial: seeing the light at the end of gastroscope ―complications after elective procedures are ready for <scp>NICE</scp> , bright decision aid tools ―authors' reply. Alimentary Pharmacology and Therapeutics, 2022, 56, 157-157. | 3.7 | 0 |