Joe West

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2938877/publications.pdf

Version: 2024-02-01

		17440	22832
219	13,692	63	112
papers	citations	h-index	g-index
227	227	227	15833
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Characterizing the risk interplay between alcohol intake and body mass index on cirrhosis morbidity. Hepatology, 2022, 75, 369-378.	7.3	12
2	Chest Radiograph Scoring Alone or Combined with Other Risk Scores for Predicting Outcomes in COVID-19. Radiology, 2022, 302, 460-469.	7.3	41
3	Mortality Following Appendicectomy in Patients with Liver Cirrhosis: A Systematic Review and Metaâ€Analysis. World Journal of Surgery, 2022, 46, 531-541.	1.6	5
4	Pulse oximeter measurements vary across ethnic groups: an observational study in patients with COVID-19. European Respiratory Journal, 2022, 59, 2103246.	6.7	39
5	Incidence and survival of haemophagocytic lymphohistiocytosis: A populationâ€based cohort study from England. Journal of Internal Medicine, 2022, 291, 493-504.	6.0	15
6	Mortality following elective and emergency colectomy in patients with cirrhosis: a population-based cohort study from England. International Journal of Colorectal Disease, 2022, 37, 607-616.	2.2	8
7	The risk of unexpected hospital admissions and primary care visits after an elective dayâ€case gastroscopy: a cohort study within England. Alimentary Pharmacology and Therapeutics, 2022, 56, 56-66.	3.7	5
8	Trends in indirect liver function marker testing in Wales from 2000 to 2017 and their association with age and sex: an observational study. BMJ Open Gastroenterology, 2022, 9, e000885.	2.7	1
9	Response to letter. European Respiratory Journal, 2022, , 2200766.	6.7	O
10	Silent hypoxia is not an identifiable characteristic in patients with COVID-19 infection. Respiratory Medicine, 2022, 197, 106858.	2.9	1
11	Age modifies both the maximal temperature and inflammatory response in patients with SARS-CoV-2 infection. Clinical Medicine, 2022, 22, 192-196.	1.9	2
12	Editorial: seeing the light at the end of gastroscope $\hat{a} \in \text{-complications}$ after elective procedures are ready for $\langle \text{scp} \rangle \text{NICE} \langle \text{scp} \rangle$, bright decision aid tools $\hat{a} \in \text{-authors'}$ reply. Alimentary Pharmacology and Therapeutics, 2022, 56, 157-157.	3.7	0
13	Longâ€term healthâ€related quality of life following colorectal cancer surgery: patientâ€reported outcomes in a remote followâ€up population. Colorectal Disease, 2021, 23, 213-225.	1.4	4
14	P291â€Colorectal cancer incidence and mortality in Europe. Any change with the introduction of screening?. , 2021, , .		0
15	P91â€Trends in IBD mortality in the era of biologics. , 2021, , .		O
16	Outcomes after non-operative management of perforated diverticular disease: a population-based cohort study. BJS Open, 2021, 5, .	1.7	3
17	We need stronger evidence for (or against) hepatocellular carcinoma surveillance. Journal of Hepatology, 2021, 74, 1234-1239.	3.7	31
18	External validation of a model to predict women most at risk of postpartum venous thromboembolism: Maternity clot risk. Thrombosis Research, 2021, , .	1.7	6

#	Article	IF	Citations
19	O23â€fOutcomes after non-operative management of perforated diverticular disease: a population based cohort study. British Journal of Surgery, 2021, 108, .	0.3	O
20	O2â€fMortality following elective and emergency colorectal surgery in patients with cirrhosis: a population-based cohort study. British Journal of Surgery, 2021, 108, .	0.3	1
21	A validation study of the identification of haemophagocytic lymphohistiocytosis in England using populationâ€based health data. British Journal of Haematology, 2021, 194, 1039-1044.	2.5	4
22	Risk and Outcome of Venous and Arterial Thrombosis in Patients With Cirrhosis: A Danish Nationâ€wide Cohort Study. Hepatology, 2021, 74, 2725-2734.	7.3	16
23	Socioeconomic inequalities in the incidence of alcohol-related liver disease: A nationwide Danish study. Lancet Regional Health - Europe, The, 2021, 8, 100172.	5.6	17
24	Duration and Magnitude of Postoperative Risk of Venous Thromboembolism after Cholecystectomy: A Population-Based Cohort Study. Digestive Surgery, 2020, 37, 32-38.	1.2	8
25	The risk of venous thromboembolism after surgery for esophagogastric malignancy and the impact of chemotherapy: a population-based cohort study. Ecological Management and Restoration, 2020, 33, .	0.4	13
26	Health related quality of life in individuals at high risk of chronic liver disease: Impact of a community diagnostic pathway. Public Health in Practice, 2020, 1, 100033.	1.5	4
27	COVID-19-associated hyperinflammation and escalation of patient care: a retrospective longitudinal cohort study. Lancet Rheumatology, The, 2020, 2, e594-e602.	3.9	200
28	Editorial: how widespread and serious is nonâ€alcoholic fatty liver disease in the real world?. Alimentary Pharmacology and Therapeutics, 2020, 51, 1199-1200.	3.7	4
29	Risk of hepatocellular carcinoma in Danish outpatients with alcohol-related cirrhosis. Journal of Hepatology, 2020, 73, 1030-1036.	3.7	18
30	Mortality After Extrahepatic Gastrointestinal and Abdominal Wall Surgery in Patients With Alcoholic Liver Disease: A Systematic Review and Meta-Analysis. Alcohol and Alcoholism, 2020, 55, 497-511.	1.6	7
31	Incidence, prevalence and mortality of autoimmune hepatitis in England 1997â€2015. A populationâ€based cohort study. Liver International, 2020, 40, 1634-1644.	3.9	40
32	Healthcare Utilisation, Morbidities and Alcohol Use Monitoring Prior to Alcoholic Psychosis Diagnosis. Alcohol and Alcoholism, 2019, 54, 131-138.	1.6	1
33	Mortality in people with coeliac disease: Longâ€ŧerm followâ€up from a Scottish cohort. United European Gastroenterology Journal, 2019, 7, 377-387.	3.8	18
34	Changing Autonomy in Operative Experience Through UK General Surgery Training. Annals of Surgery, 2019, 269, 399-406.	4.2	21
35	Changes in Testing for and Incidence of Celiac Disease in the United Kingdom. Epidemiology, 2019, 30, e23-e24.	2.7	11
36	Time Out of General Surgery Specialty Training in the UK: A National Database Study. Journal of Surgical Education, 2019, 76, 55-64.	2.5	5

#	Article	IF	CITATIONS
37	Reply to: "Hip fracture risk in patients with alcoholic cirrhosis: Do comorbidities and complications matter?― Journal of Hepatology, 2019, 70, 213-214.	3.7	1
38	Attention-deficit/hyperactivity disorder: variation by socioeconomic deprivation. Archives of Disease in Childhood, 2019, 104, 802-805.	1.9	16
39	Hip fracture risk in patients with alcoholic cirrhosis: A population-based study using English and Danish data. Journal of Hepatology, 2018, 69, 697-704.	3.7	35
40	Duration and magnitude of postoperative risk of venous thromboembolism after planned inguinal hernia repair in men: a population-based cohort study. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2018, 22, 447-453.	2.0	11
41	PWE-106â€Changes in the testing for and incidence of coeliac disease in the UK 2005–2015. , 2018, , .		0
42	PTU-069 Incidence of and survival following perforated diverticular disease: a population-based cohort study from england. , 2018, , .		0
43	PTU-070 Incidence of and survival following diverticular abscess: a population-based cohort study from england. , 2018, , .		0
44	A validation study of the CirCom comorbidity score in an English cirrhosis population using the Clinical Practice Research Datalink. Clinical Epidemiology, 2018, Volume 10, 107-120.	3.0	3
45	Injury among children and young people with and without attentionâ€deficit hyperactivity disorder in the community: The risk of fractures, thermal injuries, and poisonings. Child: Care, Health and Development, 2018, 44, 871-878.	1.7	23
46	Narrowband ultraviolet B treatment for psoriasis is highly economical and causes significant savings in cost for topical treatments. British Journal of Dermatology, 2018, 179, 1148-1156.	1.5	19
47	Risk of hepatocellular carcinoma among individuals with different aetiologies of cirrhosis: a populationâ€based cohort study. Alimentary Pharmacology and Therapeutics, 2017, 45, 983-990.	3.7	61
48	Liver cirrhosis in Englandâ€"an observational study: are we measuring its burden occurrence correctly?. BMJ Open, 2017, 7, e013752.	1.9	24
49	Development and Validation of Risk Prediction Model for Venous Thromboembolism in Postpartum Women: Multinational Cohort Study. Obstetric Anesthesia Digest, 2017, 37, 205-206.	0.1	0
50	Alcoholâ€attributable healthcare attendances up to 10 years prior to diagnosis of alcoholic cirrhosis: a population based case–control study. Liver International, 2016, 36, 538-546.	3.9	9
51	The risk of communityâ€acquired pneumonia among 9803 patients with coeliac disease compared to the general population: a cohort study. Alimentary Pharmacology and Therapeutics, 2016, 44, 57-67.	3.7	37
52	Meta-analysis of operative experiences of general surgery trainees during training. British Journal of Surgery, 2016, 104, 22-33.	0.3	37
53	When are breast cancer patients at highest risk of venous thromboembolism? A cohort study using English health care data. Blood, 2016, 127, 849-857.	1.4	93
54	Development and validation of risk prediction model for venous thromboembolism in postpartum women: multinational cohort study. BMJ, The, 2016, 355, i6253.	6.0	94

#	Article	IF	CITATIONS
55	355â€The risk of injuries in children with Attention deficit-hyperactivity disorder (ADHD) in England. Injury Prevention, 2016, 22, A130.1-A130.	2.4	1
56	Adverse Pregnancy Outcomes Among Women with Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2016, 22, 1621-1630.	1.9	34
57	Risk of symptomatic venous thromboembolism following emergency appendicectomy in adults. British Journal of Surgery, 2016, 103, 443-450.	0.3	19
58	Methotrexate in psoriasis under realâ€world conditions: longâ€ŧerm efficacy and tolerability. British Journal of Dermatology, 2016, 174, 1407-1410.	1.5	11
59	Reply to: Validation of database search strategies for the epidemiological study of pemphigus and pemphigoid. British Journal of Dermatology, 2016, 174, 696-697.	1.5	0
60	Calculating Total Health Service Utilisation and Costs from Routinely Collected Electronic Health Records Using the Example of Patients with Irritable Bowel Syndrome Before and After Their First Gastroenterology Appointment. Pharmacoeconomics, 2016, 34, 181-194.	3.3	34
61	The Use of a Bayesian Hierarchy to Develop and Validate a Co-Morbidity Score to Predict Mortality for Linked Primary and Secondary Care Data from the NHS in England. PLoS ONE, 2016, 11, e0165507.	2.5	5
62	Defining venous thromboembolism and measuring its incidence using Swedish health registries: a nationwide pregnancy cohort study. BMJ Open, 2015, 5, e008864-e008864.	1.9	23
63	A comparison of the recording of comorbidity in primary and secondary care by using the Charlson Index to predict short-term and long-term survival in a routine linked data cohort. BMJ Open, 2015, 5, e007974-e007974.	1.9	69
64	Cost of primary and secondary Healthcare Utilization for patients with irritable bowel Syndrome calculated using routinely collected Electronic records to assess the impact of secondary care referral. Value in Health, 2015, 18, A270.	0.3	0
65	The Cost-Effectiveness of Referring Patients With Irritable Bowel Syndrome To A Gastroenterologist In The Uk. Value in Health, 2015, 18, A625.	0.3	0
66	Limited risks of major congenital anomalies in children of mothers with coeliac disease: a populationâ€based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1833-1841.	2.3	6
67	Sex and age differences in the early identification and treatment of alcohol use: a populationâ€based study of patients with alcoholic cirrhosis. Addiction, 2015, 110, 1932-1940.	3.3	14
68	PTU-153ÂDiagnosis of coeliac disease among children whose mothers have coeliac disease: a united kingdom general population-based cohort. Gut, 2015, 64, A130.2-A130.	12.1	0
69	PTU-151ÂRisk of community-acquired pneumonia among patients with coeliac disease compared to the general population: a population based cohort study: Abstract PTU-151 Table 1. Gut, 2015, 64, A129.2-A130.	12.1	1
70	Variation in the risk of venous thromboembolism following colectomy. British Journal of Surgery, 2015, 102, 1629-1638.	0.3	20
71	Incidence and distribution of coeliac disease in Campania (Italy): 2011–2013. United European Gastroenterology Journal, 2015, 3, 182-189.	3.8	17
72	Causes of death in people with coeliac disease in England compared with the general population: a competing risk analysis. Gut, 2015, 64, 1220-1226.	12.1	50

#	Article	IF	CITATIONS
73	Causes of Death in People with Liver Cirrhosis in England Compared with the General Population: A Population-Based Cohort Study. American Journal of Gastroenterology, 2015, 110, 1149-1158.	0.4	76
74	Socioeconomic variation in the incidence of childhood coeliac disease in the UK. Archives of Disease in Childhood, 2015, 100, 466-473.	1.9	35
75	Risk of Acute Appendicitis in and Around Pregnancy. Annals of Surgery, 2015, 261, 332-337.	4.2	72
76	Risk of venous thromboembolism in children after general surgery. Journal of Pediatric Surgery, 2015, 50, 1870-1873.	1.6	12
77	Change in Quality of Life for Patients with Irritable Bowel Syndrome following Referral to a Gastroenterologist: A Cohort Study. PLoS ONE, 2015, 10, e0139389.	2.5	24
78	The Incidence of Other Gastroenterological Disease following Diagnosis of Irritable Bowel Syndrome in the UK: A Cohort Study. PLoS ONE, 2014, 9, e106478.	2.5	40
79	Persistence of Health Inequalities in Childhood Injury in the UK; A Population-Based Cohort Study of Children under 5. PLoS ONE, 2014, 9, e111631.	2.5	31
80	Response to van Zanten. American Journal of Gastroenterology, 2014, 109, 1953.	0.4	0
81	Women With Celiac Disease Present With Fertility Problems No More Often Than Women in the General Population. Gastroenterology, 2014, 147, 1267-1274.e1.	1.3	33
82	Review article: the economic impact of the irritable bowel syndrome. Alimentary Pharmacology and Therapeutics, 2014, 40, 1023-1034.	3.7	333
83	Maternal depression, antidepressant prescriptions, and congenital anomaly risk in offspring: a populationâ€based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 1471-1481.	2.3	82
84	The epidemiology of irritable bowel syndrome. Clinical Epidemiology, 2014, 6, 71.	3.0	606
85	First Trimester Exposure to Anxiolytic and Hypnotic Drugs and the Risks of Major Congenital Anomalies: A United Kingdom Population-Based Cohort Study. PLoS ONE, 2014, 9, e100996.	2.5	63
86	1 and 5 year survival estimates for people with cirrhosis of the liver in England, 1998–2009: A large population study. Journal of Hepatology, 2014, 60, 282-289.	3.7	107
87	P.19.6 RISK OF ACUTE APPENDICITIS IN AND AROUND PREGNANCY: A POPULATION-BASED COHORT FROM ENGLAND. Digestive and Liver Disease, 2014, 46, S132.	0.9	0
88	Variation in the risk of venous thromboembolism in people with colorectal cancer: a populationâ€based cohort study from England. Journal of Thrombosis and Haemostasis, 2014, 12, 641-649.	3.8	32
89	Pregnancy Complications and Adverse Birth Outcomes Among Women With Celiac Disease: A Population-Based Study From England. American Journal of Gastroenterology, 2014, 109, 1653-1661.	0.4	14
90	Incidence and Prevalence of Celiac Disease and Dermatitis Herpetiformis in the UK Over Two Decades: Population-Based Study. American Journal of Gastroenterology, 2014, 109, 757-768.	0.4	227

#	Article	IF	CITATIONS
91	Diagnosis of Liver Cirrhosis in England, a Cohort Study, 1998–2009: A Comparison With Cancer. American Journal of Gastroenterology, 2014, 109, 190-198.	0.4	68
92	Injury Among Children and Young Adults With Epilepsy. Pediatrics, 2014, 133, 827-835.	2.1	38
93	P453 UPTAKE OF ANTI-PNEUMOCOCCAL VACCINATION AMONG CIRRHOTIC PATIENTS: A MISSED OPPORTUNITY FOR IMPROVING PATIENT OUTCOME. Journal of Hepatology, 2014, 60, S220.	3.7	0
94	Venous thromboembolism in children with cancer $\hat{a} \in A$ population-based cohort study. Thrombosis Research, 2014, 133, 340-344.	1.7	32
95	Impact of risk factors on the timing of first postpartum venous thromboembolism: a population-based cohort study from England. Blood, 2014, 124, 2872-2880.	1.4	71
96	PP02â€Opportunities to prevent alcohol misuse in UK primary healthcare settings: a retrospective study of individuals with a diagnosis of alcohol-induced cirrhosis. Journal of Epidemiology and Community Health, 2014, 68, A47.3-A48.	3.7	0
97	The communication of a secondary care diagnosis of autoimmune hepatitis to primary care practitioners: a population-based study. BMC Health Services Research, 2013, 13, 161.	2.2	7
98	Reply. Gastroenterology, 2013, 145, 1496.	1.3	0
99	Primary biliary cirrhosis does not increase the risk of <scp>UTI</scp> s following diagnosis compared to other chronic liver diseases?. Liver International, 2013, 33, 384-388.	3.9	6
100	An excess of prior irritable bowel syndrome diagnoses or treatments in Celiac disease: evidence of diagnostic delay. Scandinavian Journal of Gastroenterology, 2013, 48, 801-807.	1.5	26
101	Utilisation and Costs of Inpatient and Outpatient Services Among Patients with Irritable Bowel Syndrome- A Study Using the Clinical Practice Research Datalink (CPRD). Value in Health, 2013, 16, A495-A496.	0.3	0
102	How to Critically Read the GI Epidemiology Literature. Gastroenterology, 2013, 145, 496-499.	1.3	2
103	Cause-Specific Mortality of People With Barrett's Esophagus Compared With the General Population: A Population-Based Cohort Study. Gastroenterology, 2013, 144, 1375-1383.e1.	1.3	59
104	Incidence of venous thromboembolism in patients with cancer – A cohort study using linked United Kingdom databases. European Journal of Cancer, 2013, 49, 1404-1413.	2.8	380
105	Comorbidities Affect Risk of Nonvariceal Upper Gastrointestinal Bleeding. Gastroenterology, 2013, 144, 1384-1393.e2.	1.3	90
106	Occurrence of fertility problems presenting to primary care: population-level estimates of clinical burden and socioeconomic inequalities across the UK. Human Reproduction, 2013, 28, 960-968.	0.9	25
107	Risk of first venous thromboembolism in pregnant women in hospital: population based cohort study from England. BMJ, The, 2013, 347, f6099-f6099.	6.0	79
108	Excess Long-Term Mortality following Non-Variceal Upper Gastrointestinal Bleeding: A Population-Based Cohort Study. PLoS Medicine, 2013, 10, e1001437.	8.4	28

#	Article	IF	Citations
109	Population-based study of presentation and adverse outcomes after femoral hernia surgery. British Journal of Surgery, 2013, 100, 1827-1832.	0.3	33
110	Letter: the burden of coâ€morbidity in the population contributes more to upper gastrointestinal bleeding than aspirin. Alimentary Pharmacology and Therapeutics, 2013, 37, 1115-1115.	3.7	1
111	Risk factors for first venous thromboembolism around pregnancy: a population-based cohort study from the United Kingdom. Blood, 2013, 121, 3953-3961.	1.4	181
112	OP69â€Occurrence of Liver Cirrhosis in England, A Cohort Study, 1998-2009: A Comparison with Cancer. Journal of Epidemiology and Community Health, 2013, 67, A33.1-A33.	3.7	0
113	The Incidence of First Venous Thromboembolism in and around Pregnancy Using Linked Primary and Secondary Care Data: A Population Based Cohort Study from England and Comparative Meta-Analysis. PLoS ONE, 2013, 8, e70310.	2.5	51
114	Risk of Venous Thromboembolism in Patients with Cancer: A Systematic Review and Meta-Analysis. PLoS Medicine, 2012, 9, e1001275.	8.4	449
115	Upper gastrointestinal haemorrhage and deprivation: a nationwide cohort study of health inequality in hospital admissions. Gut, 2012, 61, 514-520.	12.1	39
116	OP95â€Risk Factors for First Venous Thromboembolism in and around Pregnancy: A Population Based Cohort Study from the United Kingdom. Journal of Epidemiology and Community Health, 2012, 66, A37.2-A37.	3.7	0
117	Impact of socioeconomic deprivation on maternal perinatal mental illnesses presenting to UK general practice. British Journal of General Practice, 2012, 62, e671-e678.	1.4	67
118	Commentary: comparisons of upper gastrointestinal bleeding mortality by admission time. Alimentary Pharmacology and Therapeutics, 2012, 36, 681-682.	3.7	0
119	Rate of venous thromboembolism by cancer type compared to the general population using multiple linked databases. Thrombosis Research, 2012, 129, S155-S156.	1.7	9
120	Risk of Stroke in 28,000 Patients with Celiac Disease: A Nationwide Cohort Study in Sweden. Journal of Stroke and Cerebrovascular Diseases, 2012, 21, 860-867.	1.6	36
121	Role of acute diverticulitis in the development of complicated colonic diverticular disease and 1-year mortality after diagnosis in the UK: population-based cohort study. Gut, 2012, 61, 95-100.	12.1	73
122	Defining upper gastrointestinal bleeding from linked primary and secondary care data and the effect on occurrence and 28 day mortality. BMC Health Services Research, 2012, 12, 392.	2.2	27
123	Neutral risk of lung cancer in adults with celiac disease ? nationwide cohort study. Lung Cancer, 2012, 78, 179-184.	2.0	11
124	Independent Risk Factors for Injury in Pre-School Children: Three Population-Based Nested Case-Control Studies Using Routine Primary Care Data. PLoS ONE, 2012, 7, e35193.	2.5	58
125	Live and Non-Live Pregnancy Outcomes among Women with Depression and Anxiety: A Population-Based Study. PLoS ONE, 2012, 7, e43462.	2.5	48
126	Reduced risk of breast, endometrial and ovarian cancer in women with celiac disease. International Journal of Cancer, 2012, 131, E244-50.	5.1	41

#	Article	IF	Citations
127	Allâ€cause mortality in people with cirrhosis compared with the general population: a populationâ€based cohort study. Liver International, 2012, 32, 79-84.	3.9	125
128	Risk of first venous thromboembolism in and around pregnancy: a populationâ€based cohort study. British Journal of Haematology, 2012, 156, 366-373.	2.5	181
129	The longâ€term risk of malignancy following a diagnosis of coeliac disease or dermatitis herpetiformis: a cohort study. Alimentary Pharmacology and Therapeutics, 2012, 35, 730-739.	3.7	70
130	Concurrent drug use and the risk of perforated colonic diverticular disease: a population-based case-control study. Gut, 2011, 60, 219-224.	12.1	115
131	Reductions in 28-Day Mortality Following Hospital Admission for Upper Gastrointestinal Hemorrhage. Gastroenterology, 2011, 141, 62-70.	1.3	87
132	The Relationship between Neurological Disease and Bullous Pemphigoid: A Population-Based Caseâ€"Control Study. Journal of Investigative Dermatology, 2011, 131, 631-636.	0.7	182
133	Is variceal bleeding increasing within the UK population?. Gut, 2011, 60, A9-A10.	12.1	1
134	P2-346 The risk of venous thromboembolism in and around pregnancy: a population-based cohort study. Journal of Epidemiology and Community Health, 2011, 65, A318-A318.	3.7	0
135	P2-367 Variations in perinatal depression, anxiety and severe mental illnesses by maternal age and socioeconomic group: a population-based study in UK primary care data. Journal of Epidemiology and Community Health, 2011, 65, A324-A324.	3.7	0
136	Hospital admission database or specialist national audits for monitoring gastrointestinal bleeding? both are vital to monitoring our clinical practice. Gut, 2011, 60, A187-A188.	12.1	5
137	Is deprivation associated with hospitalisation for upper gastrointestinal haemorrhage? a nationwide study of hospital admissions. Gut, 2011, 60, A10-A11.	12.1	0
138	Treating occult coeliac disease with a gluten-free diet is associated with a significant improvement in quality of life. Proceedings of the Nutrition Society, $2011, 70, .$	1.0	0
139	* Vascular risk profile in incident coeliac disease and change with gluten-free diet. Gut, 2011, 60, A87-A88.	12.1	2
140	Abnormal liver tests in people aged 75 and above: prevalence and association with mortality. Alimentary Pharmacology and Therapeutics, 2011, 34, 324-334.	3.7	18
141	No difference in mortality in undetected coeliac disease compared with the general population: a UK cohort study. Alimentary Pharmacology and Therapeutics, 2011, 34, 1012-1019.	3.7	41
142	Angiotensin converting enzyme inhibitors and hepatocellular carcinoma incidence in the General Practice Research Database. Cancer Causes and Control, 2011, 22, 1743-1747.	1.8	7
143	An increased risk of urinary tract infection precedes development of primary biliary cirrhosis. BMC Gastroenterology, 2011, 11, 95.	2.0	41
144	Treating occult coeliac disease with a gluten-free diet is associated with a significant improvement in quality of life. Gut, 2011, 60, A1-A2.	12.1	8

#	Article	IF	Citations
145	Diet and risk of diverticular disease. BMJ: British Medical Journal, 2011, 343, d4115-d4115.	2.3	7
146	The rising incidence of idiopathic pulmonary fibrosis in the UK. Thorax, 2011, 66, 462-467.	5.6	427
147	Causes of Death in People With Celiac Disease Spanning the Pre- and Post-Serology Era: A Population-Based Cohort Study From Derby, UK. American Journal of Gastroenterology, 2011, 106, 933-939.	0.4	61
148	Increased risk of atrial fibrillation in patients with coeliac disease: a nationwide cohort study. European Heart Journal, 2011, 32, 2430-2437.	2.2	77
149	PTH-092â€Reproductive and hormonal risk factors for breast cancer among women with coeliac disease: a population-based questionnaire study. Gut, 2010, 59, A160.3-A161.	12.1	1
150	PTH-091â€Is the diagnosis of coeliac disease associated with socio-economic status? A population-based study: Abstract PTH-091. Gut, 2010, 59, A160.2-A160.	12.1	0
151	PTH-101â€Mild enteropathy (Marsh 1 and 2) coeliac disease: a comparison with more severe disease using a population-based cohort. Gut, 2010, 59, A164.2-A165.	12.1	1
152	The rate of decompensation and clinical progression of disease in people with cirrhosis: a cohort study. Alimentary Pharmacology and Therapeutics, 2010, 32, 1343-1350.	3.7	103
153	Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study. BMC Public Health, 2010, 10, 799.	2.9	51
154	Risk of Cancer in Inflammatory Bowel Disease Treated With Azathioprine: A UK Population-Based Case–Control Study. American Journal of Gastroenterology, 2010, 105, 1604-1609.	0.4	143
155	63 What is the risk of venous thromboembolism in patients with cancer? – a systematic review and meta-analysis. European Journal of Cancer, Supplement, 2010, 8, 16-17.	2.2	0
156	Reduced Mortality Rates Following Elective Percutaneous Liver Biopsies. Gastroenterology, 2010, 139, 1230-1237.	1.3	176
157	Venous thromboembolism during active disease and remission in inflammatory bowel disease: a cohort study. Lancet, The, 2010, 375, 657-663.	13.7	591
158	Disease activity and venous thromboembolism in inflammatory bowel disease $\hat{a}\in$ "Authors' reply. Lancet, The, 2010, 375, 1690-1691.	13.7	1
159	Hospital Costs of Colorectal Cancer Care. Clinical Medicine Oncology, 2009, 3, CMO.S2362.	0.3	14
160	Treated Colorectal Cancer: What is the Cost to Primary Care?. Clinical Medicine Oncology, 2009, 3, CMO.S877.	0.3	0
161	The antecedents of biliary cancer: a primary care case–control study in the United Kingdom. British Journal of Cancer, 2009, 100, 178-180.	6.4	78
162	The epidemiology of haemochromatosis: a populationâ€based study. Alimentary Pharmacology and Therapeutics, 2009, 29, 183-192.	3.7	27

#	Article	IF	Citations
163	Patient perceptions of the burden of coeliac disease and its treatment in the UK. Alimentary Pharmacology and Therapeutics, 2009, 29, 1131-1136.	3.7	98
164	A population-based study of acute medical conditions associated with bullous pemphigoid. British Journal of Dermatology, 2009, 161, 1149-1152.	1.5	43
165	Corrigendum to "Incidence and prevalence of cirrhosis in the United Kingdom, 1992–2001: A general population-based study―[J Hepatol 49 (2008) 732–738]. Journal of Hepatology, 2009, 51, 233-234.	3.7	0
166	Celiac Disease and Its Complications: A Time Traveller's Perspective. Gastroenterology, 2009, 136, 32-34.	1.3	55
167	A Population-Based Study of Perforated Diverticular Disease Incidence and Associated Mortality. Gastroenterology, 2009, 136, 1198-1205.	1.3	95
168	Cholesterol profile in people with newly diagnosed coeliac disease: a comparison with the general population and changes following treatment. British Journal of Nutrition, 2009, 102, 509.	2.3	62
169	No increase in risk of fracture, malignancy or mortality in dermatitis herpetiformis: a cohort study. Alimentary Pharmacology and Therapeutics, 2008, 27, 1140-1147.	3.7	67
170	Incidence and mortality of primary sclerosing cholangitis in the UK: A population-based cohort study. Journal of Hepatology, 2008, 48, 939-944.	3.7	124
171	Incidence and prevalence of cirrhosis in the United Kingdom, 1992–2001: A general population-based study. Journal of Hepatology, 2008, 49, 732-738.	3.7	152
172	Recall of informed consent information by healthy volunteers in clinical trials. QJM - Monthly Journal of the Association of Physicians, 2008, 101, 625-629.	0.5	65
173	Risk of Cardiovascular and Cerebrovascular Events in Primary Biliary Cirrhosis: A Population-Based Cohort Study. American Journal of Gastroenterology, 2008, 103, 2784-2788.	0.4	52
174	Bullous pemphigoid and pemphigus vulgaris-incidence and mortality in the UK: population based cohort study. BMJ: British Medical Journal, 2008, 337, a180-a180.	2.3	500
175	Long-Term Mortality in People With Celiac Disease Diagnosed in Childhood Compared With Adulthood: A Population-Based Cohort Study. American Journal of Gastroenterology, 2007, 102, 864-870.	0.4	71
176	Coeliac disease and risk of tuberculosis: a population-based cohort study. Thorax, 2007, 62, 1-2.	5.6	27
177	A Comprehensive Analysis of Adverse Obstetric and Pediatric Complications in Women with Asthma. American Journal of Respiratory and Critical Care Medicine, 2007, 175, 991-997.	5.6	89
178	Extrinsic allergic alveolitis: incidence and mortality in the general population. QJM - Monthly Journal of the Association of Physicians, 2007, 100, 233-237.	0.5	98
179	Analysis of the absolute risks in coeliac disease indicates the importance of the prevention of osteoporosis * Author's reply. Gut, 2007, 56, 310-311.	12.1	8
180	Fertility Rates in Women with Asthma, Eczema, and Hay Fever: A General Population-based Cohort Study. American Journal of Epidemiology, 2007, 165, 1023-1030.	3.4	48

#	Article	IF	Citations
181	The incidence of cancer in patients with idiopathic pulmonary fibrosis and sarcoidosis in the UK. Respiratory Medicine, 2007, 101, 2534-2540.	2.9	266
182	The Iceberg of Celiac Disease: What Is Below the Waterline?. Clinical Gastroenterology and Hepatology, 2007, 5, 59-62.	4.4	37
183	Influence of ursodeoxycholic acid on the mortality and malignancy associated with primary biliary cirrhosis: A population-based cohort study. Hepatology, 2007, 46, 1131-1137.	7.3	76
184	Recent advances in coeliac disease. Gut, 2006, 55, 1037-1046.	12.1	266
185	Fracture Risk in People With Primary Biliary Cirrhosis: A Population-Based Cohort Study. Gastroenterology, 2006, 131, 1752-1757.	1.3	89
186	Use of Inhaled Corticosteroids and the Risk of Fracture. Chest, 2006, 130, 1082-1088.	0.8	91
187	Risk of schizophrenia in people with coeliac disease, ulcerative colitis and Crohn's disease: a general population-based study. Alimentary Pharmacology and Therapeutics, 2006, 23, 71-74.	3.7	49
188	Elevated serum alanine transaminase in patients with type 1 or type 2 diabetes mellitus. QJM - Monthly Journal of the Association of Physicians, 2006, 99, 871-876.	0.5	69
189	Is an internal comparison better than using national data when estimating mortality in longitudinal studies?. Journal of Epidemiology and Community Health, 2006, 60, 819-821.	3.7	45
190	Oral and inhaled corticosteroids and adrenal insufficiency: a case-control study. Thorax, 2006, 61, 405-408.	5.6	77
191	Incidence and mortality of idiopathic pulmonary fibrosis and sarcoidosis in the UK. Thorax, 2006, 61, 980-985.	5.6	461
192	Trends in the incidence of primary liver and biliary tract cancers in England and Wales 1971–2001. British Journal of Cancer, 2006, 94, 1751-1758.	6.4	215
193	Use of libraries and electronic information resources by primary care staff: outcomes from a survey. Health Information and Libraries Journal, 2005, 22, 182-188.	2.5	25
194	Autoimmune cholestatic liver disease in people with coeliac disease: a population-based study of their association. Alimentary Pharmacology and Therapeutics, 2005, 21, 401-405.	3.7	72
195	Does concurrent prescription of selective serotonin reuptake inhibitors and nonâ€steroidal antiâ€inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?. Alimentary Pharmacology and Therapeutics, 2005, 22, 175-181.	3.7	78
196	Mortality Associated with Barrett's Esophagus and Gastroesophageal Reflux Disease Diagnoses-A Population-Based Cohort Study. American Journal of Gastroenterology, 2005, 100, 2616-2621.	0.4	64
197	Bupropion and the risk of sudden death: a self-controlled case-series analysis using The Health Improvement Network. Thorax, 2005, 60, 848-850.	5.6	48
198	General population based study of the impact of tricyclic and selective serotonin reuptake inhibitor antidepressants on the risk of acute myocardial infarction. Heart, 2005, 91, 465-471.	2.9	125

#	Article	IF	Citations
199	Fertility and pregnancy-related events in women with celiac disease: A population-based cohort study. Gastroenterology, 2005, 128, 849-855.	1.3	128
200	Commentary: Does the presence of asthma increase the incidence of coronary heart disease?. International Journal of Epidemiology, 2004, 33, 749-750.	1.9	1
201	Malignancy and mortality in people with coeliac disease: population based cohort study. BMJ: British Medical Journal, 2004, 329, 716-719.	2.3	294
202	Risk of oesophageal cancer in Barrett's oesophagus and gastro-oesophageal reflux. Gut, 2004, 53, 1070-1074.	12.1	244
203	Hip fractures in patients with inflammatory bowel disease and their relationship to corticosteroid use: a population based cohort study. Gut, 2004, 53, 251-255.	12.1	126
204	Risk of vascular disease in adults with diagnosed coeliac disease: a population-based study. Alimentary Pharmacology and Therapeutics, 2004, 20, 73-79.	3.7	120
205	Fracture risk of women with primary biliary cirrhosis: no increase compared with general population controls. Alimentary Pharmacology and Therapeutics, 2004, 20, 551-557.	3.7	28
206	Risk of malignancy in diagnosed coeliac disease: a 24-year prospective, population-based, cohort study. Alimentary Pharmacology and Therapeutics, 2004, 20, 769-775.	3.7	98
207	Risk of extraâ€oesophageal malignancies and colorectal cancer in Barrett's oesophagus and gastroâ€oesophageal reflux. Scandinavian Journal of Gastroenterology, 2004, 39, 680-685.	1.5	26
208	Do rates of hospital admission for falls and hip fracture in elderly people vary by socio-economic status?. Public Health, 2004, 118, 576-581.	2.9	65
209	Fracture risk in people with celiac disease: a population-based cohort study. Gastroenterology, 2003, 125, 429-436.	1.3	179
210	Risk of fracture in coeliac disease. Gut, 2003, 52, 1532-a-1532.	12.1	3
211	Does influenza vaccination increase consultations, corticosteroid prescriptions, or exacerbations in subjects with asthma or chronic obstructive pulmonary disease?. Thorax, 2003, 58, 835-839.	5.6	61
212	Fracture experience of patients with coeliac disease: a population based survey. Gut, 2003, 52, 518-522.	12.1	111
213	Seroprevalence, correlates, and characteristics of undetected coeliac disease in England. Gut, 2003, 52, 960-965.	12.1	439
214	How often is a positive faecal occult blood test the result of coeliac disease?. European Journal of Gastroenterology and Hepatology, 2003, 15, 1097-1100.	1.6	15
215	IgA-antitissue transglutaminase: validation of a commercial assay for diagnosing coeliac disease. Clinical Laboratory, 2002, 48, 241-6.	0.5	9
216	Trends in diagnosis rate and clinical presentation of adult celiac disease: A 25 year prospective study. Gastroenterology, 2001, 120, A394-A394.	1.3	2

#	Article	IF	CITATIONS
217	Loss of vision in one eye following scoliosis surgery British Journal of Ophthalmology, 1990, 74, 243-244.	3.9	28
218	Human physiology at extreme altitudes on Mount Everest. Science, 1984, 223, 784-788.	12.6	106
219	Time Trends in the Incidence Rates of Venous Thromboembolism Following Colorectal Resection by Indication and Operative Technique. Colorectal Disease, 0, , .	1.4	3