Armando Peruga U

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2939995/publications.pdf

Version: 2024-02-01

22 1,931 papers citations

1,931 11 citations h-index

31 31 docs citations

31 times ranked 3057 citing authors

27

g-index

#	Article	IF	Citations
1	Worldwide burden of disease from exposure to second-hand smoke: a retrospective analysis of data from 192 countries. Lancet, The, 2011, 377, 139-146.	13.7	1,418
2	Secondhand Tobacco Smoke in Public Places in Latin America, 2002-2003. JAMA - Journal of the American Medical Association, 2004, 291, 2741.	7.4	100
3	European Code against Cancer, 4th Edition: Tobacco and cancer. Cancer Epidemiology, 2015, 39, S20-S33.	1.9	64
4	Prevalence of electronic nicotine delivery systems (ENDS) use among youth globally: a systematic review and metaâ€analysis of country level data. Australian and New Zealand Journal of Public Health, 2018, 42, 303-308.	1.8	64
5	Reduction of secondhand tobacco smoke in public places following national smoke-free legislation in Uruguay. Tobacco Control, 2010, 19, 231-234.	3.2	53
6	Secondhand tobacco smoke in bars and restaurants in Santiago, Chile: evaluation of partial smoking ban legislation in public places. Tobacco Control, 2010, 19, 469-474.	3.2	43
7	Tobacco control policies in the 21st century: achievements and open challenges. Molecular Oncology, 2021, 15, 744-752.	4.6	39
8	Underestimation of Mycobacterium tuberculosis infection in HIV-infected subjects using reactivity to tuberculin and anergy panel. International Journal of Epidemiology, 2000, 29, 369-375.	1.9	31
9	The role of public policies in reducing smoking prevalence and deaths: the Argentina Tobacco Policy Simulation Model. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2007, 21, 37-49.	1.1	24
10	Secondhand exposure to aerosol from electronic cigarettes: pilot study of assessment of tobacco-specific nitrosamine (NNAL) in urine. Gaceta Sanitaria, 2019, 33, 575-578.	1.5	16
11	Correlates of compliance with national comprehensive smoke-free laws. Tobacco Control, 2018, 27, 608-613.	3.2	11
12	Occupational secondhand smoke is the main determinant of hair nicotine concentrations in bar and restaurant workers. Environmental Research, 2014, 132, 206-211.	7.5	9
13	The Tobacco Control Scale as a research tool to measure country-level tobacco control policy implementation. Tobacco Induced Diseases, 2020, 18, 1-17.	0.6	9
14	Compliance with the smoking ban in enclosed, semiopen and open areas of workplaces and public places in Chile. Tobacco Control, 2021, 30, 570-573.	3.2	7
15	PolÃŧicas de control de consumo de alcohol, tabaco y otras drogas en América Latina. Revista De Psicologia De La Salud, 2001, 13, 367.	0.5	4
16	Tool to monitor tobacco control policy implementation: the Tobacco Control Scale in Latin America. Adaptation process and pilot study. Tobacco Control, 2022, 31, 642-648.	3.2	3
17	Night entertainment venues comply poorly with the smoke-free law in Chile. Gaceta Sanitaria, 2020, 35, 402-404.	1.5	2
18	Exposure of 4-year to 24-year olds to tobacco imagery on prime-time Chilean television. Tobacco Control, 2023, 32, 323-329.	3.2	2

#	Article	IF	CITATIONS
19	Point of Sale Advertising and Promotion of Cigarettes, Electronic Cigarettes, and Heated Tobacco Products in Warsaw, Poland—A Pilot Study. International Journal of Environmental Research and Public Health, 2021, 18, 13002.	2.6	1
20	2014: WHO's 25th World No Tobacco Day Global Campaign. Health Communication, 2016, 31, 786-788.	3.1	0
21	Exposure to second-hand aerosol produced by electronic cigarettes: a systematic review. Tobacco Induced Diseases, 2018, 16, .	0.6	O
22	Compliance with the smoking ban in urban public transportation in Chile. Tobacco Induced Diseases, 2020, 18, 61.	0.6	0