

Patrik Ernfors

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2941000/publications.pdf>

Version: 2024-02-01

87
papers

14,478
citations

53794

45
h-index

51608

86
g-index

94
all docs

94
docs citations

94
times ranked

17765
citing authors

#	ARTICLE	IF	CITATIONS
1	The SARS-CoV-2 receptor ACE2 is expressed in mouse pericytes but not endothelial cells: Implications for COVID-19 vascular research. <i>Stem Cell Reports</i> , 2022, 17, 1089-1104.	4.8	41
2	Identification and quantification of nociceptive Schwann cells in mice with and without Streptozotocin-induced diabetes. <i>Journal of Chemical Neuroanatomy</i> , 2022, 123, 102118.	2.1	3
3	Neural network learning defines glioblastoma features to be of neural crest perivascular or radial glia lineages. <i>Science Advances</i> , 2022, 8, .	10.3	11
4	Diversification of molecularly defined myenteric neuron classes revealed by single-cell RNA sequencing. <i>Nature Neuroscience</i> , 2021, 24, 34-46.	14.8	151
5	Single cell transcriptomics of primate sensory neurons identifies cell types associated with chronic pain. <i>Nature Communications</i> , 2021, 12, 1510.	12.8	121
6	Single-cell RNA sequencing reveals the mesangial identity and species diversity of glomerular cell transcriptomes. <i>Nature Communications</i> , 2021, 12, 2141.	12.8	55
7	Demise of nociceptive Schwann cells causes nerve retraction and pain hyperalgesia. <i>Pain</i> , 2021, 162, 1816-1827.	4.2	40
8	Glioblastoma cytotoxicity conferred through dual disruption of endolysosomal homeostasis by Vacuolin-1. <i>Neuro-Oncology Advances</i> , 2021, 3, vdab152.	0.7	1
9	Contribution of neural crest and GLAST ⁺ Wnt1 ⁺ bone marrow pericytes with liver fibrogenesis and/or regeneration. <i>Liver International</i> , 2020, 40, 977-987.	3.9	7
10	Human Labor Pain Is Influenced by the Voltage-Gated Potassium Channel KV6.4 Subunit. <i>Cell Reports</i> , 2020, 32, 107941.	6.4	18
11	Pricking into Autonomic Reflex Pathways by Electrical Acupuncture. <i>Neuron</i> , 2020, 108, 395-397.	8.1	3
12	Specialized cutaneous Schwann cells initiate pain sensation. <i>Science</i> , 2019, 365, 695-699.	12.6	231
13	Schwann Cell Precursors Generate the Majority of Chromaffin Cells in Zuckerkandl Organ and Some Sympathetic Neurons in Paraganglia. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 6.	2.9	65
14	Spatiotemporal structure of cell fate decisions in murine neural crest. <i>Science</i> , 2019, 364, .	12.6	345
15	An Atlas of Vagal Sensory Neurons and Their Molecular Specialization. <i>Cell Reports</i> , 2019, 27, 2508-2523.e4.	6.4	259
16	PAD2-Mediated Citrullination Contributes to Efficient Oligodendrocyte Differentiation and Myelination. <i>Cell Reports</i> , 2019, 27, 1090-1102.e10.	6.4	59
17	PRDM12 Is Required for Initiation of the Nociceptive Neuron Lineage during Neurogenesis. <i>Cell Reports</i> , 2019, 26, 3484-3492.e4.	6.4	40
18	Nerves Do It Again: Donation of Mesenchymal Cells for Tissue Regeneration. <i>Cell Stem Cell</i> , 2019, 24, 195-197.	11.1	7

#	ARTICLE	IF	CITATIONS
19	Muscle-selective RUNX3 dependence of sensorimotor circuit development. <i>Development (Cambridge)</i> , 2019, 146, .	2.5	15
20	Neuronal atlas of the dorsal horn defines its architecture and links sensory input to transcriptional cell types. <i>Nature Neuroscience</i> , 2018, 21, 869-880.	14.8	327
21	Striking parallels between carotid body glomus cell and adrenal chromaffin cell development. <i>Developmental Biology</i> , 2018, 444, S308-S324.	2.0	22
22	Signals from the brain and olfactory epithelium control shaping of the mammalian nasal capsule cartilage. <i>ELife</i> , 2018, 7, .	6.0	28
23	Molecular Architecture of the Mouse Nervous System. <i>Cell</i> , 2018, 174, 999-1014.e22.	28.9	2,002
24	UHRF1 Licensed Self-Renewal of Active Adult Neural Stem Cells. <i>Stem Cells</i> , 2018, 36, 1736-1751.	3.2	14
25	Termination of cell-type specification gene programs by miR-183 cluster determines the population sizes of low threshold mechanosensitive neurons. <i>Development (Cambridge)</i> , 2018, 145, .	2.5	8
26	NoRC Recruitment by H2A.X Deposition at rRNA Gene Promoter Limits Embryonic Stem Cell Proliferation. <i>Cell Reports</i> , 2018, 23, 1853-1866.	6.4	19
27	Ca ²⁺ -binding protein NECAB2 facilitates inflammatory pain hypersensitivity. <i>Journal of Clinical Investigation</i> , 2018, 128, 3757-3768.	8.2	15
28	Evaluating vacquinol-1 in rats carrying glioblastoma models RG2 and NS1. <i>Oncotarget</i> , 2018, 9, 8391-8399.	1.8	9
29	miR-183 cluster scales mechanical pain sensitivity by regulating basal and neuropathic pain genes. <i>Science</i> , 2017, 356, 1168-1171.	12.6	124
30	Multipotent peripheral glial cells generate neuroendocrine cells of the adrenal medulla. <i>Science</i> , 2017, 357, .	12.6	251
31	The Oncolytic Efficacy and in Vivo Pharmacokinetics of [2-(4-Chlorophenyl)quinolin-4-yl](piperidine-2-yl)methanol (Vacquinol-1) Are Governed by Distinct Stereochemical Features. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 8577-8592.	6.4	16
32	Visceral motor neuron diversity delineates a cellular basis for nipple- and pilo-erection muscle control. <i>Nature Neuroscience</i> , 2016, 19, 1331-1340.	14.8	91
33	Oligodendrocyte heterogeneity in the mouse juvenile and adult central nervous system. <i>Science</i> , 2016, 352, 1326-1329.	12.6	817
34	New origin firing is inhibited by APC/C ^{Cdh1} activation in S-phase after severe replication stress. <i>Nucleic Acids Research</i> , 2016, 44, 4745-4762.	14.5	15
35	Mutations in the Endothelin Receptor Type A Cause Mandibulofacial Dysostosis with Alopecia. <i>American Journal of Human Genetics</i> , 2015, 96, 519-531.	6.2	47
36	Unbiased classification of sensory neuron types by large-scale single-cell RNA sequencing. <i>Nature Neuroscience</i> , 2015, 18, 145-153.	14.8	1,710

#	ARTICLE	IF	CITATIONS
37	Nerves transport stem-like cells generating parasympathetic neurons. <i>Cell Cycle</i> , 2014, 13, 2805-2806.	2.6	2
38	Identification of a large protein network involved in epigenetic transmission in replicating DNA of embryonic stem cells. <i>Nucleic Acids Research</i> , 2014, 42, 6972-6986.	14.5	42
39	Glial origin of mesenchymal stem cells in a tooth model system. <i>Nature</i> , 2014, 513, 551-554.	27.8	347
40	Parasympathetic neurons originate from nerve-associated peripheral glial progenitors. <i>Science</i> , 2014, 345, 82-87.	12.6	181
41	The transcription factor Hmx1 and growth factor receptor activities control sympathetic neurons diversification. <i>EMBO Journal</i> , 2013, 32, 1613-1625.	7.8	45
42	Sox2 and Mitf cross-regulatory interactions consolidate progenitor and melanocyte lineages in the cranial neural crest. <i>Development (Cambridge)</i> , 2012, 139, 397-410.	2.5	154
43	Molecular interactions underlying the specification of sensory neurons. <i>Trends in Neurosciences</i> , 2012, 35, 373-381.	8.6	226
44	Small molecule screening platform for assessment of cardiovascular toxicity on adult zebrafish heart. <i>BMC Physiology</i> , 2012, 12, 3.	3.6	27
45	Essential role of Ret for defining non-peptidergic nociceptor phenotypes and functions in the adult mouse. <i>European Journal of Neuroscience</i> , 2011, 33, 1385-1400.	2.6	28
46	Dependence on the transcription factor Shox2 for specification of sensory neurons conveying discriminative touch. <i>European Journal of Neuroscience</i> , 2011, 34, 1529-1541.	2.6	33
47	Cell cycle restriction by histone H2AX limits proliferation of adult neural stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 5837-5842.	7.1	127
48	Cellular origin and developmental mechanisms during the formation of skin melanocytes. <i>Experimental Cell Research</i> , 2010, 316, 1397-1407.	2.6	67
49	En masse in vitro functional profiling of the axonal mechanosensitivity of sensory neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 16336-16341.	7.1	14
50	Dynamic expression of the TRPM subgroup of ion channels in developing mouse sensory neurons. <i>Gene Expression Patterns</i> , 2010, 10, 65-74.	0.8	49
51	Schwann Cell Precursors from Nerve Innervation Are a Cellular Origin of Melanocytes in Skin. <i>Cell</i> , 2009, 139, 366-379.	28.9	477
52	Differential regulation of TRP channels in a rat model of neuropathic pain. <i>Pain</i> , 2009, 144, 187-199.	4.2	105
53	Down regulation of TRPC1 by shRNA reduces mechanosensitivity in mouse dorsal root ganglion neurons in vitro. <i>Neuroscience Letters</i> , 2009, 457, 3-7.	2.1	29
54	Cell migration by a FRS2 α adaptor dependent membrane relocation of ret receptors. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 879-894.	2.6	4

#	ARTICLE	IF	CITATIONS
55	Differential membrane compartmentalization of Ret by PTB adaptor engagement. <i>FEBS Journal</i> , 2008, 275, 2055-2066.	4.7	5
56	Histone H2AX-dependent GABAA receptor regulation of stem cell proliferation. <i>Nature</i> , 2008, 451, 460-464.	27.8	255
57	Optimized mouse ES cell culture system by suspension growth in a fully defined medium. <i>Nature Protocols</i> , 2008, 3, 1013-1017.	12.0	19
58	Differential expression and dynamic changes of murine NEDD9 in progenitor cells of diverse tissues. <i>Gene Expression Patterns</i> , 2008, 8, 217-226.	0.8	17
59	Mouse Embryonic Stem Cell-Derived Spheres with Distinct Neurogenic Potentials. <i>Stem Cells and Development</i> , 2008, 17, 233-243.	2.1	29
60	Cellular subtype distribution and developmental regulation of TRPC channel members in the mouse dorsal root ganglion. <i>Journal of Comparative Neurology</i> , 2007, 503, 35-46.	1.6	77
61	Specification and connectivity of neuronal subtypes in the sensory lineage. <i>Nature Reviews Neuroscience</i> , 2007, 8, 114-127.	10.2	330
62	In vitro and in vivo differentiation of boundary cap neural crest stem cells into mature Schwann cells. <i>Experimental Neurology</i> , 2006, 198, 438-449.	4.1	100
63	The Runx1/AML1 transcription factor selectively regulates development and survival of TrkA nociceptive sensory neurons. <i>Nature Neuroscience</i> , 2006, 9, 180-187.	14.8	117
64	Brain-derived neurotrophic factor selectively regulates dendritogenesis of parvalbumin-containing interneurons in the main olfactory bulb through the PLC β 3 pathway. <i>Journal of Neurobiology</i> , 2006, 66, 1437-1451.	3.6	44
65	Engineering the Recruitment of Phosphotyrosine Binding Domain-containing Adaptor Proteins Reveals Distinct Roles for RET Receptor-mediated Cell Survival. <i>Journal of Biological Chemistry</i> , 2006, 281, 29886-29896.	3.4	15
66	The boundary cap: a source of neural crest stem cells that generate multiple sensory neuron subtypes. <i>Development (Cambridge)</i> , 2005, 132, 2623-2632.	2.5	112
67	Endocannabinoids regulate interneuron migration and morphogenesis by transactivating the TrkB receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 19115-19120.	7.1	251
68	Brain-derived neurotrophic factor controls functional differentiation and microcircuit formation of selectively isolated fast-spiking GABAergic interneurons. <i>European Journal of Neuroscience</i> , 2004, 20, 1290-1306.	2.6	88
69	Complementary distribution of type 1 cannabinoid receptors and vesicular glutamate transporter 3 in basal forebrain suggests input-specific retrograde signalling by cholinergic neurons. <i>European Journal of Neuroscience</i> , 2003, 18, 1979-1992.	2.6	69
70	BDNF gene replacement reveals multiple mechanisms for establishing neurotrophin specificity during sensory nervous system development. <i>Development (Cambridge)</i> , 2003, 130, 1479-1491.	2.5	103
71	Differential influence of BDNF and NT3 on the expression of calcium binding proteins and neuropeptide Y in vivo. <i>NeuroReport</i> , 2003, 14, 2183-2187.	1.2	20
72	Distinct roles of the Y1 and Y2 receptors on neuropeptide Y-induced sensitization to sedation. <i>Journal of Neurochemistry</i> , 2001, 78, 1201-1207.	3.9	40

#	ARTICLE	IF	CITATIONS
73	Neuropeptide Y alters sedation through a hypothalamic Y1-mediated mechanism. <i>European Journal of Neuroscience</i> , 2001, 13, 2241-2246.	2.6	52
74	Nuclear Factor- κ B to the Rescue of Cytokine-Induced Neuronal Survival. <i>Journal of Cell Biology</i> , 2000, 148, 223-226.	5.2	10
75	Cell death in regenerating populations of neurons in BDNF mutant mice. <i>Molecular Brain Research</i> , 2000, 75, 61-69.	2.3	112
76	Normal feeding behavior, body weight and leptin response require the neuropeptide Y Y2 receptor. <i>Nature Medicine</i> , 1999, 5, 1188-1193.	30.7	261
77	Protection of auditory neurons from aminoglycoside toxicity by neurotrophin-3. <i>Nature Medicine</i> , 1996, 2, 463-467.	30.7	251
78	Aminoglycoside excitement silences hearing. <i>Nature Medicine</i> , 1996, 2, 1313-1314.	30.7	16
79	Neurotrophic Factors as Pharmacological Agents for the Treatment of Injured Auditory Neurons. <i>Novartis Foundation Symposium</i> , 1996, 196, 149-166.	1.1	4
80	Dependence of developing group Ia afferents on neurotrophin-3. <i>Journal of Comparative Neurology</i> , 1995, 363, 307-320.	1.6	98
81	Sensory but not motor neuron deficits in mice lacking NT4 and BDNF. <i>Nature</i> , 1995, 375, 238-241.	27.8	357
82	Mice lacking brain-derived neurotrophic factor develop with sensory deficits. <i>Nature</i> , 1994, 368, 147-150.	27.8	1,023
83	Lack of neurotrophin-3 leads to deficiencies in the peripheral nervous system and loss of limb proprioceptive afferents. <i>Cell</i> , 1994, 77, 503-512.	28.9	767
84	Cells Expressing mRNA for Neurotrophins and their Receptors During Embryonic Rat Development. <i>European Journal of Neuroscience</i> , 1992, 4, 1140-1158.	2.6	479
85	Septal cholinergic afferents regulate expression of brain-derived neurotrophic factor and β -nerve growth factor mRNA in rat hippocampus. <i>Experimental Brain Research</i> , 1992, 88, 78-90.	1.5	123
86	Developmentally Regulated Expression of HDNF/NT-3 mRNA in Rat Spinal Cord Motoneurons and Expression of BDNF mRNA in Embryonic Dorsal Root Ganglion. <i>European Journal of Neuroscience</i> , 1991, 3, 953-961.	2.6	145
87	Dorsal Root Ganglion Neuron Types and Their Functional Specialization. , 0, , 128-155.		24